

added projects :

meta-altera at revision 4364dbfcb600da82ecdffc4797f112d187e40f1c3
 meta-boundary at revision d44ee8f58d841cf13f3be63dab271344e2b9ba6db
 meta-freescale at revision fa774ad7fb797957601a8c9fee45af453fea34b7
 meta-freescale-3rdparty at revision 1879485e63ce369292c89b5902ff6df13509090b
 meta-freescale-distro at revision cd5c7a2539f40004f74126e9fdf08254fd9a6390
 meta-renesas-rcar-gen3 at revision 4fa88fc2e452dd1ca5992cb605b3cd1823ee5316
 meta-updater at revision 45c155a67d3532ad32342fc512e8bf6341ab9e5d

removed projects :

meta-amb at revision ef3495bb8d6543709f6dlf7b657cb894d32c1757
 meta-fsl-arm at revision e2254e7b2ded0c2b66b1226f879b3a6d52037b2d
 meta-fsl-arm-extra at revision e95f4ae61fdaf6452d6dfa9cb59dbdf9cdf73c99
 meta-rcar at revision e15ae276da312d71e016e2b30d2414b4c02ecbf8

changed projects :

meta-agl changed from fb57dd647f577b5df40380c6f3996443bbe0cf8b to refs/tags/dab/3.99.3
 [-] fb57dd6 Apply bluetooth/smack patches also to rpi kernel
 [-] 5dbfea7 dra7xx-evm: Fix issue with bluetooth pairing
 [-] fc9db17 Add entry for official pi touchscreen over DSI port
 [-] b674ca4 Ensure the codename is in OVERRIDES
 [-] 5c82102 meta-oic: Hotfix to support aarch64 for DragonBoard-410c
 [-] 0723edd linux-raspberrypi: add ENABLE_CMA options to kernel command line
 [-] 0a42053 50_local.conf.inc: Enable CMA within the raspberrypi3 template
 [-] 7b1d649 rpi-config: add configurable CMA low and high water marks
 [-] d81c329 Set defaultbranch to chinook in gitreview
 [+] 4307ed5 Update poky-agl.conf for 3.99.3
 [+] c98f908 tests: templates/qemux86-64: KVM updates
 [+] 2ac1f64 Only apply CVE-2017-1000364 to 4.8 kernel - 4.4 needs different patchset
 [+] 29f14a1 Fix: can-bus not applied at kernel configuration
 [+] ef59830 tests: templates/qemux86-64: enable QEMU audio driver
 [+] 86c6c25 image-vm: Allow for xz compressed vm disk images
 [+] 726da22 meta-agl-bsp/meta-intel: make new 4.8 .bbappend
 [+] d630d90 tests: templates/qemux86-64: add MACHINE name to rootfs filename
 [+] 8146379 tests: templates/qemux86-64: add (empty) DTB
 [+] fa250dc qemux86-64: root using root=PARTUUID
 [+] 2516499 Add low-level-can-generator as devtool in SDK
 [+] 590eb98 agl-devel: auto-add drivers for vm disk images
 [+] e3f0129 qemux86-64: add hwtest environment
 [+] 04b54de af-main: add RDEPENDS on bash
 [+] 8b23708 Update freescale layer names, add nitrogen inc file
 [+] 59bdc8c backport open-vm-tools recipe
 [+] 944d506 Possibility to copy wgt without installing them
 [+] 351cd31 Fix weston failed
 [+] dbaf564 systemd: remove timesystemd feature
 [+] f98e42d systemd-udev: ensure convention for naming udev rules
 [+] 8f792e4 af-binder: Fix const issue in afb-auth.h
 [+] e6aef67 netboot: fix dependency loop for gemu build
 [+] 2dcf3bb test templates: m3ulcb-nogfx: use core-image-minimal
 [+] 0de328c Add ath9k_htc driver to rcar-gen3 for demos
 [+] b439a3d Integration of low-level-can-service apps
 [+] 6cbdc4b Fix i.MX6 (usb)
 [+] 78db756 Disable rpi3 tests as they are broken right now with the kernel Image
 [+] ad07b43 Upgrade framework and binder
 [+] ed6c7b9 Add systemd synchronization script
 [+] c80a038 af-main: Allow service to run by default
 [+] 8163781 Handle error during run-agl-postinsts
 [+] b2f32e7 Executing /bin/bash explicitly
 [+] 97d5e55 framework: update DAB for RC3
 [+] f53472b af-main: make sockets.target accessible by group
 [+] 52bba29 Framework: Leverage agl-devel and set PV
 [+] 8ef673e Add gst-record argument to weston option
 [+] 0c48402 Fix for image format dependencies during parsing
 [+] 04001fc Fix i.MX6
 [+] 99e6be9 m3ulcb-nogfx: add test templates for LAVA job and environment
 [+] c42f34f af-binder: Fix error report (really)
 [+] 1alcae6 db410c kernel fixed CVE-2017-1000364 upstream thus remove our patches
 [+] c8d6044 weston-init: set udev rule to display group for gst-record feature.
 [+] ed8a31d raspberrypi3-64: test: add LAVA env and job template
 [+] 74d0ccd Fix rpi-sdimg after IMAGE_FSTYPE being enforced in poky-agl.conf
 [+] af694da Enable OTA updates using inc from meta-updater
 [+] 377b4d8 Fix for CVE-2017-1000366 in glibc
 [+] 17fb0f4 Backport fix for CVE-2017-1000364 to linux-yocto-4.8
 [+] 79c117d Fix CVE-2017-1000364 by backporting the patches for gen3
 [+] 4220a13 Fix CVE-2017-1000364 for dragonboard-410c by backporting the patches from upstream kernel v4.9
 [+] e542468 Fix CVE-2017-1000364 by backporting the patches for rpi3
 [+] 50e1176 afw: Fix error report
 [+] a7bbf55 af-main: moves reload of service
 [+] 0dca647 Enforce same IMAGE_FSTYPES across all boards for AGL
 [+] 60709af Add CAN drivers by default to AGL boards
 [+] 82b5fcf af-main: report error status in afm-install
 [+] 091ef1a Bump DISTRO_VERSION for DD rc2
 [+] 7d2b5bd Add .gitreview for dab
 [+] 31deb53 af-main: ensure socket activation
 [+] 65f8170 af-main: Fix service and their socket activation
 [+] e46f5db agl_raspberrypi*.inc: Set KERNEL_IMAGE_TYPE to Image
 [+] 2116982 meta-agl-netboot: increase IMAGE_ROOTFS_EXTRA_SPACE
 [+] a2953a1 support MACHINE=raspberrypi3-64
 [+] 838146c Remove sdc_card_image-rpi-gdp.bbclass
 [+] 077caaf Add hibernation image area
 [+] 8ae8c01 Set idle-time to 0 in weston.service.
 [+] 95b850f systemd: remove automounting
 [+] 4c8a4dd lightmediascanner: change scan path
 [+] f34a027 raspberrypi2: change GPU_MEM to 255
 [+] 11a6af7 Add hibernation image area
 [+] 4b93238 Framework: fix and upgrade
 [+] f500359 README.renesas-gen3: add uboot env to setup ethernet
 [+] 8fd7f86 Fix for memory corruption during hibernate
 [+] 4af95fe Enable SOTA for supported architectures
 [+] 15b3dd2 enabling https for wget in busybox
 [+] 0412024 Framework: Fix and upgrade
 [+] 72e4d6c tcf-agent: kill with USR2 in systemd stop

```
[+] 0ea9f9f agl-login-manager,agl-desktop-config: Move layer to meta-agl
[+] 5a63eef Add support for cflags for pi0/1
[+] ab98f7c rygel: disable user systemd service
[+] 0b8a33d libmicrohttp: update to version 0.9.55
[+] cb0de9c lightmediascanner: remove udev workaround
[+] 79fe06d Add override for DISTRO_CODENAME
[+] 3bc8101 Add u-boot Hibernation code for porter board.
[+] a14e289 Add kernel Hibernation code for porter board.
[+] 5b5a54b Add s3ctl Hibernation code for porter board.
[+] 65abb1f Add gles Hibernation code for porter board.
[+] 77e55a2 agl-image-weston: fix weston regression
[+] 509048c pulseaudio: fix service/socket unit installation
[+] 7657ce6 Security-manager: update of global user name
[+] 74973b9 A fix is in upstream now. The mirror @ sources.openembedded.org was checked and has a copy of the ta
```

rball.

```
[+] e68fd87 Add hotfix for sg3-utils SRC_URI not available
[+] 9883a20 Add support H.264 Encoder proprietary Library for R-Car Gen3
[+] 310012e Bump version for DARING DAB rcl
[+] f40999a appfw:fix dep in af-binder-dev on af-binder-tools
[+] 43aaed6 run-agl-postinsts: run before systemd-user-sessions
[+] 4bb0f58 Fix typo in cyclone5 configuration template
[+] e8054e0 pulseaudio: enable ofono hfp backend
[+] 8f73d08 meta-rcar-3 setup: Improve error message
[+] 4b9d3c5 Update Renesas gen3 setup script for BSP 2.19.
[+] 8ec229f Allows specific features for agl-devel
[+] b9bd517 lightmediascanner: add -D_FILE_OFFSET_BITS=64 to CFLAGS
[+] 3564e1d Make /usr/local compatible with SOTA
[+] 99a568b agl-audio-plugin: Fix Pulseaudio version
[+] ebbf8d9 af-binder: changes the packaging
[+] f2cbb76 dragonboard-410c: install 96boards-tools for resizing partition
[+] 6ca247d Run weston with dedicated 'display' user and group
[+] 7c227f3 Fix build of mozjs, gpm and libatasmart due to SECURITY_%FLAGS
[+] a569352 Add machine templates for the beaglebone
[+] a54f7f5 libmicrohttpd: upgrade to 0.9.54
[+] 0c195f1 linux-renesas: Applies Smack patch for bluetooth
[+] 4755ea3 Fix Readme.weston-ini-conf Readme
[+] 744f963 Upgrade af-binder
[+] 272689b web-runtime: add missing runtime dependencies
[+] 379f0a1 dra7xx: Fix build error with mozjs and libatasmart
[+] bccdc57 x86_64-tune: fix KVM qemu options
[+] 35e565f Switch to medium compiler
[+] e8aff1a Enforce unified tunings across all target boards of AGL
[+] 1f42bdf sdcards: rpi-sdimg: fix mcopy issue with boot.scr
[+] 68386e6 raspberrypi3: change GPU_MEM to 255
[+] alc76d6 Enable lava test-run on vayu board
[+] ea0alf9 agl-postinsts: remove unneeded Glob
[+] 71d255f Enable test-run on porterboard
[+] d9a02b9 Remove sota-related includes from meta-agl-bsp
[+] ae8716e Remove sota from agl-ci-change-features
[+] bc5c606 Enforce uImage as KERNEL_IMAGETYPE for rpi
[+] 349a5fe meta-agl-bsp/meta-raspberrypi: Upgrade to v12.0.3
[+] 5450a1b change default screen transform to 270
[+] deec51b rtl-sdr: remove -I/usr/include from pkg-config
[+] 50e118a dragonboard-410c: linux: update to kernel 4.9
[+] 3759dc5 Change require to include to unbreak builds without ag-sota feature
[+] cfdfe1d Temporary fix for the agl-sota feature
[+] c46e117 poky-agl: exempt qtwebengine from security flags
[+] 8807f8e Switch to meta-updater
[+] 61bf680 Revert "Switch to meta-updater" - waiting for main commit to be updated.
[+] 521815f Switch to meta-updater
[+] 2058488 lightmediascanner: delete the remove rule
[+] 5c71ba5 bluez5: add interface access for MediaPlayer application
[+] 11d1133 meta-agl-bsp/meta-qcom: Fix kernel config fragment about smack
[+] 055289b systemd: rename udev rule to conform with convention
[+] 0e42453 af-main: Improve environment setting
[+] dc2cbc9 meta-agl-bsp/meta-ti: Fix kernel config fragment about smack
[+] 683e2f5 lightmediascanner: rename udev rule to conform with convention
[+] 18d6f6f meta-rcar-gen3: add CONFIG_INPUT_UIINPUT to bluetooth.cfg
[+] 029de35 Use weston-init to startup weston
[+] 473b435 Set a weak distro-wide DEFAULTTUNE for ARM 32bit
[+] 817c2c6 Set a default tune for cyclone5 until the distro defines one
[+] 0cddb9d packagegroup-agl-devel: add pstree
[+] ae38ecd packagegroup-agl-devel: add vim
[+] bbe9efa add vmware drivers
[+] d4d0688 systemd: remove force flag to mount in mount.sh
[+] f8f62f1 update weston.ini for Renesas Gen3 board
[+] 9d103ee update Renesas Gen3 driver for BSP 2.17
[+] 9bf4694 LLVM3.3 build fix on qemu86-64
[+] 2587f94 Set UBOOT_MACHINE to minnowmax for intel-corei7-64 and SOTA
[+] 71727c2 Add porter-bootfiles to dependencies when agl-sota is enabled
[+] 624b48f Handle systemd's "inactive" state as transient
[+] 4abd447 Add grub2 support in SOTA
[+] e271cd0 dra7xx: Enable GStreamer on the morty branch
[+] af4eb6f dra7xx: cleanup of gstreamer files
[+] e5647d8 dra7xx: gstreamer1.0-plugins-bad: Upgrade to 1.8.2
[+] 8b721aa dra7xx: gst-plugins-ti: Update VPE plugins to latest
[+] 5d39e47 lightmediascanner: add dbus configuration
[+] ddd3b0c lightmediascanner: add udev scan rule
[+] 8fc6179 Add media automounting support
[+] b527bd9 dra7xx: gst-plugins-ti: Update ducati plugins to latest
[+] 8620c25 lightmediascanner: change service scan path
[+] f24d44c qemu86-64: add Virtio GPU DRM driver
[+] cbc3c19 faac: fix typo of SRC_URI directive
[+] 3dd45a2 dlt-daemon: remove spaces before +=
[+] 7d1d745 Generate weston.ini dynamically
[+] 64d59ff libuimux: fix format security issues
[+] e7d4b62 Fix parallel build issue in wayland-ivi-extension
[+] 720729e dra7xx: linux: Update smack patches for Kernel 4.9
[+] db96e66 dra7xx: Remove SRC_URI update
[+] 1a87a64 dra7xx: linux: rename kernel recipe to make version agnostic
[+] 6045050 faac: fix format security issue
[+] 189a4e9 dra7xx: weston: cleanup patches
[+] fa3a10c dra7xx: preferred kernel is 4.9
[+] 4ca83a3 dra7xx: minor cleanup of config file
[+] 29f5c9b dra7xx: u-boot: Remove patch for compilation fix
[+] 3baba8d Fix version of gst-omx
```

```

[+] 6c04924 Fix version mismatch of gstreamer for R-Car Gen3
[+] 09fd2ed Fix virtual provider for webruntime
[+] 2f6d1e8 Fix af-main build
[+] bd4f9dd Re-enable security flags proposed in Poky
[+] 2ceaa31 Merge "Merge: migrate appfw from meta-agl-extra"
[+] ef0b30d dra7xx: uEnv: default dtb is renamed to identify version
[+] c077a7f dra7xx: ti-sgx-ddk-um: remove recipe from meta-agl
[+] 0916ed9 dra7xx: weston: add patches for weston 1.11
[+] 7480d16 dlt-daemon: build with -fPIC
[+] 7fcf42b Merge: migrate appfw from meta-agl-extra
[+] 976e5d5 Migrate meta-app-framework to meta-agl
[+] 685a461 Move to AGL framework on top of systemd
[+] 9c4109e Rename webruntime DISTRO_FEATURES
[+] 219380d Upgrade application framework
[+] e949777 base-files for the framework
[+] 84359da Ensure that eXtended Attributes are managed
[+] 91ee2f3 shadow: 'useradd' copies root's extended attributes
[+] 953167f Removes systemd warnings
[+] c85dca5 Add service dependency on run-agl-postinsts
[+] 2af22bf Fix the error of homescreen for QEMU x86-64
[+] 2645cec Update af-main
[+] 1c4beee aglwgts.bbclass: fix bashism
[+] 78b08cf Add dependency to images
[+] 3051f47 Allowed wgt app to auto-install at the first boot
[+] 802f845 Add afm-install used to install wgt at first boot
[+] a9fd010 Move feature code into the meta recipes
[+] 2de30e2 Add missing DEPENDS to af-binder
[+] 795cc7d fix for gcc6 build
[+] cbca8a0 fix libcap patch
[+] a589515 Activates threading and hook features
[+] dfd78e0 add fakeroot to aglwgts_deploy task
[+] 115ecf6 Be more precise in addtask
[+] 2a3bbd1 Fix whitespace in aglwgts.bbclass
[+] c0c8c58 Add aglwgts class
[+] 065566a Authorize the requested permissions
[+] 583ab50 Don't override SYSTEMD_SERVICE of original recipe.
[+] 7a544ca af-main: remove --roothttp option from afm-launch.conf
[+] ed0ec64 Move all writable data used by security-manager and appfw to /var
[+] f947f34 af-main: fix exec flag and case sensitive ids
[+] 83ff9b7 add native build for af-main
[+] ee68697 agl-appfw-smack: remove dependency on meta-agl-security
[+] 8f6992c Improves places for QT_WAYLAND_SHELL_INTEGRATION
[+] 38673a7 smack: removed already applied patch
[+] a3dcf69 appfw: improvements
[+] b4ab950 meta-app-framework: fix unpackaged files in nativesdk-af-main
[+] a9eccd3 Smack: add audit when smack is active
[+] 6dbefal web-runtime: provide IVI tuning for porter
[+] 3bab572 af-main: update
[+] 827d7c1 Smack: fixup of bluetooth socket labelling
[+] 532f6ad Allow build without meta-agl-demo
[+] e991cf3 FWK: Adaptations for jethro
[+] 7c78310 app-framework: Improvements
[+] 9179d9c app-framework: improvements
[+] e9079c8 Improves the handling of upgrade for websockets
[+] b685ed4 app-framework: fix minor bugs
[+] aa05e43 meta-app-framework: install missing libabfwsc library
[+] c134982 meta-app-framework: sync with latest af-main sources
[+] ae7bbae meta-app-framework: sync with latest af-binder sources
[+] 6b981cf meta-app-framework: add missing dependency between af-binder-dev and libabfwsc-dev
[+] f771fef meta-app-framework: af-binder must create ${libdir}/afb at postinst time
[+] 491d35d meta-app-framework: add af-main-tools and dependencies in nativesdk-packagegroup-sdk-host
[+] 7289a1e meta-app-framework: af-binder source code update
[+] 97fbb5f meta-app-framework: build master branch
[+] 0e3e40d add features agl-demo, agl-appfw-smack and agl-localdev
[+] 97d6590 add feature agl-appfw-smack
[+] 511a65c upgrade to new namings and bug fixes
[+] 1ac5c70 add layer meta-app-framework
[+] 5875cc4 Update rcar gen3 script, compliant driver update
[+] c4f3cbd Add kernel config for renesas porter to support ppp
[+] a29f038 Add OTA wks support to Porter and RCar-M3 boards
[+] 091b395 dra7xx: u-boot: Switch to the 2017.01 u-boot from meta-ti
[+] 7caad23 dra7xx: u-boot: Revert the fix for MMC instability
[+] eb11c68 Fix optee-os build
[+] c30a774 Removed wl-shell-emulator from AGL
[+] 4cbd74e meta-rcar-3 setup: slight refactoring
[+] 7843a15 Merge "[rcar-gen3] Port python-wand for meta-agl-bsp"
[+] 1ff89ef Merge "Rename weston bbappend recipes for ti"
[+] 07812dc Merge "[rcar-gen3] Disable ipv6"
[+] 6f6cfc3 Merge "[rcar-gen3] update weston recipes bbappend"
[+] 646138f Merge "[rcar-gen3] blacklist the recipes-forward-port from bsp"
[+] 09elad5 Merge "update wayland-ivi-extention to 1.10.90 for ti bsp"
[+] cd8d92c Merge "Remove wayland 1.9.0 recipes"
[+] 879fefdf Merge "Removed old fix for weston-ivi-shell"
[+] c602bfe Merge "update wayland-ivi-extension to 1.11.0"
[+] be701d7 Merge "Remove useless fix weston"
[+] d95173f Merge "[rcar-gen3] Remove fix on arm-trusted-firmware recipes"
[+] 8f49239 Merge "[rcar-gen3] Renamed weston bbappend recipes"
[+] 393b9e0 Merge "[rcar-gen3] Fix webp bbappend"
[+] e938bb1 Merge "[rcar-gen3] Update h3 m3 to renesas rcar gen3 BSP v2.16.0 (branch:morty)"
[+] e3a1d93 Merge "[rcar-gen3] Update setup script for gen3 v2.16.0"
[+] 7401858 [rcar-gen3] update weston recipes bbappend
[+] 585ac98 [rcar-gen3] Rename kernel-module-uvcs recipes
[+] 8b415bd [rcar-gen3] Port python-wand for meta-agl-bsp
[+] 288701b Rename weston bbappend recipes for ti
[+] d88997d [rcar-gen3] Disable ipv6
[+] dc4804e [rcar-gen3] update weston recipes bbappend
[+] f6508c4 [rcar-gen3] blacklist the recipes-forward-port from bsp
[+] ac9d301 update wayland-ivi-extention to 1.10.90 for ti bsp
[+] 02676da Remove wayland 1.9.0 recipes
[+] 19af2c6 Removed old fix for weston-ivi-shell
[+] 864c74f update wayland-ivi-extension to 1.11.0
[+] 5fba83e Remove useless fix weston
[+] 244061f [rcar-gen3] Remove fix on arm-trusted-firmware recipes
[+] e7b01c3 [rcar-gen3] Renamed weston bbappend recipes
[+] 53e399c [rcar-gen3] Fix webp bbappend
[+] 401a158 [rcar-gen3] Update h3 m3 to renesas rcar gen3 BSP v2.16.0 (branch:morty)

```

```

[+] bc85078 [rcar-gen3] Update setup script for gen3 v2.16.0
[+] 8d8aacf [rcar-gen3] Remove fix on optee
[+] 4033e61 [rcar-gen3] Rename kernel-module-uvcs recipes
[+] 9adc57c [rcar-gen3] Remove fix on ppp
[+] cbde4c9 [rcar-gen3] Remove mesa backport
[+] 7907933 [rcar-gen3] Updated arm-trusted-firmware
[+] 0ccea403 [rcar-gen3] Backported gstreamer from poky krogoth
[+] 92dac58 remove PR from recipes
[+] d792fb4 meta-rcar-3 setup: typo fixes
[+] 7b5e368 Add MIT LICENSE to packagegroup-agl-devel
[+] 61193fc Fix missing link to unistring for rygel lms plugin
[+] ela7d95 Add kernel config for uart bluetooth device support
[+] 2c41fcc dra7xx-evm: ipumm-fw: deprecate 3.00.08.02
[+] c6c2cd1 dra7xx-evm: Update ipumm-fw PREFERRED_VERSION to latest
[+] 8c9652b dra7xx-evm: ipumm-fw: Add recipe for version 3.00.13.00
[+] 06f0b1a meta-rcar: don't cd: just unzip
[+] c88a0f0 lightmediascanner: add fix for ogg metadata parsing
[+] c843aae meta-netboot: unify instructions to setup uboot for Rcar-Gen3 M3/H3 boards
[+] be2f695 Splice out distro configuration in own layer for compatibility
[+] 3cfe59d Add dependency to images
[+] 36e8802 adding reboot via efi for Minnowboard
[+] 2779b55 handling of console device by local.conf to automate Joule support
[+] 6982381 dra7xx-evm: Enable the cmem driver
[+] 3d1a59f aglsetup: check build dir integrity (no spaces)
[+] 06315ce Removed touchscreen fix on gen3
[+] 8230ee2 remove smack config frags (contained in intel-iot), fix hid.cfg
[+] bf5393b Define uids/gids for all user in the system statically.
[+] 7990e2f meta-agl-bsp/meta-ti: remove duplicate smack config
[+] 5f1b75d meta-agl-bsp/meta-qcom: remove duplicate smack config
[+] e84ab8f Fix the typo of suffix qemux86-64
[+] 2d02de7 Add template for Altera Cyclone5
[+] 920b194 packagegroup-agl-devel: add tree
[+] 67fld7f Added first boot service for AGL
[+] cc538ec README-AGL: correct rootfstype to ext4
[+] ee64fd8 packagegroup-agl-devel: add htop
[+] bf0f8cf dra7xx-evm: morty: enable SGX KM driver
[+] a8db0f2 Disable Weston DRM backend in QEMU
[+] cfdc440 raspberrypi-linux: add smack patchset to 4.9 bbappend
[+] 2ce5939 dra7xx-evm: morty: temporarily disable kernel drivers for sgx and cmem
[+] ba9d3fe Add bluetooth support to renesas rcar-gen3.
[+] 0a34b88 weston: Set XDG_RUNTIME_DIR for qcom
[+] 9980479 Fix issue with bluetooth pairing
[+] 8360d71 Enable smack in linux-linaro-qcomlt kernel
[+] 352bca8 Fix crosssdk image creation
[+] 31d543c Fix build for MACHINE m3ulcb
[+] 9fd9b39 Fix remaining occurrence of meta-yocto
[+] 942c143 meta-raspberrypi: fix overlay issues with sdcard_image-rpi-gdp.bbclass
[+] 94b9b1e scripts/aglsetup: remove duplicate features before generating config
[+] 00fe485 Extend bootloader timeout
[+] 055af8e Adapt test yaml definition to code changes
[+] 5334d45 Move feature code into the meta recipes
[+] ed80d74 Jump kernel of rasb3 from V4.4.16 to V4.4.43
[+] 075c13f Fix bitbake QA issues for test packages
[+] a4fed64 Remove deprecated package netpipe
[+] 6963084 rcar-gen2: linux-renesas: backport r820t tuner driver to fix SPEC-418
[+] 0540b98 meta-oic: Align to 1.2.0, drop downstream changes
[+] 7e76014 enhance hw tests
[+] b5e790b Reenable sota sdcard image for rpi
[+] b8d5765 Add hwtest enable flags for rpi3
[+] 6b1b983 Revert "Remove agl-sota from ci builds until fixed for morty"
[+] 36086bd Left behind AMB parts.
[+] f52affa fix gcc 6 build for arm-trusted-firmware
[+] 6b9d742 update local.conf.sample from morty
[+] b604605 hard revert on mesa from the attic
[+] d12a385 meta-oic: "Revert Rebase on iotivity maintenance branch for aarch64"
[+] 5fcfb16 replace deprecated function base_contains
[+] 736ed02 Add backup src_uri for gpm
[+] ddf881c Update meta-ivi-common for 'Daring Dab'
[+] 4b4b48d Update meta-agl-bsp for 'Daring Dab'
[+] e047047 Move meta-agl to 'Daring Dab'
[+] 90e3d5e Intel Joule: updated to kernel 4.4.36 and fixed a build failure due to the move to Yocto 2.2
[+] 8d8b885 prevent used of mesa-g1 and bad use of mesa
[+] 14eef4f Define IMAGE_FSTYPES for rpi targets
[+] 2d5266b Improve configuration file for rpi2 and rpi3 for morty.
[+] 0484530 Workaround failing QA check in ti-sgx-gdk-um
[+] 4960dca Revert back to kernel 4.4 until bsp layer catches up
[+] 8d9e76e Disable gstreamer plugins on vayu due to FTBS on morty
[+] 580518e Remove agl-sota from ci builds until fixed for morty
[+] 7dd5a41 meta-oic: Hotfix to use tools from sysroot before system PATH
[+] fee54bc Rename stale bbappend file for gstreamer
[+] b103e03 Fix version of mesa in rpi templates
[+] 64aelf8 Add fix for gnutls which is not in morty, yet
[+] 1450048 Remove firmware files from local.conf template
[+] cdf51bb fix mesa version for yocto morty
[+] f33718a fix intel build for linux-firmware
[+] bab7deb fix tar command option
[+] 5a98d74 fix build with gcc6
[+] 4a421d9 fix build with gcc6
[+] 9d4806d ppp:remove fix for linux 4.8
[+] 2155e13 fix gcc 6 build
[+] aa430f8 fix glibc patch
[+] d728d91 fix checksum
[+] e0862ef aliging Gstreamer preferred with Yocto 2.2 defaults
[+] 2bb68a3 remove perl fix for openssl, fix in morty
[+] 88173a5 update pulseaudio
[+] 8c0elec remove useless bbappend
[+] 4a71fa7 update mesa lib
[+] f579416 Append kernel recipe to support config fragments and add common kernel config fragments Add machine
template for nitrogen6x
[+] c2d8e86 Test - mitigation of tar-native issue
[+] 667e9c2 Apply bluetooth/smack patches also to rpi kernel
[+] 554f8d3 dra7xx-evm: Fix issue with bluetooth pairing
[+] e48bb05 Bump gpu_mem_1024 to 640 to increase gpu memory for apps
[+] b0cb093 Fix to get netboot activated also for renesas gen3
[+] 135d7ca Add entry for official pi touchscreen over DSI port
[+] cec31b5 meta-oic: Hotfix to support aarch64 for DragonBoard-410c

```

```

[+] 6bcd449 rpi-config: add configurable CMA low and high water marks
[+] fefb358 linux-raspberrypi: add ENABLE_CMA options to kernel command line
[+] db6bd4b 50_local.conf.inc: Enable CMA within the raspberrypi3 template

meta-agl-demo changed from 31926d7657fclccleb01daa48934b759a51f4616 to refs/tags/dab/3.99.3
[-] 31926d7 Revert "Change QWindow::visible when surface visibility in ivi shell changes"
[-] 7e540a7 Copy all Radio presets onto the target
[-] 320766a Fix recipes on chinook branch
[-] 5bldd14 Add radio channels for FOSDEM
[-] 139350e Add a script to download mapdata
[-] 4d8306f Pin ces2017-demo recipe for chinook
[-] 7f12fee Pin unicens recipe for chinook release
[-] 2c39e79 Pin mixer recipe for chinook release
[-] 08c0d00 Pin mediaplayer recipe for chinook release
[-] 7c71f49 Pin vod-server recipe for chinook release
[-] 5a6b99a Pin settings recipe for chinook release
[-] 93a08ff Pin homescreen recipe for chinook
[-] beadf8e POI App: Adjust display for AGL Distro 3.0
[-] beec4fe Set defaultbranch to chinook in gitreview
[+] 4526758 Integration by default of low lvl CAN service
[+] 90bfc33 module-router: update SRCREV to include empty proplist description fix
[+] e55d64d udisks: make automount it's own service
[+] 3b53fd5 Remove old radio plugins
[+] fc0bfa6 agl-service-bluetooth: ask to run by default at start
[+] b4b7648 wifi and bluetooth bindings
[+] 225277a Add mapviewer app to use cluster demo for R-Car M3
[+] 804ff86 weston.ini: Add virtual display and record for CES2017 demo
[+] d51e342 Add mp3 support in lightmediascanner for AGL demo
[+] 9ee72b1 Bump settings app SRCREV
[+] e10a36e Fix agl-service-bluetooth and agl-service-wifi recipe dependencies and lock version for dab
[+] 469d8ac settings: add service bindings to RDEPENDS
[+] 0012841 agl-service-wifi: add new system wide wifi service
[+] 4476256 agl-service-bluetooth: add new system wide bluetooth service
[+] ab48fef disable module-role-cork by default
[+] 49f56fa Pin recipes for DD rc2
[+] 6408944 Add .gitreview for dab
[+] c217921 udisks: automount USB devices on boot and insertion
[+] 20a872e weston: Fix gst-record uses MONOTONIC time for IVI-Cluster system
[+] 562c0c1 Add gst-recorder implementation
[+] 49da888 Add lightmediascanner to RDEPENDS for mediaplayer
[+] a22fe69 fix MOST driver dependency issues
[+] 13abc84 phone: Depends on homescreen
[+] 847493e openivi-html5: Fix visibility issues
[+] e51f847 Unpin after Daring Dab RC1
[+] 87ec15b Add a bbappend with pinning for all packages with AUTOREV
[+] 3935b1e radio: update recipe for switch to radio binding
[+] 9e5c86a Add audio management between Media Player and Radio.
[+] f98eb9f homescreen: add pulseaudio dependency
[+] ececcc7 mediaplayer: fix RDEPENDS
[+] 01677c3 Remove unused controls app from default install
[+] d2eb5b6 qt: enable upgrade to 5.8
[+] 0eea430 Fix missing space in append statement
[+] 11de872 Makefile compatible with aglwtg_package task.
[+] 93bc00e Run weston with dedicated 'display' user and group
[+] de757e7 udisks: auto enable systemd service
[+] 4d0eb00 Add udisks to agl demo packagegroup
[+] 73e6c91 Add automount to DISTRO_FEATURES for agl-demo.inc
[+] aaaf066 Correspondence of AGL-Wgt for poi app
[+] 2375a92 Use split out AGL QtQuickControls2 repositories
[+] 726fdfe Generate weston.ini dynamically
[+] 73338d9 Rename webruntime DISTRO_FEATURES
[+] 0fb7444 Add missing sglite3 to DEPENDS
[+] a5bfbc1 most driver install to every boards
[+] 2b3274c Removed wl-shell-emulator from AGL
[+] dd71a9f Remove forward port for weston
[+] 28d9892 Update wayland-ivi-extension to 1.11.0
[+] c21827e remove PR from recipes
[+] 26eb2df Temporarily revert Update wayland-ivi-extension to 1.11.0 from series
[+] 8ec9bc6 Update wayland-ivi-extension to 1.11.0
[+] 1152f0e Fixed the problem of the map screen corruption
[+] 39ffd83 Enable SQLITE database engine for the Qt5
[+] bace9bf Fixed WindowManager startup
[+] 7783a29 Switch to split out demo apps
[+] 69dabb6 add dependency to images
[+] 7bb3630 Fixed demo recipes to auto-install wgt app at first boot
[+] 030bled kernel: most: add mostcore module dependencies
[+] 947ac6f iotivity: Migrate from agl-demo to agl-iotivity feature
[+] ccde888 Fix crosssdk image creation
[+] 853bd2c meta-agl-demo: recipes-kernel: update MOST driver recipes
[+] 87ce94d Move feature code into the meta recipes
[+] e9da2ae Split homescreen recipe into new recipes
[+] d433feb Add switch on/off script for cluster demo
[+] 172e617 Navigation update for AMM 2017 demos
[+] f41fbb2 Change audio output attribute of navigation
[+] 8d7da20 Fix a bug in the audio management
[+] 3d30d36 navigation: fix missing dep on zip-native
[+] 833f634 Get rid of Automotive Message Broker as it has been replaced.
[+] 3e16d8c Update meta-agl-demo for 'Daring Dab'
[+] b708c98 Revert "Change QWindow::visible when surface visibility in ivi shell changes"
[+] 87f9991 Copy all Radio presets onto the target
[+] 863b17a Add a script to download mapdata
[+] 802a242 Add radio channels for FOSDEM
[+] 9d5cdef POI App: Adjust display for AGL Distro 3.0

meta-agl-devel changed from 134e5f446b52f6a02f38212b9bde076adad798f8 to refs/tags/dab/3.99.3
[-] 134e5f4 Set defaultbranch to chinook in gitreview
[+] f84701b add nativesdk-protobuf to TOOLCHAIN_HOST_TASK
[+] 1c5f758 Add .gitreview for dab
[+] 66359c5 Add oem needs libs, libwebsockets.
[+] a9bbfel Add oem needs libs, libdatrie and libthai.
[+] cadc115 Add software packages for oem needs library
[+] ab11845 Fix "No GNU_HASH in the elf binary" error
[+] 092ccd7 Merge "Add Mongoose Embedded Web Server Library"
[+] 0f2e535 Add Mongoose Embedded Web Server Library
[+] eaf52eb update README markdown
[+] 8b68c2e Add fuse kernel configuration for renesas porter

```

```

[+] c53c522 Change renesas kernel configure to fragment configuration

meta-agl-extra changed from 812bc8ab9490e2418dedcf3a868a0ef9393ab01f to refs/tags/dab/3.99.3
[-] 812bc8a Fix app-framework recipes for chinook branch
[-] 3ed0b95 add fakeroot to aglwgts_deploy task
[-] c122a06 Set defaultbranch to chinook in gitreview
[+] 35f6d07 Add .gitreview for dab
[+] abe6250 Wipe out sota-related code
[+] e4bc8c7 Set default OSTREE_BOOTLOADER in bbclass
[+] 0ce00da Merge "Add WKS for OTA-enabled bootable SD cards."
[+] 6070295 Add WKS for OTA-enabled bootable SD cards.
[+] 1c2571e Update SOTA-related software
[+] 497d7db Migrate meta-app-framework to meta-agl
[+] a72d523 Merge "Move to AGL framework on top of systemd"
[+] e08fc10 Move to AGL framework on top of systemd
[+] 8bdc96f Rename webruntime DISTRO_FEATURES
[+] 70fa58c Merge "remove PR from recipes"
[+] ac213fc remove PR from recipes
[+] 02faef6 Upgrade application framework
[+] 9731d66 base-files for the framework
[+] ed214a2 Ensure that eXtended Attributes are managed
[+] 2969a9f shadow: 'useradd' copies root's extended attributes
[+] e159294 Removes systemd warnings
[+] d19db32 Add service dependency on run-agl-postinsts
[+] c7b15cf Merge "Add dependency to images"
[+] 5beb6a0 Use latest version of pseudo with buggy POSIX ACL fixed.
[+] 1d6622b Merge "Fix the error of homescreen for QEMU x86-64"
[+] 318bf79 Update OSTree to acquire Smack-related patch
[+] d3a02ef Fix the error of homescreen for QEMU x86-64
[+] 913a263 Update af-main
[+] d36e635 aglwgts.bbclass: fix bashism
[+] 72265ee Add dependency to images
[+] f3292e8 Allowed wgt app to auto-install at the first boot
[+] 347aa4d Add afm-install used to install wgt at first boot
[+] 5a7b27c Update sota software
[+] 9153078 Move feature code into the meta recipes
[+] a327fd4 Fix u-boot patches from meta-raspberrypi for raspberrypi
[+] 614a224 Merge "Add missing DEPENDS to af-binder"
[+] 4able3b Merge "Changes to pseudo have been merged into poky, this recipe is no more needed."
[+] 22a19e9 Image creation has changed a bit in morty, fix OSTree-related types accordingly
[+] c823e90 Changes to pseudo have been merged into poky, this recipe is no more needed.
[+] b5ce617 Add missing DEPENDS to af-binder
[+] 684da77 replace deprecated function base_contains
[+] 7173942 Fix build of u-boot with gcc6 on morty
[+] 5593f35 Fix ostree compilation with morty
[+] ee8a818 Fix build of libgssystem on morty
[+] b1849d7 Remove old append file to pseudo
[+] 0c430c7 Merge "fix for gcc6 build"
[+] 3dab352 Merge "fix libcap patch"
[+] ba2ad47 fix for gcc6 build
[+] 8f15654 fix libcap patch
[+] a09d24f rvi-sota-client: Update and fix rust-openssl
[+] c1dfbd1 libgit2: Remove recipe from meta-agl-extra
[+] 7409bda Merge "Activates threading and hook features"
[+] e03123d Add flags supporting CMA operation on RPI
[+] 24b96c4 Activates threading and hook features
[+] f518d36 add fakeroot to aglwgts_deploy task

meta-intel changed from 10feb903cfd69e6699f81a668b7128120e396dbf to 6add41510412cal96efb3e4f949d403a8b6f35d7
[-] 10feb90 linux-yocto: Remove mei from KERNEL_FEATURES
[-] 82104c8 linux-yocto/4.1: Update SRCREVS to v4.1.33 and CVE-2016-5195 fix
[-] 371461e linux-yocto/4.4: Update SRCREVS to v4.4.26 and fix CVE-2016-5195
[-] b8c1992 linux-yocto-rt/4.4: Switch to standard/preempt-rt/intel/base
[-] 0b8fa5f linux-yocto/4.4: Switch to standard/intel/base
[-] 83d07a7 linux-yocto-tiny/4.4: Switch to standard/tiny/intel/base
[-] 8d396e0 linux-yocto-tiny: Fix broken SRCREV specifications
[-] 32b5222 intel-common-pkgarch: Set common PACKAGE_ARCH for linux-yocto-tiny
[-] b8db403 linux-yocto-tiny/4.1: Switch to standard/tiny/intel/base
[-] 7b38f0e linux-yocto-rt/4.1: Switch to standard/preempt-rt/intel/base
[-] 29b3f6c linux-yocto/4.1: Switch to standard/intel/base
[-] 58b8e0f linux-yocto-rt/4.4: Update KBRANCH
[+] 6add415 linux-yocto/4.8: Update to latest stable release
[+] 867f861 linux-yocto/4.4: Update to latest stable release
[+] 82783c5 linux-yocto/4.1: Update to latest stable release
[+] 0c42b70 galileodisk: Change timeout to 1 second
[+] 849be85 galileodisk-sd.wks: Add rootwait
[+] cb5025b linux-yocto_4.4: Add INTEL_MACHINE_SUBTYPE code
[+] c1f260b conf/machine/intel-core*: Change WKS_FILE to systemd-bootdisk-uuid
[+] c42dd36 systemd-bootdisk.wks: Rename to systemd-bootdisk-uuid.wks
[+] 00fe8db broxton-m/KBOOTPARAM: Add videofb console back
[+] a23aeec rmc: Limit them to x86 targets
[+] 337cee2 initramfs-live-install-efi: Make use of new override
[+] 1484a00 systemd-boot: Make use of new override
[+] f621b95 gnu-efi: Make use of new override
[+] 6e05e7f meta-intel.inc: Add MACHINEOVERRIDE for meta-intel
[+] 233b271 meta-intel.inc: remove setting rmc in DISTRO_FEATURES
[+] da4795a layer.conf: Remove BBMASK'ing items
[+] ab79b78 systemd-boot: add patch for Joule BIOS keyboard hang
[+] 8649d6b intel-corei7-64: Use SERIAL_CONSOLES to add ttys2
[+] 3d83758 rmc: Add bootloader entries for the Broxton-M/Joule platform
[+] 06affcd rmc: Add INSTALLER.CONFIG and POSTINSTALL.sh for broxton-m boards
[+] bd25743 systemd-bootdisk: Add WKS file with uuid support
[+] 9373044 quark: use UUID for rootfs
[+] 8bad3a5 rmc: Add example for Galileo Gen 2 (Quark)
[+] 53597ed quark: amend EFI Bootloader option
[+] 8f01ac1 README: Provide information for how to live-boot quark with hddimg
[+] 15ac2f8 quark: explicitly set boot entry in bootloader
[+] f3c4c98 linux-yocto/4.8: Update SRCREVS for v4.8.3 stable update
[+] 78a9138 linux-yocto/4.4: Update SRCREVS from v4.4.20 to v4.4.26
[+] c22a747 linux-yocto/4.1: Update SRCREVS for v4.1.33 and 'dirty cow' backport
[+] 8dbd551 rmc: Add board data for NUC5i5RYB
[+] 3da6553 meta-intel: Enable RMC by default
[+] e080f47 meta-isg: Update the MAINTAINERS file for removed BSP layer
[+] 1308450 meta-isg: meta-crystalforest: remove BSP layer
[+] 8da07c0 qat16: move qat from meta-isg to common
[+] 9a0fe0a openssl-qat: move recipe from meta-isg to common

```

```
[+] b774714 zlib-gat: move zlib-gat from meta-isg to common
[+] 485f82a dpdk: move dpdk from meta-isg to common
[+] 6adafe5 meta-isg: dpdk: fix build with kernel v4.8
[+] 755c4a9 intel-quark: Add WIC image creation
[+] a7cc7ab intel-core*: Add support for wic images
[+] b38cdec linux-yocto/4.8: Fix configcheck warnings and build in R8169 support
[+] 9052773 linux-yocto/4.8: Bump SRCREVS to v4.8 and add preempt-rt recipe
[+] c0dad5d libva-intel-driver: update 1.7.0 -> 1.7.2
[+] 8d44bd4 libva: update 1.7.0 -> 1.7.2
[+] 266e6c1 intel-gpu-tools: update 1.14 -> 1.16
[+] 7cceac0 linux-yocto*: Fix LINUX_VERSION variables
[+] 31abb97 meta-intel.inc: Bump PREFERRED_VERSION_linux-yocto to 4.8
[+] d2b70b5 meta-intel.inc: Soft set PREFERRED_PROVIDER_virtual/kernel
[+] 9552bde linux-yocto-tiny*: Temporarily add ext4 support
[+] bf9fe9e linux-yocto: Add linux-yocto 4.8 recipes
[+] 141e71a linux-yocto/4.1: Bump SRCREVS to v4.1.31 and add leafhill configs
[+] 2c56901 linux-yocto/4.4: Bump SRCREVS from v4.4.18 to v4.4.20
[+] 9a06fc5 meta-isg/dpdk: Update v16.04 -> v16.07
[+] 9a2d3d8 linux-yocto/4.1: Update SRCREVS for v4.1.30 and fix config for new tools
[+] 2c89094 linux-yocto/4.4: Update SRCREVS for intel-quark fix
[+] 8c30999 rmc: Update rmc project SRCREV
[+] a2221d6 rmc: Explicitly specify hash style for linker
[+] 8blca8f meta-isg: Update the MAINTAINERS file for retired BSP layers
[+] 99fa5a9 meta-isg: meta-haswell-wc: BSP layer retirement
[+] 20c6a8a meta-isg: meta-valleyisland: BSP layer retirement
[+] 678db64 linux-yocto/4.4: Bump to 4.4.18 and update cache for tool changes
[+] 5326759 common: recipes-corus: delete corpus recipes
[+] c161190 meta-crystalforest: removing corpus files
[+] a07b32b linux-yocto/4.1: Update meta SRCREVS to disable legacy PTYS
[+] 4b79cc4 linux-yocto/4.4: Update SRCREVS for more mei backports
[+] 3fdd6fd meta-isg: openssl-gat: fix for patch error
[+] 9098afe meta-isg: zlib-gat: fix for unpack and patch error
[+] b9f9710 rmc: Don't install boot entries when RMC entries exist
[+] 8afe60c rmc: Add NUC Gen 6 post-installation hook and update documentation
[+] 7c3a3fe rmc: Add support for POSTINSTALL.sh post-installation hook
[+] dd09b05 rmc: Add support for the Broxton-m platform
[+] 3816062 rmc: Add documentation and examples for RMC feature
[+] 96cd0d7 rmc: Add recipe and bbclass for RMC feature
[+] daa587e EFI installer: Deploy board-specific data and kernel cmdline
[+] 7d33052 systemd-boot: Load board-specific entry and kernel cmdline
[+] 8fel3a1 gnu-efi: Add GUID for SMBIOS 3 entry point structure
[+] 6a09c10 rmc: Add Runtime Machine Configuration (RMC) project
[+] 62c3fdc linux-yocto/4.1: Update SRCREVS to latest
[+] 9fb7eb2 linux-yocto/4.4: Update SRCREVS for compilation fixes, mei and rpmb backports
[+] 0109c3d quark: Support direct-boot image for USB storage media
[+] 7d00922 quark: Switch gummiboot to systemd-boot
[+] a4c1cfb linux-yocto*: remove mei from KERNEL_FEATURES
[+] 76809b3 thermald: Add thermald configuration files to CONFFILES
[+] f894448 meta-isg: zlib-gat: fix for GNU_HASH QA error
[+] 443a2c6 meta-isg: gat16: fix for GNU_HASH QA issue
[+] 3f51f61 gstreamer-vaapi: Update to upstream version 1.8.2
[+] ab6f511 linux-yocto/4.1: Update SRCREVS for v4.1.28 and more BXT/APL backports
[+] 67c3d57 linux-yocto/4.4: Update SRCREVS for v4.4.15 and more Broxton backports
[+] 7830687 meta-isg: dpdk: fix compilation with dynamic libs
[+] 1827f6a meta-isg: dpdk: simplify do_install
[+] 9fc3a82 meta-isg: dpdk: fix for GNU_HASH QA issue
[+] 1dffa00 intel-microcode: Update to the 20160714 version
[+] c6adc3e linux-yocto/4.1: Update SRCREVS for v4.1.27 and Broxton fixes
[+] cb6b1f3 linux-yocto/4.4: Update SRCREVS for v4.4.14 and drm forklift
[+] 9bb4622 linux-yocto/4.1: Update SRCREVS for better Apollo Lake support
[+] 8b0a890 linux-yocto/4.4: Update SRCREVS for more Broxton fixes and features
[+] d037f2a thermald: Add thermal daemon utility
[+] e50f5ab meta-isg: dpdk: Fix for misleading indentation error
[+] 0fc6bcf linux-yocto/4.1: Update SRCREVS for lots of BXT/APL backports
[+] 3b8fa3b linux-yocto/4.4: Update SRCREVS for latest features and BXT backports
[+] bf43f7a lms7: Add patch to fix gcc6 C++ whitespace
[+] eaadd02 formfactor: detect USB HID keyboard and touch screen
[+] 53f25dc linux-firmware: remove firmware that is now in OE-Core
[+] 1b98ae6 linux-yocto/4.1: Bump SRCREVS to Linux 4.1.26 and add BXT/APL backports
[+] 9c03dc7 linux-yocto/4.4: Bump SRCREVS from Linux 4.4.12 to 4.4.13
[+] f5191dd va-intel: set S to WORKDIR
[+] d8ab635 linux-yocto/4.4: Update SRCREVS to pull in 4.4.12 stable and mmc backports
[+] 5b05f99 linux-yocto-tiny/4.1: Switch to standard/tiny/intel/base
[+] 04f7d63 linux-yocto-tiny/4.4: Switch to standard/tiny/intel/base
[+] bd78f61 linux-yocto-rt/4.1: Switch to standard/preempt-rt/intel/base
[+] aac334c linux-yocto-rt/4.4: Switch to standard/preempt-rt/intel/base
[+] ba88b8c linux-yocto/4.1: Switch to standard/intel/base
[+] c37fa8e linux-yocto/4.4: Switch to standard/intel/base
[+] 9bce6bd linux-yocto/4.1: Bump SRCREVS to Linux 4.1.24
[+] 4ca61fd linux-yocto/4.4: Update SRCREVS to bring in Broxton related backports
[+] 9452404 linux-yocto-tiny: Fix broken SRCREV specifications
[+] 6f712a5 linux-yocto-tiny/4.1: Switch to standard/tiny/intel
[+] 7105cda linux-yocto-tiny/4.4: Switch to standard/tiny/intel
[+] e352344 intel-common-pkgarch: Set common PACKAGE_ARCH for linux-yocto-tiny
[+] af8afed linux-yocto-rt/4.1: Switch to standard/preempt-rt/intel
[+] d89d5f0 linux-yocto/4.1: Switch to standard/intel
[+] a60ccb7 linux-yocto-rt/4.4: Switch to standard/preempt-rt/intel
[+] 9ed7351 linux-yocto/4.4: Switch to standard/intel
[+] ca9b50c linux-yocto/4.4: Bump SRCREVS to Linux 4.4.11
[+] 6dc3746 lms8: Add patch to fix gcc6 C++ whitespace
[+] d879177 recipes: use bb.utils.contains instead of base_contains
[+] 48a09d7 linux-yocto/4.1: Update SRCREVS to incorporate ComputeStick BSP changes
[+] 4281f9f linux-yocto/4.4: Bump SRCREVS to linux 4.4.10
[+] ad4e4ae linux-yocto/4.4: Update SRCREVS to latest
[+] 0274c3d linux-yocto/4.1: Update SRCREVS to latest
```

meta-oic changed from 0bdd959e0dee4f63098702c302d1d214ac3d808a to 028a5c234fb9fe51b39db339f7d4250fba978198

```
[+] 028a5c2 iotivity_1.2.0: Sanitize URIs to support older yocto versions
[+] b9ba736 Add depends on glib-2.0-native to use gdbus-codegen
[+] 96bfbel Hotfix: Use tools from sysroot before system PATH
[+] 72dlale Hotfix: to support aarch64 for DragonBoard-410c
```

meta-openembedded changed from 55c8a76da5dc099a7bc3838495c672140cedb78e to fe5c83312de11e80b85680ef237f8ac04b4b26e

```
[-] 55c8a76da pcsc-lite: Separate GPLv3 portions from BSD
[-] 4ace5eac3 syslog-ng: remove unused patches
[-] 5882ba7f3 syslog-ng: expand service file @variables@ earlier
```

```

[-] 851a064b5 pypl.bbclass: Allow fetching without requiring the hash
[-] 895b25b38 multipath-tool: fix fetch error
[-] 50b904349 libssh2: upgrade to 1.7.0
[-] e01afc3f1 libssh: upgrade to 0.7.3
[-] ae7f8f79c mariadb: upgrade to 5.5.50
[-] 4756aea45 collectd: replace deprecated readdir_r() with readdir()
[-] 77fa6a7ca apache2: update to version 2.4.23
[-] 5490337a5 php: update to 5.5.37 and 5.6.23
[-] 3f073fc22 gtksourceview2: fix build with gcc6
[-] cb6d8e8fd xllvnc: remove redundant RPATH to fix QA issue
[-] 7bleab4a1 libxfce4ui: Use native intltool for building the lib
[-] a10e04db2 net-snmp: initscripts are located in net-snmp-server-snmp package
[-] ecdad24d7 net-snmp: fix snmpd crash via AgentX connection
[-] 711c97a07 openconnect: PACKAGECONFIG certain dependencies
[-] 87e83981f gtest: fix installation in multilib
[-] f87dd8d51 efl e-module.inc: fix fetching in multi-lib configs
[-] 9ecd1e0e1 libebml: don't rely on make -e, obey LDFLAGS
[-] 2be8e0fe2 vboxguestdrivers: obey LDFLAGS
[-] a7de61278 evince: fix build errors with gcc-6
[-] 1012067b3 faac: address gcc-6 narrowing errors via an explicit cast
[-] d0b29ac02 iperf: resolve issues with gcc6
[-] ac59fdc4f curlpp: fix build with gcc-6 and remove blacklist
[-] 049ba0b0b wireshark: update to 2.0.4
[-] 5194d3590 wireshark: update package to 2.0.3
[-] dflcc5a3c ntp: Security fixes via Upgrade to 4.2.8p8
[-] 196d7740e fbreader: fix return code issue on gcc6
[-] 232d1943d fbreader: add cflags fix for fribaldi 0.19.7
[-] 03a71a69c tchsh: fix the wait definition to support gcc6
[-] d6a50958c geos: use std::isnan to support gcc6
[-] e89flac0e nano: fix license to GPLv3.
[-] 3bb68da87 plymouth: allow disabling the dracut dep
[-] ae5df2e29 luajit: fix build issues, obey more vars
[-] c458591b8 gnome-menus: Fix QA warnings.
[-] 9c6f7b64b dvd-apps: Fix several QA WARNINGS
[-] 23fc89531 libldb: add missing libaio dependency
[-] 4b314da77 libtalloc: add missing libaio dependency
[-] 720e8469b libtdb: add missing libaio dependency
[-] 2156d27f2 libtevent: add missing libaio dependency
[-] 94425033d cifs-utils: make samba conditional dependency
[-] 65f0a4da9 netcat-openbsd: fix qa warning
[-] b902745e1 esmtp: Fix rootfs creation errors
[-] 1b9b34df3 postfix: Fix rootfs creation errors
[-] 4ee1c2942 netkit-rsh: fix build issue.
[-] 7166a2dae squid: CVE-2016-4553
[-] bee5bfb29 ntp: avoid floating dependency on mdns (aka mDNSResponder)
[-] 48603df0d openct: Fix rootfs creation errors
[-] 2bc19a834 iptraf: Fix rootfs creation errors
[-] 59bcc717b fontforge: add back gnullib to DEPENDS
[-] e7f48b92a initramfs-kexecboot-klibc-image: Skip for nios2
[-] eefd95829 xllvnc: remove old libtool macros from acinclude.m4
[-] 514157c01 networkmanager: add missing dep on dbus-glib-native
[-] 2aa2d41ad networkmanager: add missing dep on intltool-native
[-] 4f61ead39 openlmi-networking: add missing dep on konkretcmpi-native
[-] 9952ab95e llvm: make llvm-config wrapper error message more understandable
[-] 7bef1e2a3 uim: Fix Warning
[-] d12c178db apache2: fix libtool's path in apxs
[-] 502695511 rrdtool: only unset PERLHOSTLIB in do_configure
[-] 9be607da8 pytest: fix runtime issues.
[-] a0e346c25 krb5: fix uninitialized variable warning
[-] 7a76b981f libxkbui: Fix license WARNING
[-] 9f55eeb3b python-numeric: Add LLNL license
[-] 6c02b9e3e breakpad: disable ppc from being built.
[-] 6dc605ce4 mongodb: fail to build on ppc
[-] 0878357ff concurrencykit: fix fetch errors.
[-] a2bf1269f openwsman: fix fetch error.
[-] e96d38794 engine-pkcs11: fix fetch error
[-] c7b404926 libp11: fix fetch error.
[-] 247b1267b Revert "leptonica: add PACAKGECONFIG for openjpeg"
[-] ff38c70e9 python-cryptography: fix compile issue with openssl 1.0.2h
[-] 107e624a8 nbd: fix LIC_FILES_CHKSUM
[-] f76ad6c69 znc: fix QA issue and remove from blacklist
[-] 919996855 netcf: fix mishandling of gnullib submodule causing build fail
[-] 3cec94aef autotools-bootstrap: make bootstrap package specific.
[-] 761a6866c wireshark: Fix new QA Error
[-] 88a4748ea curlpp: fix recipe
[-] e00ad20b3 upower: fix WARNING
[-] d2077f053 libwnck: fix WARNING
[-] 84fdde35f acpitests: Fix license issue
[-] 947e7f113 libnice, farsight2: unblacklist as libnice's nice.pc issue fixed.
[-] f797b791e wvstreams: fixing segfault with new gcc optimizations
[-] 84f69f338 packagegroup-tools-bluetooth: Selects the tools appropriate for the version of bluez being used.
[-] e341fa03f lmbench: avoid gcc optimize-away multiplication
[-] 1726e7172 leptonica: add PACAKGECONFIG for openjpeg
[-] ea71aa8c9 poppler: add --std=c++11 to fix build with Qt 5.7
[-] 0e063058c llvm3.3: Disable auto -dbg packages
[-] ebe5fb297 pidgin: use pkg-config instead of hardcoded paths or python-config
[-] 4a5b269b2 pidgin: add PACKAGECONFIGS
[-] 6bcf20d71 pidgin: Update to 2.10.12
[-] 085dcdc98 toybox: Remove out-of-date patch
[-] 7743d7e0b rrdtool: fix do_configure failure on some hosts
[-] 305329de0 python-pyparsing: modify build to correctly use setuptools rather than distutils
[-] 33874df95 opencv: Fix metapkg dependencies for opencv-java and opencv-locales
[-] 25b22fb75 packagegroup-tools-bluetooth.bb: Selects the tools appropriate for the version of bluez being used

[-] d4b1497f8 glmark2: wl_surface should be destroyed after destroying wl_window
[-] 4ee8ab714 fluidsynth: set correct portaudio packageconfig dependency
[-] 87488dc75 xfce-polkit: fix warning not able to copy license
[-] c9b3f9fbf meta-xfce: add intltool-native to DEPENDS
[-] 76f7c9d6d sox: dep on ffmpeg, not libav
[-] 5e2bb87e6 syslog-ng.inc: fix prerm script & class includes
[-] 9f34a8560 sblim-sfcb: add missing dependency on unzip-native
[-] e2764e666 fbida: use separate builddir
[-] a1b71fe14 squid: CVE-2016-3947
[-] d82468252 rp-pppoe: Fix rootfs creation errors
[-] 6812a4a40 openconnect: add missing dependencies
[-] 959b617fb proftpd: CVE-2016-3125

```



```

[-] 2ae294d41 dovecot: fix QA issue and remove from blacklist
[-] ea52766e3 net-snmp: enable ipv6 support
[-] 2092396f0 ntp: Security fixes via update to 4.2.8p7
[-] fd1e5eab3 mozjs: fix configure host contamination
[-] ebb31a9b4 mariadb: Fix rootfs creation errors
[-] 852b40fe8 wayland-fits: update, get out of PNBLACKLIST
[-] 8a1c49096 hwdata: add new recipe
[-] d4cb72252 rsnapsnot: use ${bindir} as rsync location
[-] 246309829 mozjs_17.0.0.bb: Fix do_srpm error
[-] de2fe0d24 krb5-CVE-2016-3119.patch
[-] 470ab8125 xfce4-weather-plugin: update to 0.8.7
[-] 01bf01600 xfce4-whiskermenu-plugin: update to 1.5.3
[-] 51ad2f86b poppler: update to 0.4.1
[-] fe8fbf189 meta-initramfs: use bb.utils.contains() instead of base_contains()
[-] 2e3d033cb meta-gnome: use bb.utils.contains() instead of base_contains()
[-] 33837ef82 meta-efl: use bb.utils.contains() instead of base_contains()
[-] d336edb5d meta-multimedia: use bb.utils.contains() instead of base_contains()
[-] 09ae3b65d meta-xfce: use bb.utils.contains() instead of base_contains()
[-] 9078b0df2 meta-webserver: use bb.utils.contains() instead of base_contains()
[-] cfi819332 meta-oe: use bb.utils.contains() instead of base_contains()
[-] 0e6cc1922 libubox: update to the latest git version for bug fixes
[-] 9f1c8eebc concurrencykit: update to version 0.5.1
[-] fb946ee40 bootchart: update to 1.17
[-] 49d4df3dd libgee: update to the latest stable version (0.18.0)
[-] 7166c0abb log4cplus: update to version 1.2.0
[-] 0791adddf libio-pty-perl: update to version 1.12
[-] 9b956d24b libxml++: update to the latest stable version (2.38.1)
[-] 526a6020c python-parted: update to version 3.10.7
[-] cd0fe0f6d mozjs: fix armeb builds
[-] 4d943182e initramfs-{debug,kexecboot}-image: zero out the rootfs_extra_space in initramfs images
[-] 146c382fa gtest, gmock: allow building gtest-native and gmock-native
[-] 19284f3c0 crash: add cross package
[-] 70a46baf8 Add simple-mtpfs recipe
[-] a34566cf0 python-visitor: Add recipe for version 0.1.2
[-] 4bc8f376b python-netaddr: Add recipe for version 0.7.18
[-] 07a6eebf0 python-dominate: Add recipe for version 2.2.0
[-] b58d78f9d flite: fix license issue.
[-] 9f8053b2e xcursorgen: fix License issue
[-] f98090cbe udisk2: fix build issue with missing depends
[-] d6a6190be nodejs: update to 4.4.3
[-] c9f8cc305 apache2: update to 2.4.20
[-] 8b1590704 libmodbus: add support for the libmodbus development release
[-] 7a0519d84 python-wtforms: Add recipe for version 2.0.2
[-] 44aa63794 python-pam: Add recipe for version 1.8.2
[-] 3e88e5e3a python-flask-wtf: Add recipe for version 0.12
[-] 9b1377a25 python-flask-sqlalchemy: Add recipe for version 2.1
[-] 8c69a0633 python-flask-navigation: Add recipe for version 0.2.0
[-] 80279a35a python-flask-bootstrap: Add recipe for version 3.3.5.7
[-] a68a27c4c python-flask-bcrypt: Add recipe for version 0.7.1
[-] b72a23a90 python-blinker: Add recipe for version 1.4
[-] fc3b141cb python-bcrypt: Add recipe for version 2.0.0
[-] 93aa4aa19 umip: unblacklist and disable parallel make
[-] bf34b1e15 nginx: update to 1.9.14
[-] 4fe750a96 llvm: correct fix for the multilib libdir
[-] b7cbd4473 python-whoosh: update to 2.7.4
[-] 607e27562 python-decorator: update to 4.0.9
[-] 2d5071698 python-dateutil: update to 2.5.2
[-] 18872d2cc python-cython: update to 0.24
[-] da664f76f krb5: add native and nativesdk extend
[-] e317d955b nel0: use bb.debug for debug messages
[-] 0d28aba9f libbonobo.inc: add libbonobo-bin package by lib_package class
[-] 1db72990d libhtml-parser-perl: update to 3.72
[-] e9d95a50a libextutils-installpaths-perl: update to 0.011
[-] 224dad6c4 libextutils-config-perl: update to 0.008
[-] f9156de43 libencode-perl: update to 2.83
[-] 26be6dalb libdbi-perl: update to 1.634
[-] ebf03b95d libdbd-sqlite-perl: update to 1.50
[-] 1e04c8b16 libcurses-perl: update to 1.34
[-] aedee4634 libcrypt-openssl-random-perl: update to 0.11
[-] 5acf9a19d libclass-method-modifiers-perl: update to 2.11
[-] 32d95f3df libcapture-tiny-perl: update to 0.36
[-] c8f9b9c1d adduser: update to 3.114
[-] d4cde5cb3 libtinymce2: update 2.2.0 -> 3.0.0
[-] d34fc2a56 gnome-themes: fix icon-name-mapping not found
[-] c8ec1beb9 fcgi: update SRC_URI to match new path to fcgi-2.4.0.tar.gz archive
[-] 37c75b3e2 openbox: add run time dependency on openbox-theme-clearlooks
[-] 88b739ebd nodejs: update to 4.4.2
[-] 3c76d0a56 vpnc: stage vpnc-script
[-] 51717e118 openconnect: add recipe
[-] afaf3c234 c-ares: Add package to networking
[-] cb87e40af samba: remove dependency on ctdb
[-] d73f12b8f samba: fix paths in sysv initscript
[-] d5baf7825 samba: fix QA warnings.
[-] e123d76a8 ctdb: drop duplicated DESCRIPTION
[-] 7290932db ctdb: rdepend on procps
[-] dc0bc56d4 ctdb: disable the service by default
[-] 37c8e1f99 iscsitarget: resolve build error with linux kernel 4.3 and above
[-] eba63b3b2 lldpd: Update to version 0.9.2
[-] d7c6dc86a samba: add volatile file to support readonly rootfs
[-] 72a2f2bae libtalloc: Update to latest stable
[-] 2aad1413b libtdb: Update to latest stable
[-] 817685389 libtevent: Update to latest stable
[-] b325ceaf4 libldb: Update to latest stable
[-] 825cf152c samba: Update to latest stable
[-] 5aa6f3727 dnsmasq: get systemd only working again
[-] abd179572 cyrus-sasl: Drop unneeded group addition
[-] 156b38108 README: update maintainers list for krogoth
[-] fe5c83312 libdnet: Update SRC_URI to fix checksum errors
[+] 4ed60283a lmsensors: fix fetch and unblacklist
[+] 6d6efa252 exfat-utils: update SRC_URI
[+] 1d07ba52c lm_sensors: update SRC_URI
[+] ae925fc86 python-sqlalchemy: fix SRC_URI
[+] a44baf37d libdnet: update SRC_URI
[+] d501a7742 hplip: Fix build with clang
[+] 5b41fff9b tinymembench: fix QA warning for GNU_HASH
[+] 7b9db5b7e makedumpfile: add ARM into COMPATIBLE_HOST

```

```

[+] 56f6f5585 libpnp: Fix out-of-bound access in create_url_list() (CVE-2016-8863)
[+] b53fe10e0 inetutils: Disable rsh, rcp, rlogin on musl
[+] fae7d92ab ipsec-tools: Fix build with clang
[+] 341ble7b1 gflags: Fix fetch URL
[+] c1127e2ae iperf3: update to 3.1.3
[+] ecc787c76 samba: conditionalize sed call for onnode
[+] 08759d3ea gnome-system-monitor: fix build after update of gnome c++ bindings
[+] e0balef68 openl2tp: update SRC_URI
[+] fc8d895d8 ctdb: update SRC_URI
[+] d836c393f pimd: update SRC_URI
[+] 85ab36e6a fetchmail: update SRC_URI
[+] 25f87bf04 ipsec-tools: change SRC_URI fetcher.
[+] aeb521dc6 netkit-ruser: update SRC_URI
[+] d7edfe52b tcpdump: update to 4.9.0 for security fixes
[+] 70f1e0fa3 tcpdump: upgrade to 4.8.1
[+] 6794ea398 wireshark: fix build issue
[+] 598388967 libtalloc: fix SRC_URI to use https instead of http
[+] 86610438b libtevent: fix SRC_URI - http has gone
[+] 6fb244971 libtdb: fix SRC_URI - http has gone
[+] 87a010399 wireshark: update package to 2.2.4
[+] 77161f5b1 wireshark: update to 2.2.3
[+] f2cbe4f7d mpv: Add libvdpau to DEPENDS
[+] c01bac97e vlc: Add packageconfig for vdpau
[+] a4f56c5bc postfix: add dependency icu
[+] 815066ece wireshark: 2.2.1 -> 2.2.2
[+] c7c309775 tftp-hpa: fix ALTERNATIVE_PRIORITY to avoid conflict
[+] e9bb4c52c netcat-openbsd: fix ALTERNATIVE_PRIORITY to avoid conflict
[+] 67ce9d817 inetutils: fix alternative priority to avoid conflict
[+] bce352f90 crda: check the word size of target instead of host machine.
[+] d57387900 lftp: do_configure: fix "Argument list too long"
[+] bfb9612ad inetutils: do_configure: fix "Argument list too long"
[+] aabd2f014 samba: Avoid timeout for nmbd if started offline with systemd
[+] 3c43856b9 ntp: update to version 4.8p9
[+] 443ed7211 samba: fix the hardcoded path in init script
[+] 401326cbd crda: Fix build with clang
[+] 362fdb3f4 net-snmp: snmplib, UDPIPV6 transport: Add a missing return statement
[+] 52a4839bf net-snmp: fix snmptrap to use clientaddr from snmp.conf.
[+] 6cedb8409 dnsmasq: allow for dnsmasq instances to reuse default dnsmasq.conf
[+] 01f4d8df8 dnsmasq: read the conf files found in dnsmasq.d
[+] de9306252 curlpp: fix qa issue of do_configure
[+] 4758c07d5 samba: correct sub-package name for multilib
[+] 6f1f4e300 samba: Fix qa issue and update ctdb-tests
[+] 37291d104 samba: Fix build with musl
[+] 48bbeb3da tsock: Make use of LDFLAGS
[+] e4790ec21 chrony: remove unrecognized option ipv6
[+] a94ec5f23 squid: disable gnu atomic operations for mipsel
[+] ef77b3849 imagemagick: use correct major version in program suffix
[+] 0801c1876 libxml++: fix LICENSE
[+] fa579d121 meta_oe_security_flags.inc: Disable PIE for luajit
[+] f3ad98dca mpv: Add PACKAGECONFIG for vaapi
[+] 9aba5089b meta_oe_security_flags: disable PIE for libdbus-c++
[+] 99fe0daf8 libvdpau: Disable PIE
[+] 0eb5d0c7e nbench-byte: fix project URL
[+] lefa5d623 gpsd: fix multilib build
[+] 97b82f3b5 exo: unbreak Thunar's detailed file view
[+] 5829238b2 modemmanager: Fix build with clang
[+] 9dc61c378 libmad: Fix build with clang
[+] 3cb5bcda7 fribidi: Fix build with security flags turned on
[+] c6bb22050 flashrom: Remove redundant const qualifier
[+] 7ac8ead61 md5deep: Fix build with clang
[+] 6a0899986 openldap: Fix Build error due to missing -fPIC
[+] ae254b4d1 libgmi: Fix build with clang
[+] lae5293c4 android-tools: fix do_install
[+] a67677bdf rsnAPSHOT: fix host path in rsnAPSHOT.conf.default
[+] f98f05a6a xfwm4: add x11 to REQUIRED_DISTRO_FEATURES
[+] 091314223 xfdesktop: add x11 to REQUIRED_DISTRO_FEATURES
[+] 4abb9bd7c xfce4-settings: add x11 to REQUIRED_DISTRO_FEATURES
[+] fbb8993f4 xfce4-session: add x11 to REQUIRED_DISTRO_FEATURES
[+] a7033bf68 xfce4-power-manager: add x11 to REQUIRED_DISTRO_FEATURES
[+] c628feffc xfce4-panel: add x11 to REQUIRED_DISTRO_FEATURES
[+] d6ff55200 xfce4-appfinder: add x11 to REQUIRED_DISTRO_FEATURES
[+] f470662da thunar-volman: add x11 to REQUIRED_DISTRO_FEATURES
[+] a905a4bc5 thunar: add x11 to REQUIRED_DISTRO_FEATURES
[+] 4898fc6c3 libxfce4ui: add x11 to REQUIRED_DISTRO_FEATURES
[+] 4ea40f3c3 gtk-xfce-engine: add x11 to REQUIRED_DISTRO_FEATURES
[+] 57faeeda1 garcon: add x11 to REQUIRED_DISTRO_FEATURES
[+] af6a17788 exo: add x11 to REQUIRED_DISTRO_FEATURES
[+] 0b91d7122 xfce-app.bbclass: add x11 to REQUIRED_DISTRO_FEATURES
[+] 33055f8dc xfce-panel-plugin.bbclass: add x11 to REQUIRED_DISTRO_FEATURES
[+] 17c92998f thunar-plugin.bbclass: add x11 to REQUIRED_DISTRO_FEATURES
[+] e3cc8a1de xfce4-pulseaudio-plugin: add x11 to REQUIRED_DISTRO_FEATURES
[+] 968e99e54 packagegroup-xfce-base: add x11 to REQUIRED_DISTRO_FEATURES
[+] 3a2f97e77 libxklavier: add x11 to REQUIRED_DISTRO_FEATURES
[+] 7a557a2be libwnck: add x11 to REQUIRED_DISTRO_FEATURES
[+] 179bcb1b3 gtksourceview2: add x11 to REQUIRED_DISTRO_FEATURES
[+] eea7d0bb0 gnome-disk-utility: add x11 to REQUIRED_DISTRO_FEATURES
[+] bc9450cc6 evince: add x11 to REQUIRED_DISTRO_FEATURES
[+] 121a33367 dconf: add x11 to REQUIRED_DISTRO_FEATURES
[+] 74ee171e5 libunique: add x11 to REQUIRED_DISTRO_FEATURES
[+] 258f4f35b pavucontrol: add x11 to REQUIRED_DISTRO_FEATURES
[+] c30411db7 gtkmm: add x11 to REQUIRED_DISTRO_FEATURES
[+] d08864a28 opencv: checking existence of /usr/lib
[+] cb2477355 libeigen: set tarball name as ${BP}.tar.bz2
[+] 00b89f2aa opencv: fix QA issue
[+] d8d90a61c openjpeg: rename the download file
[+] dcfb51300 apache2: include .load files in modules.d
[+] 0ec9cb2c5 asio: fix a musl compilation warning
[+] c840f7835 asio: DEPENDS on openssl
[+] d2a990bc7 lockdev: Pretend GNU libc on musl
[+] 02bca9e5f libplist: Remove rpaths surgically
[+] 45c2854b0 augeas: fix QA warning
[+] ebc3e16c7 edac-utils: fix systemd service
[+] 54b566a00 mariadb: use faster download URL
[+] 4ef0a720f krb5: Add -fPIC to compile flags
[+] 976fccdde meta_oe_security_flags.inc: Add libcec, libmodplug, libcdio
[+] 2c3aaa7f8 meta_oe_security_flags: Disable PIE for s3c64xx-gpio/s3c24xx-gpio/cpufrequtils

```

```

[+] 9869a2d78 python-m2crypto: inherit siteinfo
[+] f169b4043 ttf-abyssinica: update SRC_URI
[+] cce0d82b3 xterm: package /usr/lib/X11 to avoid installed-vs-shipped error on ppc64
[+] 2e71e6a6e fftw: Remove the fftw-dev package dependency on non-existent fftw package.
[+] 14c4d27bf Revert "physfs: move to sources found at github/supertux"
[+] 24c9c2b25 wireshark: install missing header files
[+] b840fceeb tunc1: fix QA warning for GNU_HASH
[+] 705a4c1e2 vblade: fix QA warning for GNU_HASH
[+] a3d23d2c3 tsocks: fix QA warning for GNU_HASH
[+] 35dfela9a zeroconf: fix QA warning for GNU_HASH
[+] 052fe5e48 nuttcp: fix QA warning for GNU_HASH
[+] b6d9486cc aoetools: fix QA warning for GNU_HASH
[+] 6ea4941ee iscsi-initiator-utils: fix postinstall and systemd service file
[+] dbabbd8bf lftp: fix PACKAGECONFIG[readline]
[+] 6f06d7559 drbd-utils: 8.9.3 -> 8.9.6
[+] 5336366de lksctp-tools: 1.0.16 -> 1.0.17
[+] 659d9d3f5 meta-openembedded: Add me to morty maintainer's list
[+] 6e9197700 c-ares: update 1.11.0 -> 1.12.0
[+] 406ca647b libmnl, nftables: Update versions
[+] dce441f95 openl2tp: Fix build with clang
[+] aebf681a9 lowpan-tools: Fix errors found with clang
[+] c8f78ecb9 linux-atm: fix do_compile error
[+] 7a491f384 nodejs: update to 4.6.1
[+] 2396e301d openldap: use recommended backend mdb
[+] ce2blac78 rsyslog: upgrade to 8.22.0
[+] ca3a03286 librelp: add recipe
[+] 2f7c00b93 libfastjson: add recipe
[+] 9af1859ed vim: Update to v8.0.0022
[+] b09611969 glmark2: Enabling c++ 11 features
[+] 3587696e1 android-tools: fix native build
[+] e63aa5b05 dhcp_%bbappend: fix replaces original key warning
[+] 51867d282 rsnasnapshot: update to 1.4.2
[+] a4f713b5b python-unidiff: python module for parsing diff data
[+] b6f38dd81 mg: Update to 20161005
[+] 9db48dc41 joe: Fix build with clang
[+] cc5414c23 glcompbench: Demand c++11 explicitly
[+] b8ecf243e flashrom: Fix build with clang and aarch64
[+] 2449866d8 gpm: Remove nested functions
[+] 09ac7a662 libdcl394: Upgrade to 2.2.4
[+] 71670ffaa python-greenlet: Rename register from rX to xX for aarch64
[+] 73c687127 frame: Fix build with clang
[+] 2280f696f libplist: Squash warnings found by clang
[+] 577604b93 libbim: Fix build with clang
[+] 558d93580 libbonobo: Fix missing dep on orbit2-native and build with clang
[+] 3fd61331a libndp: 1.5 -> 1.6
[+] ccecl46c5 adduser: always add -M option for useradd
[+] dd2748da7 dvb-apps: fix recipe, and update to the latest version
[+] d0b44b7c7 v4l-utils: add support for "native" build
[+] 74d522296 inotify-tools: add recipe
[+] 00ba3c8ba nodejs: update to 4.6.0
[+] a87270eb9 postgresql.inc: Fix do_configure error (could not find Python.h)
[+] 887cdc797 mpich: update to version 3.2
[+] 8cefb2e9c libsoc: update to version 0.8.2
[+] 1872a8a11 libsodium: update to version 1.0.11
[+] a5bc9e90a python-evdev: update to version 0.6.4
[+] d4185c691 python-dbusmock: update to version 0.16.7
[+] ecc78a905 python-cmd2: update to version 0.6.9
[+] c8f992c99 python-bcrypt: update to version 3.1.1
[+] e15a35ade python-werkzeug: update to version 0.11.11
[+] 2810af5ad python-urllib3: update to version 1.18
[+] 40efc44c8 python-rfc3987: update to version 1.3.7
[+] 3f000b5bf python-pytest: update to version 3.0.1
[+] f35e4e6e0 nginx: update to version 1.11.5
[+] 951d31e36 python-pyopenssl: update to version 16.1.0
[+] 0a812a0b7 python-pymongo: update to version 3.3.0
[+] 96819dda2 python-pymisp: update to version 2.4.51.1
[+] 13e2470c0 python-prompt-toolkit: update to version 1.0.7
[+] ee0f810c0 python-lxml: update to version 3.6.4
[+] 47d12fe3d python-cffi: update to version 1.8.3
[+] b7ae781c3 python-certifi: update to version 2016.9.26
[+] 4faba6242 libsocketcan: upgrade to 0.0.10
[+] 2acaa8f3b tipcutils: upgrade to 2.2.0
[+] 8ba31c9ba gpsd, mongoddb: use PACKAGECONFIG_CONFGARGS instead of now empty EXTRA_OECONF
[+] f882db657 ipmiutil: uncomment PARALLEL_MAKE
[+] fb6585fdc jansson: update to 2.9
[+] 54c7e784c psc-lite: Seperate GPLv3 portions from BSD
[+] fded4cf6a opencv: fix packaging and install
[+] df9daci6d xdg-user-dirs: initial add 0.15
[+] 2846999f6 a2jmidid: initial add v8
[+] d6cd37b49 jack: remove portaudio PACKAGECONFIG
[+] 0f8f1973e jack: swap to jack2
[+] a7e7ecced python-pybind11: add pybind11 for operability between C++11 and Python
[+] 7f5236bda alsa-equal: Add recipe for version 0.6
[+] def0e38c2 caps: Add recipe for version 0.9.24
[+] 1c072cbb4 gvfs: fix fetch error
[+] 37967410b tesseract: upgrade to 3.04
[+] 0cc3d0613 leptonica: add PACKAGECONFIG for giflib
[+] b850fda09 phytool: Add recipe
[+] 8eef5ab5c wireshark: update to 2.2.1
[+] 5dbbc99d5 nfacct: added nfacct recipe to meta-networking
[+] dd77c3d26 libnetfilter-acct: added new recipe for libnetfilter-acct 1.0.3
[+] 812e940fd ntp : Add openssl to default PACKAGECONFIG options
[+] 8760099c3 atftp: fixes musl libc build
[+] af864a700 geoip-perl: upgrade to 1.50
[+] 5abe6ead0 arptables: add the directory for default /etc/sysconfig/arptables
[+] a0e2240e0 arptables: add arptables systemd service file
[+] 93b0d6579 iscsitarget: resolve build error with linux kernel 4.8
[+] 9e8d127a8 squid: fix ptest failure
[+] 6f54f29b7 squid: specify sysconfdir and logdir
[+] 307d1c993 libtdb: fixes for deterministic builds
[+] 5175c0319 libldb: fixes for deterministic builds
[+] 529171574 libtevent: fixes for deterministic builds
[+] 778a2b679 libtalloc: fixes for deterministic builds
[+] fe652f865 libldb: fix for LIC_FILES_CHKSUM
[+] f25aa3daf libtdb: fix for LIC_FILES_CHKSUM
[+] d4a36f60d libtevent: fix for LIC_FILES_CHKSUM

```

```

[+] 00143971d libtalloc: fix for LIC_FILES_CHKSUM
[+] 1a5ae6aad mbedt1s: upgrade to 1.3.17
[+] a95726df4 samba: replace pam packageconfig by hard dependency
[+] 3fdffd8ff samba: un-blacklist
[+] f604ee682 mariadb: update to version 5.5.52
[+] 6d8cbfa5b gmock: fixed installing pkgconfig file and libraries on x86_64 architecture
[+] 63707b56b gst-plugins-base: fix rare but annoying build errors
[+] 8b68ed985 jq: add support for jq-native + misc minor fixes
[+] dacf9a88c onig: update 5.9.3 -> 5.9.6
[+] a6ad78625 onig: add support for orig-native + misc minor fixes
[+] ea21a3f62 mpd: disable automatic start at boot - service is activated on demand by socket
[+] c7f39c766 thrift: disable java
[+] 39b03b0ee libsmi: rdepends on wget and set WGET as target path
[+] a0ef4404d mariadb: replace the CC with CC_VERSION and CXX with CXX_VERSION
[+] b23da47bb webmin: ensure correct PERLLIB path
[+] 42f52f590 ttf-lklug: use fedora24 for source
[+] ba54b98da edac-utils: add systemd support and required dependencies for edac
[+] 6ee4e5379 haveged: don't compile in mips16e mode
[+] 3e4a0e219 lvm2: enable option o_direct
[+] 3c56c4f15 multipath-tools: Obey exported LDFLAGS
[+] 5e1703822 pam-passwdgc: Obey exported LDFLAGS
[+] aba02d72d libnet: fixes musl libc build
[+] 08b315elf rsyslog: fixes musl libc build
[+] 5a9b94769 Remove bashisms
[+] 3bbec2b79 physfs: move to sources found at github/supertux
[+] a0c3cealc poppler: update to 0.47.0
[+] b77869aa3 xfce4-clipman-plugin: update to 1.4.0
[+] 81e59752a xfce4-notifyd: update to 0.3.2
[+] 13975d301 xfce4-calculator-plugin: update to 0.6.0
[+] 9e36ee057 xfce4-weather-plugin: update to 0.8.8
[+] 86fcfb90c xfce4-whiskermenu-plugin: update to 2.0.1
[+] 8d6f8cca9 exo: update to 0.11.1
[+] a60b025d1 xfce4-power-manager: update to 1.6.0
[+] bf02c16be php: update 5.6.25
[+] 335ea1777 layer.conf: add LAYERVERSION and LAYERDEPENDS
[+] 47ab72fca hostapd: Security Advisory-CVE-2016-4476
[+] 510bcc875 gperftools: fix to work on aarch64
[+] 6ba3b309d xfsprogs, xfsdump, dmapi: blacklist, needs upgrade to stay compatible with default kernel
[+] 754111f07 mariadb: add libdbd-mysql-perl to RDEPENDS
[+] aad32cfc8 mariadb: add libdbi-perl to RDEPENDS
[+] 934104ca9 libdbd-mysql-perl: add new recipe
[+] 67d6ed40b p7zip: do not hardcode path in native wrapper script
[+] 93d85f699 mpich: fix QA issue and remove blacklist
[+] 520dee977 evince: add intltool-native to DEPENDS
[+] b187e7ccc logwatch: 7.4.1 -> 7.4.3
[+] 076b26131 gthumb, libgnomekbd, gnome-desktop: add dependency on intltool-native
[+] 18b35eb92 vboxguestdrivers: upgrade to 5.1.6 to fix build with default kernel from oe-core 4.8
[+] b70d4e2fb p7zip, mce-inject: update LIC_FILES_CHKSUM
[+] bfa10542d mozjs: fix crash on non-x86 64 bit systems
[+] 7742daa9b fftw: fix native build
[+] 4e846338a fftw: fix reconfigure error introduced in previous patch
[+] 4703a3d41 lirc: Fix build with clang
[+] b18ac6dbb gpsd: Fix build with musl
[+] 7b05caa6a net-smnp: Fix build issue found with musl
[+] f4ed1bc0d rtmpdump: fix QA warning for GNU_HASH
[+] c5bd43abc cdparanoia: fix QA warning for GNU_HASH
[+] b2d3dacc5 rsyslog: upgrade to 7.6.7
[+] 0de66c207 openl2tp: Obey LDFLAGS in Makefile
[+] 9c9cee62e crash: Enforce use of LDFLAGS during make
[+] be8aa13c2 grubby: add bash to RDEPENDS_grubby-ptest
[+] dfcb67af3 imagemagick: depend on fftw not virtual/fftw
[+] 395cb2d90 fftw: build all configurations by one recipe
[+] ledf97a01 ristretto: have tumbler back - it builds fine and is an important feature
[+] 64a63fccc gvfs: update to 1.28.3
[+] e3a2814c7 gimp: update to 2.8.18
[+] 461896210 upower: don't start on boot by default - dbus does that on demand
[+] cla6b8657 jack: update to 0.125.0rc1
[+] df0c384b3 tslib: move recipe from oe-core
[+] fe249f8c5 xtscal: move recipe from oe-core
[+] 0d103ba6b pointercal: move recipe from oe-core
[+] dd01b4bde portaudio: upgrade to latest release
[+] 0feb5f748 poco: update to 1.7.5
[+] 82f2e2b69 chrony: add PACKAGECONFIG for nss, libcap
[+] e05536ca6 mpv: include PACKAGECONFIG_CONFARGS in EXTRA_OECONF
[+] 5d131fd4f libgit2: add dependency on libssh2
[+] 4f3ae98d6 gammu: add dependency on unixodbc
[+] 7be1355e1 jasper: add PACKAGECONFIG for opengl
[+] 24e387aaf openldap: fix CVE-2015-3276
[+] 14a532d78 imsettings: 1.6.8 -> 1.7.1
[+] a3cdf02a3 networkmanager: Fix package splitting and systemd service issue
[+] a617fdcd minini: update SRC_URI with new download path
[+] 02f77f757 snort: Add lzma to PACKAGECONFIG
[+] 4fde248e2 syslog-ng: remove unused patches
[+] c8c68fbdff ttf-dejavu
[+] 870df1801 iscситarget,netmap-moduls,vboxguestdrivers: Blacklist, not compatible with default kernel version

```

4.8

```

[+] 85b5755b3 xterm: 320 -> 325
[+] e05f59e09 geoclue: Update to 2.4.4
[+] 2ed5ad2e4 krb5: upgrade to 1.13.6
[+] dd0f1adc9 ttf-dejavu: 2.35 -> 2.37
[+] 0836228ba packagegroup-xfce-base: add librsvg-gtk
[+] 39be41171 python-pyyaml: 3.11 -> 3.12
[+] 94a6bb9ef python-dbus: 1.2.0 -> 1.2.4
[+] 29a6cb6a4 tk: 8.6.4 -> 8.6.6
[+] 3b675cb67 thrift: fix build on gcc-6
[+] 170b5ea29 abiword: unblacklist and fix
[+] 3e9313cf2 geany-plugins: unblacklist / fix known bugs / update to 1.28
[+] d70ccece7 geany: update to 1.28
[+] a0fdd7f1c zile: uprev from 2.4.9 to 2.4.11 and add acl support
[+] ee23e9d97 python-pylint: python source code analyzer
[+] 5641b2527 Revert "gpsd, foxtrotgps: blacklist, fails to build with new binutils-2.27"
[+] c7137fd87 gpsd: make sure the recipe uses LDFLAGS
[+] a231c431a android-tools: add recipe from AOSP tag android-5.1.1_r37
[+] 4fad61595 collectd: CVE-2016-6254
[+] 2f157021f libqmi: fix floating dependencies
[+] d505a7aa7 lmsensors: sensors-detect: print a special message when there isn't enough cpu info

```

```

[+] 35ee0a049 xpxt-dev: Remove RDEPEND on empty xpxt package.
[+] 5b4a55726 glcompbench: Fix issues causing failures in GCC6
[+] f3cd93f4b glade: fix typo introduced in last patch
[+] 098d32e57 tcpreplay: upgrade to 4.1.1
[+] 12a118989 waf-samba.bbclass: Add PACKAGECONFIG_CONFARGS to CONFIGUREOPTS
[+] 3a436ad18 wireshark: update to 2.2
[+] 554bbfb73 traceroute: update to 2.1.0
[+] 467dc1f3b dhcpcd: update to 6.11.3
[+] fbffcf3f3 vsftpd: allow sysinfo() in the seccomp sandbox
[+] e4365a234 proftpd: remove the script ftpmail
[+] 10abb68c4 stunnel: 5.28 -> 5.35
[+] b60c60806 samba: fix build by linking with bfd instead of gold
[+] 365fd1eda strongswan: 5.3.2 -> 5.5.0
[+] b4b6465fe samba: fix to package pidl in samba-pidl
[+] ddd1dae07 lvm2: add PACKAGECONFIG for lvm thin provisioning
[+] 07c151292 glade3: unbreak, unblacklist and other fixes
[+] e9b5fc160 gtkmathview: unbreak gcc-6 build and unblacklist
[+] 0368f9927 libgnome: add intltool-native to DEPENDS
[+] 1b6ee0152 libgsf: add intltool-native to DEPENDS
[+] d55334cff pavucontrol: replace intltool by intltool-native in DEPENDS
[+] 8f6a48597 p7zip: update to version 16.02
[+] 0a5c689b6 upower: add systemd support
[+] 11178d122 openjpeg: uprev from 2.1.0 to 2.1.1
[+] 83bb725fd rfind: add initial recipe, rfind 1.3.4
[+] c0e0c7797 glmak2: Fix build error due a missing space before a macro
[+] ce01b0a80 imagemagick: upgrade patchset
[+] c4ff1c931 smartmontools: 6.4 -> 6.5
[+] 84e0dbe29 sg3-utils: 1.41 -> 1.42
[+] f2f1b9137 rrdtool: 1.5.4 -> 1.6.0
[+] 1cb3cde8f python-six: Add native and nativesdk to BBCLASSEXTEND
[+] c0fe31fdd python-certifi: Add native and nativesdk to BBCLASSEXTEND
[+] 88d9c5921 python-pyopenssl: Extend recipe to support Python 3
[+] 80b2d4de0 samba: blacklist, fails to build with new binutils-2.27
[+] df531c5aa accel-ppp: blacklist, fails to build with new binutils-2.27
[+] d0f90f81b crda: fix QA issue: No GNU_HASH in the elf binary
[+] fab248ae6 openvpn: 2.3.8 -> 2.3.9
[+] 314319322 squid: don't do squid-conf-tests at build time
[+] 615872a8a inetutils: fixes for ipv6 feature
[+] 20681efaf znc: control ipv6 support based on DISTRO_FEATURES
[+] 940a621f1 wolfssl: control ipv6 support based on DISTRO_FEATURES
[+] 59a9d6f23 tnftp: control ipv6 support based on DISTRO_FEATURES
[+] 513ae03ae tftp-hpa: control ipv6 support based on DISTRO_FEATURES
[+] bbba35e8c stunnel: control ipv6 support based on DISTRO_FEATURES
[+] 020db7d8c squid: control ipv6 support based on DISTRO_FEATURES
[+] 23b7656cc ntp: control ipv6 support based on DISTRO_FEATURES
[+] 823570b4c mtr: control ipv6 support based on DISTRO_FEATURES
[+] 021e60b96 daq: control ipv6 support based on DISTRO_FEATURES
[+] 2e10d8f12 cyrus-sasl: control ipv6 support based on DISTRO_FEATURES
[+] d4b6c7df7 chrony: control ipv6 support based on DISTRO_FEATURES
[+] c13a7062c iscsitarget: fix QA warning for GNU_HASH
[+] 1157490a5 ipvsadm: fix QA warning for GNU_HASH
[+] 490d79273 yp-tools: fix compile errors
[+] c7e8da381 squid: add missing patch header
[+] e3a0a0b23 postfix: 3.0.3 -> 3.1.1
[+] 908a27cab lftp: 4.6.3a -> 4.7.3
[+] 215740db6 ifenslave: upgrade to 2.7
[+] 13434cb5f wireshark: update to 2.0.5
[+] 291946d25 directfb: add PACKAGECONFIG for inputdrivers
[+] 0d4f92235 geany-plugins: blacklist because of QA issues
[+] e19c4abee tracker: blacklist, fails to build with new binutils-2.27
[+] 939b83a13 gnome-menus, gnome-panel3, gnome-control-center: blacklist, gnome-menus fails to build because of
python
[+] 8c29023f1 gpsd, foxtrtogs: blacklist, fails to build with new binutils-2.27
[+] c63f9c4eb openwmsn: 2.6.2 -> 2.6.3
[+] bb7101e5e lua: 5.3.2 -> 5.3.3
[+] 038a6e784 thin-provisioning-tools: add version 0.6.3
[+] 2e386b7c0 lvm2: tweak MODPROBE_CMD for cross compile
[+] 99d4505d8 php: update to 5.5.38 and 5.6.25
[+] cfbbe3f18 gnome-keyring: Turn off QA check dev-elf
[+] 40a075a5d python3-jsonschema: set dependency to vcversioner
[+] 2cdd3d645 python3-vcversioner: add recipe
[+] 2fe1b2976 asio: fix musl compilation (strerror_r)
[+] cc9b89f11 networkmanager: 1.0.10 -> 1.0.12
[+] 353a8c306 mcelog: 1.09 -> 1.40
[+] 709bd23a5 mailcap: 2.1.45 -> 2.1.46
[+] f119c2a2f gtk-doc: disable where necessary
[+] 13b511cd5 gnome-control-center, gthumb: correctly remove a file from the source tree
[+] 3b0093c8f libglade: add a recipe from oe-core
[+] 19dc7117f krb5: Fix S4U2Self KDC crash when anon is restricted
[+] 0887841f1 vim: split tools directory into vim-tools package
[+] ac960a64c openldap: 2.4.43 -> 2.4.44
[+] bf918d538 libhugetlbfs: add libhugetlbfs-perl to RDEPENDS
[+] aedcb852e gitpkgv: Fix $GITPKV for a single named git source
[+] 996f2969b nodejs: update to 4.5.0
[+] 5dbdf0c61 xfce4-mailwatch-plugin: control ipv6 support based on DISTRO_FEATURES
[+] 20d4b5c2c cherokee: control ipv6 support based on DISTRO_FEATURES
[+] a37ad37a6 php: control ipv6 support based on DISTRO_FEATURES
[+] 07539fb9c iperf: control ipv6 support based on DISTRO_FEATURES
[+] ad30a2610 geis: Add python3-argparse module to RDEPENDS
[+] 010d99d55 efivar: fix PIC not found
[+] 26b101384 python-requests, python3-requests: Update to version 2.11.1
[+] ed70cd576 python-pysocks, python3-pysocks: Add recipe for version 1.5.7
[+] 43895d942 python-prompt-toolkit, python3-prompt-toolkit: Add recipe for version 1.0.6
[+] 97691e5ac python-ndg-httpsclient, python3-ndg-httpsclient: Add recipe for version 0.4.2
[+] 70978e39b python-wcwidth, python3-wcwidth: Add recipe for version 0.1.7
[+] 83fb5cc2d python-py: Extend recipe to support Python 3
[+] 9dda62361 python-pytest: Extend support to python 3
[+] 1d68defca python-pretend: Extend recipe to support Python 3
[+] 7d5ec62fe python-iso8601: Extend recipe to support Python 3
[+] c4728e0f7 python-cryptography-vectors: Extend recipe to support Python 3
[+] 2eb51b66c python-urllib3: Extend recipe to support Python 3
[+] 6a144af2f python-pyopenssl: Extend recipe to support Python 3
[+] 775a576d2 python-pycparser: Extend recipe to support Python 3
[+] 96b167037 python-pyasnl: Extend recipe to support Python 3
[+] 57ce75d5f python-idna: Extend recipe to support Python 3
[+] 559ec4040 python-cryptography: Extend recipe to support Python 3

```

```

[+] 445e595c9 python-cffi: Extend recipe to support Python 3
[+] 90eedcc9f core-image-minimal-xfce: add kernel modules to image
[+] 2892bd69f vboxguestdrivers: Add recipe for vbox 5.x
[+] fef7b1feb libqb: 0.17.1 -> 0.17.2
[+] 7e8eb9a61 yaffs2-utils: fix QA warning for GNU_HASH
[+] 62799e1a8 libnet-dns-perl: 0.81 -> 1.06.
[+] c0e4ad71a nodejs, arm: map TUNE_FEATURES to --with-arm-fpu parameters
[+] dcbal0c69 nodejs: use shared zlib instead of bundled one
[+] 0a2bd4f97 pocco: update to 1.7.4
[+] bd9f653e8 Revert "testfloat: Fix No GNU_HASH in the elf binary warnings"
[+] 8579f185f testfloat: Fix No GNU_HASH in the elf binary warnings
[+] dc48e768f meta-oe: remove trailing spaces
[+] 303a585a6 meta-oe: remove PR = "r0"
[+] 289217bbc meta-oe: fix indentation
[+] f2bec07b8 nginx.inc: use 4 spaces for indentation
[+] 8e6425cfa nginx: optimize systemd unit file
[+] 6c7c69c70 spitools: bump git revision (SRCREV)
[+] 7988dfela collectd: make /etc/collectd.conf a CONFFILE
[+] 8885e4a2f testfloat: Fix No GNU_HASH in the elf binary warnings
[+] c4ea81241 wipe: fix QA warning for GNU_HASH
[+] 7fdf3535f libx86-1: fix QA warning for GNU_HASH
[+] 107689a13 meta-oe: Standardize use of "_append" versus use of "+="
[+] 1a2cfa6aa libdbi-perl: 1.634 -> 1.636
[+] 3c598be5d libedit: 20150325-3.1 -> 20160618-3.1
[+] 60b675ac1 hwdata: 0.288 -> 0.291
[+] b7ab1526c python-jjsonschema, python3-jjsonschema: Add recipe for version 2.5.1
[+] 25b5e35df python-strict-rfc3339, python3-strict-rfc3339: Add recipe for version 0.7
[+] 9756c90df python-functools32: Add recipe for version 3.2.3-2
[+] 6713a6b69 python-webcolors, python3-webcolors: Add recipe for version 1.5
[+] 06b06a35d python3-requests: Add native and nativesdk to BBCLASSEXTEND
[+] 7fdeeb7aa python3-click: Add native and nativesdk to BBCLASSEXTEND
[+] f0c12422e python-rfc3987, python3-rfc3987: Add recipe for version 1.3.6
[+] 6e17cf099 python-progress, python3-progress: Add recipe for version 1.2
[+] 4efb76b1a gperftools: upgrade to 2.5
[+] 41abb7e61 dialog: 1.2-20150920 -> 1.3-20160424
[+] c7419bb05 ctapi-common: 1.1-11 -> 1.1-14
[+] 1c080cc6b corosync: 2.3.5 -> 2.4.0
[+] 0ebc75611 python-requests: update to version 2.11.0
[+] ccae17a26 python-monotonic: fix RDEPENDS for minimal python install
[+] 6fea65729 python-monotonic: update to version 1.2
[+] 52cb4d555 python-jsonpatch: Fix RDEPENDS to work on minimal python install
[+] 3c2088531 python-jsonpatch: update to version 1.14
[+] 7cf433a52 python-daemonize: update to version 2.4.7
[+] 7d12dd413 openssl: update to version 0.16.0
[+] 30ef6ad7d libp11: update to version 0.4.0
[+] laaa57e8c engine-pkcs11: update to version 0.2.2
[+] dcf56c9d0 utouch-mtview: remove blacklist
[+] 0fcdae168 utouch-frame: fix build errors associated with xmllint
[+] 469a6ca5b nginx: PACKAGECONFIG for httpv2
[+] 9e78e4b52 thunar-volman: Fix build with clang
[+] b415e2a37 udisks2: Update to 2.1.7
[+] 30eb09f3b libphoto2: Fix build when security flags are enabled with clang
[+] 46248dca3 php: fix aclocal-copy aclocal-copy
[+] 63d19736c python-pymisp: Update to version 2.4.49
[+] 1df4b347f python-lxml: update to version 3.6.1
[+] 622788e8a python-cython: update to version 0.24.1
[+] e38635e43 python-certifi: update to version 2016.8.8
[+] d1ebcbc62 gd: update to version 2.2.3
[+] bb689de1d imagemagick: Add new PACKAGECONFIG for graphviz
[+] 890092578 libp11: fix fetch error.
[+] ec660639e imagemagick: upgrade from 6.9.2 to 7.0.2
[+] 02a390b79 tnftp: tnftp20130505 -> tnftp20151004
[+] 5fdc25afc proftpd: 1.3.5a -> 1.3.5b
[+] 5793d60bb libnftnl: 1.0.5 -> 1.0.6
[+] af7893c4d radvd: 2.11 -> 2.14
[+] 4c8b9e13b geopipupdate: 2.2.1 -> 2.2.2
[+] 999f6c49c geopip: 1.6.6 -> 1.6.9
[+] 617d49565 dovecot: 2.2.21 -> 2.2.25
[+] 10a106616 dnsmasq: update to version 2.76
[+] e86c7ef20 opensaf: make sure /etc/init.d/opensafd exist
[+] 35326fa74 samba: upgrade to 4.4.5
[+] 6555c34fd libldb: upgrade to 1.1.27
[+] 174a083a3 ctdb: upgrade to 2.5.6
[+] e37d93f2e libtdb: upgrade to 1.3.10
[+] 80d23a232 libtevent: upgrade to 0.9.29
[+] 4e0bc7869 libtalloc: upgrade to 2.1.8
[+] fcdd7e2c6 quagga: 0.99.24.1 -> 1.0.20160315
[+] 74d994ed2 samba: remove ${localstatedir}/log
[+] 2cf000c8b wireless-regdb: update 2014.11.18 -> 2016.06.10
[+] 2ea482d03 crda: split wireless-regdb out into own recipe
[+] lea6e9a5d proftpd: fix system account login failure
[+] 4307c6a74 squid: fix configure host contamination
[+] f849b9fd1 utouch-frame,utouch-mtview: Blacklist
[+] b76cee6e5 ninja: update to version 1.7.1
[+] 10670f542 xf86-video-ati: Set RRECOMMENDS to linux-firmware-radeon
[+] 894f7ce9e gateone: remove custom prefix for /var
[+] fdeb947bc glog: Update to version 0.3.4
[+] 32e7012eb gflags: New recipe
[+] 6752cba47 python-pyobject: update to version 3.20.1
[+] 66e683069 hiawatha: update to version 10.3
[+] 1a8e7aac9 hiawatha-init: create log directory during init
[+] 3146e64a8 evtest: update to version 1.33
[+] fldcff444 espeak: fix package for gcc6
[+] 42dd9f3f1 pidgin: upgrade to 2.11.0
[+] 7f3023003 efivar: 0.23 -> 0.24
[+] 2ad60db95 nginx: update to version 1.11.3
[+] ea75c6563 nginx: add the LDFLAGS to the link arguments
[+] 2646e9799 epeg: update to the latest version
[+] 5a8191503 dstat: update to version 0.7.3
[+] 355cdb704 libbim: update to 1.14.0
[+] e22b9e01e upower: update to version 0.99.4
[+] d95a980fe devicekit-power: remove obsolete package that was migrated to upower in 2010
[+] 7c25fa41f daemonize: update to version 1.7.7
[+] 5f9728d97 cryptsetup: update to version 1.7.2
[+] 7151a9d71 breakpad: disable ppc from being built.
[+] 7e2e4421d mongodb: failes to build on ppc

```

```
[+] 8ddc1b0bc concurrencykit: fix fetch errors.
[+] ff387178b openswan: fix fetch error.
[+] 87cc92357 engine-pkcs11: fix fetch error
[+] 35d56a19a libmicrohttpd: update 0.9.49 -> 0.9.50
[+] 03220d6c4 ttf-lklug: add version 0.6-14.20090803cvs.fc24 to support Sinhala language
[+] 185f576c1 ttf-lohit: add version 2 to support Indian languages
[+] 8cb799e57 fontforge-native: support python module
[+] 59d7086e5 ttf-abysinnica: add version 1.500 to support Amharic language
[+] 98c057797 glmark2: Fix gcc 6 deprecated declaration error
[+] c29c7ed76 glmark2: Fix gcc 6 configure error
[+] 9405f930b libmodbus: update to upstream develop version 3.1.4
[+] 886a5da6a opencv: Fix build with gcc 6.0
[+] 2e0332ce3 rygel: add intltool-native dependency
[+] ed969f327 gparted: add intltool-native dependency
[+] c5988658e libgxm: add intltool-native dependency
[+] 0cd0b09de networkmanager-openvpn: add intltool-native dependency
[+] 6a6438b1d gnome-bluetooth: add intltool-native dependency
[+] 9dd576b75 dconf: add intltool-native dependency
[+] 3d0ca8519 gupnp-tools: add intltool-native dependency
[+] 9e92fdc0a gegl: add intltool-native dependency
[+] c16a8d66d gtsourceview2: add intltool-native dependency
[+] 8d84f588e geoclue: add missing intltool-native dependency
[+] 5f7fc33b0 gnokii: add missing intltool-native dependency
[+] e231b0280 libgit2: add a recipe for libgit2 version 0.24.1
[+] fdb1bbe2e daemontools: fix QA Issues for daemontools and fix a warning for daemontools-native
[+] 92c500e96 postgresql: 9.4.5 -> 9.4.8
[+] aff7b7ee7 ccid: update to version 1.4.24
[+] 5d0595519 asio: update to version 1.10.6
[+] 8bed54aff Revert "gnome-disk-utility: blacklist because of avahi-ui"
[+] 70e7f3471 meta-gnome/layer.conf: enable gtk for avahi-ui
[+] 49476950d xerces-c: upgrade to 3.1.4
[+] b0ae995bc ninja: support target builds
[+] 41414e07d adduser: upgrade to 3.115
[+] 7f4f2d72d grubby: fix no GNU_HASH warning
[+] e48d02bbd network-manager-applet: admitting intltool-native dependency
[+] 1d41fe47e mozjs: Fix incorrect usage of PN.
[+] db97c329c gedit: remove blacklist caused by gtsourceview2 / fix/cleanup build
[+] 2ed31c7eb modemmanager: update to 1.6.0 and unblacklist - libqmi was fixed
[+] 5b5bad7c8 libqmi: update to 1.16.0
[+] 2c8645249 libgnomeui: update to 2.24.5 / fix build on gcc6 / cleanup
[+] e9bf73f86 nostromo: add dependency for nroff used during compile phase
[+] aac86aa1b nostromo: remove useradd of a user already provided by base-passwd
[+] da81d9ef8 proftpd: return stderr to syslog
[+] bc8fd52a5 ntp: make ntp and alternative for ntpd
[+] 32a6fd48a samba: inherit update-rc.d to manage init script
[+] 8b28f076f bridge-utils: various build fixes (musl & CFLAGS)
[+] 9fb484ed5 proftpd: clean the host path in prxs
[+] 85d96dlce proftpd: fix PACKAGECONFIG settings
[+] f8dd8cde9 proftpd: start at boot time
[+] 4c854d2bf wireshark: inherit perlnative
[+] 03b76ca4b squid: upgrade to 3.5.20
[+] fa2c10cae curlpp: fix QA issue for cav-octeon3
[+] 3683e46e0 snort: fix to remove from blacklist
[+] b2eae93d0 meta_networking_security_flags.inc: add weak assignment for lcl_maybe_fortify
[+] abf5445c1 meta-networking: override SECURITY_CFLAGS for c-ares
[+] 6204c135e c-ares: use our compilation flags
[+] 53794a7c5 atftp: do not create user nobody
[+] 7e4f22517 python-mccabe: Remove unnecessary setup_requires pytest-runner
[+] 6cb4eb3e8 mercurial-native: upgrade to 3.8.4
[+] 7482f2d07 libssh2: Add native to BBCLASSEXTEND
[+] cfd1f135db nostromo: update to version 1.9.6
[+] 181f5f81a webmin: upgrade to version 1.801
[+] df5141af8 libssh2: upgrade to 1.7.0
[+] d71cccd4c libssh: upgrade to 0.7.3
[+] d98b1a3f9 sysbench: add new recipe
[+] a720b93af libnih: add new recipe to meta-oe
[+] 26fbc9bf4 libebml: fix do_unpack failure
[+] 8f4c447cc packagegroup-tools-bluetooth: Fix incorrect LIC_FILES_CHKSUMS
[+] 30eab2db7 xfce4-vala: unbreak by telling configure new vala API version
[+] 6255219b9 mariadb: upgrade to 5.5.50
[+] 4b24a6c86 psqlodbc: Add the new recipe
[+] 8bb4a8bc5 unixodbc: Add the new recipe
[+] f9f857807 efivar: add COMPATIBLE_HOST item
[+] f5da6714f xllvnc: fix do_patch failed
[+] 292d8f108 Revert "postgresql: blacklist because tcl in oe-core is broken for last month"
[+] b142ab5a0 python-imaging: Fix CVE-2016-2533
[+] 639864337 juce: Improved juce class and recipes
[+] 3bbc28d7c juce: Added support for JUCE framework
[+] ca6edca71 python-pygggme: update tests
[+] 8dca4abac python-pygggme: update ptest output format
[+] 9bf3e362e collectd: replace deprecated readdir_r() with readdir()
[+] 5ed0925c2 makedumpfile: add makedumpfile 1.6.0
[+] a63b404c3 minicoredumper: add the recipe
[+] 014c361d8 grubby: add grubby 8.40-1
[+] 520610b6f xfce4-terminal: add dependency on vte9-termcap
[+] la6e6a9d9 phpmyadmin: upgrade to 4.6.3
[+] aa01ab95a php: update to 5.5.37 and 5.6.23
[+] 0b6853fc4 ttf-vlgothic: add a ttf font
[+] 5a319d329 ttf-liberation-sans-narrow: add a ttf font
[+] 06e58b6f5 cfengine: add recipe and base policy
[+] 898b3977a tokyocabinet: add recipe
[+] 00f6dc9cd pocco: update to 1.7.3
[+] 958bfe36e contrib: add MIPS_INSTRUCTION_SET
[+] ba733d1ae klibc: fix install destination in 64bit env
[+] eeaf3ddde uw-imap: use cross-tools to create static library
[+] 4c032282d augeas: Move from oe-core
[+] 74466fce3 libsodium: Update to 1.0.10.
[+] d0c4bdc2f zeromq: Update to version 4.1.5.
[+] 7707dd5bc apache2: update to version 2.4.23
[+] 97e2e1568 freeglut: add opengl to REQUIRED_DISTRO_FEATURES
[+] 9efd12bfc nginx: update to version 1.11.2
[+] 96fd3c593 mousepad: remove blacklist caused by gtsourceview2
[+] ca363445b gtsourceview2: fix build with gcc6
[+] a1647eaab Mpd: use libsystemd
[+] 273be2ecc directfb: move recipe to meta-oe
[+] 37e1dd154 sshfs-fuse: update to 2.8
```

```

[+] 20df86307 nodejs: update to 4.4.7
[+] d209e32ff x11vnc: remove redundant RPATH to fix QA issue
[+] e7aeb11f7 libxfce4ui: Use native intltool for building the lib
[+] b81391169 cpuset: add new python package
[+] ecf41acf0 libmad: add the recipe
[+] 1f87c7f3b mpg123: remove the recipe
[+] 5c69367d8 python-flask-bootstrap: update to version 3.3.6.0 and fix RDEPENDS
[+] 9d1d1e811 python-flask-navigation: update package RDEPENDS
[+] 06c87ef5f python-flask-bcrypt: update package RDEPENDS
[+] 01b7c1d36 python-flask: update RDEPENDS to include python-click
[+] d070f5afe python-click: add recipe for the python click package required by the new version of flask
[+] a7195fc96 python-feedformatter: add package RDEPENDS
[+] 7be7e15bb python-evdev: update to version 0.6.1 and add package RDEPENDS
[+] 18d5f11e1 python-feedparser: add package RDEPENDS
[+] 878ec0cc8 python-epydoc: add package RDEPENDS
[+] 2daf0b04a python-dominate: update to version 2.2.1 and fix RDEPENDS
[+] 786b54eda python-flufl-enum: remove deprecated package
[+] 468e565f0 python-django-south: add package RDEPENDS
[+] 795dc3f0e python-django: update to version 1.9.7 and add the required RDEPENDS
[+] ac2336f83 python-dbusmock: update to version 0.16.6 and update required RDEPENDS
[+] 3cac200a6 python-cmd2: update RDEPENDS to pull in required packages
[+] ae9a0c58b python-cryptography: update to version 1.4 and remove patches now available with the latest releas

[+] d212af495 lirc: inherit python3native instead of pythonnative
[+] 5e18b657f python-cffi: update to version 1.7.0
[+] ca90791df python-decorator: add package RDEPENDS
[+] 9a3bf8ef9 python-backports-ssl: add package RDEPENDS
[+] 8cde32a90 python-bcrypt: update to version 3.1.0
[+] 9c00cf3ec python-six: update RDEPENDS to work on both python2.7 and python3
[+] 8d55746de python-werkzeug: update RDEPENDS to work for minimal python2.7 and python3
[+] df36dff88 pyrtm: Add RDEPENDS to the package
[+] 04923b4ab pyrtm: update to version 0.4.2
[+] 97f8a24f0 python-pyephem: add RDEPENDS to package
[+] d27ad560b python-ujson: correct RDEPENDS to pull in needed python packages
[+] 63ebe282a python-urllib3: correct RDEPENDS to work on a minimal python instance
[+] aal6b3173 python-urllib3: update to version 1.16
[+] b7efea7b0 python-vcversioner: add RDEPENDS for the package
[+] bc892fb0c python-vcversioner: update to version 2.16.0.0
[+] 045d79e0b python-visitor: update to version 0.1.3
[+] 569cab04a python-vobject: add RDEPENDS for the package
[+] 5b4b806a0 python-vobject: update to version 0.9.2
[+] f8ccd6490 python-werkzeug: update to version 0.11.10
[+] 39fdd2e71 python-wtforms: add RDEPENDS to work correctly in minimal python environment
[+] 8f85bf005 python-wtforms: update to version 2.1
[+] 53f8a49fc python-yappi: correct RDEPENDS to work on a minimal python install
[+] d04adb12 python-zopeinterface: update to version 4.1.1
[+] 4e52a2e59 python-tornado: remove deprecated version 2.2.1
[+] 001dad112 python-xlrd: add RDEPENDS to allow module import with a minimal python install
[+] 5cfe9e733 python-xlrd: update to version 1.0.0
[+] 812162c15 meta-python: Add Derek Straka as a maintainer
[+] 4b6510201 python-imaging: Add patch to fix host sysroot fails
[+] f735a9ca6 python-setuptools-scm: Add python-setuptools-scm bb
[+] a9b7ae542 python-pytest-runner: Add python-pytest-runner bb
[+] 45baacbbc python-mccabe: Add python-pytest-runner dependency
[+] 8027e5316 python-mock: Add python-pbr-native dependency
[+] 093d27127 python-pbr: Add python-pbr bb
[+] 4fbb4d237 net-snmp: initscripts are located in net-snmp-server-snmp package
[+] 582edb44 net-snmp: fix snmpd crash via AgentX connection
[+] a27d4a75c openconnect: PACKAGECONFIG certain dependencies
[+] 303d9ea96 python-pyserial: update to version 3.1.1
[+] e4691bb11 python-pymisp: update to version 2.4.48.1
[+] 116d71504 python-flask: upgrade to version 0.11.1
[+] 0f89c4b2c python-decorator: update to version 4.0.10
[+] 5f92f386b python-yappi: add a recipe for a python profiler
[+] 45fc7c10e python-pyephem: update recipe to use the pypi class
[+] 1bef83379 python-m2crypto: update recipe to use the pypi class
[+] 14elle7a8 python-pyro4: update recipe to use the pypi class
[+] 7edad4def pypi: update the base pypi url to use the package info without requiring the hash
[+] 216e95669 netmap: blacklist
[+] b6e805c83 Samba: use only libsystemd
[+] 6b2fc930c lftp: fix issues with multiple signbit definitions and remove from the blacklist
[+] 3647a2ca4 crda: fix errors about unused variables and remove from the blacklist
[+] 1cb727596 gnome-terminal, toscoterm, vala-terminal, xfce4-terminal: use vte9
[+] ce379427c vte9: Add old vte into meta-oe
[+] 377d67aa7 gtest: fix installation in multilib
[+] 5cdb839fa gnome-disk-utility: blacklist because of avahi-ui
[+] 7a925f739 analyze-suspend: Bump to latest Git version
[+] 0e10dc716 efl e-module.inc: fix fetching in multi-lib configs
[+] c29c8e3a8 krb5: add systemd support
[+] 016e7480a Revert "python-pygobject, python-cloudeebus, python-dbusmock: Blacklist because of python-pygobjec

[+] 09630840c python-cloudeebus: fix do_compile failure
[+] c06411f61 python-pygobject: fix do_configure failed
[+] 64d874f76 libebml: don't rely on make -e, obey LDFLAGS
[+] cff7a4791 vboxguestdrivers: obey LDFLAGS
[+] 55dfblbd8 epdf, evince, tracker, gimp, tumble: Remove blacklist caused by poppler build failures
[+] 979760c69 evince: fix build errors with gcc-6
[+] 675d1df2e poppler: fix ambiguity on math functions related to gcc-6
[+] 9b9eb830b faac: address gcc-6 narrowing errors via an explicit cast
[+] d516719ef libqmi: update to version 1.14.2
[+] 559c14ac8 crash: update to version 7.1.5
[+] 80def8525 geis: add a patch to fix incorrect indentation issues and remove -Wno-error=misleading-indentation
[+] 90488aa54 tvheadend: add a patch to fix issues with gcc 6 and drop the -Wno-error=misleading-indentation
[+] d24e984e2 p7zip: update to version 15.14.1
[+] 0647b7d64 iperf: resolve issues with gcc6
[+] e092a957b v4lutils: Update to latest upstream
[+] 922283286 libphoto2: correct compatibility issues with libjpeg-turbo-1.5.0
[+] 7e8e0fbad python-pyephem_3.7.6.0.bb: Add new recipe.
[+] 19ef3affb gtk-engines: Move from oe-core
[+] 9cd117a5d chrony: Versatile implementation of NTP
[+] 5c8efcc9f curlpp: fix build with gcc-6 and remove blacklist
[+] f316c4a32 wireshark: update to 2.0.4
[+] 13db3c65f ntp: Security fixes via Upgrade to 4.2.8p8
[+] f0756d1ee crda, lftp, curlpp: blacklist, fails to build with gcc-6
[+] 056140292 libphoto2, v4l-utils: blacklist, not compatible with libjpeg-turbo-1.5.0
[+] c1199405c grail: update to version 3.1.1

```

t is broken"


```

[+] ee42aeb99 fwts: add CFLAG to ignore misleading indentations
[+] 629d67a7c geis: add CFLAG to ignore misleading indentations
[+] 0aac04909 tvheadend: add CFLAG to ignore misleading indentations
[+] baalab2a3 fbreader: fix return code issue on gcc6
[+] 47e84b368 tcsh: fix the wait definition to support gcc6
[+] 87fc6bb63 geos: use std::isnan to support gcc6
[+] aebac658d libeigen: update to 3.2.8
[+] 03f0be623 mpv: use waf.bbclass
[+] 7d399caee mpv: add DESCRIPTION
[+] 431ec7eff libcgi-perl: add version 4.28 to provide perl-module-cgi
[+] af6af8621 redis: fix hiredis build so it's less failure-prone and links properly
[+] 548effebf ruby.bbclass: Fix usage with python3
[+] 44ea80d3a postgresql: blacklist because tcl in oe-core is broken for last month
[+] b0fae32df python-pyobject, python-cloudebus, python-dbusmock: Blacklist because of python-pyobject is bro
ken
[+] 33fc64cef faac, iperf, crash, espeak, open-vcdiff: blacklist, fails to build with gcc-6
[+] 25a78e55e abiword, fbreader, tvheadend, glmark2, libqmi, modemmanager, thrift, wvdial, wvstreams, dt, collec
td, gtkmathview, tcsh, glcompbench, geos, libspatialite, geis, grail, opencv, openwbem, fwts: blacklist, fails to build with gcc
-6 or glibc-2.24
[+] d78c5215b evince, epdf, gdm, gnumeric, libgnomeprint, tumbler, gedit, gnome-panel, gnome-session, gnome-term
inal, libgnomecup, gtksourceview2, libgweather, libgnomeui, tracker, gimp, poppler, mousepad, goffice, tasks: blacklist, fails
to build with gcc-6
[+] 25e940010 fwts: Remove 14.09.00, newer 14.12.00 is in recipes-test
[+] 6dcee71f8 elementary, evas-generic-loaders: Drop poppler dependency
[+] 52213998e mpv: Media Player
[+] 1847d0be0 libass: add newer version
[+] e781f8e78 mpd: update to 0.19.15
[+] d60961764 meta-oe: override SECURITY_CFLAGS for llvm3.3
[+] f90b8d367 toybox: Upgrade to 0.7.1
[+] 3ff2e225b libftdi: update to 1.3
[+] 8b32e60c3 nginx: update to version 1.11.1
[+] 98c4e4f83 nginx: update stable version to 1.10.1
[+] b5091a1a3 python-tornado: add missing python2 runtime deps
[+] 7650008ed python-singledispatch: initial recipe for version 3.4.0.3
[+] 4c110ff93 python-backports-abc: initial recipe for version 0.4
[+] 4594d24bc syslog-ng: expand service file @variables@ earlier
[+] b27938bc7 opencv: Reorder PACKAGES variable
[+] d0952adcc opencv: Make gphoto2 dep optional via PACKAGECONFIG
[+] 24fe575e7 abiword, gnome-vfs: Use print as a function
[+] 80cf5e0ee netmap-modules: Avoid type warning with python v3
[+] 55cb2ec6d gitkpkgv: Ensure files are closed
[+] b4d7caaff gnome-doc-utils-stub: add a recipe
[+] f0de8ed2c cmpi-bindings: fix build with python 3
[+] a18991d24 python-pyobject: add a recipe
[+] 4f93338b1 python-pyrex: add a recipe
[+] 56a4d2170 python-imaging: add a recipe
[+] 25a0003ef python-dbus: add a recipe
[+] f9ce43cdf Remove unnecessary exports of HOST_SYS and BUILD_SYS in python-based recipes
[+] e5f01cae3 nano: fix license to GPLv3.
[+] 240e2ebe4 plymouth: allow disabling the dracut dep
[+] 852cd67b9 luajit: fix build issues, obey more vars
[+] 0cce9fee0 efivar-native: fix compile failure with older host gcc (<=4.6)
[+] 25f31a595 nodejs: update to 4.4.5
[+] ff41698c1 gnome-menus: Fix QA warnings.
[+] c2c895ec5 python-simplejson: change to setuptools
[+] 350bd0bee dvd-apps: Fix several QA WARNINGS
[+] 6de06e436 geany-plugins: fix build
[+] 7be16bce8 libldb: add missing libaio dependency
[+] 126e48c2a libtalloc: add missing libaio dependency
[+] 81f3fb09d libtdb: add missing libaio dependency
[+] 18ald69f8 libtevent: add missing libaio dependency
[+] a6a36710a cifs-utils: make samba conditional dependency
[+] d765990dd netcat-openbsd: fix qa warning
[+] a2256bb3b esmtp: Fix rootfs creation errors
[+] 7832c6735 postfix: Fix rootfs creation errors
[+] 62e3df2dd netkit-rsh: fix build issue.
[+] 880c3dce3 opensaf: update to 5.0.0
[+] d46c89ae4 squid: CVE-2016-4553
[+] 9al3040d7 ntp: avoid floating dependency on mdns (aka mDNSResponder)
[+] 387824f17 openct: Fix rootfs creation errors
[+] e49c2c2ba iptraf: Fix rootfs creation errors
[+] 5ec8663e2 fontforge: add back gnullib to DEPENDS
[+] 5adc7db35 florence: move to latest GTK2 version 0.5.4
[+] 5cc904be9 python-thrift: update to version 0.9.3
[+] ad7fb0fc7 python-urllib3: update to version 1.15.1
[+] 9a527fcd6 python-pyudev: update to version 0.20.0
[+] 79174d79f python-pytz: update to version 2016.4
[+] 2383776dc python-pyroute2: update to version 0.3.22
[+] 9e37a25e0 python-pyparsing: update to version 2.1.4
[+] faa6511ee python-pyopenssl: update to version 16.0.0
[+] blca6903e python-pyflakes: update to version 1.2.3
[+] 00ecld5ec python-psutil: update to version 4.2.0
[+] 3fe43f5a3 python-pip: update to version 8.1.2
[+] b031bef98 python-monotonic: update to version 1.1
[+] 852f2a72d python-mock: update to version 2.0.0
[+] 81b3aa309 python-greenlet: update to version 0.4.9
[+] beb3060a6 python-enum34: update to version 1.1.6
[+] 80517d243 python-cffi: update to version 1.6.0
[+] 87c914be3 python-backports-ssl: update to version 3.5.0.1
[+] ab22ea341 sthttpd: update to 2.27.0
[+] 02b52eecl freeglut: Add a recipe freeglut to replace mesa-glut
[+] bb260122e mesa-glut: Remove the recipe
[+] b9170185a assimp: Add recipe for Open Asset Import Library
[+] 21a9e4333 initramfs-kexecboot-klibc-image: Skip for nios2
[+] f6db87726 xllvnc: remove old libtool macros from acinclude.m4
[+] a3d4309fa networkmanager: add missing dep on dbus-glib-native
[+] 08395623a networkmanager: add missing dep on intltool-native
[+] b22c290e4 openlmi-networking: add missing dep on konkretcmpi-native
[+] 49721325b mg: stop relying on make -e
[+] 2318f8ee8 llvm: make llvm-config wrapper error message more understandable
[+] 4ff633a23 uim: Fix Warning
[+] 35c3f1287 geany-plugins: initial add 1.27
[+] 1d4d6e7f7 geany: update to 1.27
[+] 5ce609fa3 poppler: update to 0.43.0
[+] 207e97112 python-cryptography: fix compile issue with openssl 1.0.2h
[+] 33f5a5b43 apache2: fix libtool's path in apxs

```

```

[+] 5e5e66d6c python-requests: update to version 2.10.0
[+] 319bbc185 python-pymisp: update to version 2.4.36
[+] 9aa6735c5 python-flask-login: update to 0.3.2
[+] ae20c6dc9 python-flask-pymongo: update to 0.4.1
[+] daf619ec4 rrdtool: only unset PERLHOSTLIB in do_configure
[+] 5ad18c413 pytest: fix runtime issues.
[+] 569b11c6e obexftp: mark as compatible with bluez5
[+] 5da940867 krb5: fix uninitialized variable warning
[+] 87084feb1 libhugetlbfs: enable build for x86-32
[+] c9c82d313 efivar: fix unknown option while gold linker used
[+] beac69f84 efibootmgr: sync with upstream while efivar upgraded to 0.23
[+] f0a1e61c4 efivar: fix do_install failed
[+] d68c68767 efibootmgr: update and unblacklist
[+] fe4cb8b07 efivar: update to 0.23
[+] bee16ff1f gnutlib: bump git revision
[+] 44a13e69b libsoc: update to 0.8.1
[+] 901b9a2ec libxkbui: Fix license WARNING
[+] 09ccbeb7a python-numeric: Add LLNL license
[+] df2e3bb6a netcf: unconditionally remove gnutlib dir to support reconfigure
[+] 8fe7d1e60 proftpd: fix mod_tls build issue
[+] 37297c322 nbd: fix LIC_FILES_CHKSUM
[+] 23ce88cc0 znc: fix QA issue and remove from blacklist
[+] 093942197 netcf: fix mishandling of gnutlib submodule causing build fail
[+] 00ec8bc10 autotools-bootstrap: make bootstrap package specific.
[+] 273d79740 wireshark: Fix new QA Error
[+] 8b5662be6 curlpp: fix recipe
[+] 2f3a4997c nodejs: update to 4.4.4
[+] 3384b4133 upower: fix WARNING
[+] 76754d02a libwnck: fix WARNING
[+] 631efeaad python-dateutil: update to version 2.5.3
[+] e62215ef4 pypi: update the pypi class to support the updated URL scheme
[+] ef735bb13 acpitests: Fix license issue
[+] c45e8a3ac tracker: update run-time dependencies
[+] 0f808a973 tracker: add missing depends for intltool-native
[+] aeabd94f7 tracker: add a patch to support giflib 5
[+] 1bc1405b0 libnice, farsight2: unblacklist as libnice's nice.pc issue fixed.
[+] 786ab843f wvstreams: fixing segfault with new gcc optimizations
[+] 102e69986 llvm3.3: Disable auto -dbg packages
[+] 5397ae5d5 packagegroup-tools-bluetooth: Selects the tools appropriate for the version of bluez being used.
[+] 4adec181e lmbench: avoid gcc optimize-away multiplication
[+] 35c7a5b63 leptonica: add PACAKGECONFIG for openjpeg
[+] f3472205e leptonica: update to version 1.73
[+] 904fd8d95 giflib: update to version 5.1.4
[+] a6c172e27 poppler: add --std=c++11 to fix build with Qt 5.7
[+] 9087a59b1 pidgin: use pkg-config instead of hardcoded paths or python-config
[+] fclee271f pidgin: add PACKAGECONFIGs
[+] 2ff8e7e86 pidgin: Update to 2.10.12
[+] 09806901b toybox: Upgrade to 0.7.0
[+] 3391c2e65 toybox: Remove out-of-date patch
[+] be3d4c05e rrdtool: fix do_configure failure on some hosts
[+] b957e27d1 python-pyparsing: modify build to correctly use setuptools rather than distutils
[+] 3132af1d1 opencv: Fix metapkg dependencies for opencv-java and opencv-locale
[+] 5bece73f6 fbreader: add cflags fix for fribidi 0.19.7
[+] 821414a07 protobuf: split package to main and compiler packages
[+] 3bae88a2e protobuf: add protobuf-c recipe
[+] a78aebb60 packagegroup-tools-bluetooth.bb: Selects the tools appropriate for the version of bluez being used

[+] c7265a61d glmark2: wl_surface should be destroyed after destroying wl_window
[+] f4ee5549c xfce4-eyes-plugin: update to 4.4.5
[+] d2e10b7df xfce4-cpufreq-plugin: update to 1.1.3
[+] e211113e8 fluidsynth: set correct portaudio packageconfig dependency
[+] 763293966 xfce-polkit: fix warning not able to copy license
[+] b86f2fac9 meta-xfce: add intltool-native to DEPENDS
[+] c31ccabca vim: Upgrade to v7.4.1689
[+] 6c0caad9e tinymembench: update to version 0.4.0 plus bug fixes
[+] 72c6229c9 nginx: update to version 1.9.15
[+] e7ead2b55 nginx: update stable version to 1.10.0
[+] c1ede4830 iperf3: update to version 3.1.2 plus bug fixes
[+] 3df07600f iozone3: update to version 434
[+] a29cece38 fio: update to version 2.9
[+] 4a4773856 fribidi: update to version 0.19.7
[+] 7af4e555b sox: dep on ffmpeg, not libav
[+] 03071511d syslog-ng.inc: fix prerm script & class includes
[+] 1bd027eba sblim-sfcb: add missing dependency on unzip-native
[+] c22af995a libmicrohttpd: update to 0.9.49
[+] c16b6e686 fluentbit: add new recipe
[+] cdd326f7a fbida: use separate builddir
[+] e03e5d668 netdata: replace deprecated 'base_contains' with 'bb.utils.contains'
[+] 546d55d8b netdata: fix whitespace in the patch that caused failures when applying
[+] 23alc2ea7 netdata: add new recipe
[+] 831f710ec ltrace: Remove deprecated readdir_r()
[+] a61cb5142 ltrace: Error Fix for ARM
[+] 53adf32f4 thrift: Add recipe for Apache Thrift.
[+] f79a851b6 squid: CVE-2016-3947
[+] 275b6c30f meta-networking: use bb.utils.contains() instead of base_contains()
[+] 7a9c62609 wireshark: update package to 2.0.3
[+] abc6e4965 rp-pppoe: Fix rootfs creation errors
[+] 129681721 openconnect: add missing dependencies
[+] 6830c3bc6 proftpd: CVE-2016-3125
[+] f59daf6ca samba: remove dependency on ctddb
[+] 8cd5bc534 ntp: Security fixes via update to 4.2.8p7
[+] ce1eeace dovecot: fix QA issue and remove from blacklist
[+] 73fa6a991 net-snmp: enable ipv6 support
[+] aa8e156d5 samba: fix paths in sysv initscript
[+] ffeb84e9a samba: fix QA warnings.
[+] 6fbaf07c2 mozjs: fix configure host contamination
[+] b5a7dfbea mariadb: Fix rootfs creation errors
[+] dlbe64c69 wayland-fits: update, get out of PNBLACKLIST
[+] 0d857a101 hwdata: add new recipe
[+] 98951db44 rsnasnapshot: use ${bindir} as rsync location
[+] 1e17ae18f mozjs_17.0.0.bb: Fix do_srpm error
[+] 4d6c01395 krb5-CVE-2016-3119.patch
[+] c16d59f29 xfce4-weather-plugin: update to 0.8.7
[+] 18e5f6383 xfce4-whiskermenu-plugin: update to 1.5.3
[+] eeac9ad0c poppler: update to 0.4.1
[+] dad9a7847 meta-initramfs: use bb.utils.contains() instead of base_contains()

```

```
[+] aa72c9e46 meta-gnome: use bb.utils.contains() instead of base_contains()
[+] 0d7c6151c meta-efl: use bb.utils.contains() instead of base_contains()
[+] ab9f4d9ab meta-multimedia: use bb.utils.contains() instead of base_contains()
[+] f08b75f64 meta-xfce: use bb.utils.contains() instead of base_contains()
[+] e5c807b77 meta-webserver: use bb.utils.contains() instead of base_contains()
[+] 21f10c11f meta-oe: use bb.utils.contains() instead of base_contains()
[+] 723b55f5c libubox: update to the latest git version for bug fixes
[+] b1882393d concurrencykit: update to version 0.5.1
[+] 2675ade68 bootchart: update to 1.17
[+] 08f7d596e libgee: update to the latest stable version (0.18.0)
[+] 819f73f40 log4cplus: update to version 1.2.0
[+] 3be4e8690 libio-pty-perl: update to version 1.12
[+] 5d67ab67b libxml++: update to the latest stable version (2.38.1)
[+] 85c72f42f python-parted: update to version 3.10.7
[+] d95712f0f mozjs: fix armeb builds
[+] 63606ed54 initramfs-{debug,kexecboot}-image: zero out the rootfs_extra_space in initramfs images
[+] 33fc545ab gtest, gmock: allow building gtest-native and gmock-native
[+] 969cd47c0 crash: add cross package
[+] ff70a6010 Add simple-mtpfs recipe
[+] 834392bfa python-visitor: Add recipe for version 0.1.2
[+] d3767d923 python-netaddr: Add recipe for version 0.7.18
[+] 5a20e8799 python-dominate: Add recipe for version 2.2.0
[+] 71dcf4122 flite: fix license issue.
[+] 7a7863b51 xcursorgen: fix License issue
[+] 40d7128be udisk2: fix build issue with missing depends
[+] fb30db691 nodejs: update to 4.4.3
[+] 6475f141d apache2: update to 2.4.20
[+] leac35d50 libmodbus: add support for the libmodbus development release
[+] 9676ebb7d python-wtforms: Add recipe for version 2.0.2
[+] 49b35175d python-pam: Add recipe for version 1.8.2
[+] 4be700646 python-flask-wtf: Add recipe for version 0.12
[+] 3e4ecd66f python-flask-sqlalchemy: Add recipe for version 2.1
[+] 381d49844 python-flask-navigation: Add recipe for version 0.2.0
[+] 962e2ab37 python-flask-bootstrap: Add recipe for version 3.3.5.7
[+] 00d5837fd python-flask-bcrypt: Add recipe for version 0.7.1
[+] 5a7f26794 python-blinker: Add recipe for version 1.4
[+] cb95c5eda python-bcrypt: Add recipe for version 2.0.0
[+] bfa6d1c09 umip: unblacklist and disable parallel make
[+] bbb8373df nginx: update to 1.9.14
[+] d436de861 llvm: correct fix for the multilib libdir
[+] 633647253 python-whoosh: update to 2.7.4
[+] fdb2b66e2 python-decorator: update to 4.0.9
[+] 3fa8c30e2 python-dateutil: update to 2.5.2
[+] 4a90cbc29 python-cython: update to 0.24
[+] ead0d3b0c krb5: add native and nativesdk extend
[+] c073b9a67 ne10: use bb.debug for debug messages
[+] 54a18a0ad libbonobo.inc: add libbonobo-bin package by lib_package class
[+] d5e7b4b12 libhtml-parser-perl: update to 3.72
[+] 591cd39b5 libextutils-installpaths-perl: update to 0.011
[+] edb883e50 libextutils-config-perl: update to 0.008
[+] 4c6da8a63 libencode-perl: update to 2.83
[+] caeea00d1 libdbi-perl: update to 1.634
[+] fa4bbb8ba libdbd-sqlite-perl: update to 1.50
[+] 6a7fed161 libcurses-perl: update to 1.34
[+] 547fe92ff libcrypt-openssl-random-perl: update to 0.11
[+] 2a42fba22 libclass-method-modifiers-perl: update to 2.11
[+] 4f6ba0286 libcapture-tiny-perl: update to 0.36
[+] ba5f235e0 adduser: update to 3.114
[+] cc6b324f1 libtinyxml2: update 2.2.0 -> 3.0.0
[+] 536d146e0 gnome-themes: fix icon-name-mapping not found
[+] c4358e718 fcgi: update SRC_URI to match new path to fcgi-2.4.0.tar.gz archive
[+] 9ece354e2 openbox: add run time dependency on openbox-theme-clearlooks
[+] 7321fe27f nodejs: update to 4.4.2
[+] 3dfea34a0 vpnc: stage vpnc-script
[+] eb4ce4065 openconnect: add recipe
[+] 388adb94a ctdb: drop duplicated DESCRIPTION
[+] 6914b9134 ctdb: rdepend on procps
[+] d1a8f1454 ctdb: disable the service by default
[+] ee61becc5 iscsitarget: resolve build error with linux kernel 4.3 and above
[+] a9dlb6108 c-ares: Add package to networking
[+] 60c1f6c65 lldpd: Update to version 0.9.2
[+] 12e3lce9d samba: add volatile file to support readonly rootfs
[+] 237ade506 dnsmasq: get systemd only working again
[+] 4cae0062 libtalloc: Update to latest stable
[+] b20f3b153 libtdb: Update to latest stable
[+] 59b17c8f4 libtevent: Update to latest stable
[+] 37c158f79 libldb: Update to latest stable
[+] 70bde9acc samba: Update to latest stable
[+] ab62c7437 cyrus-sasl: Drop unneeded group addition
```

meta-qcom changed from 3bfe83535358289aa7f7342ed0977c076e7550c8 to 26380970f8e5e8a04efe8c1098ad45acae0d87e4

```
[-] 3bfe835 linux-linaro-qcomlt_4.4.bb: Inherit pythonnative
[-] cd38876 linux-linaro-qcomlt_4.4: update with Linaro 16.09 release
[-] e9c0586 firmware-qcom-dragonboard410c: upgrade to 1.4.0
[-] 8fbb0af linux-linaro-qcomlt: add 4.7 release branch for APQ8096 machines
[-] 2b760bb linux-qcom-bootimg: set LD_LIBRARY_PATH as required by dtbtool
[-] d2fe824 dragonboard-410c: create 32-bit machine configuration
[-] fb34dca skales: upgrade version
[-] 4f17d6d dragonboard-{410c,820c}: remove unused variable
[-] c3af9c8 linux-qcom-bootimg: create missing symlink for the boot image
[-] ff4a508 linux-qcom-bootimg: consolidate deployment steps
[-] bafeb16 linux-qcom-bootimg: use KERNEL_IMAGE_BASE_NAME
[-] 19980d8 linux-qcom-bootimg: eliminate anonymous python function
[-] a39e024 linux-linaro-qcom*: move KERNEL_DEFCONFIG settings
[-] 678dbb4 linux-linaro-qcom*: move QCOM_BOOTIMG_ROOTFS settings
[-] 6238974 linux-linaro-qcom*: remove duplicate append
[-] 193f086 linux-linaro-qcomlt_4.4: remove support for fixup.bin
[-] 45e1b71 linux-linaro-lt-freedreno: remove recipe
[-] 5e51694 firmware-qcom-dragonboard410c: add missing dependency
[-] 8dba734 Merge branch 'jethro' into krogoth
[-] f610c1f Merge branch 'gpsd-bbappend' into krogoth
[-] b88d44c Merge branch 'jethro' into krogoth
[-] a559650 libdrm: apply kgs1 patch only for 2.4.67
[+] 2638097 linux-linaro-qcomlt: upgrade kernel
[+] dbd4a2c dragonboard820c: add firmware for ath10k
[+] 0a1e267 linux-linaro-qcomlt: upgrade kernel version
```

```
[+] 161269b kmscube: remove recipe
[+] da63ca6 skales: install binary files in app specific folder
[+] cae7067 kmscube: add recipe
[+] 1667c97 linux-linaro-qcomlt: update kernel
[+] e26alc3 firmware-qcom-dragonboard: upgrade to r1032.1
[+] 1c3d90a linux-linaro-qcomlt_4.9: update kernel revision
[+] 2129fbf qmi-gps-proxy: update to new release
[+] 773f84c qdsp-config: update to release 1.2
[+] a52572b linux-linaro-qcomlt: update to kernel 4.9
[+] 514f251 dragonboard820c: rename kernel recipe
[+] caelc9e README: update info related to stable morty branch
[+] 0666384 README: add more details about meta-oe optional dependency
[+] 6c0a6d4 README: add symlink
[+] 6824cf8 qmi-gps-proxy: move the recipe in openembedded-layer sublayer
[+] 9ce7368 xf86-video-freedreno: Limit to arm and aarch64 arches
[+] f0af156 qmic: Fix GNU_HASH QA errors
[+] 4d213ba firmware-qcom-dragonboard410c: add dependency on xz
[+] aal2bb9 linux-linaro-qcomlt_4.9: update kernel version
[+] db9f380 alsa-lib: restrict bbappend to 1.1.2 version
[+] 1ba8f8e linux-linaro-qcomlt: upgrade to latest kernel for db820c
[+] 5cedef7 apq8096: enable freedreno graphics
[+] 94d635d wcns-config: new upstream release
[+] 0c4d8cf qmi-gps-proxy: update new release
[+] 4be62c0 machine: apq8096: set pagesize to 4096
[+] 5a9e5d3 xserver-xorg: switch to modesetting with glamor by default
[+] 65c81b3 xf86-video-freedreno: add fixes for X11 ABI 23
[+] 3f95bcd gstreamer1.0-plugins-bad: default to using gles2/egl for x11
[+] a66ded2 linux-linaro-qcomlt_4.9: switch 4.7 kernel to 4.9 for 8096 SoC
[+] a974be8 linux-linaro-qcomlt: update 4.4 kernel version
[+] 47fc9e9 rmtfs: update with new upstream
[+] 990dbe3 grtr: upgrade recipe version
[+] 7be7a1c gstreamer1.0-plugins-bad: fix the logic to set GL option in -bad
[+] 94d0a8d Merge pull request #31 from kraj/kraj/master
[+] cf91de2 linux-linaro-qcomlt_4.4.bb: Inherit pythonnative
[+] 9138a6c gstreamer: remove legacy v4l2 plugin
[+] 6fcad00 linux-linaro-qcomlt_4.4: update with Linaro 16.09 release
[+] d73e145 firmware-qcom-dragonboard410c: upgrade to 1.4.0
[+] 56f9ae3 linux-linaro-qcomlt: add 4.7 release branch for APQ8096 machines
[+] 4e798cb linux-qcom-bootimg: set LD_LIBRARY_PATH as required by dtbtool
[+] a8a3371 Merge pull request #24 from andrey-konovalov/master-add-db410c-32
[+] 2baa625 skales: upgrade version
[+] 9aff746 dragonboard-410c: create 32-bit machine configuration
[+] e6e83d7 dragonboard-{410c,820c}: remove unused variable
[+] f890ca3 Merge pull request #23 from madisongh/kernel-recipe-cleanup-v4-part2
[+] d4b5a43 linux-qcom-bootimg: consolidate deployment steps
[+] 589bbe8 linux-qcom-bootimg: use KERNEL_IMAGE_BASE_NAME
[+] 0c2d5f3 linux-qcom-bootimg: eliminate anonymous python function
[+] c59d925 Merge pull request #20 from madisongh/kernel-recipe-cleanup-v2
[+] 5f261d2 linux-linaro-lt-freedreno: remove recipe
[+] 5048a8d linux-linaro-qcom*: move KERNEL_DEFCONFIG settings
[+] 7a88ded linux-linaro-qcom*: move QCOM_BOOTIMG_ROOTFS settings
[+] cdaa995 linux-linaro-qcom*: remove duplicate append
[+] 5f57c6a Merge pull request #17 from madisongh/misc-fixes
[+] a5be6c3 firmware-qcom-dragonboard410c: add missing dependency
[+] a6c4707 alsa-lib: update UCM patch for DB410c
[+] 7c2dlbc Merge branch 'jethro'
[+] a98fcc8 linux-linaro-qcomlt: remove use of KERNEL_OUTPUT
[+] lca613c linux-linaro-qcomlt_4.4: remove support for fixup.bin
[+] 8101fdf Merge branch 'gpsd-bbappend'
[+] fe478e0 Merge branch 'jethro'
[+] 0eaea00 Merge branch 'krogoth'
[+] b310e72 Merge remote-tracking branch 'github/krogoth'
[+] 6a0f8f9 Merge branch 'krogoth'
[+] 3f39606 Merge branch 'krogoth'
[+] 685a004 Merge branch 'krogoth'
[+] e49523f Merge branch 'krogoth'
[+] e0bbe3b Merge branch 'krogoth'
[+] d2a9f42 Revert "libdrm: Export fd_bo_from_fbdev when ksgl is unavailable"
```

meta-qt5 changed from 9aa870eef6dc7a87678393bd55b97e21033ab48 to 5f837b47f5c3e462f24cd5abf58ff6ef1dd04932

```
[+] 5f837b4 qttools: add ptest
[+] e03d290 qtwayland: fix initial window property values
[+] 5b0bb2b qtdeclarative: fix memory leaks
[+] 817fc2a qtchooser: respect LD_FLAGS
[+] 1258138 qtbase-native: create empty oe-device-extra.pri
[+] 793f22f qtwayland: update build without xkbcommon-evdev
[+] ff073f0 nativesdk-qtbase: pass -no-icu for deterministic builds
[+] c4e34aa qtwebengine: show progress for do_compile
[+] b72a117 packagegroup-qt5-toolchain-target: add qtquickcontrols2 package
[+] 77a7558 qtwebengine: add commercial license
[+] abc89e9 qtbase-native; do not build qdbuscpp2xml and qdbusxml2cpp bootstrapped
[+] 4f44a57 packagegroup-qt5-toolchain-target: Add QtSerialBus to meta-toolchain-qt5.
[+] 9927aac qtbase: PACKAGECONFIG[gtk] change gtk+ -> gtk+3 in dependencies
[+] 595e9cf qtbase: remove absolute binary paths from mkspec files
[+] 61c0250 qtbase-native: nativesdk-qtbase: remove patch that breaks mkspec setting for SDK
[+] ee301d8 populate_sdk_qt5: use _append operator
[+] efa8aaf qmake5_base.bbclass: set qt.conf by environment variable again
[+] 8ba2814 qtwebkit: depends on gperf-native
[+] aa6551d qtwebengine: disable generate_character_data
[+] 9ed8210 qtwayland: fix build without xkbcommon-evdev
[+] f37c592 qtwayland: Add libxkbcommon in the dependencies
[+] 8092d98 qtbase: create empty oe-device-extra.pri
[+] 00a9e0a cmake_qt5.bbclass: add qtbase-native to DEPENDS
[+] 333949a Upgrade to Qt 5.8
[+] c0ba8ab qtbase: Remove comments about ICU and QtWebKit
[+] 4b5f80c qtwebkit: Always enable icu in QT_CONFIG
[+] 4f74e02 qtwebengine: use QT_GIT_PROTOCOL variable
[+] 81fb771 Update Qt5's git repositories to match new locations
[+] df324eb qt5: Use existing variables for paths of host tools
[+] 6255c3b qtwayland: Fix building of QWaylandIntegration if some Qt5 features are disabled.
[+] 047ebac qtwebengine: Add gperf-native to DEPENDS
[+] 3a86794 qtmultimedia: fix conflicting declaration error
[+] 7a58995 layer.conf: add LAYERVERSION and LAYERDEPENDS
```

meta-raspberrypi changed from a5f9b07a820d50ae5fb62e07306cd4e72d8638a9 to 28d4404f89eb59d406b4976c0e3f5ca19137ba74

```
[+] 28d4404 raspberrypi3.conf: Use a stand alone machine configuration
```

```

[+] ecb2695 raspberrypi3-64.conf: Make SERIAL_CONSOLE overwriteable
[+] 8b433e4 raspberrypi2.conf: Make SERIAL_CONSOLE overwriteable
[+] f954919 raspberrypi.conf: Have the ability to overwrite SERIAL_CONSOLE
[+] 039ald7 raspberrypi0-wifi.conf: Use a stand alone machine configuration
[+] 375e5d6 rpi-config: Specify bcm2710-rpi-3-b dtb for 64bit rpi3
[+] b61403a sdcard: Use kernel8.img for 64bit kernel image name
[+] a151923 raspberrypi3-64: Override rpi-default-versions.inc
[+] a168fc3 raspberrypi3-64.conf: Specify rpi3-64bit dtbs
[+] bc2a2ab raspberrypi3-64.conf: Use 4.9 as default kernel
[+] 317cdf9 Add raspberrypi3-64.conf
[+] 0fa47d5 linux-raspberrypi: Add defconfig for raspberrypi3-64
[+] b82067d linux-raspberrypi_4.9: Bump to 4.9.21
[+] 1df7181 udev: Create rules file to generate serial0/1
[+] 4563870 README: Add info about raspberrypi0-wifi
[+] 736e4fa raspberrypi0-wifi.conf: Add machine configuration file
[+] e9a4bf9 rpi-base.inc: Include dtb for RPI0 WiFi
[+] 19e9381 firmware.inc: Bump to 20170405
[+] ab9335f firmware: Update to 20170303 release
[+] 4c13621 firmware: Update to 20161215 release
[+] 86fe4f9 linux-firmware: Bring up wifi/ble interface on rpi3
[+] 5de45f2 linux-raspberrypi_4.4: Update to 4.4.50
[+] cb8587a linux-raspberrypi: Fix uImage build on 4.9.y and later
[+] 9cd3776 linux-raspberrypi_4.9.bb: Update to 4.9.13
[+] cce6292 linux-raspberrypi_4.9.bb: Upgrade to 4.9.10
[+] c34a6b0 linux-raspberrypi_4.4: Update to 4.4.48
[+] 7398030 Revert "u-boot: drop patch to include lowlevel_init"
[+] 69c5675 README: Mention CM1 and CM3 support
[+] 56b0c59 rpi-base.inc: Include dtb file for CM1 and CM3
[+] a735477 raspberrypi*.conf: Minor tweaks
[+] 9923618 raspberrypi-cm3.conf: Add dummy machine for CM3 (alias for RPi2)
[+] d5aa048 raspberrypi-cm.conf: Add dummy machine for CM3 (alias for RPi1)
[+] 5b5c4d9 linux-raspberrypi_4.9: Update to 4.9.4
[+] f81f022 linux-raspberrypi_4.4: Update to 4.4.43
[+] 263e6bd linux-raspberrypi: Drop v4.8
[+] 121e200 linux-raspberrypi: Drop v4.7
[+] cb7068a linux-raspberrypi: Upgrade to v4.4.39
[+] 38bc324 linux-raspberrypi: Drop v4.1
[+] e1f69da linux-raspberrypi_4.9.bb: Add recipe for 4.9 release
[+] 02c0d41 linux-raspberrypi_4.8.bb: Upgrade to 4.8.16
[+] 031e269 u-boot: drop patch to include lowlevel_init
[+] c405581 rpi-base.inc: remove input modules form XSERVER
[+] d77f3d4 rpi-base.inc: add xserver-xorg-extension-glx to XSERVER for vc4 enabled
[+] 672e025 linux-raspberrypi-4.8: Upgrade to 4.8.15
[+] 1bf09a4 userland: Fix building on aarch64
[+] 22fb2b4 linux-raspberrypi-4.8: Upgrade to 4.8.13
[+] 90c45b4 userland: Update to latest
[+] 96b9c63 linux-raspberrypi-base.bbclass: remove version hack
[+] 17f0c23 linux-rpi.inc: Do not rely on DISTRO_TYPE to enable/disable kernel debug
[+] 064aa0a u-boot: Simplify boot script
[+] 0e66d69 linux-raspberrypi_4.8.bb: upgrade to 4.8.12
[+] 18cf04d firmware: Update to 20161125
[+] 1f64604 linux-raspberrypi_4.4.bb: upgrade to 4.4.35
[+] 44d41bf raspberrypi3.conf: fix typo for BCM43430
[+] 6bd1bfe linux-raspberrypi: remove not needed bundle_initramfs_append()
[+] b030814 u-boot: Fix appending to RDEPENDS
[+] 9c12ac8 linux-raspberrypi_4.8.bb: Upgrade to 4.8.6
[+] 380740d linux-firmware_git.bbappend: Delete
[+] a5f95f4 userland: Bump to latest and add ASNEEDED = ""
[+] 716b6a9 firmware: Use release tarballs
[+] 6c755af weston: Unify bbappends for weston into single file
[+] b9e6f04 userland: Update to latest master tip
[+] 00300d9 firmware: Update to 20161030
[+] 3e6e890 linux-raspberrypi-4.4: Update to 4.4.28
[+] 12aa27d gststreamer1.0-plugins-bad%.bbappend: Set PACKAGECONFIG_GL for RPi
[+] ab39653 rpi-base.inc: Include pi3-disable-bt-overlay.dtb
[+] 17a6933 linux-raspberrypi: Update to 4.8.4
[+] ddc9390 linux-firmware: Fix "No generic license file exists" warning
[+] d51a8a7 linux-raspberrypi_4.8.bb: Update to 4.8.2
[+] e991148 firmware: Update to latest
[+] ed54bd3 linux-firmware: Correct the LICENSE for brcm43430-license
[+] 3360f98 sdcard_image-rpi.bbclass: Include boot script when using u-boot
[+] 1d629b1 u-boot: Add RDEPENDS on rpi-u-boot-scr
[+] 56047ad rpi-u-boot-scr: Add recipe to create u-boot boot script
[+] 1f24992 rpi-base.inc: Don't install kernel image into rootfs
[+] c62e088 eglinfo-x11: align to VC4
[+] lebb370 vc4: why no framebuffer device?
[+] 8d17669 xorg align for vc4
[+] 3b9aebd mesa: align for vc4
[+] de016ce bluez5: correctly append brcm43438 service
[+] b6c954d Fix DISPMANX_OFFLINE variable typo
[+] d778d0a README: Replace references to Redmine with Github Issues
[+] 1e3983f linux-raspberrypi_4.7.bb: Update to 4.7.7
[+] ecd8875 linux-raspberrypi: Add recipe for 4.8 release
[+] 05be947 firmware: Upgrade to latest
[+] 585838e userland: Upgrade to latest
[+] 41689e8 sdcard_image-rpi.bbclass: Remove redundant RPI_KERNEL_VERSION
[+] 5697e77 linux-raspberrypi_4.4: Upgrade to 4.4.23
[+] 4817e2c sdcard_image-rpi.bbclass: avoid corrupted images with latest oe-core
[+] ac6f357 weston: Fix typo with override
[+] 760ddd0 Switch to using 4.4 as default kernel
[+] ed84c2c vc4graphics: Support X11 with the VC4 driver.
[+] 55388a5 firmware, userland: Bump to latest
[+] b24afdc linux-raspberrypi_3.18: Remove
[+] e993bdc linux-raspberrypi: Add recipe for 4.7 release
[+] c2f7643 linux-raspberrypi_4.4: upgrade to 4.4.16
[+] d511c7c linux-raspberrypi-4.4: add patch to enable proper operation of renderD128 device
[+] ef22ff4 linux-rpi.inc: add the configuration options required to support vc4graphics
[+] 6b4de2b mesa%.bbappend: new file to add the correct configuration options to support vc4graphics
[+] bee7643 weston/weston%.bbappend: modify configuration options to support vc4graphics
[+] 72b9635 wayland/weston%.bbappend: modify configuration options to support vc4graphics
[+] ba9c466 rpi-config_git.bb: add vc4 overlay to config.txt to support vc4graphics
[+] 5d2722c raspberrypi3.conf: set the default value of VC4_CMA_SIZE to support vc4graphics
[+] 824b78c raspberrypi2.conf: set the default value of VC4_CMA_SIZE to support vc4graphics
[+] dfce95f raspberrypi0.conf: set the default value of VC4_CMA_SIZE to support vc4graphics
[+] 224b9e9 raspberrypi.conf: set the default value of VC4_CMA_SIZE to support vc4graphics
[+] 0035bc8 rpi-base.inc: add vc4-kms-v3d to the overlays to support vc4graphics

```

```
[+] 6e535dd rpi-default-providers.inc: change default providers to support vc4graphics
[+] 1a32817 sdcard_image-rpi.bbclass: support for .dtbo files for dtb overlays
[+] d98f2a7 linux-raspberrypi-base.bbclass: support for .dtbo files for dtb overlays
[+] 09b76a4 rpi-base.inc: support for .dtbo files for dtb overlays
[+] 18a2fb6 linux-raspberrypi_4.4.bb: support for .dtbo files for dtb overlays
```

meta-renesas changed from d5375960dc1e97ce47ba7b0f7958b105012386a to refs/tags/dab/3.99.3

```
[-] d537596 Set defaultbranch to chinook in gitreview
[+] 82ab0db Fix CVE-2017-1000364 by backporting the patches from 3.10.107
[+] ae3bda6 Add .gitreview for dab
[+] 39902b6 BSP's should not ship files in /usr/local/
[+] 118df1f Fix gstreamer1.0-plugins build
[+] 187a1ae Fix the dynamic asound.state file installation
[+] fd5fb4d Fix FILESEXPTRAPATH statement
[+] 5914674 Fix broken license deployment
[+] 975d053 Remove fix Add-gst-recorder for gen2
[+] 8fff09a meta-renesas setup: typo fixes
[+] d38c164 meta-renesas: don't cd; just unzip
[+] e570e54 Add driver loading for cluster demo
[+] 94f9775 rcarr-gen2: linux-renesas: Fix gst-record plug-in critical logs
[+] 35289ad replace deprecated function base_contains
[+] 30ed2cf fix documentation about mesa build
[+] 113e017 fix directory name for mesa recipes
[+] c778279 gstreamer1.0-plugins: add missing dependency on autoconf
[+] b276e86 Fix bitbake parsing
[+] faa416c fix md5sum for fdpm-kernel-module
[+] 7454244 fix md5sum for vspn-kernel-module
[+] 9322258 fix build ppp for kernel 3.10
[+] af59127 fix uboot build with gcc6
[+] 52ce0a1 fix kernel build with gcc6
[+] fa874ec update mesa from version 11 to 12
[+] 8252ddd force mesa version
[+] 463de36 update libegl
[+] cc8813b update libgbm
[+] 4f9ad6c update wayland-kms
[+] f71d907 add backport of libnl
[+] 2420779 Add exec to remove gst cache in weston.service
[+] bffd1a0 rcarr-gen2: linux-renesas: Add audio patch to fix SPEC-365
[+] a45baae weston: fix missing dependencies
[+] d21c659 patch to gst to add export of DMA fd of input port
[+] 284877c Add sharing screen support to Weston via h.264
[+] baaac5c patch libgbm to retrieve DMA fd for gbm_surface
[+] 55899bf rcarr-gen2: vsp2-kernel-module: Add recipe
[+] b3036a9 Change DA9063 I2C address to 0x5A since we are using high-speed interface
[+] abe0801 remove wayland&weston backport
[+] 70f81fc Backport fix for CVE-2016-5195
```

meta-rust changed from d0663639a08ed60bb83fd6eb99e3e2045b21b53c to a506df4ba4b186e311117d5bdc6a54844583a4fd

```
[+] a506df4 rust: update the cpu selection to use PACKAGE_ARCH to ensure older processors can run created execut
ables when building
[+] 067e5a7 fetch: fix check for local ref path
[+] ef7228d README: swath of updates to reflect the current state
[+] 2879fc1 scripts/fetch: add missing die statement
[+] 2c923bb Merge pull request #131 from leon-anavi/krogoth
[+] fcbebd5 compiler-rt: fix toolchain installer
[+] 004d871 Merge pull request #129 from cardoe/krogoth-merge
[+] b454d74 Revert "libgit2: remove obsolete items from common inc"
[+] 270248f Revert "libgit2: remove recipe that is now in meta-openembedded"
[+] fe41313 Revert "libssh2: remove recipe append that is now in meta-openembedded"
[+] c7f5676 Merge branch 'morty' into krogoth
[+] 84d9d2d Merge pull request #127 from meta-rust/workaround-crasher
[+] 1f18869 workaround bug in the -C crate_hash option
[+] 65ae954 Merge pull request #124 from cardoe/misc-updates
[+] 0340c31 fix bad engrish
[+] d364837 merge rust-vars and rust-triples to rust-common
[+] 43c139f rust: remove --disable-static only for rust
[+] 487e670 crate.py: use BPN instead of PN
[+] 6083dff drop rust-installer.bbclass
[+] 03496f6 cargo: use install targets to avoid rust-installer
[+] 9da0d2f Merge pull request #97 from cardoe/rust-1.12.0
[+] 8464542 classes/cargo: implement directory source redirection
[+] 21224d7 cargo: add version 0.13.0
[+] 06cc11b cargo: move explicitly versioned deps out of common
[+] 1d0e0e8 rust: data layout changed between 1.10.0 and 1.12.1
[+] 634498e rust: bump versions to 1.12.1
[+] ba428c1 rust: regenerate patches for 1.12.1
[+] 972fbd4 rust: we need the build system snapshot, not host
[+] 5983744 Merge pull request #123 from cardoe/drop-mk-cfg-dir
[+] 95fa6c9 rust: remove unnecessary install chmods
[+] e414321 rust: drop variable from global scope
[+] 07069a1 rust: drop outdated comment and variable
[+] 5985331 rust: remove patch to change path to $S/mk/cfg
[+] 98472fd Merge pull request #119 from cardoe/continued-build-updates
[+] f87bb05 classes/cargo: provide linker for BUILD_SYS
[+] 2ffd11b cargo: revert dropped usage of -C crate_hash
[+] 1bf70b1 classes/cargo: revert to utilizing compiler/linker wrappers
[+] 20ac8ea classes/cargo: fix cargo target for linker override
[+] a387a5f classes/cargo: fix up target CFLAGS being passed to Rust
[+] 689dfe8 classes/cargo: fix up build CFLAGS being passed to Rust
[+] 864fe95 classes: create proper compiler and linker wrappers
[+] 1683968 classes/rust-triples: document the triples
[+] c9a4db1 Merge pull request #121 from derekstraka/update-env-scripts
[+] 3d70f56 setup-env: only allow slaves with large amounts of RAM to mount tmpfs
[+] f4573d9 Merge pull request #120 from cardoe/jenkins-names
[+] c72c88b Jenkinsfile: rename stages for easier tracking
[+] 7d6fede Merge pull request #116 from cardoe/ldflags-via-rustflags
[+] 311ea03 CI: change from Yocto master to morty
[+] 61093e2 cargo: remove code that doesn't work
[+] dfa7dcl rust: drop link args from the target JSONs
[+] 5afc0cc cargo.bbclass: ensure extra RUSTFLAGS are properly passed
[+] 4elbda6 cargo.bbclass: supply linker and link-args via rustflags
[+] c98312f cargo.bbclass: don't export variables
[+] f366cff cargo: change trivial verbose flag
[+] 0827bc6 rust/rust-bin: move bits to rust-bin
[+] b828cca Merge pull request #115 from cardoe/remove-old-bits
[+] 19cdae7 compiler-rt: pass only env needed
```

```

[+] 87f67e6 remove a call to 'env'
[+] f748246 remove commented out bits
[+] d91d726 Merge pull request #114 from cardoe/factor-out-arch
[+] 957ede7 convert to real Rust triples properly
[+] 5d60f12 rust-triples: simplify vendor gathering
[+] 0b6b45f break the triples logic into its own class
[+] 7645b9b RUSTC_ARCHFLAGS: build for the proper system triple
[+] 0c26620 Merge pull request #112 from jmesmon/issue-template
[+] d237324 github: add issue template to encourage reporting meta-rust version
[+] 0530d30 Merge pull request #107 from cardoe/drop-patch
[+] e4d37ce rust: drop bindir/libdir patch
[+] 82bf763 Merge pull request #106 from cardoe/more-updates
[+] 489fe19 rust: derive the stage0 toolchain from the build env
[+] ed62ea5 rust: drop local-rust PACKAGECONFIG
[+] ef23c8f rust: strip whitespace from features
[+] 8673659 rust: convert snapshot to common include
[+] 75f4549 pin dependencies of Rust packages on the same ver
[+] 91319e8 rust: include version info for patches
[+] c049bde Merge pull request #99 from cardoe/krogoth-ci
[+] 9850697 change Yocto version to krogoth
[+] 02b0de5 add Jenkinsfile to test each PR and branch commits
[+] 9dc57a1 add a basic build script for testing
[+] ba25ff4 add Yocto config files so we can build
[+] 6504a57 helper script to fetch down dependent layers
[+] 3605be7 containerize script for a Yocto build env
[+] 8290aaf update case of OpenEmbedded to match upstream
[+] 565a332 Merge pull request #91 from meta-rust/fix-ssh-support
[+] 5975292 libgit2: add missing dependencies

meta-security-isafw changed from f44f15bb54057dd60399bb5dc7e0ecc7822168a2 to 0fa0aff75ee21edd758a1baddc4522371a746f99
[-] f44f15b Merge pull request #78 from pohly/swupd-enhancements
[-] 44b0149 isafw.bbclass: speed up build by running image analysis as task
[-] lee2784 Merge pull request #77 from ipuustin/layer-priority
[-] decafb0 conf: change layer priority 1 -> 6.
[-] 06118b5 Merge pull request #76 from avalluri/fix_checksum_failure
[+] 0fa0aff Only call process_pkg_list when manifest file is available
[+] c3fd109 Fix LA and CVE pluin initialization
[-] 8aalad21 isafw.bbclass: speed up build by running image analysis as task
[+] 10888c8 conf: change layer priority 1 -> 6.

meta-ti changed from 8663e1611ab6c5bfe36d323d9d9db4dada4bd532 to 460ce7d0473b88d20fcb3fed3aa0f3acc37c78c9
[-] 8663e16 u-boot-ti-staging: update to ti2016.06-rc3 tag
[-] b7611f0f linux-ti-staging: update to ti2016.06-rc3 tag
[-] ba08ac1a ti-gc320-driver: add support for RT kernel
[-] d2459418 ti-sgx-ddk-km: Fix error in calculation of page array
[-] 3a601d6b ti-sgx-ddk-um: Add support for YUYV EGLImage
[-] 636f0898 cmem: Update commit id for 4.13.00.00_eng
[-] 10c1d75c pruss-lld: utilize oe_runmake
[-] 6bea060c ti-ipc: Update to new patch release 3.44.01.01
[-] 803dbd2e mpm-transport: Update to new version 2.0.3
[-] ba0725af multiprocMgr: Update to new version 3.0.2.0
[-] e3bf02aa common-csl-ip: Upstream version 3.3.0.5A
[-] 8d1f0684 openmp-rtos: Upstream version 2.5.0.0
[-] 878de323 pruss-lld: Upstream version 1.0.0.5A
[-] 000df8b3 osal: Upstream version 1.0.0.5E
[-] d9b6a1f0 nwal-lld: Upstream version 2.1.0.11A
[-] 56f06b0f ti-pdk-build-rtos: Upstream version 1.0.0.3
[-] 14a9e84e sa-lld: Upstream version 3.0.0.16
[-] bf781405 pa-lld: Upstream version 3.0.2.1
[-] 9a14789f ti-xdctools: Upstream version 3.32.01.22
[-] 4bec2c58 ti-sysbios: Upstream version 6.46.01.38
[-] 4e9fe65e edma3-lld: Upstream version 2.12.2.26
[-] d69015a0 u-boot-ti-staging: update to ti2016.06-rc2 tag
[-] fbfb644a linux-ti-staging: update to 4.4.39 and ti2016.06-rc2 tag
[-] 4615923c libdce: Update SRCREV add MJPEG Encoder support
[-] e280a2c9 ipumm-fw: Update SRCREV
[-] 47e2a2e9 recipes-kernel:cmem.dtsi:K2G: Update to remove redefinition of mpm areas
[-] 20a8c89b recipes-kernel:cmem.dtsi:Keystone2: Update to remove redefinition of mpm areas
[-] 47cc9a94 linux-ti-staging: update to 4.4.37 and ti2016.06-rc1 tag
[-] a3f6f7ff u-boot-ti-staging: update to ti2016.06-rc1 tag
[-] 459c7804 goodix-fw: add Goodix GT9271 config firmware
[-] f449d8bb am57xx-hs-evm, dra7xx-hs-evm: update OPTEEFLAVOR to match latest OPTEE code
[-] dab6fb8c cmem: add support for memory carveouts of dra71 variant
[-] c664838d conf/machine: split SECDEV use for am5x and dra7 machines
[-] ca02a57a ti-sgx-ddk-um: fix a bug at the drmModeAddFB() call at null_drm_ws.c
[-] 08947a49 mpm-transport: Update commit id with fixes
[-] b49659ea am335x-evm, am437x-evm: increase lebc count for ubi
[-] a8af1cd2 recipes-kernel: cmem.dtsi: Update memory sections for DDR and MSMC
[-] 117de864 cmem: Update to new version 4.13.0.0_eng
[-] 7efb2338 Revert "linux/cmem: patch keystone dtsi files to co-exist with new sram driver"
[-] 18f4073a ti-ipc: Add recipe to build ipc-examples
[-] 16bf3379 ti-ipc: Reorganised recipes to help in adding ipc examples recipes
[-] f7719a0e ti-sgx-ddk-um: add apphnt to control number of GBM WSEGL surface buffers
[-] 6473ea8b rwmem: fix build with any toolchain and use default CC var
[-] 0f9f57b2 dsptop: fix build with any toolchain by passing correct CC var
[-] d8aa7697 u-boot-ti-staging: update to ti2016.05-rc5 tag to fix am5 mmc issues
[-] 0e87d6fb linux/cmem: patch keystone dtsi files to co-exist with new sram driver
[-] 6cf0211e linux: k2g: use k2g-evm files for all k2g SOCs
[-] ad198687 am335x-evm, am437x-evm: increase lebc count for ubi
[-] 727b26f7 ti-sgx-ddk-km: disable parallel builds for SGX driver
[-] b5ae2a16 pru-icss: bump SRCREV and PV due to updates
[-] c2428fba linux-ti-staging: update to ti2016.05-rc4 tag
[-] 32dc3fdb u-boot-ti-staging: update to ti2016.05-rc4 tag
[-] b2187f74 cmem: add special handling for dra72x variant
[-] dca01b69 ti-ipc: update to include -pthread fixes
[-] 19e05d7c linux-ti-staging: correct SRCREV for RT
[-] 4a155d53 u-boot-ti-staging: update to ti2016.05-rc3 tag
[-] 7f335bb3 linux-ti-staging: update to 4.4.30 and ti2016.05-rc3 tag
[-] 296cbc1c linux-ti-staging: pull in prueth-fw for k2g
[-] 3b0a76ad ti-ipc: Update to new version 3.44.00
[-] eb4d2520 Revert "ti-ipc: Update to new version 3.44.00"
[-] 0e8ef0c4 u-boot-ti-staging: update to ti2016.05-rc2 tag
[-] f2352b2b linux-ti-staging: update to 4.4.29 (sans RT) and ti2016.05-rc2 tag
[-] 4bbd29a0 dra7xx-hs-evm: add DRA7lx OPTEE flavor to the list
[-] bd968733 ti-ipc: Update to new version 3.44.00
[-] daa4e8b3 libulm: pass CC to work with internal toolchains that depend on sysroot flag

```

```

[-] 9fd25a05 libdce: update to 3.00.12.00 version
[-] 02bf96ed ti-unpack.inc: Use absolute paths in require directive
[-] 8844d0e0 uim: Fix build breaks when toolchain is used from sstate
[-] a12e6e24 ti-ipc: update to 3.43.03.05 version
[-] b8f007df ipumm-fw: update to the latest 3.00.12.00 version
[-] f278a2ba ti-sci-fw: update to the latest 0.1.1-37 version
[-] 4c4fc284 prueh-fw: update with k2g-ice firmware images
[-] 7577c6e2 u-boot-ti-staging: update to ti2016.05-rc1 tag
[-] 9b5794cf linux-ti-staging: update to 4.4.27 and ti2016.05-rc1 tag
[-] ed280351 ti-sgx-ddk-um: add support for importing DMABUF as EGLImage
[-] 3f83f7f6 conf/recipes: add k2g-ice machine and k2g SOC family
[-] 8493dde8 ti-sgx-ddk-km: remove dependency between user-mode and kernel-mode builds
[-] 0597d476 ti-sgx-ddk-um: remove invalid tests for sgx
[-] 1b06fd09 multiprocmgr: add systemd service
[-] 6cb779a6 u-boot-ti-staging: also copy HS MLO variant
[-] b494d93a linux-ti-staging: update for moved ti2016.04-rc4 tag
[-] be97ed7a openmp-rtos: bump SRCREV to version 2.4.0.1
[-] f37806e1 linux: cmem: k2e, k2l-evm: update reserved memory
[-] 20529c64 dsptop: bump SRCREV to version 1.4.0
[-] 02b59771 u-boot-ti-staging: update to ti2016.04-rc4 tag
[-] 0bc70d79 linux-ti-staging: update to 4.4.23 and ti2016.04-rc4 tag
[-] 49bb9c09 ti-ipc-rtos: Remove M4F target for omap-a15
[-] 1dc72ed9 ti-pdk-build-rtos: Update to version 1.0.0.2B
[-] 9801fc16 gcc-arm-none-eabi-native: Update to version 4.9.2015q3
[-] 97376334 common-csl-ip: Update to version 3.3.0.4B
[-] 2bbab55c linux-ti-staging: update to ti2016.04-rc3 tag
[-] 84d1ecaf ti-sci-fw: update to version 0.1.1.22
[-] d88cd83e u-boot-ti-staging: update to ti2016.04-rc3 tag
[-] cd04df2f cmem: Update to new version 4.12.00.00
[-] 69fd10ee u-boot-ti-staging: don't replace MLO with HS_ISSW for am335x HS platform
[-] 57c5908d conf/machine: update OPTEE OS flavor names slightly
[-] 1f4d266c conf/machine,recipes: introduce k2e SOC family
[-] 68bce98d linux-ti-staging: specify DTB for k2e HS platform
[-] 24625003 common-csl-ip-rtos: add support for k2e-hs-evm
[-] cb46a166 u-boot-ti-staging: bump PR due to SECDEV variable change
[-] d255d55e linux-ti-staging: update to 4.4.21 and ti2016.04-rc2 tag
[-] e54d3308 conf/machine, u-boot-ti-staging: add am335x-hs-evm platform
[-] 3a20d054 u-boot-ti-staging: disable SPL target for k2e-hs-evm
[-] 7f742986 conf/machine: rename SECDEV variables for additional platforms
[-] 9e8b166d u-boot-ti-staging: update to ti2016.04-rc2 tag
[-] b41d8550 u-boot-ti-staging: remove old versions
[-] d1578d27 mpm-transport: Update to new version 2.0.2.0
[-] fd44670b openmp-rtos: Updated version to 2.04.00.00
[-] 174ba448 ti-ipc: Update to new version 3.43.02.04
[-] 7f9528b0 ti-pdk-build-rtos: Bump version and add comp_top.mk to install
[-] 24d50041 sa-llid: Bump version
[-] 5bee8bd4 qmss-llid: Bump version
[-] d966cd41 pa-llid: Bump version and remove makefile error patch
[-] 614a7c38 edma3-llid: Bump version
[-] de392515 common-csl-ip: Bump version
[-] bf58916a linux: add new method for cmem injection
[-] 33f12de8 serdes-fw: update to 3.3.0.2c version
[-] 8f9c005b k2e-hs-evm: add K2E HS EVM config
[-] 94dec19a machines: add OPTEE config for dra7 and am57 machines
[-] 1e0ff9d0 amx3-cm3: update to 1.9.2 version
[-] 21778404 am33x-cm3: remove old CM3 PM FW recipe for 3.14 kernel
[-] eda7c921 boot-monitor: update and bump version due to image format change
[-] 2ce29b3e u-boot-ti-staging: update to ti2016.04-rc1 tag
[-] 917bbb54 linux-ti-staging: update to 4.4.20 and ti2016.04-rc1 tag
[-] 1f555fc8 pru-icss: bump SRCREV, PV, and PR due to updates
[-] e808240d linux-ti-staging: add QMSS PDSP FW dependency for Keystone
[-] 179ba65f linux-ti-staging: update to the latest, change systest defconfig names
[-] 521ef596 ti-sgx-ddk-km: bump SRCREV for compiler warning fix
[-] 008497c6 prueh-fw: update to version 3.1.4
[-] 0d89627b ti-linux-staging: update to 4.4.19 and ti2016.03-rc4 tag
[-] 373f6abb u-boot-ti-staging: update to ti2016.03-rc4 tag
[-] 69c26a51 README: add note about list subscription
[-] f807c718 ti-gc320-libs: add recipe for gc320 user lib
[-] ec487fcc ti-gc320-driver: recipe for gc320 kernel mode driver
[-] f844646b linux-ti-staging: update to ti2016.03-rc3 tag, rebase to 4.4.18
[-] df30b36a u-boot-ti-staging: update to ti2016.03-rc3 tag
[-] 6ec5e0da machines: move TI_SECURE_DEV_PKG and add UBOOT_* vars for fitimage support
[-] 3c9ebcb9 machine/k2*-evm: disable uncompressed cpio by default
[-] ca700daa machines: drop tar.gz images in favor of tar.xz
[-] 2e0e6b5c am57xx/dra7xx: disable UBI images by default
[-] 0ec4dcc7 linux-ti-staging: update to ti2016.03-rc2 tag
[-] d3a9b0c6 ti-sgx-ddk-um: Add libPVRScopeServices.so to plugins list
[-] 4ece0325 linux-ti-staging: update to ti2016.03-rc1 tag
[-] 484f1036 u-boot-ti-staging: update to ti2016.03-rc1 tag
[-] f088a6a6 edma3-llid-rtos, ti-ipc-rtos, multiprocmgr-rtos: remove sneaked in sourceipk calls
[-] 20e57e16 kselftests: update to 4.4, don't need to depend on kernel
[-] b95136f4 ipumm-fw: cleanup recipe for pre-built binary
[-] fe0284cf ipumm-fw: bump for multi-instance sync fix
[-] 6ba4103c linux-ti-staging: update to 4.4.16 with latest domain trees merged
[-] 721101f9 u-boot-ti-staging: update to the latest
[-] 74349360 conf: set lower DEFAULTTUNE across machines
[-] f12dde20 ti-ccsv6-native: update to new version 6.1.3.00034
[-] 730d1971 vlib-c66x: prevent stripping of binaries due to differnt arch/format
[-] 329a5184 netapi: Upgrade to version 1.1.0.7
[-] 8dde6049 ti-framework-components: update to version 3.40.02.07
[-] 93a60d99 hplib: bump SRCREV to version 1.1.0.8
[-] f0385d19 ipumm-fw: Install map file into the targetfs
[-] a00cd08b linux-ti-staging: add 2 new DRA7 RevC LCD DTBs
[-] 707d948f linux-ti-staging: update to ti2016.02-rc4 tag
[-] 35effeff u-boot-ti-staging: add HS_X-LOADER images, update to ti2016.02-rc4 tag
[-] 5a921760 ti-ipc: Update to new version 3.43.01.03
[-] 457d1a75 machine: bump max_leb_cnt numbers again
[-] 79e9297b linux-ti-staging: update to ti2016.02-rc3 tag
[-] 3bf185e2 u-boot-ti-staging: update to ti2016.02-rc3 tag
[-] 501709c3 uio-module-driv-test: replace machine override with SOC override
[-] e03eaff8 edma3-llid: Bump version
[-] 540818aa uio-module-driv-test: correct COMPATIBLE_MACHINE
[-] 8a9eb5d9 uio-test-pruss: correct COMPATIBLE_MACHINE
[-] f175c88c openmp-rtos: bump SRCREV to version 2.3.1.0
[-] daed2c14 ti-ipc-rtos: add dependency on zip-native
[-] 5a84f7d9 dfe-llid: Bump version

```



```

[-] dd8ec293 srio-llid: Bump version
[-] 39fcf409 sa-llid: Bump version
[-] 3aa54808 rm-llid: Bump version
[-] 8da412de pa-llid: Bump version
[-] 5aa6c4eb common-csl-ip: Move to new make infrastructure & Bump version
[-] 1a4349fb ti-pdk: Add makefile support to ti-pdk.bbclass for RTOS components
[-] 542b6d1f ti-sgx-ddk-km: disable active power management
[-] dc856da7 ti-sgx-ddk-um: disable active power management
[-] 3008194d linux-ti-staging: update to ti2016.02-rc2 tag, update DTBs
[-] 30f47c86 u-boot-ti-staging: update to ti2016.02-rc2 tag
[-] 13df93b1 ti-ipc: Update comment on IPC tag
[-] 6e4d4792 dspdce-fw: Update SRCREV for adding new API
[-] f39872ef ipumm: Update SRCREV for adding new API
[-] 980c0fa6 libdce: add API for query remote proc information
[-] a71da0f8 uio-module-driv-test: Updates to fix issues with Keystone platforms
[-] 18437aed u-boot-ti-staging: add support for AM57xx HS platform
[-] 36519bd1 netcp-pa-fw: update to version 3.0.1.17
[-] 1a6fcfa8 amx3-cm3: update to the latest for am3 ddr fixes
[-] 1f91eb78 am57xx-hs-evm: add AM5 HS platform config
[-] 4086b6a1 u-boot-ti-staging: update to ti2016.02-rc1 tag
[-] f71f4fd8 linux-ti-staging: update to 4.4.13, use new defconfig builder
[-] cbfd89ce uio-test-pruss: Add recipe to build uio pruss test firmware
[-] 82a13128 mpm-transport: Update to new version 2.0.1.2
[-] leae6f96 uio-module-driv: Update to new version 2.1.0.0
[-] eb25debd ti-ipc: Update to new patch version 3.43.01.02
[-] 145755b4 pru-icss: add new device support and bump SRCREV
[-] c51663d8 libdce: move from meta-arago
[-] b9c4f9f4 README: update branch
[-] 14569329 recipes: cleanup
[-] c0c9802a ipumm-fw: bump for codec updates and bugfixes
[-] lae0cadb u-boot-ti-staging: update to ti2016.01-rc4 tag
[-] 31212fec linux-ti-staging: update to 4.4.12 and ti2016.01-rc4 tag
[-] 4b7a863b cm3-pm-firmware: correct license to TI-TSPA
[-] f43d3806 linux-ti-staging: Update uio entries for am572x
[-] 3ac97477 ti-ipc: Update to new version 3.43
[-] 10960c24 ti-ccsv6-native: update to new version 6.1.3.00033
[-] 55dc15a8 ti-ipc-rtos: Update to include examples and documentation with the package
[-] 2a57c4c7 ti-sgx-ddk-um: update srcrev and bump PR
[-] b094cd07 machine: explicitly list ubifs in IMAGE_FSTYPES, so RM_OLD_IMAGE works
[-] 3f2d7dff k2g-evm: add opencl feature
[-] d098dfcc linux-ti-staging: Update pru uio dtb entries
[-] 2658df44 machine: bump max_leb_cnt for am3 and am4 platforms
[-] 8599d32a u-boot-ti-staging: update to final 2016.05 and ti2016.01-rc3 tag
[-] 594cbb01 linux-ti-staging: update to 4.4.11 and ti2016.01-rc3 tag
[-] 9954e289 machine: add opencl feature to corresponding platforms
[-] 2a8d94c1 linux-ti-staging: Add new device tree target am572x-idk-pru-excl-uio.dtb
[-] 8166221b u-boot-ti-staging: update for ti2016.01-rc2 tag
[-] c59c597a linux-ti-staging: update to 4.4.10 and ti2016.01-rc2 tag
[-] 7656af80 uio-module-driv: Update to 2.0.0.0 GA version
[-] 3f896e1c ti-sgx-ddk-um: update srcrev and bump PR
[-] 6cc3e564 ti-softhsmv2: bump SRCREV to version to 2.0.0.0
[+] 460ce7d0 linux-ti-staging: update to ti2017.02-rc6 tag
[+] 1aa3b755 uboot-ti-staging: update to ti2017.02-rc6 tag
[+] dcde4c2d codec-engine: remove outdated components
[+] 8dad379b gstreamer-ti: remove outdated component
[+] 317a0198 ti-framework-components: drop ti-staging.inc
[+] abf07c0a ti-ipc-rtos: drop ti-staging.inc
[+] f99ed861 dspdce-fw: drop ti-staging.inc
[+] 3a47b373 ipumm-fw: drop ti-staging.inc
[+] 61ff9caa edma3-llid-rtos: drop ti-staging.inc and fix file-rdeps QA check
[+] 75bb8df6 linux-ti-staging: include pru-uio device tree files for am3/am4
[+] 9c513475 uio-test-pruss: version bump to 1.0.1.0 and add support for am3/am4
[+] 508101b3 uio-module-driv*: version bump to 2.2.0 and add test support for am3/am4
[+] d64dff77 starterware-rtos: added recipe for RTOS starterware
[+] 53783063 multiprocmgr-rtos: Update to remove host contamination warning
[+] e57e6a3c uboot-ti-staging: update to ti2017.02-rc5 tag
[+] 1859e6e4 linux-ti-staging: update to ti2017.02-rc5 tag
[+] 8676dbf5 am437x-hs-evm: add OPTEE related configs
[+] 47c0a83b ti-sysbios: upgrade to version 6.46.5.55
[+] 23924b09 omapl137, omapl137-evm: add SOC family and machine configuration
[+] 3db1e853 omapl138, omapl138-ldck: add ti-pdk class configuration
[+] 849db367 openmp-rtos: bump SRCREV to version 2.6.1.0
[+] c0a2fb5e ti-cgt6x: update to version 8.2.0
[+] eb53d577 ti-soc: add generic "ti-soc" SOC family for BSP overrides
[+] 9d5a77a1 omapl138, omapl1: add "omapl1" SOC family as superset of omapl138
[+] b5579531 u-boot-ti: add support for u-boot-spl_HS_ISSW images
[+] f4a6993a uboot-ti-staging: update to ti2017.02-rc4 tag
[+] 4fe6e8d0 linux-ti-staging: update to ti2017.02-rc4 tag
[+] 72af0624 linux: cmem: update KERNEL_DEVICETREE lists
[+] 2eeb548f u-boot-ti.inc: restore license settings
[+] 776bdb60 c66x: add basic machine configuration
[+] 52db4c62 recipes: remove ti-pdk device configuration
[+] 2ced48ec machines: add ti-pdk class variables
[+] 5375c16c ti-pdk: limit the set of cores to build
[+] cda2ad72 ti-pdk: clean up variables by adding TI_PDK_prefix
[+] adcaa507 ti-pdk-build-rtos: set PACKAGE_ARCH to MACHINE_ARCH
[+] 00fad775 u-boot-ti: add support for u-boot-spl_HS_2ND images
[+] ebc6dc52 am335x-hs-evm: produce both mmc and uart configs
[+] a67add5c u-boot-ti: support multiple configs
[+] bf4281cf netcp-pa-fw: update to version 3.0.2.3
[+] 48a837e2 uboot-ti-staging: update to ti2017.02-rc2 tag
[+] 218632d3 linux-ti-staging: update to ti2017.02-rc2 tag
[+] 98096ce7 cmem: Remove eng postfix in comment for GA version 4.14.00.00
[+] 5d4cc522 ti-ipc: Update to new version 3.46.01.03
[+] 35230104 ti-sgx-ddk-um: Handle no current context in name-clash stub functions
[+] 872d418f am57xx-evm.conf: add new DTB entries for camera modules
[+] d8c7d3fd uboot-ti-staging: update to ti2017.01-rc4 tag
[+] 6961d197 linux-ti-staging: update to ti2017.01-rc4 tag
[+] 28070a83 layer.conf: mark doxygen host tool as NONFATAL
[+] 43722e39 ti-ipc: Update to GA version 3.46.00.02
[+] 8ddb4bac ti-sci-fw: update to the latest 0.1.1-50 version
[+] d93bb23d prueth-fw: bump to pick up the correct 3.1.4 binaries
[+] 050cc8c4 ti-ipc-examples: explicitly depend on zip-native used during install
[+] e21c6467 layer.conf: update with "doxygen" host tool dependency for openmp-rtos
[+] ce7c3dcd linux-ti-staging: remove version 4.4
[+] 952104c9 ti-ipc-rtos: fix omapl138 update-alternatives missing parameter

```

```

[+] 56682bad uboot-ti-staging: update to ti2017.01-rc3 tag
[+] 31cef7bb linux-ti-staging: update to ti2017.01-rc3 tag
[+] cd9c2030 osal: utilize oe_runmake
[+] b4243751 ti-pdk-build-rtos: use k2g SOC family, clean up whitespaces
[+] d1a82b45 ti-ipc-rtos: Add default links for rproc firmware for omapl138
[+] b139963f ti-pdk-build-rtos: Update to version 1.0.0.4B
[+] 4e84d570 sa-llid: Update to version 3.0.0.17
[+] e96aa892 gmss-llid: Update to version 2.1.0.15A
[+] c583f6d1 pruss-llid: Update to version 1.0.0.6A
[+] def260d4 pa-llid: Update to version 3.0.2.3
[+] 926aca5b osal: Update to version 1.0.0.6E
[+] ff22043f edma3-llid: Update to version 2.12.3.27
[+] 2752f51c common-csl-ip: Update to version 3.3.0.6C
[+] acla50ae boot-monitor: update to ti2017.01-rc2 tag
[+] 98700ff2 ti-sci-fw: update to the latest 0.1.1-47 version
[+] de2d0e54 uboot-ti-staging: update to ti2017.01-rc2 tag
[+] 97128ab6 linux-ti-staging: update to ti2017.01-rc2 tag
[+] 911426e1 edma3llid: remove outdated v1 recipe
[+] 719059c9 ti-ipc: Update to new version 3.46.00.02_eng
[+] e12f3832 Resolve host contamination warnings
[+] 262b851a ti-ccsv6: Remove the recipe and other dependencies
[+] 86dd71f7 Remove CCS dependencies for all components
[+] 9a8a93cb ti-cgt-arm: add recipe for 16.9.2
[+] 8e188711 u-boot-ti-staging: bump PR manually to redo sstate due to missing deploy files
[+] 727eeb32 u-boot-ti.inc: add support for k2hk-hs-evm and k2g-hs-evm
[+] 6dd3cbff linux: use cmem and k2hk-urio dtsti for all k2hk platforms
[+] 9bc4e242 boot-monitor: fix build issue caused by Makefile tabs forcing sparse use
[+] 284b7bbf conf/machine, recipes: introduce k2hk SOC family
[+] 40507d5b boot-monitor: update to ti2017.01-rc1 tag
[+] a3d9314f uboot-ti-staging: update to ti2017.01-rc1 tag
[+] d3cb4527 linux-ti-staging: update to ti2017.01-rc1 tag
[+] c734db42 mpm-transport: Update to new version 2.0.4.0
[+] 9d9f15a1 ti-ipc: Update to new version 3.46.00.01_eng
[+] 71d935c5 ti-gc320-driver: Use GFP_DMA32 flag for allocations
[+] b2bf33cc dspdce-fw: Update SRCREV for dsp crash issue
[+] e12d0c52 k2hk-hs-evm: add new machine config
[+] e984d13a kselftests: add bc dependency to zram test
[+] c723eb9e kselftests: allow net target to be empty when it can't link with numa on arm
[+] b93bbc84 kselftests: gpio calls pkg-config, explicitly depend on pkgconfig-native
[+] 3ble101d layer.conf: add unzip to HOSTTOOLS
[+] 48392e5a kselftests: update to 4.10
[+] b75ac0f9 uboot-ti-staging: update to ti2017.00-rc6 tag
[+] f9b518b4 linux-ti-staging: update to ti2017.00-rc6 tag
[+] 799c4f6c ti-ipc: add module dependency between omap_remoteproc and virtio_rpmsg_bus
[+] 6388e67e ti-ipc-examples: Update with change of directory structure
[+] 38dd996e beaglebone: setup wic to produce SD card image
[+] 127edce6 beagle-x15: add separate config for BeagleBoard X15
[+] be4295af omapl138: rename old aml80x platform into new generic omapl138-lcdk
[+] 7eed0f2e am57xx-evm: fix description
[+] ffe8fa1f k2g-hs-evm: add new machine config
[+] f78cda06 kselftests: fix up run_kselftest.sh due to spurious lines
[+] feb49c1b ti-sgx-ddk-um: Add INSANE_SKIP with already-stripped
[+] 9bf6cbfc kselftests: fix futex functional tests build
[+] 5ec1fd67 kselftests: add bash/ncurses runtime dependency for futex test
[+] 14dab087 uboot-ti-staging: update to ti2017.00-rc5 tag
[+] f4dbdb45 linux-ti-staging: update to ti2017.00-rc5 tag
[+] 265cdd3e u-boot-ti.inc: added dependency to bc-native
[+] 6df82e61 kselftests: fix seccomp test build failure
[+] 5542938e kselftests: add libcap-ng dependency
[+] cf474278 kselftests: fix sigaltstack packaging
[+] 83eae355 kselftests: update to 4.9
[+] e826ebe8 linux-ti-staging_4.4: update to 4.4.54
[+] 4328893d openmp-rtos: bump SRCREV to version 2.6.0.0
[+] 5169e2c9 kselftests: set file ownership to root, avoid contamination warnings
[+] 3e7707dd kselftests: add rsync build dependency
[+] 39d09b23 ti-ipc-rtos: Update to remove host-user-contaminated warnings
[+] 84fb08a2 wll8xx-calibrator: add version 8.7.1 (R8.7_SP1)
[+] 5e5b1892 wll8xx-target-scripts: add version 8.7.1 (R8.7_SP1)
[+] da475075 wlconf: add version 8.7.1 (R8.7_SP1)
[+] b71d2b6b bt-fw: add version 8.7.1 (R8.7_SP1)
[+] 08b3f376 wll8xx-fw: add version 8.7.1 (R8.7_SP1)
[+] b0d7b46c linux-ti-staging: update to ti2017.00-rc4 tag
[+] ef6ca32a linux-ti-staging: update to ti2017.00-rc3 tag
[+] eae4975c uboot-ti-staging: update to ti2017.00-rc3 tag
[+] d774ae9b linux-ti-staging: still need to pass LOADADDR for uImage image types
[+] 7d530a82 omap-a15.conf: enable uImage as alternative image type to zImage
[+] 24b24a50 conf/machine: simplify console settings, deprecate ttyO use
[+] 90e1676f libgpm: depend on udev, as it uses libudev, cleanup
[+] 9988ee22 beaglebone.inc: Update use of obsolete bitbake API
[+] bea5fc9c conf/machine: deprecate opencl feature, introduce dsp feature
[+] d7ce8563 k2g-ice: remove separate config in favor of generic k2g-evm
[+] c436524b ti-ipc: explicitly depend on virtual/kernel:do_shared_workdir
[+] 2934600e ti-ipc: update from "eng" to GA version of 3.45
[+] f8e7d069 uboot-ti-staging: update to ti2017.00-rc2 tag
[+] 65dc7501 linux-ti-staging: update to ti2017.00-rc2 tag
[+] a744cf96 ti-sgx-ddk-um: add support for GBM pixmap surface
[+] ff968e68 ipumm-fw: update to 3.00.13.00
[+] 43100b61 ti-sgx-ddk-um: add support for dmabuf import in GBM WSEGL
[+] cfd0c17f conf: am43: Add hdmi dtb file to Device tree files
[+] 2937b458 ti-sgx-ddk-um: fix memory leak with EGL Image DMABuf import
[+] b599e913 u-boot-ti.inc: k2e-hs-evm doesn't provide the same binaries as other KS2 devices
[+] a3913e93 u-boot-ti.inc: restructure SPL/UART variables, disable k2e-hs-evm
[+] 243b85e8 conf/machine: bump max_leb_cnt for am3
[+] d99bd573 linux-ti-staging: update to ti2017.00-rc1 tag
[+] c75d6c95 u-boot-ti-staging: update to ti2017.00-rc1 tag
[+] 13bff16f conf/machine: bump max_leb_cnt for am3 and am4
[+] 512c69b1 linux-ti-staging: update with latest rpmsg merge to unblock KS2 MPM
[+] a4b79bd9 ti-cgt-pru: update to version 2.1.4
[+] 64053774 cmem: Update to new version 4.14.0.0_eng
[+] 4242f5ce ti-gc320-driver: move to k4.9
[+] 82fd7969 libdce: Update SRCREV
[+] 169c833b ipumm-fw: Updated to MJPEG encoder
[+] 99913c5a conf/machine: add LCD-specific DTB entries for dra7/am57/k2g
[+] 8bc0f125 linux-ti-staging: update to 4.9.10
[+] 18697ca4 aml80x-evm: update machine config to work with latest BSP
[+] 2293842a ti-sgx-ddk-um: enhance wl_display validation criterion

```

```
[+] 4357cdcb linux-ti-staging: update to 4.9.9
[+] 75f488a7 uio-test-pruss: Update to fix issue with make
[+] 3ab96808 multiprocMgr-test: Add test c66x images, sources and scripts to package
[+] 157719fb ti-ipc: Update to new version 3.45.00.00_eng
[+] 6cc27255 ti-sgx-ddk-km: move to k4.9
[+] f345610e linux-ti-staging: update to 4.9.8
[+] 75038fcb am335x-hs-evm: update UBOOT_MACHINE var for latest u-boot version
[+] 02a484d7 ti-sgx-ddk-km: enable parallel builds
[+] c481cfe3 linux-ti-staging: add version 4.9.7
[+] e866980b conf/machine: set KERNEL_DEVICETREE dtb list per machine
[+] ff8c2019 linux-ti-staging: remove old 4.1 version
[+] f5ae3a3d u-boot-ti-staging: add version 2017.01
[+] 5021fec8 u-boot: move common settings and code to u-boot-ti.inc
[+] 06b068fb ti-gc320-driver: Update SRCREV
[+] ddd121e4 machine: update max_leb_cnt across the board
[+] 71130d99 beaglebone: add check for potential conflicts with meta-yocto-bsp
[+] 68cecc42 ti-sgx-ddk-km: remove update of sysconfig register in driver
[+] 0482ce00 layer.conf: list dependencies
[+] 66d1bc31 cmem: Update to new version 4.13.00.01_eng
[+] 51fb3871 u-boot-ti-staging: update to ti2016.06-rc4 tag
[+] a6a44652 linux-ti-staging: update to 4.4.41 and ti2016.06-rc4 tag
[+] 62e2f24f u-boot-ti-staging: update to ti2016.06-rc3 tag
[+] 615e70cc linux-ti-staging: update to ti2016.06-rc3 tag
[+] 059a6b1c ti-gc320-driver: add support for RT kernel
[+] 70515e07 ti-sgx-ddk-km: Fix error in calculation of page array
[+] 214642b9 ti-sgx-ddk-um: Add support for YUYV EGLImage
[+] e6295c2e cmem: Update commit id for 4.13.00.00_eng
[+] e022e00e cmem.inc: only mangle SRC_URI in do_unpack instead of anon function
[+] 16a79400 remaining recipes: fix build issue due to bb.data.* deprecation
[+] d8827afe recipes: fix build issue due to bb.data.* deprecation
[+] 1c0dc519 pruss-llid: utilize oe_runmake
[+] 0ec7a29f ti-ipc: Update to new patch release 3.44.01.01
[+] 1a61032e mpm-transport: Update to new version 2.0.3
[+] f45382c7 multiprocMgr: Update to new version 3.0.2.0
[+] 44fdc74e common-csl-ip: Upstream version 3.3.0.5A
[+] c796e628 openmp-rtos: Upstream version 2.5.0.0
[+] b591b605 pruss-llid: Upstream version 1.0.0.5A
[+] e5be57d1 osal: Upstream version 1.0.0.5E
[+] 28bd12d2 nwal-llid: Upstream version 2.1.0.11A
[+] 77f2aa6c ti-pdk-build-rtos: Upstream version 1.0.0.3
[+] ff8dba26 sa-llid: Upstream version 3.0.0.16
[+] 4686c58d pa-llid: Upstream version 3.0.2.1
[+] 0a56d3aa ti-xdctools: Upstream version 3.32.01.22
[+] 0ea39b13 ti-sysbios: Upstream version 6.46.01.38
[+] cf466eb3 edma3-llid: Upstream version 2.12.2.26
[+] 95411e78 u-boot-ti-staging: update to ti2016.06-rc2 tag
[+] 531b2df4 linux-ti-staging: update to 4.4.39 and ti2016.06-rc2 tag
[+] 413146be libdce: Update SRCREV add MJPEG Encoder support
[+] 7ea35296 ipumm-fw: Update SRCREV
[+] 836656c2 recipes-kernel:cmem.dtsi:K2G: Update to remove redefinition of mpm areas
[+] b835ff8e recipes-kernel:cmem.dtsi:Keystone2: Update to remove redefinition of mpm areas
[+] 8457b435 linux-ti-staging: update to 4.4.37 and ti2016.06-rc1 tag
[+] 1ca8b9e6 u-boot-ti-staging: update to ti2016.06-rc1 tag
[+] 1c08c3ec goodix-fw: add Goodix GT9271 config firmware
[+] 243fc827 am57xx-hs-evm, dra7xx-hs-evm: update OPTEEFLAVOR to match latest OPTEE code
[+] 195c04aa cmem: add support for memory carveouts of dra71 variant
[+] 0a85deda conf/machine: split SECDEV use for am5x and dra7 machines
[+] 92f46e91 ti-sgx-ddk-um: fix a bug at the drmModeAddFB() call at null_drm_ws.c
[+] 76625a43 mpm-transport: Update commit id with fixes
[+] 8be70083 am335x-evm, am437x-evm: increase leb count for ubi
[+] 102c4181 recipes-kernel: cmem.dtsi: Update memory sections for DDR and MSMC
[+] 52idf13d cmem: Update to new version 4.13.0.0_eng
[+] 79a8691f Revert "linux/cmem: patch keystone dtsi files to co-exist with new sram driver"
[+] c8ac370e ti-ipc: Add recipe to build ipc-examples
[+] 420e25c4 ti-ipc: Reorganised recipes to help in adding ipc examples recipes
[+] 9acb9cde cmem-mod: workaround the new Module.symvers requirement
[+] f2ce07dc ti-sgx-ddk-um: add apphint to control number of GBM WSEGL surface buffers
[+] b5524234 rwmem: fix build with any toolchain and use default CC var
[+] ab0505ce dsptop: fix build with any toolchain by passing correct CC var
[+] d229e1cd u-boot-ti-staging: update to ti2016.05-rc5 tag to fix am5 mmc issues
[+] b9dbc83d linux/cmem: patch keystone dtsi files to co-exist with new sram driver
[+] af2cbf00 linux: k2g: use k2g-evm files for all k2g SOCs
[+] 47178cf7 am335x-evm, am437x-evm: increase leb count for ubi
[+] elb686cc ti-sgx-ddk-km: disable parallel builds for SGX driver
[+] 4flc3bf3 pru-icss: bump SRCREV and PV due to updates
[+] 066ea40f linux-ti-staging: update to ti2016.05-rc4 tag
[+] a930c7a2 u-boot-ti-staging: update to ti2016.05-rc4 tag
[+] 108f5ee0 cmem: add special handling for dra72x variant
[+] c5162b67 ti-ipc: update to include pthread fixes
[+] 1b2141f7 linux-ti-staging: correct SRCREV for RT
[+] c75feb99 u-boot-ti-staging: update to ti2016.05-rc3 tag
[+] 31f70192 linux-ti-staging: update to 4.4.30 and ti2016.05-rc3 tag
[+] 540afce7 linux-ti-staging: pull in prueth-fw for k2g
[+] 150dleb4 u-boot-ti-staging: update to ti2016.05-rc2 tag
[+] dfc8aaee linux-ti-staging: update to 4.4.29 (sans RT) and ti2016.05-rc2 tag
[+] d435c2a3 dra7xx-hs-evm: add DRA71x OPTEE flavor to the list
[+] f821e1fd ti-ipc: Update to new version 3.44.00
[+] 26e28b24 libulm: pass CC to work with internal toolchains that depend on sysroot flag
[+] e4f5ee61 libdce: update to 3.00.12.00 version
[+] 1124b4bf ti-unpack.inc: Use absolute paths in require directive
[+] bdefb88c uim: Fix build breaks when toolchain is used from sstate
[+] ec712fdc ti-ipc: update to 3.43.03.05 version
[+] 841864ad ipumm-fw: update to the latest 3.00.12.00 version
[+] 527d28ad ti-sci-fw: update to the latest 0.1.1-37 version
[+] b9a69070 prueth-fw: update with k2g-ice firmware images
[+] 7a2820b8 u-boot-ti-staging: update to ti2016.05-rc1 tag
[+] 1c6657c2 linux-ti-staging: update to 4.4.27 and ti2016.05-rc1 tag
[+] 4d3e4a6f ti-sgx-ddk-um: add support for importing DMABUF as EGLImage
[+] fd78bce5 conf/recipes: add k2g-ice machine and k2g SOC family
[+] a5ff1c07 ti-sgx-ddk-km: remove dependency between user-mode and kernel-mode builds
[+] f227a004 ti-sgx-ddk-um: remove invalid tests for sgx
[+] 882eb9e7 multiprocMgr: add systemd service
[+] 69517353 u-boot-ti-staging: fix B != S and python3 issues
[+] 48ffe2b2 recipes: python3 fixes
[+] 02a43b25 u-boot-ti-staging: also copy HS MLO variant
[+] e68a4572 linux-ti-staging: update for moved ti2016.04-rc4 tag
```

```

[+] 428cdee4 openmp-rtos: bump SRCREV to version 2.4.0.1
[+] 79b04706 linux: cmem: k2e, k2l-evm: update reserved memory
[+] 666e6bd2 dsptop: bump SRCREV to version 1.4.0
[+] 8fe44606 u-boot-ti-staging: update to ti2016.04-rc4 tag
[+] e3b90586 linux-ti-staging: update to 4.4.23 and ti2016.04-rc4 tag
[+] e3e29853 ti-ipc-rtos: Remove M4F target for omap-a15
[+] 20c8ba3c ti-pdk-build-rtos: Update to version 1.0.0.2B
[+] 24ecff7a gcc-arm-none-eabi-native: Update to version 4.9.2015q3
[+] 17416d98 common-csl-ip: Update to version 3.3.0.4B
[+] c8d2b437 linux-ti-staging: update to ti2016.04-rc3 tag
[+] fel3d9fd ti-sci-fw: update to version 0.1.1.22
[+] 479e8fb9 u-boot-ti-staging: update to ti2016.04-rc3 tag
[+] 1a28c9db cmem: Update to new version 4.12.00.00
[+] 9ffe3eb8 u-boot-ti-staging: don't replace MLO with HS_ISSW for am335x HS platform
[+] 018d6239 conf/machine: update OPTEE OS flavor names slightly
[+] 939b2432 conf/machine,recipes: introduce k2e SOC family
[+] e13d1539 linux-ti-staging: specify DTB for k2e HS platform
[+] 19dc633d common-csl-ip-rtos: add support for k2e-hs-evm
[+] bad4a7a7 u-boot-ti-staging: bump PR due to SECDEV variable change
[+] lddcc7c8 linux-ti-staging: update to 4.4.21 and ti2016.04-rc2 tag
[+] 6e43afaf conf/machine, u-boot-ti-staging: add am335x-hs-evm platform
[+] fd546211 u-boot-ti-staging: disable SPL target for k2e-hs-evm
[+] e4f34457 conf/machine: rename SECDEV variables for additional platforms
[+] 0f3c7f71 u-boot-ti-staging: update to ti2016.04-rc2 tag
[+] 3d05c51b u-boot-ti-staging: remove old versions
[+] 7d2600d4 mpm-transport: Update to new version 2.0.2.0
[+] ee82acef openmp-rtos: Updated version to 2.04.00.00
[+] fa5ca593 ti-ipc: Update to new version 3.43.02.04
[+] a95c51e3 ti-pdk-build-rtos: Bump version and add comp_top.mk to install
[+] d10551b9 sa-llid: Bump version
[+] ea0e4c48 qmss-llid: Bump version
[+] 9aeeb602 pa-llid: Bump version and remove makefile error patch
[+] f42668a4 edma3-llid: Bump version
[+] f16d6590 common-csl-ip: Bump version
[+] 0623707d linux: add new method for cmem injection
[+] f0ae7e1c serdes-fw: update to 3.3.0.2c version
[+] c554a873 k2e-hs-evm: add K2E HS EVM config
[+] 71db7c89 machines: add OPTEE config for dra7 and am57 machines
[+] c02651fe amx3-cm3: update to 1.9.2 version
[+] c000a7f2 am33x-cm3: remove old CM3 PM FW recipe for 3.14 kernel
[+] fb237a2d boot-monitor: update and bump version due to image format change
[+] f99c5700 u-boot-ti-staging: update to ti2016.04-rc1 tag
[+] 39e43c3f linux-ti-staging: update to 4.4.20 and ti2016.04-rc1 tag
[+] e1d913c2 pru-icss: bump SRCREV, PV, and PR due to updates
[+] 81e08ffa linux-ti-staging: add QMSS PDSP FW dependency for Keystone
[+] d5a5dcfe linux-ti-staging: update to the latest, change systest defconfig names
[+] 32a73016 ti-sgx-ddk-km: bump SRCREV for compiler warning fix
[+] c8e80c82 prueth-fw: update to version 3.1.4
[+] 011b283c ti-linux-staging: update to 4.4.19 and ti2016.03-rc4 tag
[+] 482c26fe u-boot-ti-staging: update to ti2016.03-rc4 tag
[+] f09eab48 README: add note about list subscription
[+] 7e84356c ti-gc320-libs: add recipe for gc320 user lib
[+] 30e001db ti-gc320-driver: recipe for gc320 kernel mode driver
[+] 3ff27c86 linux-ti-staging: update to ti2016.03-rc3 tag, rebase to 4.4.18
[+] 65e237b3 u-boot-ti-staging: update to ti2016.03-rc3 tag
[+] 97a255ed machines: move TI_SECURE_DEV_PKG and add UBOOT_* vars for fitimage support
[+] 40e6a592 machine/k2*-evm: disable uncompressed cpio by default
[+] b0921714 machines: drop tar.gz images in favor of tar.xz
[+] bea4b235 am57xx/dra7xx: disable UBI images by default
[+] d811ff93 linux-ti-staging: update to ti2016.03-rc2 tag
[+] f42d5e38 ti-sgx-ddk-um: Add libPVRScopeServices.so to plugins list
[+] 7917662b linux-ti-staging: update to ti2016.03-rc1 tag
[+] 84a57949 u-boot-ti-staging: update to ti2016.03-rc1 tag
[+] f420d6ca edma3-llid-rtos, ti-ipc-rtos, multiprocmgr-rtos: remove sneaked in sourceipk calls
[+] 78b386ee kselftests: update to 4.4, don't need to depend on kernel
[+] 49fe9230 ipumm-fw: cleanup recipe for pre-built binary
[+] a3eb80a8 ipumm-fw: bump for multi-instance sync fix
[+] 8faa366e linux-ti-staging: update to 4.4.16 with latest domain trees merged
[+] 6eccda97 u-boot-ti-staging: update to the latest
[+] 6747b4f3 conf: set lower DEFAULTTUNE across machines
[+] 1b656bb0 ti-ccsv6-native: update to new version 6.1.3.00034
[+] ld531400 vlib-c66x: prevent stripping of binaries due to differnt arch/format
[+] 91490ee0 netapi: Upgrade to version 1.1.0.7
[+] d12c6b3d ti-framework-components: update to version 3.40.02.07
[+] 2e63b463 hplib: bump SRCREV to version 1.1.0.8
[+] 40bfd018 ipumm-fw: Install map file into the targetfs
[+] 543dac56 linux-ti-staging: add 2 new DRA7 RevC LCD DTBs
[+] 242ac440 linux-ti-staging: update to ti2016.02-rc4 tag
[+] 6b81203c u-boot-ti-staging: add HS_X-LOADER images, update to ti2016.02-rc4 tag
[+] a9438458 ti-ipc: Update to new version 3.43.01.03
[+] dl1c43c5e machine: bump max_leb_cnt numbers again
[+] 2b475879 linux-ti-staging: update to ti2016.02-rc3 tag
[+] e9974fd9 u-boot-ti-staging: update to ti2016.02-rc3 tag
[+] 256be65a uio-module-driv-test: replace machine override with SOC override
[+] 4a9d60fe edma3-llid: Bump version
[+] 55b4ca5e uio-module-driv-test: correct COMPATIBLE_MACHINE
[+] d2aad256 uio-test-pruss: correct COMPATIBLE_MACHINE
[+] da853122 openmp-rtos: bump SRCREV to version 2.3.1.0
[+] de0f1432 ti-ipc-rtos: add dependency on zip-native
[+] f76dd445 dfe-llid: Bump version
[+] 0c88837f srio-llid: Bump version
[+] b33f0fa8 sa-llid: Bump version
[+] 1170edc5 rm-llid: Bump version
[+] a291c744 pa-llid: Bump version
[+] 85cce508 common-csl-ip: Move to new make infrastructure & Bump version
[+] de355a34 ti-pdk: Add makefile support to ti-pdk.bbclass for RTOS components
[+] 39493a8a ti-sgx-ddk-km: disable active power management
[+] c5bdcc92 ti-sgx-ddk-um: disable active power management
[+] a33fcfe5 linux-ti-staging: update to ti2016.02-rc2 tag, update DTBs
[+] 0131b5e6 u-boot-ti-staging: update to ti2016.02-rc2 tag
[+] c7ac506b ti-ipc: Update comment on IPC tag
[+] 6e6a4d42 dspdce-fw: Update SRCREV for adding new API
[+] 941fbb4a ipumm: Update SRCREV for adding new API
[+] d2599856 libdce: add API for query remote proc information
[+] 9f8dfdae uio-module-driv-test: Updates to fix issues with Keystone platforms
[+] d2cc0238 u-boot-ti-staging: add support for AM57xx HS platform

```

```
[+] c2d2a384 netcp-pa-fw: update to version 3.0.1.17
[+] 667794c9 amx3-cm3: update to the latest for am3 ddr fixes
[+] 478bbe5c am57xx-hs-evm: add AM5 HS platform config
[+] 3a84e751 u-boot-ti-staging: update to ti2016.02-rc1 tag
[+] 09715125 linux-ti-staging: update to 4.4.13, use new defconfig builder
[+] 57c2c157 uio-test-pruss: Add recipe to build uio pruss test firmware
[+] df454f2f mpm-transport: Update to new version 2.0.1.2
[+] baa05bfe uio-module-drv: Update to new version 2.1.0.0
[+] f9897495 ti-ipc: Update to new patch version 3.43.01.02
[+] b4d7ad69 pru-icss: add new device support and bump SRCREV
[+] dc6bbf30 libdce: move from meta-arago
[+] 727ae199 recipes: cleanup
[+] 4e14a0a8 ipumm-fw: bump for codec updates and bugfixes
[+] 6ba3a188 u-boot-ti-staging: update to ti2016.01-rc4 tag
[+] fdcae875 linux-ti-staging: update to 4.4.12 and ti2016.01-rc4 tag
[+] 58bebcf6 cm3-pm-firmware: correct license to TI-TSPA
[+] ee2a4b43 linux-ti-staging: Update uio entries for am572x
[+] c20b24e9 ti-ipc: Update to new version 3.43
[+] 213c02d6 ti-ccsv6-native: update to new version 6.1.3.00033
[+] 41a1ad99 ti-ipc-rtos: Update to include examples and documentation with the package
[+] 32077fb8 ti-sgx-ddk-um: update srcrev and bump PR
[+] fe9b83eb machine: explicitly list ubifs in IMAGE_FSTYPES, so RM_OLD_IMAGE works
[+] ad363e71 k2g-evm: add opencl feature
[+] d47f0737 linux-ti-staging: Update pru uio dtb entries
[+] 27700dc2 machine: bump max_leb_cnt for am3 and am4 platforms
[+] c475fb21 u-boot-ti-staging: update to final 2016.05 and ti2016.01-rc3 tag
[+] 9d2d43c4 linux-ti-staging: update to 4.4.11 and ti2016.01-rc3 tag
[+] fb7e4fb6 machine: add opencl feature to corresponding platforms
[+] 83d0ad1b linux-ti-staging: Add new device tree target am572x-idk-pru-excl-uio.dtb
[+] 2b5d5259c u-boot-ti-staging: update for ti2016.01-rc2 tag
[+] 5a80211f linux-ti-staging: update to 4.4.10 and ti2016.01-rc2 tag
[+] af64c0cb uio-module-drv: Update to 2.0.0.0 GA version
[+] a6318a57 ti-sgx-ddk-um: update srcrev and bump PR
[+] 76ba4691 ti-softhsmv2: bump SRCREV to version to 2.0.0.0
```

poky changed from ae9b341ecfcc60e970f29cfe0430641llad26c0cf to fd7f2d644a94bbb951c0bed1laf7deb35f1cfb22

```
[-] ae9b341ecf bitbake: bitbake: toaster: settings set ALLOWED_HOSTS to * in debug mode
[-] 3bf928a3b6 dev-manual: Fixed typo for "${INC_PR}.0"
[-] 0742e8a43b documentation: Updated manual rev tables for Dec 2016 2.1.2 release
[-] cca8dd15c8 build-appliance-image: Update to krogoth head revision
[-] 8e4188e274 poky: Update distro version to 2.1.2
[-] 0ad194919f meta-linux-yocto: update 4.4 to 4.4.26
[-] 49a01fd044 meta-linux-yocto: update to 4.1.33
[-] 0aedf304e5 bitbake: fetch: copy files with -H
[-] f0f6acac03 bitbake: bb.event: fix infinite loop on print_ui_queue
[-] bae35b3e5f bitbake: event: prevent unclosed file warning in print_ui_queue
[-] 2de121703d bitbake: event.py: output errors and warnings to stderr
[-] 8a12e713f9 perf: adapt to Makefile.config
[-] 2b0f105e59 perf: Fix to obey LD failure
[-] c9f172aa5e perf: Fix to obey LD failure on gemux86-64
[-] f7e1cd9f85 This is a backport from master of 2 consecutive fixes.
[-] ec240f45ae parselogs.py: Add disabling eDP error to x86_common whitelist
[-] e92679a6eb oeqa/parselogs: Don't use cwd for file transfers
[-] f979c50029 parselogs.py: Ignore Skylake graphics firmware load errors on genericx86-64
[-] a6b8fda00c parselogs: Ignore uvesafb timeouts
[-] 1b9a98f78c parselogs: Ignore amb_nb warning messages under gemux86*
[-] d72e66f34b parselogs.py: Add dmi and ioremap errors to ignore list for core2
[-] e2c2d723ed parselogs.py: Add amd_nb error to x86_common whitelist
[-] 478a38187f linux-yocto/4.1: fix CVE-2016-5195 (dirtycow)
[-] cc811f4992 linux-yocto/4.4: update to v4.4.26
[-] f7ec29ca3f linux-yocto/4.4/4.8: kernel config warning cleanups
[-] 0d390fb5a linux-yocto/4.1/4.4: remove inappropriate standard/base patches
[-] ca9d26a08d linux-yocto/4.4: update to v4.4.22
[-] 49de8caab0 linux-yocto/4.1: update to 4.1.33
[-] d672a4cc3c gcc-runtime.inc: Add CPP support for x86-64-x32 tune
[-] be15df5099 gcc-runtime.inc: add CPP support for mips64-n32 tune
[-] 2cb87d1d2d libgcc-common.inc: Fix broken symlinks for multilib SDK
[-] 57531002b8 bash: Security fix CVE-2016-0634
[-] c4061a0a68 dropbear: fix multiple CVEs
[-] 6962ee3689 rpm: prevent race in tempdir creation
[-] 191666022a binutils: Fix gas error with cfi_section inconsistencies
[-] 53766fb01f devtool: Use the wildcard flag in update_recipe_patch
[-] 3134fb2861 devtool: build_image: Fix recipe filter
[-] b169435134 classes/externalsrc: re-run do_configure when configure files change
[-] 95e3d71080 devtool: add: fix error message when only specifying a recipe name
[-] 2dela5cefb oe-selftest: recipetool: add tests for git URL mangling
[-] a7c3e18de0 recipetool: create: fix greedy regex that broke support for github tarballs
[-] bd2cc670be lib/oe/recipeutils: fix patch_recipe*() with empty input
[-] b108f2a6de recipetool: create: fix handling of github URLs
[-] 2fcc8d6e52 devtool: reset: allow reset to work if the recipe file has been deleted
[-] c3c25ac53d devtool: update-recipe: fix --initial-rev option
[-] 7343438092 bind: fix two CVEs
[-] 8f5becc3ab archiver: fix gcc-source handling
[-] 732dd581f3 glibc: fix CVE-2016-1234, CVE-2016-3075, CVE-2016-5417
[-] 40f4a6d075 bsp-guide: Updated the yocto-bsp create selections in the example.
[-] 88b7f1alae2 yocto-project-qs: Fixed Minnow MAX build example
[-] 8e2ab57852 yocto-project-qs: Altered MinnowBoard MAX example
[-] 204b2bae4a bsp-guide: Fixed the yocto-bsp create example output
[-] e93596fe74 binutils: fix AR issue when opkg is unpacking IPKs containing empty entries
[-] 56a27c9aad python3: Security fix CVE-2016-1000110
[-] 4b27738c5e python: Security fix CVE-2016-1000110
[-] 529bbe2cc2 perl: fix CVE-2016-1238
[-] 82641d700d multilib_header: avoid sstate checksum issues for -nativesdk recipes
[-] 118f7a2247 tzdata: update to 2016g
[-] 5b24e5b39b tzcode-native: Update to 2016g
[-] a78ddd6b24 pulseaudio: Disable unit tests
[-] 3b3cdfd71a pigz: Update SRC_URI
[-] ed4ed5313b useradd: Fix infinite build loop
[-] de056577ce libarchive: respect disable-acl configuration option
[-] 2ea93e2b1d useradd.bbclass: Strip trailing ';' in cmd params
[-] 2b330e5439 openssl: Security fix CVE-2016-6306
[-] e08094e604 openssl: Security fix CVE-2016-6304
[-] 5f97311702 openssl: Security fix CVE-2016-6303
[-] 7026b2b05a openssl: Security fix CVE-2016-6302
[-] 8e5e92193a openssl: Security fix CVE-2016-2182
[-] 06ed5c5a10 useradd: use bindir_native for pseudo PATH
```

```

[-] 9fa0bc4500 openssl: Security fix CVE-2016-2181
[-] 82017f2367 openssl: Security fix CVE-2016-2180
[-] e1e5b18a5e openssl: Security fix CVE-2016-2179
[-] 9995a7a144 openssl: Security fix CVE-2016-2178
[-] 9fd6b093a4 cracklib: Apply patch to fix CVE-2016-6318
[-] b7bb83a4bb wpa_supplicant: Security Advisory-CVE-2016-4477
[-] 45bc60015c wpa_supplicant: Security Advisory-CVE-2016-4476
[-] e6c1d03d3d oega/buildiptables: Switch from netfilter.org to yoctoproject.org mirror
[-] d2ca721d31 python3: Fixes several python3 dependency problems
[-] 260ff60f93 documentation: Changes to support a 2.1.2 krogoth release.
[-] 71291ed53e tiff: Update download URL
[-] 5b3af2abd7 perl: fix CVE-2015-8607
[-] 70c4134e4b perl: fix CVE-2016-6185
[-] 90dd677528 perl: Correct perl path for ptest
[-] 6db9299d9e perl-native: backport libnm link fix
[-] 2561b58ac8 perl: fix CVE-2016-2381
[-] 9e14b83fa4 perl: fix several perl test failures
[-] a8ac03fce1 perl: some perl tests require libssp
[-] 8b9b998258 perl: set proper perl subversion number in config files
[-] 76aa0c3d5d qemu: Security fix for CVE-2016-5403
[-] 11c8c8aa15 qemu: Security fix for CVE-2016-4002
[-] 5a8a6a753f qemu: Security fix CVE-2016-6351
[-] aa4b7b2257 qemu: Security fix CVE-2016-4439
[-] ea62893915 qemu: Security Fix CVE-2016-3712
[-] 990b8e7919 qemu: Security Fix CVE-2016-3710
[-] db8258864e util-linux: Security fix for CVE-2016-5011
[-] 58538b0703 dropbear: upgrade to 2016.72
[-] 96fe15caf6 wget: Security fix CVE-2016-4971
[-] b6e4966874 openssh: Security fix CVE-2015-8325
[-] a837c6be8f openssh: Security fix CVE-2016-5615
[-] 414aad04b6 openssh: Security fix CVE-2016-6210
[-] 8a7607f470 busybox: Avoid race building libbb
[-] cce2867828 busybox: fix "sed n (flushes pattern space, terminates early)" testcase failure
[-] 0458275013 rpm: manually cleanup sysck
[-] 6f60d91adc rpm: ensure rpm2cpio call rpm relocation code
[-] 642890f5d0 rpm: make --nosignature work
[-] 5368cfce9e python-smartpm: use md5 as the digest for rpm_sys channel
[-] e588da43b0 python-smartpm_git.bb: Add patch for debugging random errors
[-] c32c7522e5 python-smartpm: add support to check signatures
[-] 62696defc0 python-smartpm: Avoid locale issue with bitbake python3
[-] deca0d3736 xserver-xf86-config: pre-load int10 and exa modules
[-] a220c3a1a9 arch-mips.inc: Disable QEMU usermode usage when building with n32 ABI
[-] ef6ff739c7 gobject-introspection.bbclass: disable introspection for -native and -nativesdk recipes
[-] d9369d1ea0 cmake.bbclass: call cmake with a relative path
[-] 17e4586d6e useradd_base: avoid unintended expansion for useradd parameters
[-] 6175bd0930 curl: security fix for CVE-2016-7141
[-] 016df260e5 sudo: CVE-2015-8239
[-] 5d781f41ff binutils: advance SRCREV to obtain versioned symbols
[-] d3ee5489c9 base.bbclass wipe ${S} before unpacking source
[-] 9a1694e242 bitbake.conf: set READELF for cross compilation
[-] 3cc3ff6244 Fix random python backtrace in mutlib handling code.
[-] 16f046f38f cml1: fix tasks after default [dirs] changed
[-] 7639be6851 bitbake.conf/toolchain-scripts.bbclass: Remove debug prefix mappings in SDK
[-] a10c9109e2 gdb: Cache gnu gettext config vars for musl builds
[-] 6ac72e8be2 initramfs-live-boot: Make sure we kill udev before switching root when live booting
[-] c594ff73ab e2fsprogs: Fix missing check for permission denied.
[-] b9e99832b9 tiff: Security fix CVE-2016-5323
[-] 440e3cd2c2 tiff: Security fix CVE-2016-5321
[-] 977ad47c69 tiff: Security fix CVE-2016-3186
[-] 2b029e56f9 tiff: Security fix CVE-2015-8784
[-] b6f4d24fbc tiff: Security fix CVE-2015-8781
[-] ab4f42608a busybox: Add parallel make fix
[-] 23aabca217 busybox: Backport makefile fix from upstream
[-] d9d046c28a busybox: Fix busybox-init on non-tty consoles
[-] b6bb27c4c9 npm: npm.bbclass now adds nodejs to RDEPENDS
[-] 0271b3ab00 pulseaudio: fix crash when disconnecting bluetooth devices
[-] 4cbb398d85 systemd: allow add users as a rootfs postprocess cmd
[-] 66a4366e8f systemd: Create missing sysusers offline
[-] b64fa0af89 meta/classes: fix bb.build.FuncFailed typos
[-] 8f300880c4 python{3}-numpy: Predefine of sizeof off_t on mips/mipsel/ppc
[-] 28344dfed4 gcc, qemu: Explicitly disable forcing SPE flags for 4.9
[-] 8c69f7d56c bitbake: lib/bb/tests/fetch: remove URL that doesn't exist anymore
[-] aad7166704 curl: security fix for CVE-2016-5421
[-] 6980d4fa2f curl: security fix for CVE-2016-5420
[-] 094a36886f curl: security fix for CVE-2016-5419
[-] 7ellefef59 bitbake: toaster: Fix adding of bitbake variables containing ':'
[-] 8854de1ffd python3: update manifest RDEPENDS for importlib and compression packages
[-] cefa06d985 python-3.5-manifest: Add argparse module
[-] ecb5183b9a python-3.5-manifest: Rename Queue module to queue
[-] 2bb93e3567 python3-native: Extend python3-native rproviders
[-] 2a17af9652 python3-native: Change code style for rprovides
[-] 3831cdc1b1 yocto-uninative: Update to 1.0.1 tarball
[-] e01993c3d5 mesa-demos: Fix OpenGL ES configurability
[-] 7d70e67479 lzop: Fix build with gcc-6
[-] fc75bea445 musl: Fix mips regressions in 1.1.15
[-] 59ef3c315b glibc: use the host locale archive in nativesdk builds
[-] eef3fb99d0 base-files: restrict resize to run on serial consoles only in profile âˆ™-^TM-^BÂ•
[-] 12eb72ee3b documentation: Updated manual revision list tables for August
[-] a8377d1073 ref-manual: Fixed typo in the "Shared State" section.
[-] 52e13fb007 ref-manual: Review edits to the PR variable in glossary.
[-] 9f0eaae229 ref-manual: Updated the RDEPENDS variable description in the glossary
[-] cfl181cdb52 ref-manual: Updated the PR variable description.
[-] 6f9ef13d0a dev-manual: Review edits to the package installation section
[-] 4c36d5209e documentation: Updated manual revision tables for July 2016 date
[-] e177680fa0 ref-manual: Updated the flag descriptions for shared state details
[-] 365f85179d dev-manual: Edits to the package feed creation section.
[-] 8ffab431a2 ref-manual: Updated the DISTRO_FEATURES description of Bluez5
[-] ebed0191f9 ref-manual: Updated SSTATE_MIRRORS examples to match reality
[-] a779b36e9c dev-manual: Updated Runtime Testing for Package Installation
[-] ea438b421d dev-manual: Updated the method to set SimpleHTTPServer for testing
[-] 45f2a20349 ref-manual: Fixed a typo for installing "python3-git"
[-] 853db300f5 dev-manual: Applied edits to the package feed section.
[-] f07fedb2fb ref-manual: Updated the UPSTREAM_CHECK_* variables.
[-] 1969871269 ref-manual: Review edits to the UPSTREAM_CHECK_* variables.
[-] a8279122b9 dev-manual: Updated Host Server Machine Setup for package feeds
[-] 9adc11d4ac ref-manual: Added note about installing Git-Python package

```

```

[-] b5a67a2f7b ref-manual: Updates to the UPSTREAM_CHECK_* variables
[-] bd47f3f3e6 dev-manual: Review edits applied to the package feed build considerations.
[-] 1d7983106c ref-manual: Edits to UPSTREAM_CHECK_* variables.
[-] 4cf38836ac ref-manual: Added descriptions for three UPSTREAM* variables.
[-] ffb615a50b dev-manual: Updated Package Feed Creation sections
[-] 1931dfc1cb ref-manual: Updated the INHIBIT_PACKAGE_STRIP variable
[-] 2be23abe85 ref-manual: Added BlueZ version 5 feature to distro feature section.
[-] 9891a867ef sdk-manual: Fixed three broken links to sections within manual.
[-] elf49c6068 sdk-manual: Updated configure.ac file in helloworld example.
[-] 046fd3cb83 documentation: Set up for the 2.1.1 YP Release
[-] 913b4e5910 kernel-dev: Fix the locations of .config and source directory
[-] 046fle6b4c profile-manual: Added cross-reference links to INHIBIT_PACKAGE_STRIP
[-] e5353a9158 ref-manual: Fixed *[doc] string for INHIBIT_PACKAGE_DEBUG_SPLIT
[-] f5da2a5913 build-appliance-image: Update to krogoth head revision
[-] e244da150b libproxy: use snapshot.debian.org for SRC_URI
[-] c4d6b277f2 libaio: use snapshot.debian.org for SRC_URI
[-] e89b6b84d8 blktool: use snapshot.debian.org for SRC_URI
[-] 325515a685 linuxdoc-tools: use snapshot.debian.org for SRC_URI
[-] c2d93dcf42 docbook-xml-dtd4: use snapshot.debian.org for SRC_URI
[-] 116ee14fe0 netbase: use snapshot.debian.org for SRC_URI
[-] 8b69068751 serf: use snapshot.debian.org for SRC_URI
[-] 4eeaae772f mailx: use snapshot.debian.org for SRC_URI
[-] 4dc76844a6 ossp-uuid: use snapshot.debian.org for SRC_URI
[-] d85ccb3daf apmd: use snapshot.debian.org for SRC_URI
[-] 4a98ef84b9 at: use snapshot.debian.org for SRC_URI
[-] b6a3c9c298 dpkg: use snapshot.debian.org for SRC_URI
[-] fbe10c86e8 foomatic-filters: Security fixes CVE-2015-8327
[-] c96f149679 foomatic-filters: Security fix CVE-2015-8560
[-] f73006031e oega/recipetool: update recipe test to pass SHA
[-] c3f90184c7 grub: Fix build with gcc-6
[-] ec0de3b71e oega/devtool: update recipe test as libmatchbox changed
[-] 54086de158 nss: fix build for gcc-6
[-] 6dca3c67c3 tzcode-native: update to 2016f
[-] 88023056fe tzdata: update to 2016f
[-] 37b3e44b9d gcc-5.3: fix build for gcc-6
[-] cb7787af8a openjade-native: work around bug exposed by GCC 6
[-] 3ee0f6af8c binutils: disable werror on native build
[-] b3acdca9b6 glib-2.0: Ignore useless warning found with gcc-6
[-] 7204ed57ed rpm: Fix build with gcc6
[-] 7db217e7ac elfutils: Fix build for gcc-6
[-] 553ffcb941 elfutils-0.148: Fix build with gcc6
[-] ba4d4372b1 pkgconfig: Fix build with gcc-6
[-] 4f2716218f binutils: backport fix for TLSDESC relocations with no TLS segment on arch64
[-] 08e0391d9c musl: Update to v1.1.15 release
[-] 5ddf1463d3 dropbear: Remove incorrect SFTPSERVER_PATH from CFLAGS
[-] 5f4369eb2a musl: Upgrade to tip
[-] 20aae4e5ef musl: Update to latest tip
[-] d4280db033 musl: Upgrade to tip of tree
[-] d79f5a98f7 glibc: Security fix for CVE-2016-4429
[-] 22198f07af glibc: Security fix for CVE-2016-3706
[-] 03d9d8e7d3 systemtap: Add missing memory flag to fix stap module compilation
[-] 229e3e4e5f ghostscript: update SRC_URI
[-] 6ea7b46ef6 toaster: toasterconf.json Remove master release
[-] 98c57bb512 build-appliance-image: Update to krogoth head revision
[-] ae849a348c poky.conf: Bump version for 2.1.1 krogoth release
[-] 95b2e086cb build-appliance-image: Update to krogoth head revision
[-] eea30774b4 wic: rawcopy: make source filenames unique
[-] 250212eee6 gcc: make sure header path is set correctly
[-] e6917603e2 feature-arm-vfp.inc: fix overzealous ARMPKGSFX_FPU modification
[-] 320dacf891 gcc-5: Fix hang with mmusl option on cmdline
[-] 11ca5f99a7 devshell.bbclass: fix double unbuffering
[-] cd0afe151c Revert "openssl: prevent ABI break from earlier krogoth releases"
[-] f7b994b752 image.bbclass: do exact match for rootfs type
[-] 720ae18403 scripts/lib/bsp/kernel.py: force patching when branch is machine branch is re-use
[-] ae832446d9 bitbake: fetch2: Safer check for BB_ORIGENV datastore
[-] ba29029581 useradd-staticids.bbclass: Allow missing UIDs/GIDs to generate warnings
[-] a4d74c100d useradd-staticids.bbclass: Restore failure on missing UIDs/GIDs
[-] b8e749ddd6 documentation.conf: Add information about USERADD variables
[-] 6240f7092e pseudo: remove rpath from libpseudo.so
[-] b2a6a89a29 openssl: fix init script restart with read-only-rootfs
[-] 39d2072ae9 binutils: configure with --enable-deterministic-archives
[-] 8bd8aed8bd bitbake.conf: don't set CCACHE_DIR to $HOME by default
[-] 74f34dc4d2 initramfs-framework: base: Ensures /run/lock is available
[-] e91e5324d0 initramfs-framework: mdev: Add a runtime dependency on busybox-mdev
[-] 99f695ac99 tzdata: update to 2016e
[-] 51e4dabf70 tzcode: update to 2016e
[-] ff7c814661 libxml2: upgrade to 2.9.4
[-] ac84alce15 gcc-runtime, libgcc: Symlink c++ header and startup files in target_triplet for SDK use
[-] 2bf1e70e3d musl: Create symlinks for stub libraries
[-] ec2d08375b linux-yocto/4.1: fix musb compilation error
[-] 217448b911 linux-yocto/4.4: integrate v4.4.11
[-] 662840a9ac linux-yocto/4.4: beaglebone: build in the usb controller drivers
[-] 1e583b1eb8 linux-yocto/4.1: v4.1.24 and gcc6 powerpc fixes
[-] 682cb00f04 linux-yocto-rt, core-image-rt*: Explicitly skip when PREFERRED_PROVIDER_virtual/kernel isn't set
to linux-yocto-rt
[-] 726a2bf3bd linux-yocto/4.4: gcc6 build fixes (powerpc and mips)
[-] 565888f11 eudev: remove eudev-hwdb from RRECOMMENDS_eudev
[-] 6a268a6cf1 linux-yocto-rt/4.4: Update KBRANCH
[-] b2ab8f4321 perl: reorder tar arguments in do_install_ptest()
[-] 76a4804f2b | syslinux.bbclass: Added configurable SYSLINUX_ALLOWED_OPTIONS variable
[-] 71ee363046 lib/oe/rootfs: Fix DEBUGFS generation, without openssl
[-] 28066b3a21 zip: update SRC_URI
[-] 4b57c55182 classes/base: get_lic_checksum_file_list improve validation of url's
[-] 073c0ba55e coreutils: fix for native and nativesdk
[-] 727504235c gnu-efi: set COMPATIBLE_HOST_armv4 to null
[-] 6c56ed7b02 cogl-1.0: set COMPATIBLE_HOST_armv4 to null
[-] 306cd99e98 openssl: change URI to http:
[-] f2b952fe99 unzip: update SRC_URI
[-] b17a009b65 wic: fix path parsing, use last occurrence
[-] 426eb13fa9 mkefidisk.sh: mount images as read-only
[-] 4007b48cf0 python-smartpm: Fix channel command --remove-all option (again)
[-] e506807f54 python-numpy: fix build failure with python-matplotlib
[-] 5a70719762 openssl: prevent ABI break from earlier krogoth releases
[-] 7901b12541 bitbake.conf: add default for IMAGE_FSTYPES_DEBUGFS
[-] 3674b577f6 metadata_scm.bbclass: Do not assume ${COREBASE} is a Git repo
[-] 9f0741a613 ltng-tools: filter random filename of ptest output

```

```

[-] 31351ce146 feature-arm-neon.inc: restore vfpv3-d16 support
[-] 1c89eae86b populate_sdk_ext: Change lockedsigns task mismatch to a warning
[-] 95441efe6e populate_sdk_ext.bbclass : Show logfile in case the SDK EXT installation failed
[-] 5465517c85 classes/image_vm: allow different filesystems to be used for VM images.
[-] d38658b784 image_types: fix image/compression dependency collection
[-] abae515395 libpcre: Fix CVE-2016-3191
[-] 55b9718bd8 librsvg: Security fixes via update to 2.40.15
[-] 97753ee3ad alsa-lib: Fix incorrect appl pointer when mmap_commit() returns error.
[-] fa602e6ccc gdb: fix QA warning (uClibc)
[-] 2806bed309 base-files: add some safety checks in profile
[-] 896b2a0a33 bitbake.conf: change APACHE_MIRROR to point at archive.apache.org
[-] e576607c2d mesa: add PACKAGECONFIG for gbm
[-] 4fe89e0acd libxsettings-client: fix COPYING file
[-] fff5b6b7eb1 dbus-test: install executables not libtool wrapper scripts
[-] 83731d04b3 mesa-demos: remove demos using obsolete screen surface
[-] 5cf3b562c3 arch-powerpc64.inc: disable the use of qemu usermode on ppc64
[-] 613a74fcc8 eudev: add PACKAGECONFIG for hwdb
[-] 4dd2808856 libxml2: fix dependencies and QA Issues
[-] f43a689b3c bash: fix dependencies and QA Issue
[-] 9f968375b4 popt: fix dependencies and QA Issue
[-] b5fcf4eclb oeqa/selftest/buildoptions: remove buildhistory signature test
[-] 386c7c6fff5 mesa-glx: add missing MESA_CRYPT to PACKAGECONFIG
[-] c29636c369 cross-localedef-native_2.22.bb: Use autotools configure
[-] 99b89011f1 insane.bbclass: remove workdir from package_qa_check_license()
[-] 786f7eec78 qemu: remove explicit but redundant native build dependencies
[-] 3d6178ed1d webkitgtk: remove gnome-common dependency
[-] 73761bd8ac gnome-desktop3: remove redundant gnome-common dependency
[-] lad7757cbb python-pyobject: remove redundant gnome-common dependency
[-] 720c926271 recipetool: create: fix falling back to declared license for npm packages
[-] e89f4e531f recipetool: create: fix picking up false npm package directories
[-] 7925e8942f arch-armv7ve: inherit armv7a tunes file
[-] 3a1b40b685 autotools: add default for CACHED_CONFIGUREVARS
[-] 5b6e5abl34 packagegroup-core-lsb: fix whitespace in meta-qt* warnings
[-] 613fee3563 sysvinit-inittab: restrict labels to 4 chars
[-] 7b10fd2026 toolchain-scripts: replace source built-in call
[-] 5581f5a0f6 oeqa/sstatetests: remove temporary DL_DIRS in noop_samesigs
[-] 9825580d79 oeqa/sstatetests: add http_proxy to no-op hash test
[-] 0df81c8485 bluez5: enable out-of-tree builds
[-] 2aae36ea43 mx: move to autotools instead of autotools-brokensep
[-] 7691471070 mx-1.0: inherit gtk-doc
[-] d8d2fa887d meta: add comments to explain autotools-brokensep use
[-] 226d54067e wic: isoimage-isoahybrid: fix splash file paths
[-] 200f6c8c35 image.bbclass: don't execute compression commands multiple times
[-] 7f9a10b861 grub_git: set COMPATIBLE_HOST_armv7a to null
[-] b347363768 wic: isoimage-isoahybrid: add grubefi configfile support
[-] 70918fbf25 busybox: don't build ar
[-] d089de0d16 bash: fixed ptest run-builtins failed
[-] b3dc50e620 libunwind: backport aarch64_be support
[-] 64512cbab8 image.bbclass: don't emit redundant IMAGE_CMD_xxx functions
[-] 8e44c6bfff9 linux-firmware: break out bnx2 mips firmware and WHENCE license
[-] 2fccce54c83 package: ensure do_split_packages doesn't return duplicates
[-] 1b769a0774 kernel-uimage: change target image to vmlinux
[-] be8dfdc5a packagegroup-core-tools-profile: Enable valgrind on ARMv7a and above
[-] 19f89f76bb gcc-sanitizers: Depend on target gcc
[-] 4376fb8517 bluez5: fixed path to bluetoothd in sysvinit script
[-] 8f51f6153a toasterconf.json: exclude releases Toaster can't build
[-] 829706d3c5 bitbake: fetch2: export DBUS_SESSION_BUS_ADDRESS to support authentication agents
[-] da4bfbef46 gdb: Backport patch to changes with AVX and MPX
[-] eff84a76ac gcc-4.9: fix build with gcc 6
[-] e8898f0188 lib/oe/rootfs: Fix DEBUGGFS generation for opkg & openssl-cnf
[-] 5d1led7162 devtool: Fix build-sdk when pn doesn't match filename
[-] 22f8a46d2d lib/classextd: Fix determinism issue
[-] cc2522771e update-alternatives: Fix determinism issue
[-] 9e01e2ee5c image: Fix IMAGE_FEATURES determinism issue
[-] f000d11753 openssl: Security fix via update to 1.0.2h
[-] 9930fca92b linux-yocto/4.4: bump to v4.4.10
[-] 387560a718 linux-yocto/4.4: beaglebone: Enable drm for omap
[-] 0e5cbe52b0 linux-yocto/4.4: update to v4.4.9
[-] 3261f47b97 linux-yocto/4.4: bump to v4.4.8
[-] b275edd305 linux-yocto-rt/4.1: update to rt23
[-] 0011368622 linux-yocto/4.4: bump to v4.4.8
[-] 0461a6d433 linux-yocto/4.4: broxton enablement and refactoring
[-] b1df214a43 linux-yocto/4.4: skylake configuration
[-] 9c353b0849 linux-yocto/4.4: BXT mmc fixes + PUNIT, tubropower, and telemetry backport
[-] 3be5cc1cb9 linux-yocto/4.1: make ltsi content available
[-] 2956e5ab34 linux-yocto/4.1: update to v4.1.22
[-] de9f4b6982 kernel-yocto: allow branch auditing to be suspended
[-] f911299295 kern-tools: handle directories with, or without, trailing /
[-] 67454487be linux-yocto/4.4: sched/cgroup: Fix/cleanup cgroup teardown/init
[-] c0d988e676 linux-yocto/uvesafb: print error message when task timeout occurs
[-] 42a4637a99 gcc: Security fix CVE-2016-4490
[-] 5b97ffa980 gcc: Security fix CVE-2016-2226
[-] 93f29f536e gcc: Security fix CVE-2016-4489
[-] 5alac4ea59 gcc: Security fix CVE-2016-4488
[-] 3aa988ef77 gcc: obey ldflags in the link of libgcc
[-] 75ca532114 bitbake: toaster: fix progress bar in MySQL environment
[-] 898a78357e ref-manual: Added GObject Introspection to 2.1 migration section.
[-] 4f483c7390 dev-manual: Added GObject Introspection section.
[-] bdb4b02a08 ref-manual: Added new 2.1 migration misc. Change
[-] c914668db2 sdk-manual: Applied review edits throughout the manual.
[-] badbddadcd ref-manual: Applied 2.1 Migration section review edits.
[-] 5448ecf1a2 sdk-manual: Updated the normal customization.xml file.
[-] 9blaf2eb0c ref-manual: Fixed a grammar consistency error
[-] cf88da9ae0 ref-manual: Applied review edit comments to the 2.1 migration section.
[-] f832db4bbd dev-manual: Updated the "varname" use to "VARIABLE"
[-] 9f96ef9d98 sdk-manual: Updated eclipse customization file.
[+] fd7f2d644a bitbake: siggen: Make calc_taskhash match get_taskhash for file checksums
[+] d4b41223d3 oe/path.py: fix for "Argument list too long"
[+] a992a31803 ref-manual: uClibc Replaced by musl from Yocto 2.2
[+] b4cf48ecee package_ipk: Clean up Source entry in ipk packages
[+] cf781e2f9b scripts/lib/bsp/kernel.py: force patching when branch is machine branch is re-use
[+] e707865a6a yocto-project-qs, poky.ent: Fixed pip3 and pexpect package names
[+] 47fc2d6139 sstate.bbclass: check if mirror directory is writable
[+] 8a96509017 oeqa/selftest: lock down Meson git revision for reliability
[+] 4a48386e91 elfutils: update homepage and upstream source
[+] 3643da7804 libnewt: replace fedorahosted.org SRC_URI with pagure.io source

```



```

[+] 61b729a3a8 xmlto: replace fedorahosted.org SRC_URI with pagure.io source
[+] f7c6d8da56 libuser: replace fedorahosted.org SRC_URI with pagure.io source
[+] a55be63437 liberation-fonts: replace fedorahosted.org SRC_URI with pagure.io source
[+] 7ff5544bf3 cronie: replace fedorahosted.org SRC_URI with github.com source
[+] 96bdd99f36 chkconfig: replace fedorahosted.org SRC_URI with github.com source
[+] b6a1004c73 selftest/recipeool: replace fedorahosted.org SRC_URI with github.com source
[+] 21aa71dbaa perf: add perf-feature for systemtap
[+] d05941ae45 build-appliance-image: Update to morty head revision
[+] e92165f5ce cryptodev-linux: update SRC_URI
[+] 48a8c893ad selftest: Avoid sstate corruption by calling cleansstate
[+] 078915fbf5 selftest: Disable SSTATE_MIRRORS for sstate signing test
[+] 3e5a09491d build-appliance-image: Update to morty head revision
[+] 8bbf2e6903 poky: Update distro version to 2.2.2
[+] c2ade72828 oega/selftest: remove test_sanity_unsafe_binary_references
[+] 00966fd90d insane: remove broken unsafe-references-in-binaries test
[+] e7f948f28a selftest: do not perform a full build in test_continue
[+] 78890ea227 documentation: Prepared for YP 2.2.2 release of the manuals
[+] 1fb5079557 ghostscript : CVE-2016-10219, CVE-2016-10220, CVE-2017-5951
[+] 0c5ab30a30 ghostscript: CVE-2017-7207
[+] 3b12b433c0 libxml2: CVE-2016-9318
[+] 01c4b5499d bind: Security fix CVE-2016-6170
[+] 1e26fcb8bb bind: Security fix CVE-2016-8864
[+] b37b775e77 glibc: Fix use after free in pthread_create()
[+] c90540df8b xorg-font-common.inc: Remove x11 requirement for -native
[+] 293288ef1c mkfontscale: Remove x11 requirement for -native
[+] 5b46dfb4fe mkfontdir: Remove x11 requirement for -native
[+] ec212b2220 linux-yocto/4.4: update to v4.4.60
[+] 22cd02a09d linux-yocto/4.4: update to v4.4.56
[+] 18ae18f6ea linux-yocto/4.4: update to v4.4.53
[+] 4eb24dc6ac linux-yocto/4.1: update to v4.1.38
[+] 15e0b3178f linux-yocto/4.8: update to v4.8.18
[+] e309d144d7 linux-yocto/4.8: update to -rt10
[+] c69d0d3756 linux-yocto/4.1: update to v4.1.37
[+] 4b4f7aee6d linux-yocto/4.8: -stable update to v4.8.17
[+] 8f829dfb12 linux-yocto/4.4: update to v4.4.41
[+] 2de92f2768 busybox: Security fix BUG9071
[+] 094b64ea8b busybox: Security fix CVE-2016-6301
[+] 254336d09b busybox: ifupdown:pass interface device name for ipv6 route command
[+] 27258d249e busybox: allow libiproute to handle table ids larger than 255
[+] 1693b28967 binutils: Fix CVE-2017-6965 and CVE-2017-6966
[+] 5476c5d9d8 base-files: resize only serial tty's in profile
[+] 7391de7bf6 logrotate: replace fedorahosted.org SRC_URI with github.com source
[+] 017b38fc78 volatile-binds: correct some errors reported by systemd
[+] be54ac0ebd parselogs: Whitelist NUC6 firmware load error message on genericx86-64
[+] e9c681777b sstate.bbclass: update .siginfo atime
[+] a8500d9c75 rootfs.py: Respect OPKGLIBDIR variable
[+] 46b3cc9d8d package_manager.py: respect OPKGLIBDIR
[+] 53b19e7e7f python-3-manifest: fix adding imp to importlib
[+] 3305872894 runqemu: support multiple qemus running when nfs
[+] 8a2eb1a75e runqemu-export-rootfs: fix inconsistent var names
[+] 7549ae82cd sanity.bbclass: modify check for shell
[+] 99c6c878ee image_types.bbclass: fix image dependency chain collection
[+] 6c3d10ea62 image_types.bbclass: IMAGE_TYPEDEP_ now adds deps for conversion types
[+] 7c0a184f8b gmp: Disable assembly for MIPS R6
[+] ae95c1e7cb openssl: Add support for many MIPS configurations
[+] 458b9e6949 busybox: refresh the flock patch
[+] b5fe7ef2ed wic: plugins: rawcopy: Fixed wrong variable type
[+] 561ff936f1 wic: filemap: Fixed spared_copy skip
[+] c567b4e058 tzcode-native: Set cc to ${CC}
[+] fe4703c473 tzdata: update to 2017a
[+] c7fc10a5f6 tzcode-native: update to 2017a
[+] af70b781ae tzcode-native: update to 2016j
[+] bd2009ecfc tzdata: update to 2016j
[+] b6e0d7c99f tar: CVE-2016-6321
[+] 30166f042d bash: fix CVE-2016-9401
[+] 924e576b89 bitbake: lib/bs4: Fix imports from html5lib >= 0.9999999/1.0b8
[+] e292e935b0 Revert "file: update SRCREV for 5.28 to fix fetch fail on missing commit"
[+] 555d776785 file: update SRCREV for 5.28 to fix fetch fail on missing commit
[+] ca020278b3 bitbake: cooker.py: run sanity checks for multiconfig
[+] ca66b08b3b bitbake: cooker.py: new multiconfig '*' syntax support
[+] c8daf50729 bitbake: data_smart: Fix unneeded variable manipulation
[+] 6c08cf277a lib/oe/gpg_sign: fix rpm signing with gpg > 2.1
[+] 35c95af7a8 lib/oe/gpg_sign: make gpg version a property of the signer
[+] 5e874ac0b1 rpm: support customizing gpg command line
[+] fd78c35086 lib/oe/gpg_sign: sign rpm packages in chunks of 100
[+] 1038cb98e6 e2fsprogs: have configure expand @mkdir_p@
[+] 8ab3fa3758 python-3.5-manifest: Add imp to importlib
[+] b0f3c0fb99 gdb-cross-canadian: Depend on nativesdk-python3-importlib
[+] 6a1f33cc40 build-appliance-image: Update to morty head revision
[+] 8ba5b9ae3 openssl: CVE: CVE-2017-3731
[+] a2f06ef254 libx11: CVE-2016-7943
[+] eed433faba libX11: CVE-2016-7942
[+] 4f991d93f6 libXrandr: fix for CVE-2016-7947 and CVE-2016-7948
[+] b45822fe66 libxrender: CVE-2016-7949
[+] 7cf454e23c classes: Fix alternatives and rc.d ordering
[+] 5bdf7c980b bitbake: tinfoil: clean environment when starting up cooker
[+] 1371bb4c43 bitbake: bitbake-worker: Handle cooker/worker IO deadlocking
[+] e732dfb8df yocto-project-qs, poky.ent: Added "pexpect" to essential packages
[+] 62175510dc nspr: set correct version in pkg-config file
[+] f2ff6a40c4 attr/ea-acl: pass --disable-gettext when USE_NLS=no
[+] 28b0f21342 linux-dtb: strip DTB extension properly in postinst/postrm
[+] 6e43936704 libxtst: 1.2.2 -> 1.2.3
[+] 314c727daa binutils-2.27.inc: Fix alignment frags for aarch64
[+] a3fa5ce876 populate_sdk_ext: whitelist do_package tasks
[+] fd30939f5f populate_sdk_ext: fix working with univariate sstate
[+] e0b862b68c zlib: update SRC_URI to fix fetching
[+] 4b8ddc4322 build-appliance-image: Update to morty head revision
[+] ae1e127566 Bump version for 2.2.1 morty release
[+] a9e1475efc documentation: Prepare for 2.2.1 release
[+] 25032be4a3 dev-manual: Added cross-reference for tool-chain installation.
[+] 1b3d0e5168 dev-manual: Updated "Building an Initial RAM Filesystem (initramfs) Image" section
[+] 0a94b71878 dev-manual: Fixed "recipeool create" example
[+] 1e51b7173a dev-manual, ref-manual: Created new section on initramfs
[+] 5068f2c960 ref-manual, dev-manual: Removed term "wic-partitioned"
[+] ba8fc212de dev-manual: Updated to the "Creating Partitioned Images" section
[+] ac6773117a ref-manual: Added WKS_FILE description for new variable

```

lticonfig)

```

[+] 13d9371e40 sdk-manual: Added note about nullpointer error for launch eclipse
[+] 13783cce0b meta-yocto-bsp: bump to the latest linux stable kernel for the non-x86 BSPs
[+] e0d8921bf0 edgerouter.py: avoid python3 exception
[+] 61d424fbb3 linux-yocto: Update genericx86* SRCREVs for linux-yocto 4.8
[+] b50444c90e linux-yocto: Update genericx86* SRCREVs for linux-yocto 4.4
[+] 11cc61020e linux-yocto: Update genericx86* SRCREVs for linux-yocto 4.1
[+] a81ec4c00f meta-yocto-bsp: bump to the latest stable linux kernel for the non-x86 BSPs
[+] 84b3a5ac35 bitbake: cookerdata: Convert multiconfig to use BB_CURRENT_MC
[+] 7bab6ffc45 bitbake: runqueue: Only start fakeroot workers when needed
[+] 6b49da40e7 bitbake: runqueue: Ensure setscene tasks with overlapping stamps don't parallel execute
[+] 4bcf8babc4 bitbake: runqueue: Fix setscene issues with multiconfig
[+] ba5ee79aba bitbake: siggen: Fix clean_basepath to work with multiconfig
[+] f94e71c40a bitbake: build/uihelper: Show better information about multiconfig tasks on UI
[+] 20359219ca bitbake: runqueue: Ensure pseudo executes from the correct place (use the right datastore with mu
[+] 86f91f680a bitbake: bitbake: cooker: Handle inofity queue overflows more gracefully
[+] e171e9a088 bitbake: bitbake: cooker: Fix world taskgraph generation issue
[+] a411labf823 bitbake: bitbake: utils: Avoid traceback errors
[+] 6a3f93a377 libgcc-common: Don't apply symlinks for nativesdk
[+] b4f432e390 bitbake.conf: Add inclusion of BB_CURRENT_MC.conf after local.conf
[+] 6f65543778 uninative: Parameterise the use of STAGING_DIR
[+] 124df4ee35 selftest: wic: fix test_gemu
[+] 6c5a52ca8f utils: Always use datastore's PATH for host_gcc_version
[+] 51e2f226bd valgrind: make ld-XXX.so strlen intercept optional
[+] 8108c47740 uninative: rebuild uninative for gcc 4.8 and 4.9
[+] c8f4fb15de libxml2: Fix more NULL pointer derefs
[+] 359189b6e6 libxml2: fix CVE-2016-4658 Disallow namespace nodes in XPointer points and ranges
[+] 5ba779d5ab libxml2: Necessary changes before fixing CVE-2016-5131
[+] 41e8df8228 lib/oe/rootfs: fix log_check warnings being printed twice with RPM packaging
[+] baf73313b3 libtiff: Update to 4.0.7
[+] 985beaaa13 kernel-yocto: explicitly trap subcommand errors
[+] c5489cb14a linux-yocto/4.8: update to -rt7
[+] 80d90725f5 glibc: Enable backtrace from abort on ARM
[+] 389d0a02d7 Use weak assignment for SERIAL_CONSOLES in qemu configuration files
[+] ea584f108c archiver: don't change directory when generating tarball
[+] 29184b22d7 grub2: fix some quirks and div by zero
[+] 0533d4e8ec wic: Create a logical partition only when it is really mandatory
[+] 2cfd1582df libarchive: fix ALTERNATIVE_PRIORITY to avoid conflict
[+] 6011f5658d cve-check: allow recipes to override the product name
[+] b9879ad3f9 curl: set CVE_PRODUCT
[+] 1c8b9df38c tiff: set CVE_PRODUCT
[+] 1933b492ca targetloader.py: drop test for ClassType
[+] da3332f2e2 linux-yocto/4.x: CVE-2016-8655
[+] 50cf219c3a linux-yocto-rt/4.4: update to -rt43
[+] c3d06886b7 kern-tools: ensure that no shared directories are used
[+] 5580c222b4 linux-yocto/4.8: update to v4.8.12
[+] a17d78b33c linux-yocto/4.4: update to v4.4.36
[+] 521b01ab7c linux-yoct/4.1: update to v4.1.36
[+] 87e5e492bc linux-yocto/4.4/4.8: Fix remaining kernel_configcheck warnings in Intel BSPs
[+] 9db1372e45 linux-yocto/4.8: aufs warning and ixgbe calltrace
[+] d33274cd75 diffutils: do_configure: fix "Argument list too long"
[+] b3484ab7f6 kernel.bbclass: fix kernel_do_compile for KERNEL_IMAGETYPE = "vmlinux.gz" on mips
[+] 45c87f4b4b kernel.bbclass: do not copy bundled initramfs to /boot
[+] b6df490f47 kernel.bbclass: Avoid wildcards for kernel images
[+] 5b0b9943f5 kernel.bbclass: Use real filenames in kernel packages
[+] 2d74e26228 kernel.bbclass: allow uncompressed initramfs archives
[+] ldcc0ab902 recipetool: fix encoding-related errors creating python recipes
[+] e8b00a62b1 grub2: enforce -no-pie if supported by compiler
[+] 4dd5ede472 tiff: Fix several CVE issues
[+] 7760427c61 tiff: Security fix CVE-2016-9538
[+] 5d2c218f57 tiff: Security fix CVE-2016-9535
[+] b6d7bc53e2 tiff: set CVE NAME
[+] 3c6b603bc7 subversion: Fix issues in LDFLAGS sed manipulation
[+] ef7ccf837b attr: Convert SSTATEPOSTINSTFUNCS to a do_install_append
[+] 56fb4af388 staging: Drop unused SYSROOT_LOCK
[+] 587b9ecd37 kernel-yocto: exit on non-zero return code
[+] 443ce32b63 kern-tools: fix processing for no branch meta-data
[+] 9a36dcdb9b linux-yocto-dev: update to 4.9-rcX
[+] 1ca43bb304 linux-yocto/4.8: update to v4.8.10
[+] bbc7130507 parselogs: Whitelist GPT warnings as the device is fully functional
[+] 745517685b parselogs.py: Whitelist iwlwifi firmware load error messages
[+] ed9e0b8aaf scripts/send-pull-request: Avoid multiple chain headers
[+] 926f3dfe2d terminal.py: Pass string instead of bytes to ExecutionError to avoid exception
[+] 4073438491 libxml2: Security fix CVE-2016-5131
[+] 6fe39199a4 tiff: Security fix CVE-2016-9539
[+] 3f0c6a8f5c tiff: Security fix CVE-2016-9540
[+] 2fa2739850 slang: Disable parallel make install
[+] d87772571f systemd.bbclass: don't block on service restart
[+] cebbc4372a perl: Fix ptest update hash of ExtUtils/Liblist/Kid.pm in customized.dat
[+] 14f514d93c gemux86*.conf: set wic-related parameters
[+] 793092d1a1 pseudo: include fix for xattr corruption
[+] 903c4158a5 mesa: make sure GLES3 headers are installed
[+] 468b78967a insane: rewrite the expanded-d test as a QAPKGTEST
[+] 93b13d9995 insane: add QAPKGTEST, a package-wide equivalent to QAPATHTEST
[+] 67965302e2 insane: factor out the test matrix processing
[+] 71c8568b38 insane: fix expanded-d test
[+] 3a96984d3a insane: Add aarch64 baremetal mappings to the QA arch test
[+] 44a13f115d arch-arm64.inc: Include arch-armv7ve.inc
[+] eee2e545d0 kern-tools: error checking and tree generation fixes
[+] 35207b387f linux-yocto/4.4: update to v4.4.32
[+] a871504b70 linux-yocto/4.8: update from v4.8.6 -> v4.8.8
[+] c3be679a54 linux-yocto/4.8: update to v4.8.6-rt5
[+] 02bfc6a0dc linux-yocto/4.1: update to v4.1.35
[+] 6a25e7a5fd linux-yocto/4.4: update to v4.4.30
[+] da9ceffa9e linux-yocto/4.8: fix cryptodev compilation error
[+] 7033e66e9f linux-yocto/4.8: update to 4.8.6
[+] 3c9a34aaea conf: add C++ flags for uninative interoperability
[+] 91ec543003 binutils: Fix build for c293pcie PPC machine
[+] d6f478d9df wic: fix function comment typos
[+] 0a25fbfdb4 wic: check that filesystem is specified for a rootfs partition
[+] 0c5596e5d3 wic: make sure that partition size is always an integer in internal processing
[+] 25cd713c44 tiff: Security fix CVE-2016-3632
[+] abcb751f02 nfs-utils: fix protocol minor version fall-back
[+] ebbaae9005 openssl: Security fix CVE-2016-7055
[+] 545a4d2e56 OpenSSL: CVE-2004-2761 replace MD5 hash algorithm
[+] 8325c93df9 cmake.bbclass: Set CXXFLAGS and CFLAGS

```

```

[+] cb2967921e tiff: Security fix CVE-2016-3658
[+] 460bbf456b gemu: update run-ptest script
[+] 8d1afc2a0d gemu: fix CVE-2016-7909
[+] 31d4000b15 openssl: fix bashism in c_rehash shell script
[+] a469b6efc6 systemtap: fix native linking on recent Ubuntu
[+] 6d57ce3fa3 systemtap: remove explicit msgfmt check
[+] c852c9352f systemd-bootdisk.wks: use PARTUUID
[+] c0526ab007 libbsd: Fix build with musl
[+] lal18330c3 db: disable the ARM assembler mutex code
[+] 53ad465b40 cve-check.bbclass: CVE-2014-2524 / readline v5.2
[+] 2336faa9aa qemuarm64.conf: make runqemu's graphics work
[+] a4c7f45b8b weston: Add no-input-device patch to 1.11.0.
[+] 6b736febdc libbsd 0.8.3: BBCLASSEXTEXTEND to native and nativesdk
[+] 4c1020aad6 tzdata: update to 2016i
[+] afaef2018f tzcode: update to 2016i
[+] 724fa5a489 openssl: fix CVE-2016-8858
[+] 101173d6cf lib/oe/ga: handle binaries with segments outside the first 4kb
[+] b0b646ab3c Revert "epiphany: remove unnecessary libwnck3 dependency"
[+] 7dc792da69 Revert "libwnck3: remove the recipe"
[+] 5aa481dfed ref-manual: Added KERNEL_IMAGE_BASE_NAME change to 2.2 migration
[+] 872d4bcccc8 ref-manual: Updated KERNEL_IMAGE_BASE_NAME glossary description
[+] d9e3f7629b dev-manual: Added note about RPM not dealing with post-install
[+] 2a6bba4378 ref-manual, dev-manual: Added references to SYSROOT_DIRS
[+] e56cd9d7d0 sdk-manual: Updated the section on adding docs to standard SDK
[+] 73454473d7 bitbake: toaster: settings set ALLOWED_HOSTS to * in debug mode
[+] ee6fb7521b documentation: Added new appendix for customizing standard SDK
[+] 6f33cfec73 ref-manual: Added api-documentation to distro features
[+] e706bc85a7 dev-manual: Fixed typo for "${INC_PR}.0"
[+] 0de5f9472d ref-manual: Fixed presentation of "openSUSE" in supported distros
[+] 047790941e ref-manual: Updated the RDEPENDS variable description.
[+] 0a22517801 dev-manual: Updated "Exporting Tests" section
[+] 38366d30fc ref-manual: Updated the supported distro list for Morty.
[+] 71f907cbe1 yocto-project-qs: Fixed typo
[+] 604a71f7c0 ref-manual: Fixed tense issue for migration 2.2 section
[+] 56238f3676 yocto-project-qs: Fixed the minnowboard example to use .wic and base
[+] feb145f6ce bitbake: bitbake-worker: print full traceback instead of message only
[+] 8472ed0c89 bitbake: data: fix exception handling in exported_vars()
[+] a34582a85e bitbake: siggen: Ensure taskhash mismatches don't override existing data
[+] f17446b645 bitbake: siggen: Pass basehash to worker processes and sanity check reparsing result
[+] aea27a0554 bitbake: build: Ensure we preserve sigbasedata files as well as sigdata ones
[+] 350df1de9c rm_work: Ensure we don't remove sigbasedata files
[+] 350a850d44 sstate: Ensure we don't remove sigbasedata files
[+] 87d51bd79b gdb: update 7.11+git1a982b689c -> 7.11.1
[+] d16356eb26 subversion: fix "svnadmin create" fail on x86
[+] a531ca4636 classes/populate_sdk_ext: prevent invalid TEMPLATECONF entering eSDK
[+] 8d1d9cfdb5 oe-setup-buildddir: fix TEMPLATECONF error message
[+] c2fd90f245 bash_3.2.x: update recipe version to match what we're shipping
[+] 0572d73d11 gemu: fix CVE-2016-7423 and CVE-2016-7908
[+] 1bad6c2d73 gemu: supplementary fix of CVE-2016-5403
[+] f068277f90 oe-pkgdata-util: Use standard verb form in help info.
[+] ff95390bee tzdata: Update to 2016h
[+] 19bee74728 tzcode-native: update to 2016h
[+] 849863fdaf testsdk.bbclass: Clean up comments, clarify image choices.
[+] ac8981c01d texi2html: Allow compiling out-of-source
[+] 3081194a9f valgrind: update to 3.12.0
[+] b6335e4251 libarchive: update to 3.2.2
[+] 274d77860f libwnck3: remove the recipe
[+] 8d2e24810e epiphany: remove unnecessary libwnck3 dependency
[+] a368478133 rt-tests: fix the recipe version to match upstream
[+] 77bc68c7ac webkitgtk: remove lib_package inherit as executables are now installed in libexecdir
[+] 4708f7af51 gnome-desktop3: fix dependencies
[+] 17a550b9de lttng-tools: do not install shared libraries in ptest package
[+] 30cdca66c5 shadow: add nologin.8 to alternatives
[+] 54e8fa5060 util-linux: add su.1 to update-alternatives
[+] 9600da51e4 busybox/mdev.conf: Ignore eMMC RPMB and boot block devices
[+] ee6ff5ce83 package_manager.py: correctly remove all dependent packages
[+] 7a308a7919 insane.bbclass:buildpaths: open() file with 'rb'
[+] 6alef8a965 classes/nativesdk: set SDK_OLDEST_KERNEL appropriately
[+] 95a10d1dfc classes/populate_sdk_base: fix usage of & character in SDK_TITLE
[+] 914e89709c tiff: Security fix CVE-2016-3622
[+] f33e739fc2 tiff: Security fix CVE-2016-3623
[+] 719a8dcd0d tiff: Security fix CVE-2016-3991
[+] d94c22d4e4 tiff: Security fix CVE-2016-3990
[+] ee2a19d38e tiff: Security fix CVE-2016-3945
[+] 57bcb0b509 systemd: CVE-2016-7795
[+] 698bbcad68 oe/copy_buildsystem.py: dereference symlink
[+] 25fa4e9e8f openssl: rehash actual mozilla certificates inside rootfs
[+] 3d471b811d uboot-sign: fix do_concat_dtb for .img, .rom
[+] 8b84b31dc2 rpm: fix file location of rpm2cpio.real
[+] 2e6624293c boost: disable 'wave' in MIPS16e mode
[+] 8c69cdacea slang: clean up options and dependencies
[+] b814b6df0b slang: add PREMIRRORS to handle upstream moving tarballs
[+] 26e8ebc511 classes/license: fix handling of symlinks pointed to in LIC_FILES_CHKSUM
[+] 874ccd1bb3 connman: fix bad file descriptor initialisation
[+] a628a17a44 build-appliance-image: Fix incorrect PATH
[+] 4d30681e8b python: fix python-tests rdepends
[+] 4722bfbd9a binutils-2.27: Fix linker segfaults when linking binary files
[+] 6c9f6b5f70 bitbake: toaster: buildinfohelper Handle regex paths
[+] dc8508f609 build-appliance-image: Fix to use the release branch for morty
[+] bf5dd36042 build-appliance-image: Update to morty head revision
[+] 746c681be4 meta-yocto-bsp: linux-yocto: bump to the latest stable version for non-x86 BSPs
[+] 73aa36e3ee linux-yocto: Update genericx86* SRCREV for linux-yocto 4.4
[+] cddb7f10b8 linux-yocto: Update genericx86* SRCREVS for linux-yocto 4.1
[+] 399903724b linux-yocto: Update genericx86* SRCREV for linux-yocto 4.8
[+] e09163a08b linux-yocto/4.8: sync preempt-rt with upstream project
[+] 2c0efd2f33 devtool: runqemu: work around runqemu script path assumption
[+] fb1df184b9 image_types: Use softer setting of WKS_FILE
[+] e127d017e1 ref-manual: Removed host package requirements for SDK
[+] 0915ee7dc3 ref-manual: Applied minor corrections to 2.2 migration section.
[+] 7c3cdf8a17 yocto-project-qs: Created two sub-sections for the "Build" section.
[+] 9ae4ab56e7 yocto-project-qs: Fixed the example to use 'dd' instead of 'mkefidisk.sh'
[+] e40a8d739a ref-manual: Added BBMULTICONFIG glossary description.
[+] 5e0d6341ab dev-manual: Added section for multi-configuration support
[+] 41e74881b0 ref-manual: Updated 2.2 migration for runqemu porting to python
[+] 952a47b42c buildstats: check IMAGE_ROOTFS exists before checking its size
[+] 74f30e91bc build-appliance-image: add /sbin to PATH

```

```

[+] 143f9a3fa8 linux-yocto/4.8: update to v4.8.3
[+] 4fd9b03db4 linux-yocto/4.1: fix CVE-2016-5195 (dirtycow)
[+] d9f9b526d9 linux-yocto/4.4: update to v4.4.26
[+] a8a481741e kern-tools: make patches with shell-unsafe characters valid
[+] a32f8ce57b linux-yocto/4.4/4.8: kernel config warning cleanups
[+] ef627ab364 local.conf.sample.extended: remove RM_OLD_IMAGE
[+] 9c04beb9ad ref-manual: Removed RM_OLD_IMAGE variable description.
[+] b6eef6520b ref-manual: Added more to migration 2.2 runqemu ported to python.
[+] f9ea0a8770 ref-manual: Updated the 2.2 Migration section with review changes.
[+] d669b83797 ref-manual: Added links for migration BitBake change.
[+] 3a5b86e0ed ref-manual: Fixed missing title for migration section.
[+] a6752eb2a4 ref-manual: Added the 2.2 Migration guide section.
[+] 2b08a281b9 ref-manual: Added note to RM_OLD_IMAGE indicating redundancy
[+] 97ac70175f ref-manual: Changed BB_SETSCENE_VERIFY_FUNCTION name
[+] 069adf7d80 build-appliance-image: Update to master head revision
[+] 4b94b498e2 bitbake: toaster: Update default release to Morty
[+] 33324267c1 bitbake: toaster: Update poky fixture for Morty release
[+] 7656dea6db bitbake: toaster: Update oe-core fixture for Morty release
[+] 0fc03bedd0 linux-yocto: Update genericx86* SRCREV for linux-yocto 4.4 Upgrades to Linux 4.4.22
[+] bf16e8b050 linux-yocto: Update genericx86* SRCREV for linux-yocto 4.1 Upgrades to Linux 4.1.33
[+] 06e07182d3 README.hardware: update Edgerouter section
[+] fb49654cba edgerouter.conf: produce wic images for Edgerouter
[+] 8bc037f751 poky-tiny.conf: set QB_DEFAULT_FSTYPE to IMAGE_FSTYPES
[+] cd271d2f2b README.hardware: update Beaglebone section
[+] 924ca1037c bitbake: bb.event: fix infinite loop on print_ui_queue
[+] 24abb88196 binutils: Fix gas error with cfi_section inconsistencies
[+] be587dbc70 libxml2: Make tests non-executable
[+] 2a2592e0fd bind: fix two CVEs
[+] 5dba35767e rpm: prevent race in tmpdir creation
[+] 901e632a49 insane.bbclass: fix package_qa_check_arch() for mips64-o32
[+] 34b16fea56 arch-mips.inc: remove duplicates from PACKAGE_ARCHS
[+] 8d3a2726f6 ppp: fix building with linux-4.8
[+] 21d5c58a1e Revert "linux-libc-headers: fix in/if.h includes"
[+] b2726f7515 populate_sdk_ext: explicitly set DL_DIR
[+] 7052400cea sqlite3: Revert ad601c7962 from 3.14.1 amalgamation package
[+] d8adf58f30 linux-yocto.inc: ensure do_kernel_link_images runs before do_strip
[+] 76f42d622b binutils: fix for MIPS "Can't find matching LO16 reloc" errors
[+] ee835e1c63 libgpg-error: Make case generic for MIPS
[+] 704c8b825b live-vm-common.bbclass: Allow to use different kernel image than KERNEL_IMAGETYPE for /vmlinuz
[+] 65eb5144f5 image_types.bbclass: add dependency do_image_wic -> do_bootimg
[+] 1d3b825191 libxcb: use python3 to build it
[+] ede331909b xcb-proto: fix for python3
[+] a489cb14b9 xcb-proto: create .pyc files for python2
[+] 49d189e241 package_tar: avoid chdir warnings and restore cwd after packaging
[+] a618501774 source-highlight: use with-boost-libdir
[+] a35493d0fc insane.bbclass: Additional "mips" and "mipsel" machine definitions
[+] ca3c782964 kernel-arch.bbclass: add xtensa and arc into valid_archs table
[+] 9ab52c8e37 libxrender: remove spurious build dependency
[+] d46883c7db libxext: remove spurious dependencies
[+] 95a7729a2b libxext: remove stale git recipe
[+] 4e1b9d5902 cmake: improve CMAKE_SYSTEM_PROCESSOR assignment in nativesdk
[+] 62a01634c5 cmake: also set CMAKE_FIND_ROOT_PATH_MODE_PACKAGE
[+] b7b2e34871 base-files: fix profile error under < /dev/null
[+] f683658705 x86-base: Update version to 4.8
[+] 7c32a77cac pixbufcache: handle gdk-pixbuf not being present
[+] 76b0c18a65 librsvg: remove redundant assignment
[+] 751cb2c894 Remove RM_OLD_IMAGE, it's no longer useful
[+] 1a95d4a070 bitbake: bitbake-user-manual: Changed BB_SETSCENE_VERIFY_FUNCTION name
[+] 19d39be99b bitbake: bitbake-user-manual: Fixes small typos for 'addtask' section
[+] ce70355260 bitbake: bitbake-user-manual: Updated the [noexec] and [nostamp] flag descriptions
[+] 1d4031a4df bitbake: bitbake-user-manual: Fleshed out the "addtask" documentation
[+] eedb264387 bitbake: bitbake-user-manual: Updated the datastore functions
[+] b2fld121ff3 dev-manual: Re-wrote the remote GDB debugging section.
[+] 551f7d87c9 dev-manual: Applied review comments to "Packaging Externally Produced Binaries"
[+] cbc59866f3 bsp-guide: Updated the yocto-bsp create selections in the example.
[+] 4616a47cdf toaster-manual: Added video link to 2.2 Toaster Intro.
[+] 13033b2ec4 yocto-project-qs: Fixed Minnow MAX build example
[+] 371ab63508 build-appliance-image: Update to master head revision
[+] a75bccdd14 bitbake: runqueue.py: Remove redundant whitelist checks
[+] f7259298a2 classes/externalsrc: re-run do_configure when configure files change
[+] 2d60ffcbda poky.conf: fix DISTRO_VERSION
[+] 1c85c29363 sdk-installer: Fix unclear SDK installer message
[+] df80b81076 sysklodg and busybox: ignore return code from init script stop
[+] 83e4e27246 update-rc.d.bbclass: ignore init script return code
[+] a003a929d0 insane: display names instead of ELF machine numbers
[+] 84198174bf lib/oe/qa: add ELF machine to string function
[+] 1de0cc9ed9 build-appliance-image: Update to master head revision
[+] 9304fccd31 vte: Build without vala by default
[+] 4a7eb4b92f build-appliance-image: Update to master head revision
[+] 1b1bc791da ref-manual: Updated the USERADD_ERROR_DYNAMIC and USERADDEXTENSION variables.
[+] 96b9007053 dev-manual: Updated "Packaging Externally Produced Binaries"
[+] 2cd01257c8 bsp-guide: Updated the yocto-bsp create output in the example.
[+] 684a8753ab ref-manual: Added link in the SYSROOT_DIRS_NATIVE description
[+] cda7141ad1 ref-manual: Review edits to do_populate_sysroot and SYSROOT_DIRS_NATIVE
[+] 6be52ddd9a ref-manual: Updated three SYSROOT_DIRS* variables.
[+] d31a826120 ref-manual: Updated the do_sysroot_populate task description.
[+] 1053502cf0 ref-manual: Updated QA error message.
[+] 3b4987a32b ref-manual: Added note about bb.fatal() raising an exception.
[+] ble4d96e28 documentation: Updated Manual revision table for 2.2
[+] 8312ba80fa ref-manual: Applied review changes to the STAGING_DIR_HOST
[+] aaeblee90b ref-manual: Added a reference to viewing task variable dependencies.
[+] 2da62c54bf yocto-project-qs: Altered MinnowBoard MAX example
[+] ca2b282f74 mega-manual: Added new chapters to support building the manual
[+] 8e57e88f9d poky.ent: Updated the variables for Morty release.
[+] 5f146e508b dev-manual: Added new section on recipe style guidelines
[+] 81698ab05d dev-manual: Fixed missing quote in SRC_URI example.
[+] ca85107b9a ref-manual: Updated build/tmp/cache/ reference section
[+] 7ff22fc572 sdk-manual: Fixed example in "Passing Host Options"
[+] 2083e83455 ref-manual: Updated the STAGING_DIR_HOST variable description.
[+] c2c052e34a ref-manual: Added explanation of the -C option
[+] e2083c04c7 dev-manual: Fixed IMAGE_FEATURES examples in debug section.
[+] 6ec45ef53d dev-manual: Update to GPL file finder script.
[+] 45a8da9477 poky.conf: Bump version for 2.2.0 morty release
[+] 9756e534fd bitbake: bitbake: Update version to 1.32.0
[+] 45f7221915 archiver: fix gcc-source handling
[+] 0f042b1elf bitbake: depexp: Close UI with error message on NoProvider event

```

```

[+] b8f4804a3f genericx86-common.inc: add dependency do_image_wic -> do_bootimg
[+] d9809e946b README.hardware: Update Genericx86 section
[+] 68c64572f6 genericx86-common.inc: produce EFI wic image
[+] 58d0abe9ff7 linux-yocto: linux 4.4: bump to the latest stable version for non-x86 BSPs
[+] f51158b38e linux-yocto: linux 4.1: bump to the latest stable version for non-x86 BSPs
[+] b8499e7fb3 linux-yocto: linux 4.8: bump to the final v4.8 release for non-x86 BSPs
[+] 0f25619268 net-tools: fix building with linux-4.8
[+] 40f262f9de Revert "linux-libc-headers: if_tunnel: remove include of if/ip/in6.h"
[+] a8efeb7df3 canned-wks: use GPT partition table
[+] a7648af6e9 systemd-bootdisk.wks: update kernel command line
[+] 55a8fe7e49 flex: Backport buffer overflow fix
[+] 2109c620d4 flex: Update upstream check uri
[+] fbdeb3f3e7 gnutls: Backport certificate check fix
[+] b9d6a7cc23 bitbake: main: Check bitbake server-only port is a number
[+] 77e56194dc bitbake: runqueue: Optimise task id string manipulations
[+] 146eb22b0e bitbake: toaster: fix cloning of git+ssh repositories
[+] f4366293ff bitbake: bb.runqueue: fix unexpected process death logic
[+] 31aafe6852 bitbake: ui/knotty.py: Fix signal handling of SIGWINCH in BBProgress
[+] 9489382b6a testimage: disable build tests for qemu and qemu64
[+] b5e8924068 mkgummidisk.wks: update kernel command line
[+] 2f7c6bb5f7 mklibs-native: update broken SRC_URI
[+] 8209a01242 gcc-runtime.inc: Add CPP support for x86-64-x32 tune
[+] 1b55eela48 libgcc-common.inc: Fix broken symlinks for multilib SDK
[+] 65107a9abe machine.cfg: Unset CONFIG_64BIT for qemu i386 architecture
[+] b872e2b2c7 linux-yocto/4.8: Enable R8169 driver since its needed by supported platforms
[+] ac647ea696 update-rc.d.bbclass: check that init script is executable before running it
[+] 35362715b1 classes/populate_sdk_ext: add symlinks and unfsd to support Eclipse plugin
[+] 78c01995e3 oega/sshcontrol: Handle interrupted system call error
[+] 3c1faal3cf u-boot: Add support to use uboot-extlinux-config class
[+] 7df195106c classes/uboot-extlinux-config: Add class
[+] 09a9de45e1 wic: selftest: add test for sdimage-bootpart
[+] bed4a13440 wic: selftest: add test for systemd-bootdisk
[+] 33bed1e253 security_flags: Diable PIE for mesa-gl
[+] 926ale6551 mkefidisk.wks: update kernel command line
[+] dc67037b78 mkefidisk.wks: use MSDOS partition table
[+] 12ealle4f8 wic: rewrite MBR disk identifier
[+] 5763d8f9cd wic: generate PARTUUID for MDOS partitions
[+] e8ce5083c5 wic: set PARTUUID only for gpt partition table
[+] lddd23c542 linuxloader.bbclass: Adjust mips to cover all mips/mips64
[+] 8be92dcd59 arch-mips: Add mipsisa{32, 64}r6{el, } tunes
[+] 559f52fe9c gcc-configure: Add mipsisa{32, 64}r6{el, } support
[+] 561e7e1a53 glibc: Add mipsisa{32, 64}r6{el, } support
[+] 4ab8b8f6ef bitbake.conf: Add mipsisa{32, 64}r6{el, } support
[+] 80a4239674 siteinfo.bbclass: Add mipsisa{32, 64}r6{el, } support
[+] 8535ed9867 linuxloader.bbclass: Add mipsisa{32, 64}r6{el, } support
[+] ba8bfef0b6 libc-package.bbclass: Add mipsisa{32, 64}r6{el, } support
[+] caf7e849c9 kernel-arch.bbclass: Add mipsisa{32, 64}r6{el, } support
[+] 4ec02b3e54 insane.bbclass: Add mipsisa{32, 64}r6{el, }
[+] 0623259559 pseudo: backport a patch to fix renameat()
[+] e96af0c0b9 xmlto: Add libxslt to native DEPENDS
[+] ef7828c9f2 utils.bbclass: add function to check for git config user
[+] 4454d02448 bitbake: toaster: Update tests to reflect front end changes
[+] 7f67977518 bitbake: toaster: Delete notification update front end implementation to design
[+] 8df56061f6 bitbake: toaster: importlayer Fix layer dependencies button state toggle
[+] 5e9b405567 bitbake: toaster: checksettings Remove confusing startup messages
[+] 25ea0b625d bitbake: toaster: buildinfohelper: Use correct way to get message from LogMessage
[+] fffce32ebd bitbake: toaster: api / project Cancel any in progress builds before project delete
[+] 8c4091a07c linux-yocto: Update genericx86* SRCREVs for linux-yocto 4.8
[+] 510157e579 bitbake: bitbake-user-manual: Added new section on BB-style functions
[+] 04128a657a bitbake: bitbake-user-manual: Updated minor wordings.
[+] 7ab459d4b5 bitbake: bitbake-user-manual: Added examples for using overrides with functions.
[+] dda8ed0662 bitbake: bitbake-user-manual: Fixed grammar from missing word
[+] f12825d4bf scripts: Rename 'native' to 'oe-run-native'
[+] ce7e0252c4 univariate: users can override download site
[+] 35ca6add0f icecc.bbclass: replace os.popen with subprocess.check_output
[+] 3c51b742c9 devtool: modify command fails to ignore source files
[+] 79286b497a populate_sdk_base.bbclass: Make do_populate_sdk depend on PACKAGE_EXCLUDE_COMPLEMENTARY
[+] 27d947c184 image.bbclass: Make do_rootfs depend on PACKAGE_EXCLUDE_COMPLEMENTARY
[+] d067b0e1ea package_manager.py: Allow multiple regexps in PACKAGE_EXCLUDE_COMPLEMENTARY
[+] 2334201960 package_manager.py: Allow a leading - in PACKAGE_EXCLUDE_COMPLEMENTARY
[+] b16001f3e2 oega.buildperf: measure apparent size instead of real disk usage
[+] 4189a1977e bitbake: toaster: add Font Awesome license
[+] 7d27275ef8 bitbake: bb.build: in _exec_task, catch errors from TaskStarted
[+] 1110dde73a bitbake: event: prevent unclosed file warning in print_ui_queue
[+] 079396f5a2 gtk+3: Backport treewiew focus fix
[+] 5f6a62c53f linux-yocto/4.8: fix BUG_ON() in workingset_node_shadows_dec() triggers
[+] 84113ca50c pigz: Update SRC_URI
[+] c43aed1ca9 perf: Fix to obey LD failure
[+] ff3c3b8996 yocto-bsp: linux-yocto recipes update (4.4 to 4.8) for x86-64 arch
[+] 8cdef44537 yocto-bsp: linux-yocto recipes update (4.4 to 4.8) for PowerPC arch
[+] 338c775499 yocto-bsp: linux-yocto recipes update (4.4 to 4.8) for qemu arch
[+] fc34ac070a yocto-bsp: linux-yocto recipes update (4.4 to 4.8) for i386 arch
[+] f43da797b9 yocto-bsp: linux-yocto recipes update (4.4 to 4.8) for MIPS64 arch
[+] eb629657aa machine.conf: Remove duplicate xserver choices
[+] fel8ded6c3 yocto-bsp: linux-yocto recipes update (4.4 to 4.8) for MIPS arch
[+] 6020616e7e yocto-bsp: linux-yocto recipes update (4.4 to 4.8) for arm arch
[+] 3812e9f8d1 bitbake: bitbake: Update version to 1.31.2
[+] 79012f943d bitbake: bb/event.py: fire_ui_handlers enable threading lock support
[+] 45f401abe5 sanity: Update minimum version requirement to 1.31.2
[+] f5f3ccfd0a alsa-lib: allow building ARM thumb again
[+] 79236477a1 devtool: deploy-target: Avoid unnecessary dependency on awk on the target
[+] ed12917d59 parselogs.py: Add disabling eDP error to x86_common whitelist
[+] f205384495 classes/sstate.bbclass: Enable thread lock when checkstatus
[+] flf6993c72 Revert "gst-player: Disable visualizations"
[+] f63e8d2dcb xf86-video-intel: Upgrade to recent git
[+] 28ffbd4e56 matchbox-panel-2: Fix small systray icon drawing
[+] 389cfd24be Revert "connman-gnome: StatusIcon adapts to size changes"
[+] bb7468e27c Revert "attr: Added ncurses to depends"
[+] 18caacae06 devtool: add: build nodejs-native if npm is needed and not available
[+] ee697d84ba devtool: add: display a warning for deprecated -f/--fetch option
[+] 0c5fd7ad16 devtool: add: fix error message when only specifying a recipe name
[+] dea70975dc base-files: don't export TZ="UTC" from /etc/profile
[+] d89e16d5cc oega/selftest: Update test after fetcher error changes
[+] 16882885f6 systemtap: rationalise dependencies
[+] 25f3a3d980 json-c: add BCLASSEXTEND for native and nativesdk
[+] fb71f34d73 linux-libc-headers: if_tunnel: remove include of if/ip/in6.h

```

```

[+] 8c5ac488f1 linux-yocto/4.1/4.4: remove innappropriate standard/base patches
[+] 7c6b78ac8e linux-libc-headers: fix in/if.h includes
[+] f154229cb2 linux-yocto/4.8: update to 4.8 -final release
[+] 5ffef794c4 linux-libc-headers: update to 4.8 final
[+] e2290f08d4 linux-yocto/4.4: update to v4.4.22
[+] d69f01eb5d linux-yocto/4.1: update to 4.1.33
[+] edf08e5df4 linux-yocto/4.8: mmc configuration for x86*
[+] 575ee2d19e cmake: Use bb.fatal() instead of raising FuncFailed
[+] 56be38f834 testimage.bbclass: Use bb.fatal() instead of raising FuncFailed
[+] 4768cd6519 utility-tasks.bbclass: Use bb.fatal() instead of raising FuncFailed
[+] 4dbb0d73dd package.bbclass: Use bb.fatal() instead of raising FuncFailed
[+] 4c25460c5a libc-package.bbclass: Use bb.fatal() instead of raising FuncFailed
[+] c5823be186 testsdk.bbclass: Use bb.fatal() instead of raising FuncFailed
[+] fe7a7836ed chrpath.bbclass: Use bb.fatal() instead of raising FuncFailed
[+] 39f80cefcc sstate.bbclass: Use bb.fatal() instead of raising FuncFailed
[+] db6ae52544 useradd.bbclass: Use bb.fatal() instead of raising FuncFailed
[+] fadc4fc746 gtk-immodules-cache.bbclass: Use bb.fatal() instead of raising FuncFailed
[+] 823acf8037 systemd.bbclass: Use bb.fatal() instead of raising FuncFailed
[+] 0aaa51e1e5 license.bbclass: Use bb.fatal() instead of raising FuncFailed
[+] 7f22c97be3 update-rc.d.bbclass: Use bb.fatal() instead of raising FuncFailed
[+] f13bd4b8e4 gummiboot.bbclass: Use bb.fatal() instead of raising FuncFailed
[+] dl1b51dfad systemd-boot.bbclass: Use bb.fatal() instead of raising FuncFailed
[+] 46398106ef syslinux.bbclass: Use bb.fatal() instead of raising FuncFailed
[+] 103ab2d810 grub-efi.bbclass: Use bb.fatal() instead of raising FuncFailed
[+] 255f260675 useradd-staticids.bbclass: Use bb.fatal() instead of raising FuncFailed
[+] fc3dc09732 package_rpm.bbclass: Use bb.fatal() instead of raising FuncFailed
[+] c7d522c717 package_deb.bbclass: Use bb.fatal() instead of raising FuncFailed
[+] 9efdd605c9 package_ipk.bbclass: Use bb.fatal() instead of raising FuncFailed
[+] 4359ef0895 base.bbclass: Use bb.fatal() instead of raising FuncFailed
[+] 0c9ba38d92 binutils: apply RPATH fixes from our libtool patches
[+] 55e8c3a9f9 binutils: fix typo in libtool patch
[+] 922a745993 classes/native: set lt_cv_sys_lib_dlsearch_path_spec
[+] 87acbfe903 classes/cross: set lt_cv_sys_lib_dlsearch_path_spec
[+] 3a73fe0efc beaglebone.conf: produce wic images for Beaglebone
[+] 642197f7a4 bitbake: data: Fix handling of vardepvalueexclude
[+] be873a02ab machine-sdk: Clear ABIEXTENSION to avoid sstate checksum mismatch issues
[+] 2d7df9be8d oeqa/sstatetests: Add test for multilib allarch checksums
[+] fff8fa4cea0 boost: Ensure native recipes have consistent checksums
[+] 2ba0fbcdf2 gcc-cross: Stop target recipes depending on SDK_SYS
[+] 6f03af9ae3 multilib.conf: Ensure sstate checksums don't change when using this include
[+] a9b3a6dade allarch: Fixes to stop rebuilds when change multilibs
[+] d36c7036a2 nativesdk: Don't enable MULTILIBS
[+] 7ae326c76b oeqa/utis: Add StreamHandler to logger
[+] 5d96223e31 subprocess: remove Popen in favor of check_output
[+] lab3a23739 kbd: create ptest sub-package
[+] 3159738032 mkefidisk.wks: use partition UUID and GPT partition table
[+] 7b31253f3c scripts: add new script 'native'
[+] 14cdcbbca5 grub-efi.bbclass: Add a space between root and append parameter
[+] a17ce357fe build-perf-test-wrapper.sh: accept test case failures
[+] e4e6ff3be3 oe-build-perf-test: return 2 if some tests failed
[+] debb7bb86f multilib_header: avoid sstate checksum issues for -nativesdk recipes
[+] 4df40248b3 build-perf-test-wrapper.sh: show defaults for '-a' and '-w'
[+] eblc8cd1d9 build-perf-test-wrapper.sh: check for positional arguments
[+] a8002cb367 runqemu: Add little endian variations for MIPS
[+] 4f5801303e scripts/buildstats-diff: implement --multi option
[+] a235c1b7c2 scripts/buildstats-diff: make logger msg format a bit more readable
[+] cbbe51f55f scripts/buildstats-diff: use exception for internal error handling
[+] 4cdf47a569 scripts/buildstats-diff: add walltime to --diff-attr
[+] c6047cd989 scripts/buildstats-diff: add read_ops and write_ops to --diff-attr
[+] 44bc3f47a3 scripts/buildstats-diff: add read_bytes and write_bytes to --diff-attr
[+] 01a2b5823b scripts/buildstats-diff: introduce --diff-attr
[+] e05309194a scripts/buildstats-diff: do not hardcode field widths in output
[+] 7113ac9439 scripts/buildstats-diff: implement BSTask class
[+] 4cc1c430cd scripts/buildstats-diff: rename --min-time and --min-timediff args
[+] 58bd0fd62d scripts/buildstats-diff: check that the given directory exists
[+] d8879975b5 mips64-linux: set ac_cv_sizeof_ssize_t for mips64el
[+] a3e5bea34 image-buildinfo: restore trailing newline
[+] 2056bad636 linux-yocto.inc: Run kernel_version_sanity_check with final source
[+] 0cbd843501 tzdata: update to 2016g
[+] cdbdca119c tzcode-native: Update to 2016g
[+] 7aba4c930e pseudo: quiet diagnostics during startup for pseudo -d
[+] 4205c0befb libxml-parser-perl: remove redundant expat-native dependency
[+] d19645bcde wic: rename and amend systemd-boot wks file
[+] fe0114869e bootchart2: Allocate space on heap for collector chunks
[+] a75b79a9e9 genericx86-64.conf: Add SERIAL_CONSOLES_CHECK = "ttyS0"
[+] de34aab334 bitbake: toaster: make error message more informative
[+] af0f679344 bitbake: toaster: fix 'Unhandled MetadataEvent' error
[+] c7b55ea170 bitbake: toaster: fix handling of EnvironmentError
[+] cc4c02a268 bitbake: toaster: check if file exist
[+] efa8cfb365 bitbake: toaster: stop modifying OEROOT in toaster script
[+] 5b035ed9be bitbake: toaster: layerdetails Update implementation of delete imported layer
[+] ac5aba6cab bitbake: toaster: customrecipe Add frontend feature to delete custom image recipe
[+] 5b23bf083b bitbake: toaster: importlayer Convert success import to new notification system
[+] fbf7e14894 bitbake: toaster: Add front end controls for deleting a build
[+] 44058c45ee bitbake: toaster: Add backend API for deleting a build
[+] d209f8b7af bitbake: toaster: alerts and modals Avoid modals and alerts overlaying each other
[+] 0d70606022 bitbake: toaster: project page Implement front end feature to delete project
[+] 7ca44f53bc bitbake: toaster: libtoaster Add a global notification set/show mechanism
[+] 8ba7ccd252 bitbake: toaster: move MostRecentBuildsView to its own widget
[+] 4d0bc8d521 bitbake: toaster: Clean up and convert to rest api project edit and get calls
[+] 0b17e6d32c bitbake: runqueue: Ensure worker failure is accounted for in task statistics
[+] 3b6ec40519 db: Refresh patches
[+] 9393b16073 db: Upgrade to 6.0.35
[+] b6253350fb cross-canadian/libgcc-common: Fixes for arm multilib
[+] e0e8cd039c parselogs: Update uvesafb errors in qemu whitelist
[+] 5753147ea2 runqemu: explicitly set image format
[+] b8f5fdacae qemuboot: don't fail when QB_DEFAULT_KERNEL isn't symlink
[+] e01466f91c cve-check-tool: report progress when downloading CVE database
[+] 0466c81f91 cve-check-tool: convert do_populate_cve_db() from python to sh
[+] 5d8a968ecd dev-manual: Applied review changes to GNU debugging section.
[+] 75e60f17e6 ref-manual: Updated the DEPENDS variable description
[+] b064c34f12 dev-manual: Updated the example to identify GPL files.
[+] 2199b68fc8 dev-manual: Updated the devpyshe ll section
[+] 99b9efb993 dev-manual: Updates to the on-target debugging section.
[+] e7e61507db ref-manual: Updated the DEPENDS variable description.
[+] 0d091dbd3e ref-manual: Applied small edits to the DEPENDS variable desc.

```

```

[+] bbc7a646ec ref-manual, dev-manual: Add information on devpysHELL
[+] 9f2cf776e09 dev-manual: Added new GDB debug requirements section for target
[+] 924966f6374 dev-manual: Updated the Known issue for QEMU not working in usermode
[+] 8a8349be29 ref-manual, dev-manual: Updates for "staging" discussion and variables.
[+] 1c594557f7 dev-manual: Added new "Dependencies" section to writing new rec.
[+] cd2a26c018 ref-manual: Updated the DEPENDS variable description
[+] b8ad433ff3 dev-manual: Applied review edits to the "writing new recipe"
[+] 285931e0d4 dev-manual, sdk-manual: Applied review comments for SDK movement
[+] flb31e9ea5 ref-manual: Updated the intro to the devtool quick reference.
[+] 58b1381231 ref-manual: Fixed a typo.
[+] 13d47a1fa5 ref-manual: Added two new tips
[+] ad539f5c15 ref-manual: Added 'depchains' description for auto dep. mech.
[+] 826383984d ref-manual: Updated the PACKAGES variable description
[+] 89621b137e ref-manual: Updated "Viewing Variable Values" section.
[+] 959a062096 sdk-manual, dev-manual: Applied SDK review edits.
[+] 4404fc3fe0 ref-manual: Provided an introductory text to the devtool ref.
[+] 39639ad3ea dev-manual: Updates to the "Writing a New Recipe" section.
[+] fe8d575433 sdk-manual: New Project chapter added and other fixes
[+] ed6a5495a1 documentation: devtool upgrade and quick ref changes to mult manuals
[+] 38278f0a21 sdk-manual: Added the devtool upgrade command flow to the manual.
[+] 54a10ca4b2 dev-manual: Updated the devtool upgrade command flow
[+] e2251b5d5e maintainers: Change maintainers for python(3) modules
[+] 3claf2e13e maintainers: new maintainers in multiple recipes
[+] 3935476d31 maintainers.inc: Change perl maintainer
[+] 8b24b0c359 bitbake: build.py: fix os.getcwd() exception
[+] 12905346a0 oega/ssstateests: Ensure we cover deb packaging backend for sstate test
[+] f420227ad7 dpkg: Only set DEB_HOST_ARCH in target case
[+] 93d4250c2b populate_sdk_base.bbclass: fix broken variables
[+] 46c5e7adb8 lib/oega: Regenerate calculator configure
[+] c8089ae233 recipetool: newappend: drop _provide_to_pn
[+] a713b7869a perl: module-overload needs module-overloading
[+] 5268f78235 perl: correct math-bigint dependency typo
[+] 206ad10eaa lttng-tools: fix ptest
[+] d31bd86379 linux-yocto/4.8: update to -rc8
[+] 425c614070 openssl: Upgrade 1.0.2i -> 1.0.2j
[+] 390140e7b9 image_types.bbclass: remove redundant dependency
[+] c6fbb37c82 linux-yocto: Move PREFERRED_PROVIDER check to be generic
[+] 04a3b6c0ca scripts/cleanup-workdir: Adapt to SDK_ARCH -> SDK_SYS changes for crosssdk
[+] cf882b6e3a SDK: Allow changing SDKMACHINE without wiping TMP folder
[+] 2d35edfb5a libsolv: enable MULTI_SEMANTICS
[+] bb744b82c7 parselogs.py: Add amd_nb error to x86_common whitelist
[+] 850ded308c gst-player: Disable visualizations
[+] 013fff4639 perl: fix CVE-2016-1238
[+] fd4391d8ba python: fix CVE-2016-1000110
[+] b5a00339d9 archive.bbclass: fix do_ar_original archiving of multiple source repos
[+] 58866d6e9a archiver.bbclass: ignore unpack sub-directories in do_ar_original
[+] e8426a57d7 linux-firmware: package Broadcom BCM43430 firmware
[+] 2e18c87dd4 linux-firmware: update to revision 42ad5367
[+] b7fac3f260 boost: add support for additional boost libs
[+] 55cab158e4 boost: disable pch when build boost-math
[+] 6c22e39f06 ptest-runner: recipe update related to minor fix.
[+] 527764b4c5 devtool: Add a line break to generated README
[+] 47abf987ad prelink: Manipulate library paths to match the target system library setup
[+] 153da94000 utils: Add all_multilib_tune_list function
[+] de4fffe558 machine/qemu*: Add comment regarding the reason for virtio-rng-pci
[+] 72dc833d99 glibc-initial: use python3 instead of python (v2)
[+] 7ff051c2fb autotools.bbclass: use python3 instead of python (v2)
[+] 8b5a62ee26 uninative: Upgrade to 1.4
[+] 725e66eld0 meta-environment: ensure correct TOOLCHAIN_CONFIGSITE_NOCACHE value
[+] 8dfcfbeb14 arch-mips: Add mips64-o32 tunes
[+] bad17ae72f tune-ppc[65]00.inc: Disable QEMU usermode usage
[+] 18afc88038 qemu.bbclass: Allow use different QEMU binary depending of target
[+] 2305c0038d pseudo: Fix problem where pseudo could kill a container init
[+] 1dlf94b944 scripts/runqemu: provide better error message on runqemu ifup fail
[+] f82cc4b768 scons.bbclass: rework parameters for install task
[+] 37f7c03154 cracklib: Apply patch to fix CVE-2016-6318
[+] 36accdb93f gnutils: Skip QA check for text relocation on x86
[+] 347316dc15 wic: remove partition images
[+] 6b8d16c6eb openssl.inc: avoid random ptest failures
[+] d9e1bb679e openssl: update to 1.0.2i (CVE-2016-6304 and more)
[+] 2f4b80b306 arch-mips: Add mips64r2 tunes
[+] 0f16c904c6 lttng-tools: adds DEPENDS to util-linux
[+] a9f4b94f4f lttng-tools: fixes a wrong header issue
[+] 7caf628e83 lib/oe/patch: improve accuracy of patch header extraction
[+] 6f928407ed lib/oe/patch: exclude "From <hash>" from commit message when PATCHTOOL is "git"
[+] efa3c7dd55 nativesdk-gemu-helper: drop old Zaurus flash tools
[+] be642a633d bluez5: remove duplicated udev setting from FILES_${PN}
[+] 3d7a4f4e05 pcmciautils: remove duplicated udev setting from FILES_${PN}
[+] fa7849939a eudev: don't move udev directory
[+] c0dbfc6dea xf86-input-vmmouse: remove duplicated udev setting from FILES_${PN}
[+] 26a6e950d9 mdadm: remove duplicated udev setting from FILES_${PN}
[+] 4a071fb33f ofono: remove duplicated udev setting from FILES_${PN}
[+] 20d355b2ff libinput: fix udevdir
[+] 544241e125 systemd: install udev.pc
[+] 5728255c95 bitbake.conf: add eudev's udevdir to FILES_${PN}
[+] bd933a3f29 buildtools/uninative-tarball: Fix deployment overlap issues
[+] b75ed251a3 toolchain-shar-relocate.sh: Fix typo
[+] ceald78f1f sdk-manual: Removed two Git tag developer notes.
[+] 394b909174 sdk-manual: Removed notes about the BitBake Commander
[+] 0ac7b1e9df sdk-manual: Updated Passing host options example
[+] adlba190df ref-manual: Updates to PKGDESTWORK and do_package_data
[+] 5ec03cd359 dev-manual: Updated add and modify flows and text.
[+] 0c823cce36 sdk-manual: Updates to the devtool Finish command flow.
[+] 7d208c1c77 ref-manual: Applied review edits to auto added runtime deps
[+] aba386b92c sdk-manual: Updated SDK workflow
[+] 6cedcd9ef sdk-manual, ref-manual: New variable for including toolchain
[+] 4824bb4fda ref-manual: Added note to PREFERRED_VERSION
[+] 8bc6c1c2c8 ref-manual: New section and updates for runtime dep work
[+] 899ea9cb48 ref-manual: Another edit to the oe-pkgdata-utils description
[+] b247baeff2 ref-manual: More wording changes to oe-pkgdata-util section.
[+] 79cb2ed033 ref-manual: Applied some re-writes to oe-pkgdata-util use section.
[+] 7267910323 sdk-manual: Updated the connection steps for deployment
[+] 8c2172b8be ref-manual: New section on using oe-pkgdata-util
[+] 43b5d140c6 sdk-manual: Fixed spelling error.
[+] 72d1435f20 documentation: Added new description for the PACKAGECONFIG_CONFARGS variable.
[+] 066ecf613f mega-manual: Added the new mars appendix to the sdk-manual build section.

```

```

[+] 11e9d10d08 ref-manual: Added variable description for PACKAGECONFIG_CONFARGS
[+] 0637314b84 sdk-manual: Updated neon JDK requirements to be 1.8+
[+] 4317c65d4e sdk-manual: Updated legacy mars links to go to neon section.
[+] 3277d8d307 sdk-manual: Updates to "Working With Eclips" for Neon
[+] 8a3d542d5c ref-manual: Fixed typo for "debugging".
[+] 7791b32afd poky.ent: Updated the essentials list variable for Fedora
[+] 77dee668ba ref-manual: Changed command to install Fedora Python package
[+] 0de57677c3 yocto-project-qs, ref-manual: Updated Python requirement to 3.4.0
[+] 5f5671e03c ref-manual: Removed link to ROOTFS_RO_UNNEEDED.
[+] 2a2ccb0436 ref-manual: Added new note item to the DEPENDS note box.
[+] 4b8e7d8cca ref-manual: Updated the MLPREFIX variable description.
[+] 2c38cc69bb dev-manual: Updated QEMU known issues for user-mode
[+] 007193cdf2 ref-manual: Added variable description for FORCE_RO_REMOVE.
[+] c3adec966e ref-manual: Updated CLASSOVERRIDE with a new example.
[+] d4cd787e08 yocto-project-qs, ref-manual: Removed Python 3.0 exclusion
[+] 3fa0f9d3ee ref-manual: Updated the DISTROOVERRIDES variable description.
[+] 2233924ee6 ref-manual: Updated the MACHINEOVERRIDES variable description
[+] 44b0b07a6f ref-manual: Rewrite of the CLASSOVERRIDE variable in the glossary
[+] 43b9962cdd ref-manual: Grammar fix in the OVERRIDES variable description.
[+] 9f0e068baa ref-manual: Grammar fix in "Stamp Files and the Rerunning of Tasks"
[+] e0347ec2dc ref-manual: Clarified the OVERRIDES glossary description.
[+] f1879193b9 ref-manual: New section clarifying stamps, input checksums and sstate cache
[+] ba8bclba39 ref-manual: Updated systemd-boot documentation link.
[+] 9173b11f2f bitbake: knotty: ensure progress bar output is accounted for in display
[+] 0d76de85bd bitbake: knotty: Show task elapsed time
[+] c902e7b937 oega/selftest/base: backup and restore local configuration files
[+] 659fab4291 testimage.bbclass: Add package manager dependency
[+] 0156812271 scripts/runqemu: Using a cpio* rootfs has no special network
[+] deba7cac00 runqemu: Move virtio RNG to machine configuration
[+] 8aa8d14592 cmake-native: prefer native sysroot libraries over host
[+] 49d4477d53 gstreamer1.0-libav: Add 'valgrind' config option
[+] 8381125e53 wpa_supplicant: Security Advisory-CVE-2016-4477
[+] 9b78237363 wpa_supplicant: Security Advisory-CVE-2016-4476
[+] d2259ac280 encodings: Add dependency to mkfontdir-native
[+] 65a7b15b44 bitbake.conf: add a lazy default for SDKMACHINE
[+] e08640b409 buildtools-tarball: improve stamp independence
[+] cblfbb835f toolchain-scripts-base: add base class for toolchain_create_sdk_version
[+] 8f85911dae xserver-xorg: fix qa warnings
[+] 88df0e4d5d bitbake: cooker/providers: Only add target to world build if task exists
[+] 37d5307db0 bitbake: fetch2: handle absolute paths in subdir
[+] 7358cbf36b base.bbclass: Drop unnecessary dirs setting
[+] 577ff4e3dd autotools/siteinfo: Tweak CONFIG_SITE handling for determism/races
[+] 99284c3c83 asciidoc: set CLEANBROKEN to fix rebuild
[+] d6616a421f directdisk*.wks: add serial console support
[+] ef942d6025 perf: Fix to obey LD failure on qemu86-64
[+] 0f09354396 libunwind: fix build by linking with bfd instead of gold
[+] 95da87ece7 systemd: fix indentation
[+] aa7f7b6348 x264: add txtrel to INSANE_SKIP
[+] f5blcd0e82 perl: fix CVE-2015-8607
[+] c27660df40 perl: fix CVE-2016-6185
[+] 7a0fbb90a6 toolchain-shar-relocate.sh: Add error-handling
[+] 2a0f4e713a libnewt: link whiptail properly with libnewt
[+] 3c1807e2d8 uninative-tarball: Make stamp independent
[+] 46afeaba5f bitbake: bitbake-user-manual: Added information for using single quotes
[+] 39828d3ccc bitbake: bitbake-user-manual: New section on functions you can call from Python
[+] 5503ed14ed bitbake: bb.build: in _exec_task, catch BBHandledException
[+] 792c40cbdd buildtools-tarball: add SDKMACHINE to stamps-extra-info
[+] 9294261c03 runqemu: don't fail during check_arg_machine()
[+] 5d3c56f2a5 runqemu: don't try and invoke bitbake when running in a toolchain env
[+] c97912a17d runqemu: try and guess qemu-system binary when MACHINE isn't set
[+] cd47b6484f runqemu: validate paths and attempt to infer unset paths
[+] 7ab74d8b9a linux-yocto: Updates genericx86* SRCREVS for linux-yocto 4.8
[+] 7f44dde5f7 linux-yocto: Update genericx86* SRCREVS for linux-yocto 4.4 Upgrades to Linux 4.4.20
[+] ec11b0d69e linux-yocto: Update genericx86* SRCREVS for linux-yocto 4.1 Upgrades to Linux 4.1.32
[+] 66abd36513 meta-yocto-bsp: bump to linux-yocto 4.8 for the non-x86 BSPs
[+] 3cbf23ac52 meta-yocto-bsp: linux 4.4: bump to the latest stable version for the non-x86 BSPs
[+] dl6b6dd861 meta-yocto-bsp: linux 4.1: bump to the latest stable version for the non-x86 BSPs
[+] 1fe840a4a0 genericx86-common.inc: produce wic images
[+] 425a38ae1f genericx86-common.inc: support boot by runqemu
[+] d3e6e1054c bitbake: runqueue: Handle missing sstate dependencies better
[+] a884c4307a bitbake: toaster: buildinfohelper local layer don't construct path using git info
[+] 6066729797 bitbake: toaster: Add tests to detect if we have missing db migrations
[+] 7a3cccdb1a bitbake: toaster: unlock BuildEnvironment when build is done
[+] ad04a6324e bitbake: runbuilds: code cleanup - remove unused imports
[+] 5e88c4a6fe bitbake: runbuilds: code cleanup - whitespaces, long lines
[+] 323b81a083 bitbake: runbuilds: process builds on start
[+] 64d284b26c bitbake: runbuilds: process builds on SIGUSR1
[+] e9a12e5d37 bitbake: toaster: notify runbuilds when build status changes
[+] 2478a6f208 bitbake: toaster: implement signal_runbuilds function
[+] 483c16a7ce bitbake: toaster: fix checking of repository url
[+] 08af663a15 bitbake: cookerdata.py: Catch BBHandledException, preventing a backtrace in an event
[+] fld8f1e693 bitbake: cooker.py: add LAYERRECOMMENDS processing
[+] 74acb91a79 bitbake: toaster: Remove duplicate layer information
[+] 07aa966b5b bitbake: toaster: Indicate active navigation element
[+] 67ce1ce3cb bitbake: toaster: Fix links to tasks with specific outcome
[+] ac2ac31206 bitbake: uihelper: use elif instead of repeated if
[+] cbl69d3ada linux-yocto/4.8: introduce preempt-rt
[+] 8692bed57b linux-yocto/4.8: integrate 4.8-rc7
[+] b4cf3f305c linux-yocto/4.1: 4.1.32 content and configuration warning fixes
[+] 0eacf03de1 kernel.bbclass: Add kernel_version_sanitary_check function
[+] c2908e1d1f boost: Replace math:static_lcm with integer
[+] b26926c3a8 uninative-tarball: add SDKMACHINE to stamps-extra-info
[+] e29c4609c9 populate_sdk_base: fix support for changing SDKMACHINE settings
[+] a767c78abe oega/selftest/lic-checksum: don't report the expected failure to errors.py
[+] ffdc23ab53 openssl: fix do_configure error when cwd is not in @INC
[+] 1fe48d03f8 gcc-configure: Enable initfini-array
[+] a8cf594bce oega/runtime/parselogs.py: Add ignore of tsc calibration fail in x86
[+] 3f3198128c enchant: add PACKAGECONFIG for *spell
[+] 506df09b70 boost: switch to using C++11 atomics when available
[+] d8af0f283a runqemu: improve finding of rootfs, kernel and dtb
[+] 67cbl169f5 linux-firmware: package carl9170 separately
[+] fbb99b22f9 runqemu-gen-tapdevs: remove /etc/runqemu-nosudo when remove taps
[+] fad4caf84e default-distrovars.inc: remove libidn from LGPLv2_WHITELIST_GPL-3.0
[+] b2a6f9a97d openssl: fix potential signed overflow to enable compilation with -ftrapv
[+] 69005ae65c image_types: add parted-native to do_image_wic depends
[+] 9ead92a00f gawk-3.1.5: fix non-glibc & gcc >= v4 builds

```



```

[+] 0a04692279 package_manager.py: Change diagnostic messages per IRC
[+] fle3dc029f package_manager.py: Adjust error message order
[+] la8e50e153 gemuboot.bbclass: don't fail on very first build
[+] ddb76e297b externalsrc.bbclass: Make reparsing work for BBCLASSEXTENDED recipes
[+] 91347edaec kernel.bbclass: assign INITRAMFS_BASE_NAME using ?=
[+] f5062f0dec dropbear: deterministic selection of system -vs- bundled libtom libs
[+] 472c245cfe dropbear: fix -ltomcrypt -ltommath order when using system libtom libs
[+] 5637f8605f runqemu: use OECORE_NATIVE_SYSROOT from sdk
[+] 5060e66c75 runqemu: work even if a *.gemuboot.conf isn't found
[+] 239d1706b0 runqemu: try symlinks when kernel or rootfs can't be found
[+] 52e04cd88b gemuboot: also write the kernel link name to the conf file
[+] 0fd72474e7 runqemu: clarify an INFO message
[+] 7352d35d73 gemuboot: write the full kernel filename, not the link name
[+] 2952affc63 runqemu: add guidance to resolve issues with missing files
[+] 383a4af0e9 devtool: add: drop superfluous validation for recipe name
[+] cel904a160 lib/oe/recipeutils: fix invalid character detection in validate_pn()
[+] 90f925cd41 recipetool: create: support git short form URLs
[+] 147774fc1c recipetool: create: tweak license crunching
[+] 198c6d52c4 recipetool: create: pick up AC_PROG_SWIG
[+] 1370edb449 recipetool: create: detect python autoconf macros
[+] 541c54e301 recipetool: create: fix error with git tree and no network
[+] e30276cb18 recipetool: create: fix name/version extraction from filename
[+] 9aalcf3a28 recipetool: create: improve python recipe license handling
[+] 3a8a0bba9b recipetool: create: fix picking up name from local python source tree
[+] 6a5bd99bfc runqemu: acquire_lock() should fail when failed to open the file
[+] 286db044c3 gemuppc.conf: adjust kernel console
[+] 2833b4008a groff: not ship /usr/bin/glilypond
[+] e5de851697 linux-firmware: Add missing ralink-firmware License
[+] 77a9472a4b linux-firmware: Correct the LICENSE setting of license packages
[+] 49a7839e60 build-appliance-image: Create image in correct location
[+] 5414b80e8d bitbake: cooker: check if target contains task
[+] 088d386ddb bitbake: cookerdata: allow multiple passes of config re-parsing
[+] e3e239ba54 bitbake: cookerdata: fire ConfigParsed event after re-parse
[+] 359feedfd5 scripts: add tool to scan for bashisms recipe shell scripts
[+] a24b2fa8f8 sanity.bbclass: split out config re-parse check
[+] 5fc455ec9b pulseaudio: add ${S}/LICENSE to LIC_FILES_CHKSUM
[+] del54f0289 useradd_base.bbclass: Do not mess with the gshadow file in the sysroot
[+] a4f10da74a util-linux: Disable bfs support
[+] e88cee8cc3 util-linux: Disable minix support.
[+] 8d3f71234f gemuboot-x86: Add task_timeout = -1 to uvesafb
[+] bdb10d8358 cmake-native: rationalise system/internal library dependencies
[+] 04cc7ab0fb cmake: use convenience options for clarity
[+] 12cd9c01fc scripts: introduce buildstats-diff
[+] 06e56abbd2 package_manager.py: fix bitbake package-index failed
[+] 55bb15f791 shadow: use relaxed usernames
[+] 7ba62d65d2 oeqa/sdkext/devtool: use a smaller module to test node.js functionality
[+] f9b18c398a makedevs: don't restrict device node paths to 40 characters
[+] 92862c678f gemurunner: print out the runqemu command
[+] d0b4ac310b cve-check.bbclass: Add class
[+] 189673244b cve-check-tool: Add recipe
[+] 08dc55ce84 cmake: don't inherit autotools
[+] 84e0260e03 openssl: Fix MIPS64be and add MIPS64le
[+] a7a6d05579 oeqa/oetest: show stderr when running commands
[+] cfe4112347 sanity: make license QA failures fatal again
[+] 2a2634e10d openjade/sgml-common: Add sstate postrm commands
[+] 0573dceb7b sstate: Add postrm command support
[+] 0c1b8bf549 bitbake: Add missing file from 'toaster: Allow git information to be null for BRLayer'
[+] 53b1fa2d3e bitbake: build: Allow dirs/cleandirs to work for empty functions
[+] c3f630df52 bitbake: bitbake: fetch2: Make SRCREV_FORMAT name substitution safer
[+] d5698c0afc bitbake: fetch2/npm: don't download same URL multiple times
[+] d649c64beb bitbake: event.py: output errors and warnings to stderr
[+] 62c45ffbc7 oeqa/utils/decorators: LogResults fix race condition in linkfile
[+] b28e6d6039 oe-selftest: check for coverage version before starting tests
[+] 405262dbb1 image.bbclass: add IMAGE_DEVICE_TABLE to rootfs[vardeps]
[+] f7367de2ad create-pull-request: remove output directory
[+] 5b5c426225 ptest-runner: allow building from externalsrc
[+] d03439e0db patchelf: Update to version 0.9
[+] a6f0bced4c busybox: Avoid race building libbb
[+] de915fb7d3 linux-yocto: Adds new bbappend for genericx86 and genericx86-64 BSPs to support kernel 4.8
[+] 56a4900273 Revert "oeqa.runtime.smart: work around smart race issues"
[+] 0825fcf700 libdrm: Explicitly disable cunit tests
[+] 2e8c59d059 piglit: Backport linker flag patch
[+] 26e46e6d90 runqemu: fix a race issue on lockdir
[+] edc92ea8de python-smartpm: use md5 as the digest for rpm_sys channel
[+] 3f95a21c71 lib/oe/copy_buildsystem: fix building eSDK with indirect paths in BBLAYERS
[+] cal07522eb classes/populate_sdk_ext: ensure we clean the right temporary TMPDIR path
[+] 533315b747 eudev: Add missing pkgconfig dependencies
[+] c77f114e24 autotools: Correctly filter m4 files view to setscene dependencies
[+] 1373b52896 kernel-yocto: remove do_shared_workdir from SRCTREECOVEREDTASKS
[+] 55dd3fa425 linux-yocto/4.1: update to 4.1.32
[+] 15426896a7 linux-yocto/4.4: update to 4.4.20
[+] 757671553b linux-yocto/4.8: update to v4.8-rc6
[+] f08aef228 gtk-doc: require perl-native only if api-documentation feature is enabled
[+] 04e3dc6d3b image.bbclass: also mask debugfs versions of masked images
[+] dd50dec2f4 image.bbclass: do not check size of the debugfs image
[+] 5d13da49de valgrind: MIPS: Make toolchain basename generic
[+] f6030023fc gst-player: specify PV
[+] f5e2dafcb8 sstate.bbclass: normalize whitelisted paths
[+] d115b1277f gststreamer1.0-plugins-good.inc: Fix libv4l2 packageconfig dependency
[+] 05602d9c48 classes/populate_sdk_ext: exclude image tasks from locked signatures
[+] 7c2d197572 classes/gobject-introspection-data: lazy assign GI_DATA_ENABLED
[+] fc9ddc2459 classes/gtk-doc: lazy assign GTKDOC_ENABLED
[+] 02e6c1e520 meta: cleanup d.getVar(var, 0)
[+] b8e2bab119 meta: cleanup d.getVar(var, 1)
[+] 32b8267203 testimage: add createrepo-native to testimage depends
[+] 564a0d782d gststreamer1.0-plugins-bad: Fix packageconfigs and patches
[+] 473a47974c gststreamer1.0-omx: inherit upstream-version-is-even
[+] 32d14e304b bitbake.conf: Add BBSERVER to HASHBASE_WHITELIST
[+] 2c7849fdcb oeqa: Remove linux user utilized for rpm test.
[+] 0736079dc6 oeqa.buildperf: another fix for splitting 'nevr' string
[+] 6b889ff46e libical: fix build failure after changing machine
[+] 25468b58a5 tiff: Update download URL
[+] 03fa8209e4 rpm: remove redundant removals
[+] 059c5568a1 glibc: remove hard-coded reference to gcc -E
[+] d4583c98fa libpcre: explicitly specify CCLD_FOR_BUILD for this recipe
[+] c14dc1a130 rpm: manually cleanup sysck

```

```

[+] cc27fa238f sanity: fix hardcoded references to gcc
[+] 9da9abdd4d busybox: allow overriding compiler name in KConfig
[+] 3e6f3e09a3 linux-libc-headers: allow overriding compiler name in KConfig
[+] 270f4232ac linux-yocto: allow overriding compiler name in KConfig
[+] ddc7bd795b cross: export CC family from BUILD_* for cross compilers
[+] albcc483d2 gstreamer1.0-plugins-good: enable v4l2-probe
[+] 2b92328c5e u-boot: Set u-boot binary permissions to 0644
[+] 5f8c16868a useradd: do not delete users and groups during configure
[+] 996aaf93ff oega/parselogs: Don't use cwd for file transfers
[+] 4359f8cce6 poky: add Fedora-24 to SANITY_TESTED_DISTROS
[+] ecell156d3e maintainers.inc: add missing recipes
[+] 2679a347c5 maintainers.inc: rename gtk-doc-stub to gtk-doc, reassign to me
[+] 68e35c8e37 oega.runtime.smart: work around smart race issues
[+] d3991342ed oega/runtime/smart: Prune feeds to save memory
[+] ab3f23970d gtk-doc: only depend on native gtk-doc for documentation generation
[+] 620e2bf936 gtk-doc: use pkg-config-native in native gtk-doc.m4
[+] 5041e6811f gstreamer: remove packaged copy of gtk-doc.m4
[+] f22415435f gobject-introspection: set GI_SCANNER_DISABLE_CACHE for native
[+] ca9ff8b7d3 distro-alias.inc: rename gtk-doc-stub to gtk-doc
[+] 03425de493 clutter-1.0: do not use the prepackaged clutter.types file when generating gtk-doc
[+] 9a8b39204c pango: fix gtk-doc build when x11 is not in use
[+] 3ed15a88f5 util-linux: do not enable gtk-doc and explain why
[+] c370dda61c pll-kit: enable gtk-doc
[+] fel4b2415a libsoup-2.4: enable gtk-doc
[+] 5c899dea8e libtasn1: enable gtk-doc
[+] b41127f503 gnutls: enable gtk-doc
[+] 3bea0e52fd harfbuzz: enable gtk-doc
[+] 363b2989c8 cairo: enable gtk-doc
[+] fa351bc8a8 libenck3: enable gtk-doc
[+] ff774d01bf libgudev: enable gtk-doc
[+] 3cc20551b6 json-glib: enable gtk-doc
[+] 406a9b7c7d gnome-desktop3: enable gtk-doc
[+] 60604de090 gdk-pixbuf: enable gtk-doc
[+] lcfdc18660 libuser: enable gtk-doc
[+] 2d20b54b24 libidn: enable gtk-doc
[+] b240b9b8e2 orc: enable gtk-doc
[+] 83301b44aa dbus-glib: enable gtk-doc
[+] 063f84e1bf webkitgtk: re-enable introspection on powerpc
[+] 38f2f51add gcr, libsecret, webkitgtk: disable gtk-doc on mips64
[+] d6a10272a8 gcr: disable gtk-doc on x86_64
[+] ae773d6374 gtk+3: disable gtk-doc when x11 is not available
[+] 31029c8001 webkitgtk: enable gtk-doc support
[+] 3878dacc38 gstreamer1.0: enable gtk-doc support
[+] elaad9e8a1 libglade: remove the recipe
[+] 3a093d1b1e systemd: drop unused gtkdoc-related variable
[+] 6d266010dc kmod: do not let gtkdocize fail
[+] 2167573f68 gtk-doc.bbclass: enable building gtk-doc based documentation
[+] 5029d1fb15 gtk-doc: add a recipe, remove gtk-doc-stub
[+] 94317f52ce source-highlight: add a recipe
[+] 8c46605d16 oega: Use snapshot instead of copying the rootfs image
[+] 0d214406c4 scripts/runqemu: Add snapshot support
[+] b2dc9c7ee2 runqemu: Enable virtio RNG for all platforms
[+] eb1494f9da runqemu: Update to modern preferred net syntax
[+] dlcb381977 runqemu: Allow unique network interface MAC addresses
[+] 95331c6d44 qemurunner.py/qemutinyrunner.py: remove runqemu-internal
[+] b18f8a58f8 nativesdk-gemu-helper: fix for new runqemu
[+] d1303c220e runqemu: fix run from testimage with non-standard DEPLOY_DIR_IMAGE
[+] 8a8948e0e1 runqemu: fixes for when invoked during a bitbake run
[+] d5d4869634 runqemu: better handle running on a host with different paths
[+] e162303ecb runqemu: assume artefacts are relative to *.qemuboot.conf
[+] b405712414 runqemu: refactor it and remove machine knowledge
[+] 638d19adb4 gemu.inc: inherit qemuboot.bbclass
[+] f9732b410e qemuppc: Use virtio networking instead of pcnet
[+] 18c7c0daef qemuppc.conf: set vars for runqemu
[+] 09a77107e7 qemumips/qemumips64.conf: set vars for runqemu
[+] 64da0d7799 qemux86.conf/qemux86-64.conf: set vars for runqemu
[+] 9b0a94cbcd qemuarm64.conf: set vars for runqemu
[+] 8b6e7729a3 qemuarm.conf: set PREFERRED_VERSION_linux-yocto
[+] 9b7614e674 qemuarm: Add DTB file new kernel
[+] 90ab47c6cf qemuarm.conf: set vars for runqemu
[+] 605d8b1ef0 qemuboot.bbclass: add it for runqemu
[+] 2984863f42 qemu: fix: cp command cannot find tests/Makefile
[+] e6c48b1213 qemu: 2.6.0 -> 2.7.0
[+] af7ec7afc0 parselogs: Whitelist qemux86 error message with qemu 2.7.0
[+] e399ca1dd8 parselogs: Whitelist qemuppc error message with qemu 2.7.0
[+] f6ff0379b7 libwebp: sepcify neon availability for arm
[+] 4192e4bad5 utils.bbclass: Added error checking for oe_soinstall
[+] e9126926d4 utils.bbclass: Remove trailing whitespace
[+] 38602249e2 watchdog-config: Add recipe
[+] 7a79aba22b watchdog: Add wd_keeplive package
[+] f344440172 linux-yocto: update LINUX_VERSION to -rc5
[+] 649d79d752 kconfig-frontends: inherit pkgconfig
[+] 04554443e4 kmod: inherit pkgconfig
[+] e292f77d54 x11-common: Remove Xserver script
[+] 3b7cdffebdc xserver-nodm-init: Deprecate /etc/X11/Xserver
[+] 37f4b39d0e kernel-module-split.bbclass: no need for running depmod
[+] df1635e5fb kernel-module-split.bbclass: generate dependencies across recipes
[+] fe90376aca module.bbclass: use Module.symvers for dependants
[+] a2966330bc linux-yocto/4.4/4.8: uvesafb: provide option to specify timeout for task completion
[+] f14532a572 linux-yocto: update to 4.8-rc5
[+] 27eac6f314 kernel-yocto: restore missing configuration meta data
[+] 50c4c79315 kernel-yocto: allow --allnoconfig and --alldefconfig as KCONFIG_MODES
[+] 81297ee22d kernel-yocto: restore kernel-meta data detection for SRC_URI elements
[+] ce4ea7a730 recipetool: create: avoid extra blank lines in output recipe
[+] ff259b095d recipetool: create: support node.js code outside of npm
[+] fa90c2f54d recipetool: create: allow license variable handling to be rerun
[+] b1c3e44dfb recipetool: create: add --keep-temp command line option
[+] 17afc80320 recipetool: create: support git submodules
[+] 9885a9d31 recipetool: create: fix mapping python dependencies to python-dbg package
[+] 4da96ce61f recipetool: create: AX_PKG_SWIG should add dependency on swig-native
[+] 39d3aa2828 devtool: update-recipe: support files with subdir=
[+] 94aefd9a39 lib/oe/patch: handle non-UTF8 encoding when reading patches
[+] ead0545626 bitbake: cooker: record events on cooker exit
[+] b22a505414 bitbake: toaster: don't kill all runner processes
[+] d2e7ed0c88 bitbake: toaster: support handling of .toasterui.pid
[+] 8719012c78 bitbake: toaster: don't kill toaster on start

```

```

[+] 87cf84fead bitbake: toaster: orm Update IMAGE_FSTYPES values
[+] 36fe748957 bitbake: toaster: Keep layer name in variable history path
[+] 8ba4f54037 bitbake: toaster: Allow forward slash in variable names
[+] b5070f5337 bitbake: toaster: layer details Fix "edit" form interaction
[+] 23056fcc73 bitbake: toaster: import layer Layout fixes
[+] c4fcf41d7f bitbake: toaster: layer details Layout fixes
[+] 65e1d66727 bitbake: toaster: configuration Provide machine help text
[+] ebc6e84b3e bitbake: toaster: tasks Remove recipe version from defaults
[+] ee7c6d00bb bitbake: lib/bb/utis: edit_metadata() comment tweaks
[+] d67e3b4c70 bitbake: fetch2/npm: clarify comment
[+] 3a0f5d95a7 bitbake: fetch2/npm: handle top-level shrinkwrap file
[+] 5ab6867714 bitbake: fetch2/npm: support subdir= parameter
[+] eb53750ab7 bitbake: fetch2/npm: fix broken fetches if more than one npm URL fetched
[+] 1937b17f67 bitbake: fetch2/npm: explicitly specify workdir
[+] 144e7dbc35 file: build with c std as c99
[+] 9d4fd7de16 apt: add PACKAGECONFIG for lz4
[+] 98264a9191 oeqa.buildperf: be sure to use the latest buildstats
[+] b673a562d1 pciutils: fix PACKAGECONFIG
[+] d021889ba9 oeqa.buildperf: try harder when splitting 'nevr' string
[+] 4594f25fb0 webkitgtk: 2.12.4 -> 2.12.5
[+] f203e5bfb8 lighttpd: fix EXTRA_OECONF
[+] 79d45bf56d cmake.bbclass: avoid treating imports as system includes
[+] 23ec1fcfa4 python: recompile _sysconfigdata.py after modifying it
[+] d41968d8a8 systemd_230.bb: Set journal RuntimeMaxSize to 64M as default
[+] a477fcd752 busybox: avoid circular dependency when using intransfs
[+] b4f2c760aa libcap: Replace EXTRA_OECONF with PACKAGECONFIG_CONFARGS
[+] f52cc8bdef autoconf: remove upstreamed patch
[+] 0d92f448c4 libffi: backport patch to fix building MIPS soft float
[+] 3e53ab2ed1 gnutils: update to 3.5.3
[+] f7ca989ddc oeqa.buildperf: correct globalres time format
[+] 1f706698cd oe-build-perf-test: fix log file path
[+] e8e81789f9 selftest/liboe: add a test for copyhardlinktree()
[+] 822c708e8f oe.path: fix copyhardlinktree()
[+] f5b4ca2ad7 ltng-modules: Do not fail if CONFIG_TRACEPOINTS is not enabled
[+] 700501808a ltng-modules: Bump to 6e4fc6f3 revision
[+] 0abb1d7e22 rpm: ensure rpm2cpio call rpm relocation code
[+] 92fc3ef973 coreutils: enable xattr for native
[+] b9d90ace00 poky: Update to linux-yocto 4.8 for gemu* machines
[+] 6a49d3fb25 sysstat: 11.3.5 -> 11.4.0
[+] 91ae03931e build-perf-test-wrapper.sh: fix handling of -C argument
[+] 5f5115a64b ofono: RRECOMMENDS tun.ko & APN database
[+] fb75cd2186 e2fsprogs: packaging cleanups (compile_et & mk_cmds)
[+] 5b8206ff36 boost: fix MIPS16e compilation
[+] 7e712e1831 boost: fix mips soft float compilation
[+] 02d82eacc7 boost: fix a musl compilation warning
[+] d7268e9bba valgrind: Disable for MIPS Soft Float
[+] 8edb53c58b packagegroup: Disable packages not available on mipsel
[+] 88b99a4200 packagegroup-core-sdk: Disable sanitizers for mipsel
[+] ed8eceeda1 linux-yocto/4.1: backport virtio HW_RANDOM_VIRTIO config
[+] 42e2b97441 oeqa/parselogs: Add qemuarm64 warning from 4.8 kernel to whitelist
[+] d9c2c02e96 oeqa/parselogs/qemuarm: Whitelist amba and jitter for 4.8+ kernels
[+] 8078c5e11f cryptodev: Add backported patches for 4.6+ kernels
[+] 223eb651a6 linux-yocto/4.x: configuration updates
[+] d1528403d5 kernel-yocto: do_kernel_configme: Fix silent sysroot poisoning error
[+] 5ea48fa5ee kernel-yocto: test for empty artifacts
[+] 942e2afac2 linux-yocto/4.8: add qemuarm device tree specification
[+] 98d57df225 linux-libc-headers: Refresh musl patches against newer kernel headers version
[+] ab338be9e3 libc-headers: update to v4.8
[+] 5cb0f38325 linux-yocto-dev: bump to v4.8+
[+] 6298912335 perf: adapt to Makefile.config
[+] 4d1a124289 linux-yocto: introduce v4.8 recipes
[+] 9428b19a7d toaster: fire TaskArtifacts event
[+] 25c46772a8 buildtools-tarball/univariate-tarball: Fix for working with populate_sdk under sstate control
[+] elde696674 populate_sdk_ext: Put populate_sdk_ext under sstate control
[+] 3c3962d27e populate_sdk_base: Put populate_sdk under sstate control
[+] bc31120ec6 sstate: Avoid duplicate README file errors for sdk under sstate control
[+] def348533a image.bbclass: Put image_complete under sstate control
[+] 5f9889edb3 populate_sdk_base: Deploy images to SDKDEPLOYDIR
[+] 9cc4492732 image: Deploy images to IMGDEPLOYDIR
[+] 619d2996fb image/populate_sdk_base: Add *DEPLOYDIR variables
[+] 51afd4515f arch-mips.inc: Disable QEMU usermode usage when building with n32 ABI
[+] 08acf58572 busybox: fix "sed n (flushes pattern space, terminates early)" testcase failure
[+] 104eb5794a kernel.bbclass: include signing keys when copying files required for module builds
[+] 0e38688bca oeqa/selftest Adds eSDK test cases to devtool verification.
[+] 1da953d631 /oeqa/sdkext Adds verification for devtool on eSDK.
[+] e616bebalc scripts: ensure tinfoil is shut down correctly
[+] f2854c67ce gcc-runtime.inc: add CPP support for mips64-n32 tune
[+] c93ee72733 kernel.bbclass: add user output to savedefconfig
[+] 34d0cf3364 Fix out of tree builds of u-boot with gold linker
[+] 180eebf976 sstate.bbclass: skip packaging if SSTATE_SKIP_CREATION is set
[+] eald3ff7b5 initscripts: Start devpts at 06 instead of 38
[+] eda43ca995 lighttpd: control ipv6 support based on DISTRO_FEATURES
[+] beda03bfa5 xhost: control ipv6 support based on DISTRO_FEATURES
[+] c8f383ab3a xauth: control ipv6 support based on DISTRO_FEATURES
[+] c0ea54db73 wget: control ipv6 support based on DISTRO_FEATURES
[+] 4d0ab9cd8e rsync: control ipv6 support based on DISTRO_FEATURES
[+] cc3c028b64 rsync: use rsync.inc to avoid duplicated codes
[+] 7e157da949 pulseaudio: control ipv6 support based on DISTRO_FEATURES
[+] d529fe5cal psmisc: control ipv6 support based on DISTRO_FEATURES
[+] ael39c6c79 nspr: control ipv6 support based on DISTRO_FEATURES
[+] 0dbd6e45b8 nfs-utils: control ipv6 support based on DISTRO_FEATURES
[+] d4d244157b libxmu: control ipv6 support based on DISTRO_FEATURES
[+] 75f86b449a libxml2: control ipv6 support based on DISTRO_FEATURES
[+] 68e3f3f104 libxfont: control ipv6 support based on DISTRO_FEATURES
[+] c1716f6aeb libsm: control ipv6 support based on DISTRO_FEATURES
[+] 33664673f5 libpcap: control ipv6 support based on DISTRO_FEATURES
[+] 92ce5fecae libice: control ipv6 support based on DISTRO_FEATURES
[+] 2e478ff220 apr: control ipv6 support based on DISTRO_FEATURES
[+] 4a5aa7ea4d scripts/contrib: update scripts for changes to internal API
[+] 1100af93cb base-files: Add shell test quoting
[+] c95af9cef9 meta-ide-support: inherit nopackages
[+] bacbl05e32 flex: fix gcc-6 failure
[+] fef13d890c gstreamer1.0-plugins-bad: add packageconfig for egl
[+] 4b4387455c lib/oe/patch: commit with a dummy user/email when PATCHTOOL=git
[+] e5f61f85c5 oe-selftest: devtool: fix test after recent change
[+] bf1954c700 glibc-scripts: add RDEPENDS on libsotruss package required by sotruss script

```

```

[+] 71ffc92036 webkitgtk: fix racy double build of WebKit2-4.0.gir
[+] 390d95991d webkitgtk: upgrade to 2.12.4
[+] c25d5baa6e asciidoc: fix upstream version check
[+] 1429d9d463 oega.selftest.liboe: add test for xattr in copytree
[+] 92f9308e2c oe.path: preserve xattr in copytree() and copyhardlinktree()
[+] 97677c11cf oega.selftest: add a test for oe.path.copytree()
[+] 74d0a3dad1 ltp: remove useless script STPfailure_report.pl
[+] 7d77c02401 oega.buildperf: include commands log file name in results.json
[+] c39db4bc45 oega.buildperf: include buildstats file name in results.json
[+] c5d1301245 oega.buildperf: show skipped tests in results, too
[+] 81b8ccc1f6 oega.buildperf: convert buildstats into json format
[+] flfb013d48 oega.buildperf: measure io stat
[+] 0b332039ea oega.buildperf: don't use Gnu time
[+] 33a38bc18a oega.buildperf: rename buildstats directories
[+] 6d75f39f09 oega.buildperf: separate output dir for each test
[+] 700ebe996a oega.buildperf: strip date from buildstats directory path
[+] 35ae939e41 oe-build-perf-test: rename log file and implement --log-file
[+] e8c47a6343 oega.buildperf: enable json-formatted results
[+] 44188933ce oega.buildperf: add 'product' to test result data
[+] e16f00862f oe-build-perf-test: update globalres and git even if tests failed
[+] 899b17413c oega.buildperf: treat failed measurements as errors
[+] 85b7b10b4a oega.buildperf: make tests independent
[+] 6722b0412c oega.buildperf: fix checking of invalid results
[+] 40d8bef683 x264: remove EXTRA_OEMAKE workaround
[+] b8b1edbe6c systemtap: remove EXTRA_OEMAKE workaround
[+] 06415ab073 linux-libc-headers: remove EXTRA_OEMAKE workaround
[+] 2044c88adb lsdf: remove EXTRA_OEMAKE workaround
[+] 8ddb47b69a musl: remove EXTRA_OEMAKE workaround
[+] 270d6dd4bc ifupdown: remove EXTRA_OEMAKE workaround
[+] a2670159f4 kernel.bbclass: remove EXTRA_OEMAKE workaround
[+] d5b602c254 distutils-common-base.bbclass: remove EXTRA_OEMAKE workaround
[+] 734a49baef autotools.bbclass: remove EXTRA_OEMAKE workaround
[+] 5686645d7b lttng-modules: Update 2.7.3 -> 2.8.0+master
[+] c0155227ec lttng-tools: Add PACKAGECONFIG for manpages
[+] e0acc0b00b lttng-tools: Update 2.7.1 -> 2.8.1
[+] 8f0ca9c0e3 lttng-ust: Update 2.7.1 -> 2.8.1
[+] b0e728871e libyaml: update to 0.1.7
[+] c32ce5929f ffmpeg: update to 3.1.3
[+] acc113c6ca iso-codes: update to 3.70
[+] 0d755c6b61 gstreamer1.0: upgrade to 1.8.3
[+] bc42617fff sqlite3: upgrade to 3.14.1
[+] 8dcb8da9e3 base, autotools: Append PACKAGECONFIG_CONFARGS to EXTRA_OECONF only in autotools.bbclass
[+] f7d80257af unzip: fixes strange output
[+] c27e23c123 nss: update to 3.25
[+] b1da4414d8 mpg123: update to 1.23.6
[+] 7bb1907287 lighttpd: update to 1.4.41
[+] 16fae9fffe gobject-introspection: odd versions are development snapshots
[+] 9587685dla ffmpeg: update to 3.1.2
[+] 190895d093 bdwgc: Add missing include to avoid musl build failures
[+] bd02a3851c bdwgc: update to 7.6.0
[+] 32ac9347d6 bash-completion: update to 2.4
[+] 31eadec93c iso-codes: upgrade to 3.69
[+] 673c007834 btrfs-tools: update to 4.7.1
[+] e5b80aba82 libwebp: upgrade to 0.5.1
[+] ff0ebe98a1 libnl: fix RREPLACES and RCONFLICTS for libnl-genl
[+] 75610e2d0b libnl: backport musl fix (strerror_r / strerror_l)
[+] 126c4b244d libnl: update to v3.2.28
[+] d1c566f71e libnl: fix packaging mistakes
[+] 5dcb2a1999 image_types: check COMPRESS_DEPENDS for backwards compatibility
[+] f2f177c94d bitbake: bb.fetch2.svn: correctly pass workdir when fetching
[+] 355e4ec0b6 bitbake: cooker.py: Catch when stdout doesn't have a file descriptor
[+] de83a8ab6d bitbake: toaster: localhostbecontroller Remove git assumption
[+] ce592fc7f5 bitbake: toaster: Allow git information to be null for BRlayer
[+] 4daae79875 bitbake: toaster: tests Add selenium test layer source switching layer details page
[+] 2318f92580 bitbake: toaster: Move Custom image recipe rest api to api file
[+] 3b87f2895a bitbake: toaster: Fix oe-core fixture
[+] 50a8d3a34c bitbake: toaster: layerdetails clean ups after integrating local layer changes
[+] e99b4cd625 bitbake: toaster: update api to include local_source_dir
[+] fa48ca677c bitbake: toaster: layerdetails js changes for switching layers
[+] d9b5d11664 bitbake: toaster: add switch of git and not-git layers imported
[+] d2797b5ec2 bitbake: buildinfohelper: discover kernel artifacts correctly
[+] 46bad463ef bitbake: wget: allow basic http auth for SSTATE_MIRRORS
[+] 3658f6d477 bitbake: cookerdata/ast: Fail gracefully if event handler function is not found
[+] 412a26e154 bitbake: build/runqueue: Add noextra stamp file parameter to fix multiconfig builds
[+] e7b2b7d40d bitbake: fetch2: Handle multiconfig fetcher issues
[+] 26aad57ece bitbake: tinfoil: add a parse_recipe_file function
[+] 818a36590a bitbake: cache: allow parsing a recipe with a custom config datastore
[+] f551e67fa7 bitbake: bitbake-diffsig/bitbake-layers: Ensure tinfoil is shut down correctly
[+] 8f277fcf33 bitbake: tinfoil: add context manager functions
[+] 2f33bb30c7 bitbake: bitbake-user-manual: Added "Exporting Variables to the Environment"
[+] 9b20975fc2 bitbake: bitbake-user-manual: Corrected misspelled STAMPS_DIR
[+] 087c580b28 init-install: Fixes the install script failing when not finding any mmcblk devices
[+] 2fedd226c3 ref-manual: Fixed small wording in PKGR in the glossary
[+] 3b70c96537 ref-manual: Replaced "bitbake-dumpsigs" with "bitbake-dumpsig".
[+] 08e3ef9808 ref-manual: Updates to PKGV, PKGE, and PKGR.
[+] 9ba4fc087e dev-manual, ref-manual: Systemd-boot: Update documents for new EFI bootloader
[+] ac0fa7a296 ref-manual: Added bitbake.conf to list of example conf files
[+] 1769e1a2de ref-manual: Suggested fleshing out of the sigdata/signinfo documentation
[+] a2e8f196d7 ref-manual: Updated some variables in the glossary for nits.
[+] b9df28b9b2 sdk-manual: Added developer note for updating to Neon
[+] eb7781f633 sdk-manual: Updated boxes to check when installing pre-built mars yp plug-in
[+] 3a5397d306 sdk-manual: Removed "snapshot" in an example version string.
[+] 4dle6423ba sdk-manual: Added note to link to the wiki on building an SDK
[+] 4bdd0cffffa sdk-manual: Added an example name for an extensible SDK
[+] 5393fd7b34 sdk-manual: Fixed a broken "do_install" task link
[+] 0d4510e733 sdk-manual: Fixed a broken link to the "base" class
[+] 3c77e18c81 sdk-manual: "Linkified" the CC variable in section 3.3.4
[+] 9359c104ad sdk-manual: Grammar fix.
[+] e990bccea0 sdk-manual: Updated the extensible SDK installer example
[+] 66ca0c4fef sdk-manual: Re-worded Step 6 for deploying image in eclipse flow.
[+] 7bbaab7c4a sdk-manual: Added note about building the image for QEMU use
[+] 151a129877 sdk-manual: Removed bad link
[+] 766e91fa2b sdk-manual: Provided better wording to intro running sdk env script.
[+] 4e0a0d1253 sdk-manual: Added note about building and SDK
[+] 99d43e6293 sdk-manual: Used &DISTRO; for some output release versions.
[+] 4d5dc4a890 sdk-manual: Created new Mars Eclipse appendix

```

```

[+] a3f519e193 core-image-kernel-dev.bb: Standardize use of _append and leading space.
[+] 3ae2eef914 linux-firmware: set a preferred provider for brcmfmac-sdio.bin
[+] 051d7aa18e groff: correct the location path for awk
[+] 8232ce2b83 perl: Correct perl path for ptest
[+] fbl2fe9994 lsbinitscripts: 9.64 -> 9.68
[+] 5bd1a35c8c systemd: split systemd-container
[+] d45a3449bc rootfs.py: allow removal of unneeded packages
[+] 31982f1659 unfs3: Simplify simultaneous usage of "_append" and "+="
[+] 96e68f15f0 build-perf-test-wrapper.sh: make workdir configurable
[+] ee4c5f6171 build-perf-test-wrapper.sh: make archive dir configurable
[+] a34fd3cf27 build-perf-test-wrapper.sh: allow saving results in Git
[+] dc3025215b build-perf-test-wrapper.sh: parse args with getopt
[+] 7155a9b64d oe-build-perf-test: add {git_commit_count} keyword for --commit-results-tag
[+] d0bac259bd oeqa.buildperf: add git commit count to result data
[+] caf6ad889c oe-build-perf-test: new {tag_num} keyword for --commit-results-tag
[+] 06b2c75c7e oe-build-perf-test: tag results committed to Git
[+] 28333b3a2d oe-build-perf-test: pre-check Git repo when using --commit-results
[+] 6d9c52fe4b oeqa.utils.git: implement init() method
[+] 96e8337830 oe-build-perf-test: implement --commit-results-branch
[+] 8335422b00 oe-build-perf-test: support committing results data to Git
[+] 66540ae5c1 oeqa.buildperf: use term commit instead of revision
[+] 979c735678 oeqa.utils.git.GitRepo: new arg to require topdir
[+] 618a2ede75 oeqa.utils.git: implement GitRepo.get_current_branch()
[+] 6cf74643e9 oeqa.utils.git: introduce GitRepo.rev_parse()
[+] 7fcc9f5ead oeqa.utils.git: support git commands with updated env
[+] 665800fdf6 oe-build-perf-test: use absolute paths in cmdline args
[+] c284616ffb oe-build-perf-test: implement --run-tests option
[+] e484378325 python-3.5-manifest: Add argparse module
[+] 4c184eb757 python-3.5-manifest: Rename Queue module to queue
[+] c1f4befadc useradd.bbclass: Simplify target overrides
[+] 9b6bc21d07 gcc: Update to final 6.2.0 release
[+] f5ccfe735 piglit: Add python3-argparse module to RDEPENDS
[+] 07ebdbbedf devtool: build_image: Fix recipe filter
[+] d97aac2d5 devtool: Use the wildcard flag in update_recipe_patch
[+] 3656481b53 nasm: 2.11.08 -> 2.12.02
[+] 5a35913b86 subversion: 1.9.3 -> 1.9.4
[+] 713b2e5a66 git: 2.9.2 -> 2.9.3
[+] 5bd808b1b6 systemd-compat-units: do not inherit allarch
[+] bf23d4f954 bash-completion: add bash-completion to DEPENDS for target packages
[+] ba736a3458 utils: check_app_exists: strip whitespace from binary when searching
[+] 8670979d22 oeqa/runtime/rpm: use su instead of sudo
[+] 578f8113da layer.conf: remove pointercal
[+] 9228f75f63 distro_alias.inc: remove xtscal, pointercal and tslib references
[+] e373c7c80f pointercal: remove recipe
[+] e389a96cd4 tslib: remove recipe
[+] d2531ac079 xtscal: remove recipe
[+] 23b11c2a06 packagegroup-core-x11-base.bb: remove pointercal
[+] be554d7e6c x11-common: replace xtscal with xinput-calibrator
[+] 19214aeb1d packagegroup-core-tools-testapps: remove tslib references
[+] 4f31b12131 pointercal-xinput: add a dummy calibration file for qemu
[+] 3e97690117 parselogs: Ignore uvesafb timeouts
[+] elab8392d1 image_types: use COMPRESSIONTYPES variable for backward compatibility
[+] ffcc52e90d hdparm: set LICENSE correctly
[+] 988f77af3e license: simple verification of LICENSE_<pkg> values
[+] 831e983251 license.bbclass: do not process LICENSE_pn variables
[+] c22293622d bitbake: fetch2: clean up remaining cwd saves/changes
[+] 970ff6c0fd linux-yocto: Update genericx86* SRCREVS for linux-yocto 4.4
[+] 5d23bacae6 linux-yocto: Update genericx86* SRCREVS for linux-yocto 4.1
[+] a81b326933 combo-layer: python3: fix UnicodeDecodeError
[+] 94646f4828 oeqa/buildtables: Switch from netfilter.org to yoctoproject.org mirror
[+] 7e4d206777 xserver-xf86-config: pre-load int10 and exa modules
[+] 7afa09db2e cmake.bbclass: call cmake with a relative path
[+] 5a3947cce1 openssh: Upgrade 7.2p2 -> 7.3p1
[+] 2b7541d375 wayland-protocols: 1.5 -> 1.7
[+] a850ba3e5c libinput: Upgrade 1.3.0 -> 1.4.1
[+] 86884f6544 json-glib: Upgrade 1.2.0 -> 1.2.2
[+] 5818fec038 vte: Upgrade 0.44.1 -> 0.44.2
[+] 08d8afe92c gtk+3: Upgrade 3.20.6 -> 3.20.9
[+] c0dcc5d44c gnome-themes-standard: Upgrade 3.18.0 -> 3.20.2
[+] 69d8707bd2 fontconfig: Upgrade 2.12.0 -> 2.12.1
[+] 624597d922 libgcrypt: upgrade to 1.7.3
[+] 1a620968b1 rm_work: don't remove timestamps of image tasks
[+] fd23044c46 python-3.5-manifest.inc: the signal module RDEPENDS on enum
[+] 19b2f7c278 libidn: 1.32 -> 1.33
[+] e8168a55e7 useradd_base: avoid unintended expansion for useradd parameters
[+] 05c30223b4 xorg-proto: remove stale git recipes
[+] bef6e6246b inputproto: explicitly disable asciidoc to avoid floating dependency
[+] 053bafd8b2 gettext_0.16.1: whitespace changes to align with v0.19.8.1
[+] 5acf2f64ea gettext_0.16.1: align configure options with v0.19.8.1 recipe
[+] dff0cb45f1 gettext_0.16.1: fix lispdir configure option
[+] bb96b161ae gettext_0.16.1: use musl gettext implementation
[+] edec1c4e1d insane: improve package_qa_clean_path
[+] 86164406dd grub: fix load module all_video failed
[+] ddaef84ce86 bash: fix run-intl ptest failed
[+] 0db6b0f363 bootchart2: fixes a BOOTLOG_DEST typo
[+] f0213bbe65 adwaita-icon-theme: 3.18.0 -> 3.20
[+] 0d445840c4 initscripts: Check for logrotate in dmesg.sh
[+] 4945cdfd76 python3-native: Extend python3-native rprovides
[+] cf0e3d0489 python3-native: Change code style for rprovides
[+] 9e4e6b91b7 grub-efi.bbclass: Fix path in startup.nsh for iso image.
[+] 63ac3520b4 glibc: Fix scope resolution in glibc to be breadth first.
[+] 1bb1200a93 linux-yocto/4.4: fix configuration warnings
[+] 4b80b346a7 linux-yocto/4.1/4.4: -stable updates and configuration changes
[+] 7b97f591a6 maintainers.inc: update maintainers for Dengke
[+] f078ccflac bitbake: siggen: Fix file variable typo in compare_sigfiles
[+] ab09541d55 bitbake: fetch2: preserve current working directory
[+] eefb4b66c8 bitbake: dump_cache.py: use python3 as interpreter
[+] 9d0962491c bitbake: toasterui, knotty: don't print taskid followed by taskstring which are now in most cases

```

identical

```

[+] 0b409117c9 bitbake: tests: add unit tests for the usehead url parameter
[+] c04468d113 bitbake: git: Allow local repos to use HEAD
[+] 4093f0bad2 bitbake: bitbake-selftest: enable bitbake logging to stdout
[+] 9cce855f47 bitbake: bitbake-selftest: introduce BB_TMPDIR_NOCLEAN
[+] 81697a8661 bitbake: bitbake-selftest: add help text for env variable(s)
[+] 9139d75736 bitbake: bitbake-selftest: utilize unittest.main better
[+] 5471b2cdc5 Revert "local.conf.sample: Disable ARM and PPC due to prelink test case failures"

```

```

[+] aaca17d6ba packagefeed-stability.bbclass: cleansstate should remove pkgs from deploy dir
[+] bc315512d3 libdrm: 2.4.68 -> 2.4.70
[+] a2f9420358 glib-2.0: 2.48.1 -> 2.48.2
[+] e7ec6cf27c kbd: remove PARALLEL_MAKEINST = ""
[+] 1e211f371c kmoud: upgrade to 23
[+] a65de2b200 diffutils: upgrade to 3.4
[+] c80af1617e util-linux: upgrade to 2.28.1
[+] e22dabab4d bootchart2: Add ALTERNATIVE configuration for bootchartd
[+] 0c9f39cc8f asciidoc-native: add dependency on docbook-xml-dtd4-native
[+] fe4e56b0eb openssl: fix add missing dependencies building for test directory
[+] cd3c5582a0 libffi: fix a typo (mips)
[+] 27c0e2f839 image-vm.bbclass: remove old images if RM_OLD_IMAGE is enabled
[+] 9cabc18016 oeqa.buildperf: fix crash when creating globalres.log
[+] b26c43c13e oe-build-perf-test: align log message format with testrunner output
[+] f019bb933f syslinux.bbclass: ensure creation of output directory
[+] f755bab792 busybox: Add parallel make fix
[+] 7283c149df sanity.bbclass: Ensure we expand BUILD_PREFIX
[+] f038f06997 local.conf.sample: Disable ARM and PPC due to prelink test case failures
[+] 63dcfa8f13 Revert "local.conf.sample: Disable prelink by default"
[+] fcl6cfc01a prelink: Move to latest version of prelink
[+] b7157a266c gcc: Upgrade to 6.2 RCL
[+] b360310798 libunwind: Fix build race conflict with gcc and musl
[+] c66683671e ref-manual: swabber: remove from documentation
[+] bfd0850e76 ref-manual: Update SERIAL_CONSOLES_CHECK description
[+] dfb899d9c3 ref-manual: change SYSINUX_ROOT to ROOT_VM for DISK_SIGNATURE variable
[+] fld2a932f6 ref-manual: Applied review edits to "Viewing Dependencies"
[+] b249c8d2d5 ref-manual: Removed the "pid" stuff from viewing failed tasks
[+] feda248d59 ref-manual: Various small corrections to package-related stuff
[+] f82a65776b ref-manual: Updated the "Viewing Logs from Failed Tasks" section.
[+] 3db5ff6386 ref-manual: Updated the section on viewing dependencies
[+] 1a1fc42e9f ref-manual: Clarify and flesh out debugging using bitbake -e
[+] 813be27f8c dev-manual: Added a new "known issue" for running gemu.
[+] 72ebd62821 ref-manual: Updated PROVIDES and FILES variable descriptions
[+] 5337ac972f ref-manual: Updated the SERIAL_CONSOLES_CHECK variable description.
[+] efb62666c7 ref-manual: Changed the BPN variable description.
[+] df337651e4 ref-manual: Updates to PARALLEL_MAKE, PARALLEL_MAKEINST, EXTRA_OEMAKE
[+] 836b80cca2 ref-manual: Added note to PROVIDES variable description.
[+] b88973f637 ref-manual: New "Fakeroot and Pseudo" section.
[+] c78c50060c ref-manual: Added new variable description EXTRANATIVEPATH.
[+] 9576ddc6b3 ref-manual: Applied review changes to INITRAMF_IMAGE variable.
[+] 2996779354 ref-manual: Updated the INITRAMFS_IMAGE_BUNDLE variable description.
[+] 31b06fe353 ref-manual: Updated the do_compile task section.
[+] 85ce753de6 ref-manual: Updates to INITRAMFS_IMAGE and INITRAMFS_FSTYPES
[+] 4fc256d145 ref-manual: Updated the INITRAMFS_FSTYPES variable.
[+] ffd8a3fafb ref-manual: Updated the INITRAMFS_IMAGE variable.
[+] dfd845a126 ref-manual: Updated the PROVIDES variable description.
[+] 70ccc66126 systemd-compat-units: Only enable for systemd in DISTRO_FEATURES
[+] bcc8b87c72 systemd-compat-units: pkg_postinst() does not work
[+] 6c24a6446a sanity: Require bitbake 1.31.1 for multi-config changes
[+] 189371f839 devtool/recipe/tool/meta: Adapt to bitbake API changes for multi-configuration builds
[+] 8b35b032ed bitbake: bitbake: Update version to 1.31.1
[+] 218b81ac6b bitbake: bitbake: Initial multi-config support
[+] fac16ff8f7 bitbake: siggen: properly close files rather than opening them inline
[+] 0eb6d709b6 bitbake: ast/ConfHandler: Add a syntax to clear variable
[+] b50b14e372 bitbake: cache: Build datastores from databuilder object
[+] b176189df1 bitbake: cache: Split Cache() into a NoCache() parent object
[+] e79550ea87 bitbake: cache/cooker: Pass databuilder into bb.cache.Cache()
[+] 97ce9126a6 bitbake: cache: Make virtualfn2realfn/realfn2virtual standalone functions
[+] 4cd5647f12 bitbake: cache/ast: Move __VARIANTS handling to parse cache function
[+] 0ef16f083e bitbake: runqueue: Abstract worker functionality to an object/array
[+] 249686927b bitbake: cookerdata: Simplify prefiles/postfiles
[+] 3be73dcd7a yocto-bsp/yocto-kernel: update to work with the latest kern-tools
[+] 26b0657b2f parselogs: Ignore amb_nb warning messages under gemux86*
[+] 56e53db4d9 parselogs.py: Add failed to setup card detect gpio error on x86
[+] a9b2c9d83a parselogs.py: Add dmi and ioremap errors to ignore list for core2
[+] e290a83882 parselogs.py: Ignore Skylake graphics firmware load errors on genericx86-64
[+] f479e3866d testimage: allow using kvm when running gemux86* machines
[+] ff3a455ee8 image.bbclass: rename COMPRESS(ION) to CONVERSION
[+] 10e44fe6fb grub: split grub-editenv into it's own package
[+] 2973bc2b29 bash: 4.3.39 -> 4.3.46
[+] f4ad606e02 openssl: add ed25519 host key location to read-only sshd config
[+] e27bfac24f connman: add missing space in _append
[+] 5ef0620b18 kernel-yocto: streamline patch, configuration and audit phases
[+] 028e133171 linux-yocto/4.4: -rt update patch meta-data to remove ()
[+] 93ea3a517c linux-yocto/4.1: config updates
[+] cb63dd10bb linux-yocto/4.1: bump to v4.1.29
[+] e7c681720b linux-yocto/4.1: netfilter: x_tables: fix stable backport
[+] b6af219560 dbus: 1.10.8 -> 1.10.10
[+] d3d395b939 busybox: Backport makefile fix from upstream
[+] d37837a00d gobject-introspection: Ensure prelink config file exists to avoid build failures
[+] 180a77c56a alsa-utils: 1.1.1 -> 1.1.2
[+] 400e2628f1 alsa-lib: 1.1.1 -> 1.1.2
[+] 9800b4d9ff oeqa.buildperf: use oe.path.remove()
[+] 51970d10d6 oeqa.buildperf: be more verbose about failed commands
[+] 818d4c2d8e oe-build-perf-test: simplify stderr log format
[+] 5039a910b7 oe-build-perf-test: set-up file logging as early as possible
[+] 74820e99f7 oe-build-perf-test: suppress logger output when tests are being run
[+] d82a795683 oeqa.buildperf: introduce runCmd2()
[+] f4128f0e46 oe-build-perf-test: use new unittest based framework
[+] 979be848e2 oeqa.buildperf: convert test cases to unittest
[+] 09b9a4aeae oeqa.buildperf: add BuildPerfTestResult class
[+] 3acf648f58 oeqa.buildperf: add BuildPerfTestLoader class
[+] 3f519df38e oeqa.buildperf: derive BuildPerfTestCase class from unittest.TestCase
[+] daee7558a5 oeqa.buildperf: rename module containing basic tests
[+] 6203a77a53 buildperf: Add support for times without decimal part
[+] a191285b97 lib/oeqa/selftest/bbtests: don't report expected failures
[+] dde033ab4c oeqa/runtime/syslog.py: Improve test_syslog_logger on systemd
[+] 0cff756e15 python3.5-manifest: Fixes several dependencies on the newest python3
[+] cd20d7678b ncurses: upgrade to 6.0+20160625
[+] 205418f28e gnupg: upgrade to 2.1.14
[+] 8ce7bc30dc man-pages: upgrade to 4.07
[+] b2e6ac630a python3-git: Fixes dependencies, avoiding to install python3-misc
[+] 97ddbca8a52 python3-gitdb: Fixes zlib missing dependency
[+] cae5c7444b gmp: Fix wrong detection of -march flag
[+] a56f14e5fc graph-tool: update to new networkx API, be iterative
[+] alf39e5117 python-3.5-manifest: Add some missing RDEPENDS

```

```

[+] a84bfd8643 libpng: update 1.6.23 -> 1.6.24
[+] b66ec0ff0d libtasn1: Backport compiler warning fixes
[+] af96bedd0b ffmpeg: Pas CC and CXX to configure
[+] c0ea62e505 curl: upgrade to 7.50.1
[+] bbalb911c8 Use PYTHON_SITEPACKAGES_DIR insted of hard-coded *site-packages*
[+] 92f505b016 init-install*: /etc/mtab make a link rather than a copy
[+] caaff71f97 npm: npm.bbclass now adds nodejs to RDEPENDS
[+] 322435b890 iproute2: update 4.6.0 -> 4.7.0
[+] aalb6cb4c4 sqlite3: update 3.13.0 -> 3.14.0
[+] 0b8ddf597e perl-native: backport libnm link fix
[+] a6b26f8a6c xinput-calibrator: remove bash dependency
[+] 99d109cdcb classes/populate_sdk_ext: drop duplicated error message
[+] 64ffbd4869 classes/populate_sdk_ext: add some pre-install checks
[+] ceal1632471 toolchain-shar-extract.sh: add option to list contents
[+] 7cd213d8a9 classes/populate_sdk_ext: properly determine buildtools filename
[+] 5895bb6d2c classes/populate_sdk_ext: properly handle buildtools install failure
[+] 7df442c340 lib/oe/copy_buildsystem: fix merging sstate directories for eSDK
[+] 37b81968bb classes/populate_sdk_ext: sstate filtering fixes
[+] 53b79353ea classes/populate_sdk_ext: handle lack of univariate when filtering sstate
[+] cdd2460ff3 classes/populate_sdk_ext: ensure eSDK can build without univariate enabled
[+] 0a78f987de gen-lockedsig-cache: ensure symlinks are dereferenced
[+] 65ff9f5e0a oe-buildenv-internal: hint at specifying bitbake path in error message
[+] eea2de9c70 ccache.bbclass: don't remove CCACHE_DIR as part of do_clean
[+] 51d74f5673 systemd: fix typo in avoid-using-system-auth.patch
[+] 993bfb55c7 init-install*: only pick root mmc devices
[+] 4b9c75a953 sanity.bbclass: Only verify /bin/sh link if it's a link
[+] 9375b7effa tiff: Security fix CVE-2016-5323
[+] 1b03beb80a tiff: Security fix CVE-2016-5321
[+] b762eb937c tiff: Security fix CVE-2016-3186
[+] ecb7e52649 tiff: Security fix CVE-2015-8784
[+] dc75fc92b5 tiff: Security fix CVE-2015-8781
[+] 955d6cb60f e2fsprogs: Fix missing check for permission denied.
[+] df6694b7c8 initrdscripts/init-install*: Add rootwait when installing to USB devices
[+] 08a54713ac u-boot.inc: Enable out-of-tree builds
[+] 23afc338f6 dropbear/init: Allow extra arguments for key generation
[+] 4f9ddb6e90 initramfs-live-boot: Make sure we kill udev before switching root when live booting
[+] 7debab3e1f cross-canadian.bbclass: Add BASECANADIANEXTRAOS to specify main extraos
[+] 310d860262 security_flags.inc: enable PIE for a few recipes
[+] 896f1c769e oega/oetest: Improve subprocess error reporting
[+] a18e3c92e9 report-error: Fix tracebacks
[+] fbc144d08f univariate: Update to 1.3
[+] 96a861eb02 bitbake: bitbake-user-manual: Re-write "Dependencies Internal to the .bb File"
[+] cbf8516c08 bitbake: bitbake-user-manual: Added setting variable for a single task
[+] 277a5a969f bitbake: bitbake-user-manual: Added more detail to anonymous Python functions.
[+] 3alae38966 bitbake: bitbake-user-manual: Formatted all "flags" to be consistent
[+] 50d78130fd bitbake: bitbake-user-manual: Added detail to [dirs] and [cleardirs] flags
[+] 500ebdda6b bitbake: bb/utlils.py: export_proxies add GIT_PROXY_COMMAND
[+] 8a45291164 bitbake: knotty: don't show number of running tasks in quiet mode
[+] ea0800049d bitbake: knotty: fix task progress bar not starting at 0%
[+] 1b6f701cd9 bitbake: runqueue: fix two minor issues with the initialising tasks progress
[+] 407ba77fe2 bitbake: lib/bb/tests/fetch: remove URL that doesn't exist anymore
[+] 40b655db22 bitbake: toaster: update web urls for openembedded-core's special case
[+] 6b66e9317f Allow for simultaneous do_rootfs tasks with rpm
[+] dl1e8e1109 systemd_boot: Enable module to test systemd bootloader
[+] 2c043e3655 Revert "systemd_boot: Enable module to test systemd bootloader"
[+] e274a5167e bitbake: toaster: buildinfohelper Add handling local layers (i.e. non-git) layers
[+] 4ac57fb73e bitbake: toaster: bldcontrol model BRLayer Add corresponding local_source_dir
[+] cb5ed74e7f bitbake: toaster: adapt xhr_import_layer test locally imported layer
[+] 5827ae0a08 bitbake: toaster: update build configuration page
[+] f5acb4213b bitbake: toaster: update recipe details page
[+] 875770daf7 bitbake: toaster: update package detail page
[+] 3a5039949a bitbake: toaster: updt build tables for locally imported layers
[+] 186320fedf bitbake: toaster: update the tables information
[+] ef617e6f34 bitbake: toaster: collect details for local dir imported from ui
[+] 8cad51965d bitbake: toaster: add local_source_dir field to model
[+] 494eae3db0 bitbake: toaster: add local directory to the db
[+] b3fa98d449 bitbake: toaster: improve the display when local dir is added
[+] 331c1c6f0a bitbake: toaster: update css file for layer import
[+] 42d3a414fe bitbake: toaster: add local_source_dir to the needed_fields
[+] 836f332552 bitbake: toaster: control the selection of git and local repo
[+] c2c58a1879 bitbake: toaster: add import of local directory to UI
[+] 953ba7a221 bitbake: toaster: fix unhandled exception
[+] f6261da9c0 bitbake: toasterui: ensure that the Build object is always available
[+] f17ab95c79 bitbake: toaster-tests: add test for showing self-dependent task
[+] 98ef970c8e bitbake: toaster: prevent infinite loop when finding task dependencies
[+] 2ff892d87c bitbake: toaster-tests: add tests for reverting to default sort
[+] dd784598cd bitbake: toaster: reset table to default orderby when orderby column is hidden
[+] 01c8496d47 bitbake: toaster: show loading spinner after creating custom image
[+] 6172fb1923 bitbake: toaster-tests: fix erroneous message when test fails
[+] cf0b07c96f bitbake: toaster-tests: add tests for most recent builds state changes
[+] 36f71db680 bitbake: toaster-tests: add tests for build dashboard menu and summary visibility
[+] 504a85822e bitbake: toaster-tests: add tests for build time links in the all builds page
[+] 2d80b902b8 bitbake: toaster: adjust build dashboard for failed builds
[+] e387a7ab9d bitbake: toaster: add started property to Build
[+] dce5037646 bitbake: toaster: remove links from time field on failed builds
[+] 9ed45f7974 bitbake: toaster: tweak styling and typos in recent builds area
[+] 82d998d6c6 bitbake: toaster: show "Tasks starting..." until the first task completes
[+] dd99cf957d bitbake: toaster: show progress of recipe parsing in recent builds area
[+] 952ffb3e1f bitbake: toaster: move most recent builds templating to client
[+] c471740f5b bitbake: cooker: add BuildInit event
[+] f4e65d1cd0 bitbake: toaster: fixtures Add README
[+] 71f553b022 bitbake: toaster: Remove old toaster config loading mechanism
[+] 49039829e1 bitbake: toaster: lsupdates Add spinner for parsing/http fetch
[+] 33a4006529 bitbake: toaster: checksettings call django's loaddata instead of custom command
[+] 72fa18fb35 bitbake: toaster: Add poky and openembedded configuration fixtures
[+] a1629a2b26 bitbake: toaster: tests test_new_project_page Catch button not enabled exception
[+] cae9e6f695 bitbake: toaster: --help now returns 0 instead of 1
[+] 5d1d1774ec bitbake: siggen: Fix typo
[+] 93817932de bitbake: fetch2/gitannex.py: use 'git annex init' instead of 'git annex sync'
[+] 82dale6f6c bitbake: persist_data: Fix py3 update stack overflow
[+] 12c8a50c60 maintainers.inc: add recently added recipes
[+] 33b01282e2 linux-yocto: Update genericx86* SRCREVS for linux-yocto 4.4
[+] 4534741168 linux-yocto: Update genericx86* SRCREVS for linux-yocto 4.1
[+] dd53025d24 poky: update supported distros
[+] a6630c2310 bitbake: fetch: Fix use of tar's --exclude option for tar >= 1.29
[+] 87cb470304 dbus: backport stdint.h build fix

```

```

[+] 5aca5bc9a1 base-files: restrict resize to run on serial consoles only in profile âM-^TM-^BÂ.
[+] b6ecbee4b2 libunwind: Do not use gold for linking
[+] e0ad5a9dcb webkitgtk: Disable gold for mips/mips64
[+] ad79a894a7 connman: clean up musl fixes
[+] fc08ecf8b2 connman: disable version-scripts to fix crashes at startup
[+] 3ac3f3f309 oega: start() add remaining args SimpleRemoteTarget and QemuTinyRunner
[+] 4a4a24fccc busybox: Fix busybox-init on non-tty consoles
[+] b51959e3c8 uboot-sign: do_concat_dtb(): cd to $B
[+] cla6945d7e uboot-sign: Handle .rom signing the same as .img
[+] 749d7771ce kernel-fitimage: Add x86 support
[+] ec755d2524 kernel-fitimage: add initramfs support
[+] 3153bd381c kernel-fitimage.bbclass: do_assemble_fitimage(): cd to $B
[+] d90eaa8518 linux-dtb.inc: Support for .dtbo files for dtb overlays
[+] a960d9b401 packagefeed-stability.bbclass: fix multilib + rpm
[+] ce8e654e2c runqemu: gemuzynqmp: Add Linux boot support
[+] 6f2fa0a018 package: correct subprocess.Popen.communicate() return values
[+] b30aeb3e32 chrpath: correct subprocess.Popen.communicate() return values
[+] a48fea275b license: improve handling of license files with identical basenames
[+] da72327ab0 sysvinit-inittab_2.88dsf.bb: Allow aliasing with SERIAL_CONSOLES_CHECK
[+] 95403e3ecd buildhistory: output package variables in a repeatable order
[+] 7b33b23d0e nettle: update LICENSE info for version 2.7.1
[+] 2be5ee7e0a gst-player: update the callback for delete-event
[+] aca6dae9dc dpkg: Avoid automatic target architecture detection
[+] 0e421c93a8 ca-certificates: remove -- separator
[+] 309a6e01e3 world-broken: Add libunwind for musl/arm
[+] 6d84986631 strace: Fix build with mips/mips64 on musl
[+] feb125eb17 oega/utis/httpserver.py: HTTPServer enable thread connection handling
[+] 262c81e3ca quilt/acl/atcc/seed: Fix use of tar's --exclude option for tar >= 1.29
[+] 1f00fa182b alsa-utils: fix installed-vs-shipped for bat
[+] 50c23e6c26 openssl: fix add missing 'make depend' command before 'make' library
[+] 17d728dede terminal: Add sleep in pid-monitor loop
[+] celcf85bd2 consolekit: don't ship /var/log/ConsoleKit
[+] 7633b81aac package.bbclass: warn about files under symlinked directories
[+] 961b5269cd package.bbclass: better handling of middle-path dir symlinks
[+] 416c4bc009 util-linux: make prlimit a separate package
[+] 07d9c3a41d lzo: update ptest output format
[+] 9ec7cef3d0 oega/selftest: disable report-error class when builds are expected to fail
[+] b26e09b748 pseudo: Add nobody user and group
[+] b192bc02bb python3: Upgrade from 3.5.1 to 3.5.2
[+] 3ab991bee2 python3-native: Upgrade from 3.5.1 to 3.5.2
[+] adf4266524 python: upgrade from 2.7.11 to 2.7.12
[+] db9508891b python-native: Upgrade from 2.7.11 to 2.7.12
[+] 909e2120d4 python-smartpm_git.bb: Add patch for debugging random errors
[+] 1650f67230 libevent: update ptests fail condition
[+] 8efd482911 package.bbclass: remove unneeded chmod() and chown()
[+] 591bd6b0aa libgcrypt: upgrade to 1.7.2
[+] f157570e74 procps: upgrade to 3.3.12
[+] 69735b9586 curl: upgrade to 7.50.0
[+] a4f0ae1113 kernel.bbclass: add lzop dependency
[+] 3b064be9b1 piglit: fix build failure with gold linker
[+] 3e97d194f8 matchbox-panel-2: remove dangling patch
[+] 49b4df1b0c matchbox-desktop: remove dangling patch
[+] 2b8dd4cela alsa-utils: remove dangling patch
[+] cbl88dc186 python-numpy: remove dangling patch
[+] fe5f80bda8 guile: remove dangling patch
[+] 8b88df382d openssl: remove dangling patch
[+] f389433b25 gstreamer1.0-plugins-bad: remove two dangling patches
[+] 77e5a89df3 autotools.bbclass: remove intltool.m4 from ${S}
[+] 63cb0eeclf autotools: move aclocal-copy to WORKDIR
[+] e1081f491c intltool: bump serial for aclocal --install
[+] c5af7540a5 yocto-uninative: bump to uninative tarball version 1.2
[+] 88a3d7629c meta/classes: fix bb.build.FuncFailed typos
[+] 30ab044dac binutils: Bump to 2.27
[+] 26c6b10da8 apt: Fix build in musl it was break due to upgrade to 1.2.12
[+] e884ceaa3 glibc: Switch to 2.24 release branch
[+] dfc016fbf1 maintainers.inc: remove augeas
[+] a9681ef2e3 Revert "packagegroup-core-x11-base.bb: replace pointercal with pointercal-xinput"
[+] a56fb90dc3 base.bbclass wipe ${S} before unpacking source
[+] 3522a90f1b packagegroup-core-x11-base.bb: replace pointercal with pointercal-xinput
[+] 574515445a dpkg: put start-stop-daemon into a separate package
[+] 7759b4844f perf: enable man pages for 'help' functionality
[+] 9ddb513a7f create-pull-request: set subject automatically for cover latter
[+] 1d7228c565 create-pull-request: read remote from env var CPR_CONTRIB_REMOTE
[+] a15826520f create-pull-request: add option -a to auto push
[+] ca5645901b cronie: upgrade to 1.5.1
[+] 1580eac758 AsciiDoc: add it
[+] a5eb998c4d augeas: remove from oe-core
[+] 9ac1500789 tcl: 8.6.5 -> 8.6.6
[+] 46d59011cb strace: 4.12 -> 4.13
[+] 7dbfe6f73d libcap-ng: 0.7.7 -> 0.7.8
[+] 1flac9fbda grub2.inc: run autogen.sh before configure
[+] 37fle0c154 oega/utis/sshcontrol.py: Allows to copy symlinks to target
[+] 65459f5b6d oega/oetest.py: Allow to export packages using symlinks
[+] 65a03c3f94 oetest.py: Remove check for __init__.py
[+] 84d854c98b oetest.py: Add command line parameter support for tag in testexport
[+] 2d565fae46 bitbake.conf: set READELF for cross compilation
[+] 8b5f369726 Fix random python backtrace in mutllib handling code.
[+] 44ae8284d0 selftest/runtime-test.py: Add test for testexport SDK feature
[+] d2e5c93dba dhcp: dhcrelay.service cannot start successfully
[+] 43a3933624 meta: add more missing patch tags
[+] 6d59c5cd61 cml1: fix tasks after default [dirs] changed
[+] c00346d80f bitbake.conf/toolchain-scripts.bbclass: Remove debug prefix mappings in SDK
[+] 6cf486ff2f pseudo: update git recipe to include xattr perf fix
[+] 2726f91d41 pseudo: backport patch to fix xattr performance
[+] d4040da8bc mesa: Fix build when cross compiling with clang
[+] 50008ffeb9 gstreamer1.0-plugins-bad: Backport GstGLMemoryEGL implementation
[+] a09a7b71ce gdb: Cache gnu gettext config vars for musl builds
[+] 76fc5ab81d ffmpeg: Upgrade to 3.1.1
[+] 8b21a516b0 apt: Upgrade to 1.2.12
[+] 564657edae groff_1.18.1.4: fix narrowing conversion error
[+] b37463b6de python-pexpect: Upgrade to 4.2.0
[+] 1e555c0d06 glew: upgrade to 2.0.0
[+] d753c91c4e apmd: use snapshot.debian.org for SRC_URI
[+] a996ae6228 linux-yocto/4.1: gemuupp and gemumips build fixes
[+] 453c174e41 linux-yocto/4.1: bug fixes and configuration changes
[+] 9dc4cfc54d linux-yocto/4.1: bump to v4.1.28

```



```

[+] a3cad8f0e0 bitbake: bitbake-user-manual: Applied typo fix to "Override Style Operation Advantages"
[+] ae427fb097 bitbake: bitbake-user-manual: Changed bitbake command example.
[+] e2057f9361 bitbake: bitbake-user-manual: Updated the PROVIDES variable
[+] f0e73a4b65 bitbake: bitbake-user-manual: Added non-existent variable expansion
[+] 41b49cadd3 bitbake: bitbake-user-manual: Applied some review comments
[+] a3a7ddf120 bitbake: bitbake-user-manual: Updated the "Inline Python Variable Expansion" section.
[+] eb282b797e bitbake: bitbake-user-manual: Fixed override operator syntax.
[+] 6aaf379119 bitbake: bitbake-user-manual: Clarified override-style operators.
[+] d1e3f0bb16 bitbake: bitbake-user-manual: Updated the variable expansion section.
[+] 2652217970 bitbake: Revert "bitbake-user-manual: Added new section on command-line execution"
[+] 5203cfe6a9 ref-manual: Removed redundant "and"
[+] 2322267e24 ref-manual: Removed stray parenthesis.
[+] 566ebc1af2 ref-manual: Updated the STAGING_DIR_HOST variable.
[+] 4396ffb3c9 ref-manual: Updated STAGING_DIR_TARGET and MULTIMACH* variables.
[+] 05beac3ef0 ref-manual: Added a link to D variable and moved a task:
[+] 376a8201d1 ref-manual: Augmented some STAGING_DIR_* variable descriptions:
[+] 599be67eef Revert "ref-manual: Added new glossary entry for REMOVE_PKG_SUPPORT."
[+] 33b01c502f ref-manual: Added 3 new QA sanity checks.
[+] f2fa3c59bb ref-manual: Applied review edits to "Checking for Missing Build-Time Dependencies"
[+] 7c5a147141 ref-manual: Applied review changes to the do_deploy task.
[+] c9e3815b2e ref-manual: Added new "Checking for Missing Build-Time Dependencies" section.
[+] fa0c574deb ref-manual: Added link to the do_populate_sysroot task
[+] 6c302a4250 ref-manual: Applied formatting to QA check string in do_install task
[+] 38c33b7904 ref-manual: Fixed output example in the B variable.
[+] 30929cf037 ref-manual: Updated the do_deploy task reference section.
[+] bcl4368d39 ref-manual: Added detail to the populate_sysroot task.
[+] bbl643444e ref-manual: Updated the do_packages task.
[+] 4f27aa6e3a ref-manual: Updated the do_install reference section.
[+] 781bff802b ref-manual: Updated the do_configure task.
[+] 8f2d8c2061 ref-manual: Fleshed out the do_compile task.
[+] 04c611290c ref-manual: Updated RDEPENDS variable description with note.
[+] 818e439cf5 ref-manual: Applied review comments to logging mechanism section
[+] 2db1d3b76d foomatic-filters: Security fixes CVE-2015-8327
[+] e07ebd001b foomatic-filters: Security fix CVE-2015-8560
[+] f5a7cd40f0 at: use snapshot.debian.org for SRC_URI
[+] eef97b3a54 mailx: use snapshot.debian.org for SRC_URI
[+] 27b49de75d libaio: use snapshot.debian.org for SRC_URI
[+] 1a740c6ac3 blktool: use snapshot.debian.org for SRC_URI
[+] ecde311ccd serf: use snapshot.debian.org for SRC_URI
[+] 5727f465a6 linuxdoc-tools: use snapshot.debian.org for SRC_URI
[+] 9cfb420174 docbook-xml-dtd4: use snapshot.debian.org for SRC_URI
[+] df4451c819 netbase: use snapshot.debian.org for SRC_URI
[+] f6e53accbd ossp-uuid: use snapshot.debian.org for SRC_URI
[+] 0966a839ac linux-yocto/4.4: update to -r19
[+] 2c358b9385 readline: don't install readline C examples
[+] a9aef4087b useradd-staticids.bbclass: trigger reparsing when table files change
[+] 1981ab0829 oeqa/utlils/commands.py: Command class improve validations/decoding in output
[+] 1648504198 oeqa/runtime/syslog: test_syslog_logger Don't try to use logread when systemd is enabled
[+] a86a1b2703 classes/testimage: When image is systemd, enable debug log level
[+] 140f6c7308 busybox-syslog.default: When systemd is enabled don't use circular buffer
[+] b4ba36a9d7 oeqa/runtime/syslog.py: Improve test_syslog_logger
[+] 8b3f624549 xorg-xserver: upgrade xserver version from 1.18.3 to 1.18.4
[+] 0ec45e90bd tcf-agent: update to 1.4_neon_bugfix branch
[+] 3286f4feae python-git: Upgrade python-git and python3-git to 2.0.7
[+] d8cff60677 python-numpy: upgrade to 1.11.1
[+] 5c2bc4d63a linux-yocto/4.4: mousedev and printk configuration streamlining
[+] e647fe0bfff linux-yocto/4.4: lx-dialog and mei bug fixes
[+] ec31f30a6e linux-yocto/4.4: bump to v4.4.15
[+] 6d2987cc86 systemd-boot: use ln -r instead of ln --relative
[+] 215687eb55 gstreamer1.0-plugins-bad: add missing wayland-native dependency
[+] f31683d5ba selftest/runtime-test.py: Add test for import test from other layers
[+] 36b3e58e3d cmake: upgrade to 3.6.1
[+] 8c6371f803 libassuan: upgrade to 2.4.3
[+] e7a0997f19 libpgp-error: upgrade to 1.24
[+] 3486b729b2 dropbear: upgrade to 2016.74
[+] f55bf4e07e wayland-protocols: upgrade to 1.5
[+] 0ef807a79c libtasn1: upgrade to 4.9
[+] c90d7999d9 libsolv: upgrade to 0.6.23
[+] 75efb26f76 connman: upgrade to 1.33
[+] 081acd5a73 update-rc.d: Correct trivial typo in DESCRIPTION line.
[+] 556059a5cb binutils: Cache gettext api version 1 and 2 support
[+] 8ab6c4acf3 menu-cache: remove spurious dependency on intltool
[+] 6f1f3174cf sysprof: clean up FILES
[+] lebec491aa tune-mips-24k: add QEMU_EXTRAOPTIONS for DSP and MIPS16e cores
[+] b004e3aef9 qemu: add patch to add mips 24KEC CPU definition
[+] 0152d75a6e bash: add patch to build w/ -wformat-security
[+] f4709b1960 uncovered: list uncovered python modules
[+] 81580c5c2e screen: add back the patch for parallel build
[+] b332b38ccf avahi-ui: use PACKAGECONFIG for gtk features
[+] baaaea5145 Revert "lttng-tools: filter random filename of ptest output"
[+] 2c01447ea6 oe-selftest: simplifying log filenames
[+] e91d0d5d1c oe-selftest: export test results via xmlrunner
[+] cc3c276852 oe-selftest: recipetool: add tests for git URL mangling
[+] 12fbed9e60 recipetool: create: fix greedy regex that broke support for github tarballs
[+] be68ef5129 useradd.bbclass: Fix delete user/group when more than one item
[+] aa2d945423 bitbake: lib/toaster: Fix missing new files from previous commits
[+] 5b61fa04a3 bitbake: toaster-tests: fix URL given for Chromedriver download
[+] 05f82e8f12 bitbake: toaster-tests: define capabilities for latest Firefox driver
[+] 2a849e7e9b bitbake: lib/bb/checksum: avoid exception on broken symlinks
[+] ea234239f4 bitbake: lib/bb/utlils: show subprocess output in stack traces
[+] c42b5333f0 bitbake: fetch2: fix pickle issues while switching from master to krogoth
[+] 039f47ad19 uclibc: remove meta-yocto-bsp append
[+] ld39e4c145 dpkg: use snapshot.debian.org for SRC_URI
[+] 7cb7ca908c babeltrace: remove unnecessary SRCREV
[+] 87678bbdc8 rt-tests: rationalise compiler flags
[+] 3ec9a621d0 recipetool: record unknown license files
[+] 25507bfa82 lib/oe/recipeutlils: fix patch_recipe*() with empty input
[+] dd8540550f classes/buildhistory: ensure eSDK sstate lists sorted secondarily by name
[+] 82c7d0f200 classes/buildhistory: add additional variables for eSDK
[+] 4048af44eb classes/populate_sdk_ext: add gdb to full extensible SDK
[+] 0b2ca66874 classes/populate_sdk_ext: filter sstate within the extensible SDK
[+] 2ac1fd537 scripts: add oe-check-sstate script
[+] 4253e2e0f3 classes/populate_sdk_ext: allow including toolchain in eSDK on install
[+] f84b01b289 meta-extsdk-toolchain: add meta-recipe to install toolchain into eSDK
[+] cb5d308c48 classes/populate_sdk_ext: set default for SDK_INCLUDE_PKGDATA
[+] 1b4dc787b8 oeqa/selftest/signing: check that we have GPG in setup

```

```

[+] 5218c24c8b oega/selftest/signing: use a temporary directory for GPG home
[+] ab075b6fb8 kdump: don't set default values for KDUMP_CMDLINE and KDUMP_KIMAGE
[+] 9b8b730d24 harfbuzz: upgrade to 1.3.0
[+] 8b0db50da5 bluez5: upgrade to 5.41
[+] b261791d69 dhcp: remove dhclient-script bash dependency
[+] 21916fe5b6 net-tools: lib/inet6.c:INET6_rresolve() - various fixes
[+] 012262ad6a gcc: Don't use vectorized builtins when Neon is not there
[+] 6660e95cbf sysprof: fix floating dependency on polkit
[+] 71d0c871c9 kernel.bbclass: explicitly set workdir in do_bundle_initramfs
[+] 4858c6b728 kernel-uimage.bbclass: indeed update var KERNEL_IMAGETYPE_FOR_MAKE
[+] 7178f0732d musl: don't compile in mips16e mode
[+] 1131507d46 lib/oe/path: Fix tar invocation with --no-recursion
[+] 57bb38d263 gcc: Fix libgcc unresolved symbols with PIE on musl
[+] 13ee352a1f webkitgtk: Do not use gold with clang
[+] 7d04a4dbfd insane: only check ${S} exists if we had sources to fetch
[+] 2eec44ee23 lib/oe/gpg_sign: fix output in error paths
[+] f02f0edeaa python-smartpm: add support to check signatures
[+] 2f6bbc7006 openssl: conditional compile DES code.
[+] 2c2f22a533 packagefeed-stability.bbclass: copy all packages of a recipe
[+] 600f0b3e04 packagefeed-stability.bbclass: minor fixes
[+] b36753b1c9 packagefeed-stability: add class to help reduce package feed churn
[+] cbf7902030 package_deb.bbclass/package_ipk.bbclass: sort RPROVIDES
[+] 9621959a3a build-compare: improve deb and ipk checking
[+] ad6aae3106 build-compare: fix checking for named pipe and others
[+] fef5ae147e build-compare: make pkg-diff.sh 75% faster
[+] 495e2f80a9 build-compare: remove space at head
[+] 51b08835b6 rpm: make --nosignature work
[+] 2ab49268fd package_deb.bbclass: fix Python 3 error
[+] 0e63414bc3 piglit: Add build fix patch
[+] ad625f7f9b avahi: fix resource temporarily unavailable issue
[+] 05dca6eae3 pulseaudio: fix floating dependency on webrtc-audio-processing
[+] 7c9acff0ea4 pulseaudio: 8.0 -> 9.0
[+] 328e249399 libsndfile1: 1.0.26 -> 1.0.27
[+] 24f871c801 classes/populate_sdk_ext: show progress when preparing build system
[+] 1052fef94e layer.conf: bump version for uclibc removal and LSB update
[+] bb9d9dacca uclibc: remove
[+] 560077821a LSB: 4.1.0 -> 5.0
[+] e6e05a30b1 systemd_boot: Enable module to test systemd bootloader
[+] efd7d6b6fc webkitgtk: Switch the ARMv7 build to Thumb2 and enable back the JSC JIT.
[+] b6aa976756 quota: make compile pass when disable rpc
[+] b7a2688ac8 weston-init: De-couple framebuffer console from Weston for systemd startup
[+] df9f8a89fb weston-init: Fix weston-start to handle 0 or 1 args
[+] 9f7c1a5a99 weston-init: Fix weston-start to allow weston args without openvt args
[+] c406e9acd7 ccache: 3.2.4 -> 3.2.5
[+] 36f6219c49 gettext-minimal-native: 0.19.4 -> 0.19.8.1
[+] cff21235c2 gettext: 0.19.6 -> 0.19.8.1
[+] 91a6f3a375 slang: 2.2.4 -> 2.3.0
[+] 2186bbca70 gnu-efi: 3.0.3 -> 3.0.4
[+] 6d9958ee9d guile: 2.0.11 -> 2.0.12
[+] cf0395203a git: 2.8.4 -> 2.9.2
[+] cea867b532 linux-yocto-dev: Ensure we don't reparse the recipe when its not being used (take 2)
[+] elfcb032e2 Revert "linux-yocto-dev: Handle performance regression"
[+] 31cef0d518 lib/oeqa/decorators: handle broken links when creating new symlink
[+] ebc80fa30a siteinfo: Add mechanism to extend siteinfo information from BSP layer
[+] e693f2e641 insane: Add mechanism to extend QA machine information from BSP layer
[+] 1393b23f51 bitbake: lib/bb/build: handle incomplete message fragments in log FIFO
[+] 9411e33b88 bitbake: toaster-tests: add tasks and recipes sub-page tests
[+] 4357d7a296 bitbake: toaster: set non-hideable columns for built recipes table
[+] bd2cce00de bitbake: toaster: set non-hideable columns for build tasks table
[+] 83ccef335c bitbake: toaster: fix download URL for task logs
[+] 24905d3c2d bitbake: fetcher2/___init___: Print command in case of ExecutionError in runfetchcmd
[+] 729d9fcb54 bitbake: toaster: loadconf Partially add back some of the LayerSource parsing
[+] 04dlad5fe7 bitbake: toaster: admin Add Layer_Version to the admin-able models
[+] 97278fb51c bitbake: toaster: orm Remove the layerindex specific up_branch fields
[+] 8b3146007f bitbake: toaster: lsupdates Add progress information and clean up logging
[+] bb260e94a6 bitbake: toaster: tests: Remove references to LayerSource model
[+] ef627d0ab8 bitbake: toaster: Replace references to LayerSource models
[+] ffc78d329d bitbake: toaster: lsupdates Add layerindex fetcher
[+] 853450befc bitbake: toaster: models Remove LayerSource models and replace with enum
[+] 20f939f242 bitbake: toaster: bldcollector admin Remove LayerSourceAdmin
[+] 1477886deb bitbake: toaster: loadconf remove Loading LayerSources
[+] c27ae255db bitbake: lib/bb/progress: avoid possibility of start event being reported twice
[+] 5f4559b2eb bitbake: knotty: don't display ETA for tasks with progress
[+] 23a551beal bitbake: knotty: fix some minor bugs in BBProgress
[+] 0c3ce68410 bitbake: fetch: copy files with -H
[+] 7f6b6b2ab9 bitbake: cache: Don't interleave pickle cache file writing
[+] 5d41200113 bitbake: cache: Add better cache loading sanity checks
[+] 40d45cf7a6 bitbake: cache: Drop/simplify pointless type checking
[+] c9e65c5d29 bitbake: cache: Improve versions fields handling
[+] 09f6a56aa4 bitbake: cache: Correctly handle missing extra caches
[+] b2ef908be1 bitbake: cache: Move the parsing message to a more logical place
[+] 36feb38045 linux-yocto: Update genericx86* SRCREVs for linux-yocto 4.4
[+] f06b023de7 linux-yocto: Update genericx86* SRCREVs for linux-yocto 4.1
[+] 317708235b bitbake: bitbake: implement idle timeout for xmlrpc server
[+] 4cba010529 bitbake: bitbake: implement --foreground command line option
[+] 380b6e80ce bitbake: bitbake-user-manual: Added new section on command-line execution
[+] cb40ae4872 bitbake: bitbake-user-manual: Applied review edits to "Recursive Dependencies"
[+] 80blefb62c bitbake: bitbake-user-manual: Fixed typo in the BBDEBUG variable description.
[+] 9a9577ed49 bitbake: bitbake-user-manual: Added review changes to BBCLASSEXTEND description
[+] 4bc1ee5de4 bitbake: bitbake-user-manual: Added review changes to recursive section.
[+] 35081f5518 bitbake: bitbake-user-manual: Added support for the Perforce Fetcher
[+] a6cfffcc1 bitbake: bitbake-user-manual: Added clarifying note to BBCLASSEXTEND variable.
[+] 8c55a9cf88 bitbake: bitbake-user-manual: Added a note providing examples of task dependencies
[+] d918df7e8e bitbake: bitbake-user-manual: Updated dependency section for tasks
[+] 6743f12bbf bitbake: bitbake-user-manual: Updated the defaults for getVar and getVarFlag
[+] 8321d66696 bitbake: bitbake-user-manual: Added new section on command-line execution
[+] 321f4e9438 boost: fix CVE-2012-2677
[+] d183d1e08b package_manager.py: Avoid installing an empty package list
[+] 56aa9c8162 glibc: Update to 2.24 after hard-freeze
[+] 2d5b282957 wic: rawcopy: make source filenames unique
[+] 788d6fb30d buildhistory-diff: reduce PKGR noise
[+] d4d60218ec systemd: allow add users to groups in rootfs postprocess
[+] 031c2f6ced initscripts/init-install*: Select install target instead of looping through
[+] 8da54b401d oega/controllers: Add test target for Systemd-boot
[+] cd78d8745d oetest.py: Fix problem when there is more than one json file for package extraction
[+] 736eab6e73 oe-selftest: print errors when failed to find test

```

```

[+] elaa836bb9 lib/oeqa/utils/commands.py: Move updateEnv() from runexported.py
[+] 90436919f8 bitbake: cooker: Fix incorrect dot file generation
[+] 1b1fe2c208 bitbake: toaster-tests: add class SeleniumTestCaseBase for browser tests
[+] a61eb1f844 intltool: remove broken XML::Parser detection
[+] ae39c3a0f6 intltool: merge .bb and .inc
[+] bb42984277 oeqa/recipeutils: update recipe test to pass SHA
[+] 738f47a2d9 oeqa/devtool: update recipe test as libmatchbox changed
[+] bf69538e54 xf86-input-libinput: Upgrade 0.16.0 -> 0.19.0
[+] 6c2f073ab9 xf86-input-evdev: Upgrade 2.10.2 -> 2.10.3
[+] e7d910b761 xkeyboard-config: Upgrade 2.17 -> 2.18
[+] fded0a03dc libxfixes: Upgrade 5.0.1 -> 5.0.2
[+] a5392dd424 weston: Upgrade 1.10.0 -> 1.11.0
[+] ddb0de6508 wayland: Upgrade 1.10.0 -> 1.11.0
[+] 534cc8612c wayland-protocols: Upgrade 1.3 -> 1.4
[+] d18a28c09a mesa: Upgrade 11.2.2 -> 12.0.1
[+] 00191b802d mesa-demos: Require X11 distro feature
[+] 4518058942 image: add do_image_qa task to run QA checks on the constructed image
[+] dlfdad0ad55 python3: Security fix CVE-2016-5636
[+] 81106cd333 python2: Security fix CVE-2016-5636
[+] 3aaf023202 bzip2: Security fix CVE-2016-3189
[+] c0dbed63c6 openssl: Security fix CVE-2016-2178
[+] 03f6074ad4 openssl: Security fix CVE-2016-2177
[+] 61577c5e4c xmlto: only target requires coreutils
[+] f74ddc6df4 piglit: Fix build on musl/arm
[+] dbf53c9f42 xuser-account: remove GROUPADD_PARAM
[+] e24bc6d9f2 recipes-graphics: Added native and nativesdk support for some libraries
[+] 69dfc58449 tcl: fix sed command in do_install
[+] bffb0fbfcc oe-git-proxy: don't depend on syslinux
[+] dd0474c7e8 sysstat: upgrade to 11.3.5
[+] db0c499101 sudo: upgrade to 1.8.17p1
[+] 35c9e2a3ea cups: upgrade to 2.1.4
[+] 1854732804 byacc: upgrade to 20160606
[+] e53630ee3a at: upgrade to 3.1.20
[+] 096b4c639b libxsettings-client: Remove as unneeded
[+] 49d3d7da29 libmatchbox: Upgrade 1.11 -> 1.12
[+] bld573bdc8 matchbox-keyboard: Upgrade to 0.1.1
[+] 16fa164d15 sato-screenshot: Upgrade 0.2 -> 0.3
[+] 8bf2692b1b matchbox-panel-2: Upgrade 2.10 -> 2.11
[+] 548401503d libpng: update to 1.6.23
[+] 11f23ecee8 linux-firmware: update to revision cccb6a0da9
[+] 5813d4053e nss: Fix build on mips/clang
[+] 05084640e6 wic: oe-selftest: build bmap-tools-native
[+] ed319ff401 musl: Fix mips regressions in 1.1.15
[+] bb915a1492 binutils: backport fix for TLSDESC relocations with no TLS segment on arch64
[+] 4fdfee4a78 classes/license.bbclass: don't set [dirs] and [cleandirs]
[+] 6494a59552 glibc: use the host locale archive in nativesdk builds
[+] 604778091e perl: fix CVE-2016-2381
[+] ac0910efcc opkg: upgrade to v0.3.3
[+] d62fd7711d devtool: add finish subcommand
[+] 10a5af5eb4 devtool: upgrade: record original recipe files
[+] 7af3295b0b devtool: update-recipe: refactor to allow calling separately
[+] 5d78525a2d devtool: reset: refactor to allow calling separately
[+] 7435cdf750 lib/oe/recipeutils: fix a few issues in find_layerdir()
[+] c4297f3e22 devtool: update-recipe: don't copy local files that haven't changed
[+] 8be2077a38 devtool: update-recipe: find and use existing files directories
[+] 220a68bfc2 bash: fix string format errors when enabling security flags
[+] 2184694a17 bash: ensure LDFLAGS is passed when building ptest
[+] d713c48a35 libevdev: Upgrade 1.5.1 -> 1.5.2
[+] b66059b1a9 librsvg: Upgrade 2.40.15 -> 2.40.16
[+] c12458403b libgpg-error: Upgrade 1.22 -> 1.23
[+] 54d500947d freetype: Upgrade 2.6.3 -> 2.6.5
[+] 0a98691289 fontconfig: Upgrade 2.11.95 -> 2.12.0
[+] 3eaf1accb3 cairo: Remove unnecessary UPSTREAM_CHECK_REGEX
[+] b3e40449e2 expat: Upgrade 2.1.1 -> 2.2.0
[+] 5d5efbc665 packagegroup-core-tools-testapps: remove Piglit temporarily
[+] c3753a8b18 piglit: Upgrade version, use python3
[+] b384b724ec oe/lib/package: handle shlibs files disappearing
[+] 72becf96c9 bitbake.conf: use ${prefix} to define exec_prefix
[+] ad6aaae4bf utils/qemurunner.py: QemuRunner.start() add support for specify extra kernel cmdline
[+] e558b50afc site: Move rsync_cv_HAVE_C99_VSNPRINTF to common-linux
[+] 17dcf19d86 nss: Fix build with clang
[+] 317447f1d1 python-six: Add to oe-core
[+] 89eab25990 python3: update manifest RDEPENDS for importlib and compression packages
[+] 4a5de974e7 db: Use cross libtool
[+] 15ba3c1a96 initramfs-framework: make rootfs module optional
[+] 7eaf3056c8 testimage.bbclass: INHERIT -> IMAGE_CLASSES
[+] 45743114c8 wic: mountpoint is an optional argument
[+] 65a0c27483 report-error: replace build paths with markers not whitespace
[+] 3ad542a85a rpm: remove CVS-based recipe
[+] d291ca3040 recipes-sato: fix upstream version check
[+] 470558f77e python-numpy: fix upstream version check
[+] 447d715e26 python-scons: fix upstream version check
[+] 652cacc1d8 epiphany: update to 3.20.3
[+] 441a1fc6eb libwnck3: upgrade to 3.20.1
[+] 15901eb07b desktop-file-utils-native: update to 0.23
[+] f4cd97c30d bash-completion: update to 2.3
[+] 4c9b1a472f wic: clone gummiboot wks for systemd-boot
[+] 3091a8c58a wic: add systemd-boot option in EFI boot image plugin
[+] a98a818086 gcc-cross: default linker hash style to sysv
[+] 648fd334da gstreamer1.0-plugins-bad: Fix little rectangel appears at the center when use squeeze and tunnel
effects
[+] c62fd75866 gstreamer1.0-plugins-bad: Use the newer texture() function in glcolorconvert
[+] a933b784ec gstreamer1.0-plugins-bad: Add glBindFragDataLocation in glshader
[+] 352acc90c4 gstreamer1.0-plugins-bad: Don't use the predefined variable name in glcolorconvert
[+] 365fdceled gstreamer1.0-plugins-bad: Implement multiple render targets for GLES3
[+] eleca35850 gstreamer1.0-plugins-bad: Enable gldeinterlace on OpenGL ES
[+] b0d66a77c7 gettext_0.16.1: remove useless files to avoid sysroot conflicts
[+] f583dad244 git: 2.8.4 -> 2.9.0
[+] 6ac1f9038d sstate.bbclass: make PV to depend on PV variable value
[+] 5c545caef8 v86d: Accept aarch64 as build host
[+] 54fd9afef7 libunwind: Port to ppc/musl
[+] d2296eaa9e webkitgtk: Fix build on ppc with musl
[+] fa0b782be8 python{3}-numpy: Predefine of sizeof off_t on mips/mipsel/ppc
[+] d55b7650d3 linux-yocto: Enable debug/printk.scc KERNEL_FEATURE on qemuall machines.
[+] e833508075 nativesdk-packagegroup-sdk-host: Add wayland-scanner to the SDK native toolchain
[+] 9045e21b7f neard: upgrade to 0.16

```

```

[+] 01a3261b59 libidn: add license per package
[+] 42e870c5ed image_types.bbclass: support template wks.in files for wic
[+] be90c3ec5c image_types.bbclass: add intermediate var for WKS_FILE_CHECKSUM
[+] 8cc2f2c65a Revert "core-image-sato: add gtk+ for M1"
[+] 38d2c59ab8 remove sukoku
[+] ad0cfdbf7d testimage: swap sudoku for calculator
[+] 9c4b143607 oeqa/sdk: remove buildsudoku test
[+] 0b61f87cda linux-yocto/4.1: pinctrl backports
[+] 200fcb58e linux-yocto: powerclamp and gpio configuration changes
[+] 8a4fb05315 linux-yocto/4.4: pwm and mei updates
[+] 171d825923 linux-yocto/4.4: update to v4.4.14
[+] 8e1615226f linux-yocto/4.1: update to 4.1.27
[+] 6ae50db71e linux-yocto/config: mei, gpio and usb type c
[+] 0c5b11a701 linux-yocto/4.4: cpumask: Export cpumask_any_but()
[+] 59d3fb6db0 linux-yocto/4.1/4.1: mei, usb and extcon changes
[+] 92469ae0e3 linux-yocto/4.1/4.4: x86, power and usb-c mainline backports
[+] 63ff759627 bitbake: bitbake: main: implement server autostart feature
[+] b190c08b48 bitbake: bitbake: utils: add BSERVER to the list of preserved variables
[+] 6597ba6b43 bitbake: bitbake: xmlrpc: implement check of connection to server
[+] dead7b22b4 bitbake: lib/bb/utlils: no need to unsetenv when manipulating os.environ
[+] aae4c2a629 ref-manual: Updated the "Recipe Logging Mechanisms" section
[+] 451334a841 ref-manual: Applied review changes to the DEPENDS variable.
[+] bdf9003cfb ref-manual: Added review changes to BBCLASSEXTEND description
[+] acdfb5f3cc ref-manual: Added notes to the DEPENDS variable description.
[+] b09a3adb64 toaster-manual: Changed the Webport address:
[+] 640181cce8 ref-manual: Added clarifying note to the BBCLASSEXTEND variable.
[+] 48336f5139 ref-manual: Added cross-referencing to tasks and dependencies
[+] cf3b80b0c8 ref-manual: Added new glossary entry for REMOVE_PKG_SUPPORT.
[+] a814a61afb toaster-manual: splitted long line
[+] f6493824aa toaster-manual: point keywords to Django documentation
[+] 9a5af9c94b toaster-manual: Update toaster start documentation
[+] e92b3a8241 toaster-manual: add OpenSUSE to the list of distros
[+] 4e017740b7 toaster-manual: update runbuilds instructions
[+] 3d24037b76 toaster-manual: update apache configuration file
[+] c3e076f555 toaster-manual: add instructions for OpenSUSE
[+] aa42629969 toaster-manual: change mysql driver
[+] 4b3c59509c toaster-manual: add instructions to create user
[+] 14194fa66c toaster-manual: add list of packages for openSUSE
[+] 2134659165 toaster-manual: update list of packages
[+] b094b97c4a toaster-manual: update distro versions
[+] 64b8e17892 toaster-manual: Switch to pip3 dependency installer
[+] f6378c10ef toaster-manual: add instructions to create user
[+] 444a80a355 ref-manual: Added a new section on setscene task variants
[+] 4fb1961acf ref-manual: Fixed typo in the "Shared State" section.
[+] b67f865e67 ref-manual: Review edits to the PR variable in glossary.
[+] e5fabb90dc ref-manual: Updated the RDEPENDS variable description in the glossary
[+] b66e84e19d ref-manual: Updated the PR variable description.
[+] 33e1c39361 dev-manual: Review edits to the package installation section
[+] 77031ba572 ref-manual: Updated the flag descriptions for shared state details
[+] 57acc32724 dev-manual: Edits to the package feed creation section.
[+] fc518b5a48 ref-manual: Updated the DISTRO_FEATURES description of Bluez5
[+] 45baa90c8c bitbake: fetch2: implement progress support
[+] 843f7ae410 toaster.bbclass: only scan files-in-image.txt if it exists
[+] ac339ece20 toaster.bbclass: remove directory scan logic for detecting artifacts
[+] 8d08a73225 bitbake: toaster-tests: package count/size shouldn't show for non-image builds
[+] 8ccf8392aa bitbake: toaster-tests: new custom image button shouldn't show for non-image builds
[+] db5426b079 bitbake: toaster-tests: add tests for build artifact display on build dashboard
[+] 9475a684c4 bitbake: toaster: the customise image button shouldn't rely on targets
[+] 2db40e3771 bitbake: toaster: add package manifest path to Target objects
[+] 1027e0e313 bitbake: toaster: better display of targets which produced no images
[+] adbf206526 bitbake: toaster: show manifests in their own section of the build dashboard
[+] 07a58a8944 bitbake: toaster: only show "New custom image" button for builds with image targets
[+] 587275eefd bitbake: toaster: use has_images() methods to display images correctly
[+] 150e5588a0 bitbake: buildinfohelper: only record image files for tasks which make images
[+] 00c2c0be5e bitbake: toaster: improve scan for SDK artifacts
[+] f39ae146ea bitbake: buildinfohelper: fix retrieval of targets
[+] 4125da7763 bitbake: toaster: attach kernel artifacts to targets
[+] e9808576da bitbake: toaster: improve image file suffix retrieval
[+] 5dfal20a7c bitbake: toaster: do image and artifact scan on BuildCompleted
[+] b0585e6b0c bitbake: toaster: display Target targets in build dashboard
[+] 844elf9e1d bitbake: runqueue: improve exception logging
[+] 7a220aeaae bitbake: lib/bb/utlils.py: return sorted OrderedDict in explode_dep_versions2
[+] bc3a206de3 bitbake: knotty: avoid errors when fetching outside of a task
[+] 2afcbfef2c bitbake: build: don't use $B as the default cwd for functions
[+] faa726824d bitbake: lib/bb/build.py: decode the command as UTF-8
[+] b7a741cbca bitbake: lib/bb/utlils: fix set_process_name
[+] 627d01997f useradd-staticids: use map() instead of imap()
[+] fd08714c26 python3: Add compression to python3-shell dependencies
[+] 4473e64ba7 python3-native: Add "io" to rprovides
[+] 5e747eb3c8 python3: Add dependencies for python3-misc
[+] 114206fb4c buildstats-summary: round the floating point percentage
[+] 029e3ebcb2 lib/oe/patch: handle encoding differences in patch files
[+] f465039737 recipetool: create: support specifying a file as the local source
[+] 54486a1ac3 recipetool: create: fix handling of github URLs
[+] 2c9291dfb9 graph-tool: convert to python3
[+] baed9bd848 scripts/contrib/devtool-stress: exclude more recipes by default
[+] 89f8348dc5 scripts/contrib/devtool-stress: skip incompatible recipes
[+] 5c91537ab2 devtool: return specific exit code for incompatible recipes
[+] d56caf3408 devtool: reset: allow reset to work if the recipe file has been deleted
[+] 117c80f9dc devtool: update-recipe: fix --initial-rev option
[+] 7f6f998af2 gtk+3: update 0003-Add-disable-opengl-configure-option.patch
[+] e5f9326f26 file: 5.27 -> 5.28
[+] 824e7f7951 tzcode-native: update to 2016f
[+] 64c54efa2d tzdata: update to 2016f
[+] 56e23aeb1a debianutils: 4.7 -> 4.8
[+] 4de8b37aa6 gmp: 6.1.0 -> 6.1.1
[+] 65a8f241e1 libpcre: 8.38 -> 8.39
[+] 4dd398024a wget: 1.17.1 -> 1.18
[+] c072b18725 mtd-utils: build also for nativesdk
[+] 3e0137113e linux-yocto-dev: Handle performance regression
[+] 6deadf5498 gcc: CVE-2016-4490
[+] 661ff395e9 gcc-runtime: add SUMMARY values
[+] 1c0fc7fcf7 gcc: add runtime packages to RRECOMMENDS
[+] 7355e4ef97 libgcc: remove duplicate configure options
[+] a219424914 glibc: add more Imagination Meta relocation to elf.h
[+] ea439968b6 glibc: Upgrade to latest tip of master

```

```

[+] ec336702a2 binutils: Upgrade to 2.26.1
[+] d428f2eeb8 musl: Update to v1.1.15 release
[+] 6bb3069eef tune-ppce500mc.inc: pass -mcpu=e500mc for ppce500mc kernel compile
[+] 586249ac83 classes/libc-package: remove pointless copying when running localedef
[+] e2a150blf9 libc-package: remove obsolete do_configure_prepend
[+] 8c95d2220f move directfb from oe-core
[+] 78523811fb buildoptions.py: remove directfb image build test
[+] e7ddece1b distro_alias.inc: remove directfb related references
[+] e91d0e83cb remove core-image-directfb.bb
[+] a526c31dab remove packagegroup-core-directfb.bb
[+] 3a6f0b66a5 db: use S/B more idiomatically
[+] b58c5dc787 libsolv: upgrade to 0.6.22
[+] 8501934c21 screen: upgrade to 4.4.0
[+] 3eb5cbadd5 libatomic-ops: upgrade to 7.4.4
[+] 578bc2bfe6 ethtool: upgrade to 4.6
[+] 5d348399cb vala: update to 0.32.1
[+] 82f83f6292 nss: update to 3.24
[+] 969ba57b42 mpg123: update to 1.23.5
[+] a75183bc8d btrfs-tools: update to 4.6.1
[+] b1413404ed gnutls: update to 3.5.1
[+] f31597a8b9 babeltrace: update to 1.4.0
[+] c04d4a0697 libarchive: update to 3.2.1
[+] 4d8a81616d ffmpeg: update to 3.1
[+] 5c4e3b5bal bdwgc: update to 7.4.4
[+] d6abd75595 terminal: Drop gnome-terminal --disable-factory workarounds
[+] c706bfbabb terminal: Fix gnome-terminal to work with recent versions
[+] 9df3cdf42d pseudo: Upgrade to 1.8.1
[+] a14d30f7de oe-selftest: drop test_prepare_unexpected
[+] 8dc159dd93 bitbake: toaster: tests Add selenium test for layerdetails page
[+] 8813726f1d bitbake: toaster: add Layer delete front end feature to layerdetails
[+] elba2fd331 bitbake: toaster: api Add util function for returning the error response
[+] 36dec688c7 bitbake: toaster: layerdetails api Fix saving of git revision of a layer
[+] 903c3c2ef8 bitbake: buildinfohelper: ensure task datetimes are timezone-aware
[+] 78b3fe6d5b bitbake: eventreplay: rewrite the script
[+] 2b56c03264 bitbake: eventreplay: reorganize imports
[+] 9431a6f318 bitbake: eventreplay: replace MockConfigParameters with namedtuple
[+] 70cc20daef bitbake: eventreplay: fix event loading code
[+] 2199ff5ce6 bitbake: eventprelay: implement setEventManager command
[+] alceb0f9cd bitbake: eventreplay: add MockConnection.getEventHandle method
[+] ed9c309e81 bitbake: toaster: fix layout for command-line builds in recent builds area
[+] 7ed76e4c20 bitbake: bitbake-worker: don't reassign sys.stdout
[+] dab3b1b454 bitbake: toaster: views Fix most frequently built target in project reporting
[+] 5018d5f095 bitbake: toaster: layerBtn avoid connecting handler to other build buttons
[+] 9d730f4747 bitbake: bitbake: toaster-tests: tests for project config
[+] dab49be86 bitbake: toaster: fix validation checks for DL_DIR and SSTATE_DIR
[+] be00eb29f3 bitbake: toaster: remove SSTATE_MIRRORS from projectconf
[+] f433664fa0 bitbake: toaster: remove SSTATE_MIRRORS from blacklists in views
[+] b301251668 bitbake: progress: Ensure missing start event is fired
[+] 1b5688e0f0 bitbake: knotty: Handle process indicators more gracefully
[+] 1b930b41a5 bitbake: runqueue: report progress for "Preparing RunQueue" step
[+] f3b62c1c2e bitbake: runqueue: add ability to enforce that tasks are setscened
[+] 76feac37ce bitbake: knotty: add quiet output mode
[+] 465f93968f bitbake: knotty: show task progress bar
[+] 8d56d596bb bitbake: knotty: add code to support showing progress for sstate object querying
[+] 0e3281f68b bitbake: lib/bb/progress: add MultiStageProgressReporter
[+] ac5e720575 bitbake: lib: implement basic task progress support
[+] lcf6e14a6c bitbake: knotty: import latest python-progressbar
[+] 481048cd2a bitbake: knotty: provide a symlink to the latest console log
[+] 312f1a5e74 bitbake: fetch2/wget: attempt checkstatus again if it fails
[+] 1bbd580a37 oeqa/selftest/bbtests: Fix failing test after progress changes
[+] c7147ceec8 oeqa/runtime/systemd: fix typo in skipUnlessPassed decorator
[+] 895353a48f service: obey CFLAGS, LDFLAGS
[+] d6a43d222d initramfs-framework: Add support for PartUUIDs
[+] ee6a6c3461 initramfs-framework: add retry loop for slow boot devices (like USB)
[+] e34eb01c0f lib/oe/path: remove oe.path.check_output
[+] 6a2753bc35 scripts: Fixed typo in parameter that was causing exception
[+] f8bdaf3878 rt-tests: move ptest to python3
[+] 6074ed6cd4 gcc: remove GCC 4.9
[+] 14c9011828 gcc: remove unused patch
[+] 7b6f66777e gcc-5.4: Fix hang with mmusl option on cmdline
[+] b45155b28a pulseaudio: Disable unit tests
[+] ac0e5e2f39 socat: remove the hardcoded shifting offset
[+] dc626e3bdc runqemu: Avoid duplicating custom QEMU options for AArch64
[+] e8e8d412e7 libpfm4: fix compile error
[+] 23ae622a69 classes/populate_sdk_ext: exclude initramfs images from locked signatures
[+] c7ab9f3ca1 classes/populate_sdk_ext: ensure tasks to build the image are included
[+] 1063622cc6 recipetool: create: drop unused convert_pkginfo() function
[+] 75f1a0ed42 recipetool: create: avoid decoding errors with Python 3
[+] 74c5cd0c2c autogen-native: fix script error when processing libguile
[+] e4224fb50d l3afpad: add check for GTK3DISTR0FEATURES
[+] dca5d9d218 gettext: fix for low-version recipe
[+] elca5d9929 libidn: add patch to build w/ -Wformat-security
[+] e49d337e84 meta: update patch metadata
[+] e6ad36cb54 run-postinsts: Correct comment misspelling, "rpm-posinsts".
[+] 94fb1a57de oepdevshell-internal: python3: encode/decode pty content
[+] e8feb1976a devpyshell: python3: flush stdout explicitly
[+] 250955ab8c devshell.bbclass: fix double unbuffering
[+] 16df2b6efa pseudo: drop recipe for old 1.6.7 version
[+] 4ebe0e1175 classes/cmake: enable progress for do_compile
[+] a702c68c5b classes/populate_sdk_ext: eliminate double execution on install
[+] c24b6512d7 toolchain-shar-extract.sh: allow TERM through into SDK installer env
[+] af4d7258b1 lib/oe/ssstatesig: print locked sigs file message only when explicitly called
[+] ff41cfb508 classes/testsdks: print output correctly on failure
[+] 6677d37ad classes/sstate: add a mode to error if sstate package unavailable
[+] e769dce794 classes/sstate: show progress during sstate object availability check
[+] 40712171b2 classes/image: implement progress support for do_rootfs
[+] 8daal4b19f bitbake.conf: whitelist progress varflag
[+] 4e889c04ba scripts/lib/bsp/help.py: Changed help of yocto-bsp to match latest syntax
[+] 479d15b326 yocto-bsp: Refactor script to use argparse instead of optparse
[+] 4ab8650eeb scripts/yocto-bsp: Removing version from yocto-bsp
[+] 4252ec78a4 scripts/lib/bsp/engine.py: Add error message for wrong input file
[+] 71bc7fd8ce scripts/lib/bsp/help.py: Fixed pager for yocto-bsp help
[+] 21282724d8 scripts: Fixed typo in parameter that was causing exception
[+] 3f8fbb342 meta-yocto: Delete PREFERRED_VERSION for obsolete version of U-Boot.
[+] 9d0e39195d local.conf.sample.extended: drop RPM4 example
[+] 11af659530 poky: drop unsupported distros

```

```

[+] 5c11e365e1 lib/oeqa: add Calculator to SDK and runtime tests
[+] b305564028 oeqa/runtime/syslog: remove redundant skipUnlessPassed
[+] e0bcf333df toolchain-scripts: add sysroot/usr/share/pkgconfig to PKG_CONFIG_PATH
[+] 076a93eed7 oeqa/utlils/commands: fix single-character variable matching in get_bb_vars()
[+] 8f82db78a9 linux-yocto: bxt and input configuration changes
[+] 76332d91da linux-yocto/4.x: vfat feature cleanup
[+] b80b5433a3 linux-yocto/4.1/4.4: tpm, telemetry, acpi and cpuid changes
[+] 678a02e112 scripts/contrib: introduce build-perf-test-wrapper.sh
[+] 0c92770ed2 oe-build-perf-test: add --out-dir command line argument
[+] c3ee14ef38 oe-build-perf-test: enable locking
[+] eb36f00002 oe-build-perf-test: implement --globalres-file option
[+] 8c596369dd oeqa.buildperf: add git revision and branch to result data
[+] 964fffa514 oeqa.utlils: add git module
[+] 8329d56cd4 oe-build-perf-test: enable logging into file
[+] 5599645d33 oeqa.buildperf: archive build/conf into test results
[+] da3b9242fc oeqa.buildperf: add test Test4
[+] fe24b5a597 oeqa.buildperf: add test Test3
[+] 0b2fae81fd oeqa.buildperf: add test Test2
[+] 1701a34f14 oeqa.buildperf: add test Test1P3
[+] b5ca437714 oeqa.buildperf: add test Test1P2
[+] 2c1b87482c oeqa.buildperf: add test Test1P1
[+] 1d88659ef6 oeqa.buildperf: implement BuildPerfTestRunner class
[+] 6512d6956b oeqa.buildperf: add method for saving buildstats
[+] 45c6a04a37 oeqa.buildperf: add method for measuring file disk usage
[+] 1a0e20546e oeqa.buildperf: add method to log shell commands
[+] 6e27b2ae0e oeqa.buildperf: method for measuring system resource usage
[+] 1b10ded015 oeqa.buildperf: add BuildPerfTest class
[+] oee685ca0d oeqa.buildperf: functionality to drop kernel caches
[+] 7d42ceae3a oe-build-perf-test: introduce oeqa.buildperf module
[+] c855cb807d oe-build-perf-test: add pre-run sanity check
[+] 14108a88ab scripts: introduce oe-build-perf-test
[+] ec8be2039e oeqa.utlils.commands: runCmd: return stderr output, too
[+] cf4c8980d7 oeqa.utlils.commands: use get_bb_vars() in get_bb_var()
[+] c9639e6523 oeqa.utlils.commands: Introduce get_bb_vars()
[+] 58643b74ee lib/oe/package_manager: keep platform_extra and default_platform_extra lists ordered
[+] 6d2bcc2473 linux-libc-headers: Update doc for recipe depends
[+] aa2da21138 gstreamer1.0-libav_git: bump version to 1.8.2
[+] 2f5737c5b3 gstreamer1.0-plugins-ugly_git: bump version to 1.8.2
[+] 345edd489f gstreamer1.0-plugins-base_git: bump version to 1.8.2
[+] 5e22094c76 gstreamer1.0-plugins-bad_git: bump version to 1.8.2
[+] b4fc653c11 gstreamer1.0-plugins-good_git: bump version to 1.8.2
[+] 869ad200d0 gstreamer1.0_git: bump to 1.8.2
[+] 6bfec952cd gstreamer1.0: Upgrade to 1.8.2
[+] 3e74ef223c kernel-module-split.bbclass: add a prefix for module package name pattern
[+] fff33f1c22 watchdog: Fix build with musl
[+] 1bf0944925 gcc5: Upgrade to gcc 5.4
[+] 0412b6d90d uclibc: re-enable verbose compilation
[+] c1dafd10d8 uclibc: backport patch to fix gdb 7.11 compilation
[+] 820a9d0cb6 classes/kernel: fix symlink logic when bundling initramfs images
[+] 1b29aff0e0 binutils: backport patch to fix mipsel (malta) kernel compile
[+] aa9fb3f5d4 glib: disable valgrind support when compiling in mips16e mode
[+] fc97ef905d libffi: don't compile in mips16e mode
[+] 90bb7c1a96 uclibc: don't compile in mips16e mode
[+] 2c80ebf8df gmp: don't compile in mips16e mode
[+] d81b9185a1 json-c: backport patch to fix uClibc link issues
[+] 15c3c3e54c libidn: fix QA warning (uClibc)
[+] 83444bbe2d classes/kernel: fix symlink creation in DEPLOYDIR for bundled initramfs
[+] dclb016636 musl: Upgrade to tip
[+] b84875f423 pythonnative.bbclass, python3native.bbclass: use DEPENDS_append instead of DEPENDS +=
[+] 98121ad2a5 recipetool: recognize less common makefile names
[+] 77b572800e systemd: upgrade to 230
[+] f4008338c9 bash-completion: delete files util-linux provides
[+] 73dcfb6f10 util-linux: upgrade to 2.28
[+] 52adfed684 test-dependencies.sh: Strip also '\.bb; .*' before adding failed recipe to list of failed
[+] 3b208bc24b libcap: fix the libcap-native building failure on CentOS 6.7
[+] 0658935795 libstdl2: Add missing comma typo
[+] cflaf6b384 pythonnative.bbclass, python3native.bbclass: export STAGING_INCDIR, STAGING_LIBDIR, PYTHON variab
les
[+] 83b1ldcd55 gdb-cross: do not hardcode the use of Python 2
[+] a3869bfe91 connman-gnome: StatusIcon adapts to size changes
[+] 0cef80f7b1 vte: don't build test app
[+] 2ebd11747c gsettings-desktop-schemas: inherit upstream-version-is-even
[+] d818cde5ab cairo: inherit upstream-version-is-even
[+] fd7a8b2f3f puzzles: Keep building even with deprecation warnings
[+] ad439cefc3 clutter-gtk-1.0: Upgrade 1.6.6 -> 1.8.0
[+] e889651eda at-spi2-atk: Upgrade 2.18.1 -> 2.20.1
[+] 169fbdbeee at-spi2-core: Upgrade 2.18.3 -> 2.20.2
[+] 478d446e85 atk: Upgrade 2.18.0 -> 2.20.0
[+] 33226ae5b3 gtk+3: Upgrade 3.18.8 -> 3.20.6
[+] ef8bbcb7869 openssl: prevent warnings from openssl-c_rehash.sh
[+] 2fcede7ade bitbake.conf: Drop BUILDSDK_LDFLAGS rpath, rpath-link
[+] 2ef717dda7 qemu: add PACKAGECONFIG stanza for bzip2
[+] ec64c9c02f u-boot: extend UBOOT_CONFIG format to support different binary name
[+] f91a01be70 e2fsprogs: tweak mke2fs ext4 features
[+] 13eb4a832b gst-player: upgrade to latest HEAD
[+] c6d50b2729 bitbake: lib/bb/build.py: remove task flag in deltask()
[+] 6ae96f7129 puzzles: fix Samba conflict, clean up recipe
[+] 8375252712 linux-yocto/4.4: sensor driver backports
[+] f28c266bea linux-yocto/4.1: pstate backports
[+] f775c270fc linux-yocto/4.1: driver, mmc and power backports
[+] 48d7ebc9c3 linux-yocto/4.1: SPI, MFD, alsa and perf backports
[+] deuced08e86 linux-yocto/4.1: tpm2, pinctrl, powercap and watchdog backports
[+] 2f9b8e9134 initramfs-framework: base: Ensures /run/lock is available
[+] 9623b237ce initramfs-framework: mdev: Add a runtime dependency on busybox-mdev
[+] 0c8b264e03 linux-firmware: add iwlwifi-misc package for remaining iwlwifi firmware
[+] c4067634eb linux-firmware: add iwlwifi virtual package of all iwlwifi firmwares
[+] 5f854c231b linux-firmware: fix typo in RDEPENDS line for iwlwifi-6000g2b-5
[+] 4c46ca16ee linux-firmware: add LICENSE line for iwlwifi-license package
[+] 87dbb6b382 linux-firmware: fix typo in LICENSE line for iwlwifi-6000g2b-5
[+] 1960abc96c oeqa/targetbuild: use os.path.join instead of string concatenation
[+] 40268fe27a oeqa/targetbuild: add extra_cmds argument to run_configure
[+] 0aa028f5a9 oeqa/targetbuild: fix folder name estimate logic
[+] c844230ba9 tzdata: update to 2016e
[+] 4bd8e679e7 tzcode: update to 2016e
[+] 313ae0a769 qemu: Use Gtk+3, add configure patch to find vte
[+] d8afd0c9f2 libmad: remove recipe

```

```
[+] 00fea48bd3 gstreamer1.0-plugins-ugly: disable mad, enable mpg123
[+] 6085ce0b1d mpg123: add a recipe from meta-oe
[+] ec96025bc3 security_flags.inc: add python3-pycairo and libnewt-python to no-pie exception list
[+] 0881208168 security_flags.inc: add SECURITY_NO_PIE_CFLAGS to libgcc and gcc-sanitizers
[+] 95cd78a7b5 bitbake.conf: don't set CCACHE_DIR to $HOME by default
[+] 51059ee20d binutils: configure with --enable-deterministic-archives
[+] 1b1faf525a dbus/dbus-test: upgrade to 1.10.8
[+] 1137709119 opkg: upgrade to v0.3.2
[+] 772ba8d865 openssh: fix init script restart with read-only-rootfs
[+] e6faa3d0bb packagegroups: use new gst-player package name
[+] 79ca8d031e gstreamer1.0-plugins-bad: Upgrade to 1.8.1
[+] a02911390c expat: CVE-2016-0718
[+] c0238cb902 linux-firmware: add iwlwifi-8000C-19 version
[+] bf54af3802 sysprof: fix pkgconfig packaging
[+] e04da4b954 autotools: ensure Makefile exists in do_compile
[+] c2acd4e27d package_manager.py: specify tmpdir for opkg
[+] 675843d540 oega: fix hasPackage, add hasPackageMatch
[+] c65cf8ede2 xcb-proto: use python3 instead of python2
[+] 1096a95897 toasterconf: exclude releases Toaster can't build
[+] 5e866822a4 maintainers.inc: remove libmad, add mpg123
[+] 922294d611 maintainers.inc: reassign vala recipe
[+] 6f0c5537e0 build-appliance-image: Update to master head revision
[+] b6d61ec997 e2fsprogs: Manually bump PR due to PV change (work around sstate confusion)
[+] 84ccel4d9d e2fsprogs: remove the extra dot from the recipe filename
[+] a3494dde70 sdk-manual: Updated configure.ac file in helloworld example.
[+] 11b6dd1e81 ref-manual: Updated SSTATE_MIRRORS examples to match reality
[+] 0689732930 dev-manual: Updated Runtime Testing for Package Installation
[+] 26d2f28286 dev-manual: Updated the method to set SimpleHTTPServer for testing
[+] fadcb31841 ref-manual: Fixed a typo for installing "python3-git"
[+] ca519a1ea5 dev-manual: Applied edits to the package feed section.
[+] 6b3b444c35 ref-manual: Updated the UPSTREAM_CHECK_* variables.
[+] ac8173ef72 dev-manual: Updated Host Server Machine Setup for package feeds
[+] 52fc567988 ref-manual: Added note about installing Git-Python package
[+] f33db8b6eb ref-manual: Updates to the UPSTREAM_CHECK_* variables
[+] 508e8908c2 dev-manual: Review edits applied to the package feed build considerations.
[+] cd7f787174 ref-manual: Edits to UPSTREAM_CHECK_* variables.
[+] c735ade998 ref-manual: Added descriptions for three UPSTREAM* variables.
[+] 7ef4a6593e dev-manual: Updated Package Feed Creation sections
[+] 44f29bf89a ref-manual: Updated the INHIBIT_PACKAGE_STRIP variable
[+] 37ec030ecb build-appliance-image: UPDATE to master head revision
[+] e6d26f5dbc package_manager: Fix multilib package arch ordering issues
[+] 95f67bd0f bitbake: cooker: clean up EvertWriter
[+] f6fc25d1df bitbake: cooker: replace EventLogWriteHandler with namedtuple
[+] a158388a51 bitbake: cooker: don't remove event file
[+] e28b36e1e8 bitbake: cooker: encode event objects to base64
[+] 3e7edc303c bitbake: cooker: move EventLogWriteHandler to the top module level
[+] 90d7b09af2 bitbake: depexp.py: port to gtk+3
[+] 8d56c54107 rootfs_rpm: Increase rootfs size
[+] 09d08340fe Revert "cmake.bbclass: set the modules directory correctly"
[+] 7b9elf5ad8 cmake.bbclass: set the modules directory correctly
[+] 8f7f8f7cfa pseudo: remove rpath from libpseudo.so
[+] 3037e0df9b useradd-staticids.bbclass: Allow missing UIDs/GIDs to generate warnings
[+] c99750d17e useradd-staticids.bbclass: Restore failure on missing UIDs/GIDs
[+] 4ed711a2b3 documentation.conf: Add information about USERADD variables
[+] 40f3099e8e base.bbclass: p4 fetcher supports srcrev
[+] 0006a7fada packagegroup-self-hosted: add back Python 2
[+] 4799e1e89f gtk+3: Add patch for --disable-openssl
[+] ce5523bf52 bitbake: toaster: remove last css file with bootstrap v2 license
[+] 107d428095 build-appliance-image: Add LC_ALL setting and drop pseudo pieces
[+] 9b32dd5a00 package_deb: Avoid chdir warnings and restore cwd after packaging
[+] 3dfe69b6fe build-appliance-image: Install network components
[+] f74ba25c0a bitbake: runqueue: Use tid instead of taskid in find_chains()
[+] 26447a0d0b bitbake: fetch2/perforce: Rework to support SRCREV and P4CONFIG
[+] 9f91785cc5 bitbake: fetch2: fix unpacking of deb packages
[+] 34dc5b3573 bitbake: toaster: fix typo which causes table searches to fail
[+] d4a87b9718 build-appliance-image: Update to master head revision
[+] 772e9b4eab bitbake: bitbake: fix wrong usage of format_exc
[+] 39ed5441c5 packagegroup-core-device-devel: add binutils-symlinks
[+] 2a85038dd0 directfb: fix client->gfx_state initialization
[+] 792fd38885 package_ipk: restore cwd after packaging
[+] 70d63061f3 classes/package: save/restore cwd in split_and_strip_files
[+] e2e6fe964d classes/kernel: remove path assumptions in compile_kernelmodules
[+] 6f7a3dc284 classes/image: don't chdir when creating symlinks
[+] 4e1a1040af linux-yocto: Update SRCREV for genericx86* for 4.4 Upgrades to Linux version 4.4.13
[+] f2cf71a2f1 linux-yocto: Update SRCREV for genericx86* for 4.1 Upgrades to Linux version 4.1.26
[+] 755bb55092 conf/distro: remove oprofileui
[+] 6e53ab4875 maintainers.inc: add missing recipes
[+] 282d5f7f85 core-image-sato: add gtk+ for M1
[+] 1c916949e9 make: 4.2 -> 4.2.1
[+] a525a06eba gnome-themes-standard: Use distro_features_check for GTK+2
[+] 27f62dcc3b gtk-engines: Remove as unused
[+] 73e9f90d0d sato-icon-theme: remove as unused
[+] 3abdec98f7 gtk-sato-engine: Remove as unused
[+] f5e4aa23ce packagegroup-self-hosted: Remove unused theme, use Adwaita icons
[+] f9c78510d6 matchbox-desktop: Add Sato folder configuration
[+] bff5f0efb3 matchbox-session-sato: Update session startup
[+] dda59ddc1c sysprof: Upgrade to git version slightly past 3.20
[+] c0725452d5 avahi-ui: Build with Gtk+3
[+] 7bcblc5819 webkitgtk: Disable Gtk2 plugin process by default
[+] ef3d05a738 gtk+: RRECOMMEND adwaita theme
[+] 81d0b2da79 packagegroup-core-x11-sato: Remove gtk-sato-engine
[+] 14b8cb132f libowl: Remove as unused
[+] e0ba559668 libfm: switch to GTK3 version
[+] 1545d3aef4 pcmanfm: switch to GTK3 version
[+] 79faec0435 leafpad: Replace with L3afpad
[+] 920fc82da8 matchbox-config-gtk: Upgrade to 0.2
[+] 457f8256e9 gst-player: Start building with Gtk+3
[+] 70f465159a puzzles: Use Gtk+3 by default
[+] e4738fdb8f matchbox-terminal: Upgrade to 0.1
[+] ee0188f1e0 vte: Upgrade to 0.44.1
[+] 5b076f945a packagegroup-core-x11: Use adwaita icons instead of sato
[+] c8044c4a16 matchbox-keyboard: Enable GTK+3 IM module
[+] fdbf32bb76 connman-gnome: Add patch to port to Gtk+3
[+] 8e71c58380 matchbox-wm: Upgrade to 1.2.1
[+] 8072c7020f settings-daemon: Upgrade to 0.0.2
[+] fldcc26187 sato-screenshot: Upgrade to 0.2
```

```

[+] ff6d06634 matchbox-panel-2: Upgrade to 2.10
[+] 7a69ef0c3a matchbox-desktop: Upgrade to 2.1
[+] e618179a8b matchbox-theme-sato: Upgrade to 0.2
[+] 66c5a4ad62 classes/license: handle EXDEV if hard link to license fails
[+] 4f8f3f6cb4 classes/rm_work: use the idle I/O scheduler class
[+] fe4184da57 python3: fix CROSSPYTHONPATH for cross builds
[+] ce6e49a01f gcc: make sure header path is set correctly
[+] 66aebcc5d5 flex: Fix top_builddir path for flex's test-driver script
[+] 6a27517505 linux-yocto/4.1: powerclamp: APL CPU
[+] 96a993bb4c linux-yocto/4.1: Always Running Timer Support
[+] 30a289a1f6 linux-yocto/4.1: intel_idle: backport BXT CPU support
[+] 3dcbdl283c linux-yocto/4.4: update to v4.4.13
[+] 62f4fa49f9 linux-yocto/4.1: bump to v4.1.26
[+] 7ccbe39357 linux-yocto/4.1: serial, mmc, mtd mainline backports
[+] 280061cad0 classes/sdl: remove pointless class
[+] led0e8a0e6 update-rc.d.bbclass: Disable class when sysvinit is not in DISTRO_FEATURES
[+] 44ab979c4d qemu-native: set ld.bfd, fix cflags, and set some environment vars
[+] 8f9f48a29a oprofileui: remove
[+] ff6d458f9a bitbake: parse/ast, event: Ensure we reset registered handlers during parsing
[+] 27fa181897 bitbake: toaster: Remove mismerged files
[+] af04a52bf7 bitbake: taskdata/queue: Rewrite without use of ID indirection
[+] 29b4fbl796 bitbake: runqueue: Change buildable/running lists to sets
[+] 7e54da0581 bitbake: toaster: tests browser Fix selenium tests after bootstrap3 breakage
[+] 234a625f40 bitbake: toaster: tests Rename test settings to python compliant name and fix import
[+] 000d724312 bitbake: toaster: selenium tests Fix all_projects page and sample tests
[+] f48feeb76d bitbake: toaster: selenium tests Update unique custom image string and fix import
[+] 5ee6b706b2 bitbake: toaster: js tests Twitter typeahead library object is now ttTypeahead
[+] aa6894a436 bitbake: toaster: fix wrong usage of print_exc and format_exc
[+] eb634f9e13 bitbake: toaster: changed python version in shebang
[+] 0a7bd539fa bitbake: toaster: toastergui tests Use new BeautifulSoup syntax
[+] eba5321786 bitbake: toaster: open image files in binary mode when sending in response
[+] 16df75d49d bitbake: toaster-tests: fix tests for latest Selenium version
[+] 6eefd9c1e5 bitbake: toaster: fix broken reference to urllib
[+] 79a3954afc bitbake: toaster: fix test_toaster_tables
[+] 4422d26dd6 bitbake: toaster: fix incorrect file mode
[+] c28f918e5d bitbake: toaster: decode response content
[+] 1fd160016d bitbake: toaster: fix migrations
[+] f0740b038f bitbake: toaster: replace viewkeys() -> keys()
[+] 5bebe39a8a bitbake: toaster: bin Use python 3 for our django modules check
[+] e23faacd6f bitbake: toaster: BuildTasksTable filters remove outcome NA option
[+] 0db23ae759 bitbake: toaster: BuiltPackagesTable format empty state in packages table
[+] 1a00cdbcbl bitbake: toaster: build data Fix left navigation
[+] a7d498dfd3 bitbake: toaster: port all build analysis pages to bootstrap 3
[+] 46271833be bitbake: toaster: buildtables Remove links from non name fields
[+] de3984ccdb bitbake: toaster: fix typo which prevents filters from working
[+] ef72321fe4 bitbake: toaster-tests: maximize browser window when running UI tests
[+] dd764003ea bitbake: toaster: Rework displaying package dependencies across Toaster
[+] 89433a35e6 bitbake: toaster: widgets ToasterTable Catch template rendering exceptions
[+] 82722cb564 bitbake: toaster: tests Add new build tables to tests
[+] c42f1cc81d bitbake: toaster: table.js Add the ability to highlight a particular row
[+] caae3b6206 bitbake: toaster: port Installed packages table to ToasterTable
[+] b2a68f5511 bitbake: toaster: port Task tables to ToasterTables widget
[+] 32dle2dd25 bitbake: toaster: port Built recipes table to toastertables
[+] a786ac14f1 bitbake: toaster: port table for Built packages to ToasterTable
[+] b63f9518e7 bitbake: toaster: ToasterTable widget add an 'a' to Name in Exception class
[+] 0bd6095d92 bitbake: toaster: toaster tables Enable complex empty states
[+] 443f7b3915 bitbake: toaster: Migrate project configuration from bootstrap 2 to bootstrap 3
[+] 79e0eb9e52 bitbake: toaster: work-around our lack of a synchronous fetch for typeaheads
[+] cd7b48cd0d bitbake: toaster: migrate typeahead library
[+] 64622029d7 bitbake: toaster: tests Add a BuildTest helper class
[+] 6f924f394a bitbake: toaster: tweaks to recipe file downloads
[+] abfd095a05 bitbake: toaster: testsjs Add call back to append elements on completion of tests
[+] 099f026bd7 gzip: upgrade to 1.8
[+] 3274e76fe4 ncurses: upgrade to 6.0+20160319
[+] 322ada3c15 pax-utils: upgrade to 1.1.6
[+] 8211709699 man-pages: upgrade to 4.06
[+] 466428e135 libxml2: upgrade to 2.9.4
[+] 4e5128b5e4 libnewt/libnewt-python: upgrade to 0.52.19
[+] f81a018089 libgcrypt: upgrade to 1.7.0
[+] 72e560e969 help2man-native: upgrade to 1.47.4
[+] a9d1786079 gnupg: upgrade to 2.1.12
[+] 16fbcbb57a ghostscript: upgrade to 9.19
[+] c6930da838 dhcp: upgrade to 4.3.4
[+] 7028192246 image.bbclass: do exact match for rootfs type
[+] 672c024e81 xinput-calibrator: add missing dependency for xinput_calibrator_once.sh
[+] 5c94a498e8 libc-package: ensure glibc-locale package list is deterministic
[+] 87d4da4db4 webkitgtk: do not inherit pythonnative
[+] 367a102d17 python3-native Add RPROVIDES python3-importlib-native
[+] 873e56edd4 python-ptyprocess: Extend to cover nativesdk
[+] 57bde4568d testexport-tarball: Add default value for TEST_EXPORT_SDK_PACKAGES
[+] b41b2fa4dd scripts: ensure not specifying subcommand shows help text
[+] 5c1b9fd541 devtool: reset: allow specifying multiple recipes
[+] dd6d61ae5d devtool: tweak README in created workspace layer
[+] a0006fd49d python-mako: rm -df -> rmdir
[+] 0918ac9fd9 staging: Add BB_SETSCENE_VERIFY_FUNCTION2 for bitbake runqueue changes
[+] f491996392 binutils: fix the incorrect assembling for ppc wait instruction
[+] 559dba8cc0 strace: 4.11 -> 4.12
[+] 632b7738e6 tcl: 8.6.4 -> 8.6.5
[+] e5043dbbcc libcap: 2.24 -> 2.25
[+] 791e18a026 libbsd: 0.8.2 -> 0.8.3
[+] f221f33170 e2fsprogs: 1.42.99+1.43+git -> 1.43
[+] ce0a036faf make: 4.1 -> 4.2
[+] ca9af209e9 git: 2.8.2 -> 2.8.4
[+] 306e8b82ea mklibs-native: 0.1.40 -> 0.1.41
[+] e19af016b0 file: 5.25 -> 5.27
[+] 4690723161 autogen-native: 5.18.6 -> 5.18.10
[+] 4b77707906 resolvconf: upgrade to 1.79
[+] ffl105f2dc pciutils: upgrade to 3.5.1
[+] ad636622ec tar: upgrade to 1.29
[+] df25fcd664 curl: upgrade to 7.49.1
[+] d665bfb047 byacc: upgrade to 20160324
[+] 523382d5b9 sudo: upgrade to 1.8.16
[+] 2a6da10202 sysstat: upgrade to 11.3.4
[+] 20a9c2976d grep: upgrade to 2.25
[+] e9987f699f systemd-boot: Set COMPATIBLE_HOST in recipe
[+] 71765a90d1 bitbake: cooker.py: fix warn() -> warning()

```



```

[+] f2e5d88461 bitbake: data_smart/utlils: Add 'd' to the context used for better_eval in python expansion
[+] ala0cela00 scripts/lib/bsp/engine.py: Added missing parentheses to string formatting
[+] 7fc6c45814 scripts/lib/bsp/kernel.py: python3: use explicit relative imports
[+] dd20de9c3e scripts/lib/bsp/engine.py: Rename raw_input commands to input
[+] 0aa5c27599 scripts/yocto-bsp: Fixed typo in parameter that was causing exception
[+] 9199a25e01 systemtap: add build dependency on ncurses
[+] db84521aac oe/distro_check.py: Fixes for python3
[+] 4c38798cae useradd-staticids.bbclass: Avoid FutureWarning about split()
[+] 93698ac54a useradd-staticids.bbclass: Make sure opened files are closed
[+] a9120996e0 mips: add tunes for (some) 24K cores
[+] 7acb3db0b1 mips: add a tune for using MIPS16e ASE instructions
[+] ef35facd96 uclibc: never build with SSP
[+] b709c6c6f15 uclibc: no need for CONFIG_MIPS_ISA_xxx config options
[+] 9ac4c8b11c image/image_types.bbclass: fix fatal error during cpio debugfs creation
[+] 3332061f69 libjpeg-turbo: update to 1.5.0
[+] 4078b77e6e gnutls: update 3.4.9 -> 3.4.11
[+] cfac890048 weston: Fix bug causing the xwayland package to always be included
[+] 0c9c3498a0 adwaita-icon-theme: Split symbolic icons into 2 packages
[+] e501d6f4fd gtk+3: Add RRECOMMENDS to match gtk+
[+] b0c69fe6a5 gtk-immodules-cache: Support both GTKs at same time
[+] b72c2463f3 distcc: Disable GTK UI by default
[+] 7888c74a21 oh-puzzles: Remove as we're using puzzles now
[+] f04d8bc7df packagegroup-core-x11-sato: Use puzzles instead of oh-puzzles
[+] 947d41a60c gnome-themes-standard: Add new GTK+2 theme
[+] 21343ac500 npm.bbclass: avoid str/byte conversion problems for PKGV and SUMMARY
[+] b2b1a5fa46 buildhistory-diff: suggest correct version of PythonGit
[+] a6da506483 weston-init: Don't change XDG_RUNTIME_DIR if it already exists
[+] 7950a90bcc weston-init: Use bitbake path variable
[+] be82bdd592 x11-common: Fix XDG_RUNTIME_DIR typo
[+] 5ecb12b017 python: Several recipes needed SRC_URI updating
[+] 61ba9308d1 oe-pkgdata-util: new option to provide full info for binary package(s)
[+] 8a6c198381 lib/oe/terminal.py: decode bytes variable before rstrip/split
[+] 09b9325ca2 python3-pygobject: Upgrade from 3.18.2 to 3.20.1
[+] cfl12463f82 avahi: add extra path to GIR_EXTRA_LIBS_PATH
[+] fed093329b python3-pygobject: only check for even upstream versions
[+] bfade8c48c bash-completion: fix upstream version check
[+] 35fb16dd12 python-numpy: Upgrade from 1.10.4 to 1.11.0
[+] 6aaeced07b python3-pip: Upgrade from 8.0.0 to 8.1.2
[+] 313a5f5502 python-scons: Upgrade from 2.4.1 to 2.5.0
[+] 07c5fd7a0a python-pexpect: Upgrade from 4.0.1 to 4.1.0
[+] 84e9f8053d python-mako: Upgrade python-mako and python3-mako to 1.0.4
[+] 03fa693ddb python-git: Upgrade from 1.0.2 to 2.0.5
[+] f69aceel38 python-setuptools: Upgrade to 22.0.5
[+] 3411d2d466 eudev: upgrade to 3.2
[+] 98fbd7d2 runqemu-internal: Update the qemuzyng boot options
[+] 768dccc197e webkitgtk: disable gobject-introspection on mips64
[+] abd5c112cd packagegroup-self-hosted: port to Python 3
[+] 24dc5fc5f5 perl: fix several perl test failures
[+] 7ff9c5f16b perl: some perl tests require libssp
[+] 16f0c78e79 perl: set proper perl subversion number in config files
[+] ff3bc6c61f runqemu: Add support for qemuzyngmp
[+] 21fbcdb9f7 packagegroup-self-hosted.bb: remove unsuitable network related dependence
[+] 40e789dlfe bitbake: lib/bb/main.py: Fix use of BBPOSTCONF and BBPRECONF
[+] db7ec6c1ab oe-pkgdata-util: fix AttributeError
[+] 4a842cc952 selftest/testexport.py: Add test test_export_basic
[+] 2228b16bef testexport.bbclass: Create tarballs for easy release
[+] 120f7067c8 testexport.bbclass: Add support for testexport-tarball
[+] 7d18d9f9c5 testexport-tarball.bb: Add recipe
[+] cfe3efd730 testimage.bbclass: Make dependency of cpio when using RPMs
[+] 938f05333b oetest.py: Add install/uninstall functionality for DUTs
[+] d9b3ee8b38 lib/oeqa/oetest.py: Fix import tests from other layers with python3
[+] 84441a96f0 oe/lib/pacakge_manager.py: Update missing pipeline decoding
[+] d28781bb56 alsa-plugins: 1.1.0 -> 1.1.1
[+] 4c63497c6c alsa-utils: 1.1.0 -> 1.1.1
[+] c883f4c152 alsa-lib: 1.1.0 -> 1.1.1
[+] adfec9273f alsa: update BUGTRACKER links
[+] b7cd72cddd opkg-utils: update SRCREV
[+] d9e47a522a rm_work: exclude all kernel recipes
[+] a2eb6d4867 gobject-introspection: move to Python 3
[+] 794a23a381 db: add RECIPE_NO_UPDATE_REASON
[+] aafcd051b linux-yocto/4.4: mmc backports
[+] 7bb3651f94 yocto-bsps: add i2c definitions to beaglebone
[+] 87dc548386 linux-yocto/4.4: bump to v4.4.12
[+] a7ddb3ea345 meta: Drop swabber
[+] c2dbcbac4 scripts/lib/bsp/engine.py: Added missing keyword to fix syntax error
[+] cffea7f4c1 maintainers.inc: change maintainer of db package
[+] 9c75c64cb9 kernel-dev: Fix the locations of .config and source directory
[+] 25d8fac2d3 profile-manual: Added cross-reference links to INHIBIT_PACKAGE_STRIP
[+] ceb7c51746 ref-manual: Fixed *[doc] string for INHIBIT_PACKAGE_DEBUG_SPLIT
[+] 6c5fea2171 documentation: Prepared manuals for a 2.2 release.
[+] 8fc310c90f ref-manual: Added BlueZ version 5 feature to distro feature section.
[+] 6c5d7f1fb2 lib/oe/package_manager: adapt for Python 3
[+] 5481363ac7 libarchive: respect disable-acl configuration option
[+] 04319c0340 image-buildinfo: Update to python3 syntax
[+] 928e1335d4 libarchive: Add PACKAGECONFIG for lz4 to ensure determinism
[+] 81b59a19ad dpkg: Upgrade to 1.18.7
[+] b7644fc049 ofono: update to 1.18
[+] 25586a381a gnome-desktop3: update to 3.20.2
[+] 0fb7a43585 watchdog: update to 5.15
[+] d2d5bf5c68 systemtap: update to 3.0
[+] 41f18826ac msmtmp: update to 1.6.5
[+] 9b937870cb libxslt: update to 1.1.29
[+] eddd0ec9ee libksba: update to 1.3.4
[+] 7183a89934 kexec-tools: update to 2.0.12
[+] 878ca63278 iso-codes: update to 3.68
[+] d44fcb3a83 icu: update to 57.1
[+] 64e6409286 mc: update to 4.8.17
[+] 2a16d50a8e gobject-introspection: update to 1.48.0
[+] 3b85abf8bd gdb: fix upstream check
[+] 02d0933bf5 gcc: fix upstream check for 5.x version
[+] 09f1f303b8 cantarell-fonts: update to 0.0.24
[+] 063d49b68c ffmpeg: update to 3.0.2
[+] 5200775c8f build-appliance-image: update version to 15.0.0
[+] 88ac05912c btrfs-tools: update to 4.5.3
[+] f6f7db7c2a boost: update to 1.61.0
[+] 7a0ef75f3e cantarell-fonts: fix upstream check

```

```

[+] 91874cefb0 tzcode, tzdata: fix upstream version check
[+] ce3ab7628d cups: fix upstream version check
[+] da4abff158 webkitgtk: upgrade to 2.12.3
[+] 2d97d69780 rt-tests, hwlatdetect: upgrade to 2.0
[+] 9e29916a9f gdbm: upgrade to 1.12
[+] 4b4e1821fb toasterconf.json: exclude releases Toaster can't build
[+] df963f54f1 scripts/pybootchart: Fix print statement
[+] 438ac32628 bitbake: codeparser: Use hashlib for hashing, not hash()
[+] 5f2facfc1d bitbake: codeparser: Small optimisation to stop repeated hash() calls
[+] 7e739905a6 scripts: python3: change python to python3 in shebang
[+] 3e309e0aad scripts: python3: decode subprocess output
[+] 3a9f6b888f engine: python3: replace iteritems() -> items()
[+] c675974680 scripts: python3: replace exec statement with builtin
[+] 059dd9f733 scripts: python3: use explicit relative imports
[+] d1421dfbd2 engine.py: python3: rename sys.maxint to sys.maxsize
[+] ecc91840bf scripts: python3: use new metaclass syntax
[+] 5483fa294f scripts: python3: rename raw_input to input
[+] 02ac95ab5d bitbake: fetch2: fix unpacking of deb packages
[+] 08c6808d01 bitbake: fetch2/git.py: References must match exactly
[+] 2660ddeb2d bitbake: cookerdata: print an error if layer dir does not exist
[+] c8aad908c8 send-error-report: encode data to bytes
[+] 14b758b570 lib/oe/buildhistory_analysis: fix for Python 3
[+] a8cf2ce41a security_flags.inc: add an entry for python3-numpy
[+] 91a7f54e08 testexport.bbclass: Update to use python3
[+] 1a2a69e042 dosfstools: Upgrade 3.0.28 -> 4.0
[+] 469e56b1a7 image-live, image-vm, wic: Remove fs size workaround
[+] 48bc62378a mttools: Patch out a useless sanity check
[+] 309c0b6394 ca-certificates: add dependency for native/nativesdk on openssl-native
[+] cdf6bc0c1 scripts: python3: change python to python3 in shebang
[+] 4e36eeee77 scripts: python3: decode subprocess output
[+] a8314b9531 combo-layer: python3: use tempfile.TemporaryFile
[+] f1e85d4760 dirsize: python3: fix TypeError: unorderable types
[+] a4045424af combo-layer: python3: import reduce
[+] 64987b2e58 scripts: python3: use new metaclass syntax
[+] b05bf8c6bd scripts: python3: get rid of __future__ imports
[+] 793b83a3c6 scripts: python3: rename raw_input to input
[+] 90e7feeb64 ksize.py: python3: get rid of strings.join
[+] f6f10858e5 scripts: python3: fix urllib imports
[+] ee31bad762 scripts: python3: use new style except statement
[+] 07c97db272 scripts: python3: convert iterables to lists
[+] 1132970f0e automake: drop the Python scriptlets to determine Python's directories
[+] 5796328ea5 python3-numpy: add a recipe
[+] 7f2ac59d4e hwlatdetect: move to Python 3
[+] caf553blac libcap-ng: move to Python 3
[+] cc95c79341 systemtap: move to Python 3
[+] eb80ec9012 lttng-ust: move to Python 3
[+] 8fdb4be2c8 lttng-tools: move to Python 3
[+] 76d6f00b44 gnome-doc-utils: remove recipe
[+] 296004a4f5 libnewt-python: move to Python 3
[+] 0789227614 libuser: move to Python 3
[+] 444da83b5d python-docutils: move to Python 3
[+] 68cea00205 python-imaging: remove unused recipe
[+] 5cd554fbe2 python-pyrex: remove unused recipe
[+] 991a7130c5 swig: move to Python 3
[+] 609bf2ecf5 gdb: move to Python 3
[+] ada03c326b bootchart2: move to Python 3
[+] 4672ffabc6 python-pycairo: move to Python 3
[+] a8d85cf116 util-linux: move to Python 3
[+] 8claa8ba5e systemd: drop python dependency for ptests
[+] 96f8845cfe nfs-utils: switch to Python 3
[+] 6042021ef4 packagegroup-core-full-cmdline: drop python-dbus from the list of services
[+] 0bde4b9f04 ofono: drop the custom-made revert to Python 2 from Python 3
[+] 5a3a4a7fbb connman: do not install Python test scripts
[+] eb45d8353a bluez5: switch to Python 3
[+] 48bd640780 neard: do not package python test scripts
[+] 4de7a81307 python-pygobject: port to Python 3
[+] 900674e058 dbus-test: remove unneeded pygobject dependency
[+] 2e5367ee16 glib: move to Python 3
[+] f5d36b1c56 python3: drop 110-enable-zlib.patch
[+] 141fa73f97 python-dbus: update to 1.2.4, port to python 3
[+] a17e1599a3 bind: switch Python dependency to Python 3.x
[+] c71f5ab374 systemd: support systemd-boot as a stand-alone EFI bootloader
[+] 408297489d pango_1.40.1.bb: Fix compilation error
[+] 2ce22250c4 libpam: update dependency list
[+] d62aed12e7 iw: update to version 4.7
[+] b6951c7c38 libsd12: Fix build with wayland 1.10
[+] 59b6a03593 syslinux.bbclass: Added configurable SYSLINUX_ALLOWOPTIONS variable
[+] 0726b2d5cd bitbake: bitbake-layers: show-layers: disable parsing
[+] dcbfc72303 poky: Add Ubuntu 16.04 to tested/supported list since I run it myself
[+] 5a9745dd63 distro_check.py: Don't mix tabs and spaces
[+] 3a76339827 bitbake: toaster: use python3 explicitly
[+] 2b362f6342 bitbake: toaster: fix urllib imports
[+] 2de58c97a5 bitbake: toaster: don't use mru.count in the template
[+] ce9cff5b28 bitbake: toaster: use // operator instead of /
[+] 9434eee39a bitbake: Revert "buildinfohelper: work around unicode exceptions"
[+] 2448df7d11 bitbake: xmlrpc: add parameter use_builtin_types
[+] 7cd768061b bitbake: toaster: use knotty when working with bitbake server
[+] 15bb3d4e7f bitbake: toaster: fix migrations
[+] de21205d3d bitbake: toaster: moved import bb.server.xmlrpc
[+] 5074c600f3 bitbake: toaster: read timezone files in binary mode
[+] cf454d74a8 bitbake: toaster: use re.sub() instead of translate()
[+] d393fe6cff bitbake: toaster: replace map with list comprehensions
[+] 314541f600 bitbake: toaster: use items and range instead of old APIs
[+] 96ce543150 bitbake: toaster: use decode('utf-8') for binary data
[+] 46ed4fff34 bitbake: toaster: modified list of dependencies
[+] 9a3f2b3912 bitbake: toaster: fix local imports
[+] 0224f75999 bitbake: toaster: fix imports to work for python 3
[+] bbc6e754e8 bitbake: toaster: get rid of using reduce
[+] 7c44d883b4 bitbake: toaster: use force_text instead of force_bytes
[+] 8a93f5f32e bitbake: goggle/image-writer: Drop since bitrotting and no longer used
[+] 685628ebc4 bitbake: image-writer/goggle: Disable pygtkcompat problems
[+] e80a8c25dc bitbake: lib/bb: Set required python 3 version to 3.4.0
[+] a15e538d50 bitbake: data_smart: Simplify ExpansionError exception
[+] 0f2c59367a bitbake: bitbake: Convert to python 3
[+] eflidf51651 bitbake: bitbake: Drop futures usage since we're python 3
[+] decal47645 bitbake: bitbake/pyinotify.py: Upgrade to py3 version

```

```

[+] 822eabf32d bitbake: bitbake/bs4: Upgrade 4.3.2 -> 4.4.1 (python 3 version)
[+] 4f8959324d oega/selftest/recipeutl.py: Tweak matching of warning line
[+] 440c681646 gemurunner: Use surrogateescape decoding
[+] 76aefc4c15 devtool.py: Fix parsing of bitbake-layers' output
[+] e2e3fa4259 buildhistory_analysis: Convert stream data (bytes) to strings
[+] 89d40a1f93 selftest/devtool: Compare sets instead of arrays on AssertEqual
[+] 3b39971748 classes/lib: Complete transition to python3
[+] 52c4b7f247 scripts: use python3 in shebang
[+] 0d7db8e732 scripts: Fix urlparse imports for python3
[+] fa4275bbc0 scripts: Rename ConfigParser -> configparser for python3
[+] 3ee70cb725 scripts: Fix encoding errors for python3
[+] ed7abe6b9a scripts: Replace basestring -> str for python3
[+] 7eab022d4b scripts: Fix deprecated dict methods for python3
[+] 63404baadb gemurunner: convert data when working with socket
[+] aal0d71aee wic: encode help text
[+] ddbd307244 wic: use python3 in shebang
[+] dca3aba0f4 sanity: Switch urlparse to urllib.parse
[+] 642a997ade classes/lib: Update xrange -> range for python3
[+] 44e9a0d2fa classes/lib: Update to explicitly create lists where needed
[+] 8587bce564 classes/lib: Update to match python3 iter requirements
[+] a7309d5790 classes/lib: Update to use python3 command pipeline decoding
[+] 297438e965 classes/lib: Convert to use python3 octal syntax
[+] c77e7b86aa oe-buildenv-internal: Update to python3
[+] 3c42280b8a sanity: Drop setting C locale
[+] ab75075e79 scripts: python3: Use print function
[+] fc79776fff scripts/lnr: update for python3
[+] 2e388048b6 scripts: python3: Use print function
[+] 79bell10clf systemd: allow add users as a rootfs postprocess cmd
[+] cdd764c005 openssl: fix the dangling libcrypto.a symlink
[+] af587b86f5 package.bbclass: fix strip and split logic
[+] 5efe4c9a64 perl-ptest.inc: fix tar call to prevent objcopy failure
[+] 37688b329e insane: return line-feeds to qa.log
[+] 51c6704789 bluez5: update to 5.40
[+] 078b867385 libpng: update to 1.6.22
[+] 763a3d424b unzip: fix security issues
[+] c6e5c00d40 libarchive: Upgrade to v3.2.0
[+] 9d7867a054 python-numpy: move recipe to own directory
[+] 083d0aa27f python3: add = to -L linking option only when the path is absolute
[+] a80a5b1f95 python3-nose: add a recipe
[+] f540622fb0 python3-mako: add a Python 3 recipe
[+] be4e792f69 cracklib: disable building the python module
[+] 79797a8b9b subversion: remove unnecessary python dependency
[+] 2efef0c379 gemu: remove runtime python dependency
[+] d78beb7150 git: remove Python package (to which nothing was packaged)
[+] 3e03ca7e74 python3: manipulate all of the config*/Makefile files, not just config/Makefile
[+] 2fe44efc65 avahi-ui: remove support for building a python module
[+] 0b38900710 sip.bbclass: remove
[+] 1c83fcd38d default-versions.inc: drop python-related defaults
[+] 03da683a55 python3-dir.bbclass: add a separate class for Python 3
[+] 78502a8010 distutils-native-base.bbclass, distutils3-native-base.bbclass: remove
[+] 4977a0743b python-native, python3-native: remove the use of exported HOST_SYS and BUILD_SYS variables
[+] 49557a5e9d recipeutl / devtool: set a fixed SRCREV by default when fetching from git
[+] 0a7c699b33 recipeutl: create: use ${BP} for subdir for binary packages
[+] eb09735737 recipeutl: create: extract variable values from .deb/.ipk/.rpm
[+] 2b510f5e01 recipeutl: create: support extracting SUMMARY and HOMEPAGE
[+] c056dad62c lib/oe/recipeutl: fix insertion of variable values
[+] 9f56b98c27 lib/oe/recipeutl: patch_recipe_lines: allow omitting trailing newlines
[+] c93602c2ac lib/oe/recipeutl: split out patch_recipe_lines()
[+] fcc2c3c4b3 yocto-bsps: Update to 4.1 to include musb fixes
[+] 04777a196 yocto-bsps: update to 4.1.24
[+] 2b82b59fb2 linux-yocto/4.1: fix musb compilation error
[+] 5224ac7e95 linux-yocto: only use intel branches for optimized platforms
[+] 141bf482d5 linux-yocto: create intel branches
[+] 4dc5ec21dc linux-yocto:4.4: broxton backports
[+] cla4ddd8f8 layer.conf: Whitelist ca-certificate dependency on openssl
[+] f8ff1f2687 ca-certificates: Add openssl as a runtime dependency
[+] f053b5fac3 initscripts: check if swapon/swapoff exists before executing them
[+] b426b2bc1a uboot-sign: rebuild u-boot.img with signed dtb
[+] 8d7f58bacl u-boot: replace old-style shell syntax with the modern one
[+] 6b38e77493 xcb-PROTO: remove stale git recipe and now redundant .inc
[+] ea9d27ad4a libxcb: upgrade to 1.12
[+] 621a038cc2 xcb-PROTO: upgrade to 1.12
[+] 8c3add9dce libsecret: upgrade to 0.18.5
[+] ae7898ca22 liburcu: upgrade to 0.9.2
[+] e3ba64ae86 gcr: upgrade to 3.20.0
[+] 8e23a04580 babeltrace: upgrade to 1.3.2
[+] 8fd1a599b2 msmtcp: upgrade to 1.6.4
[+] 1b71c59b12 gobject-introspection.bbclass: disable introspection for -native and -nativesdk recipes
[+] 0f64a717d2 lib/oe/package_manager.py: Add pkgpath to dict returned by package_info
[+] d56ccf691b oetest.py: Add support to copy unextracted packages for runtime testing
[+] 92afca7181 oetest.py: Add extract_packages() to RuntimeTestContext class
[+] 8a68910958 oetest.py: Add json file support to specify packages needed in runtime tests
[+] 3a81a3d8c3 xmlto: xmlto needs tail to run
[+] 2dbd8733a7 libgpg-error: Upgrade 1.21 -> 1.22
[+] 145d28571d gnupg.org-hosted recipes: Change SRC_URI to https site
[+] 2e74e4c7bc libevdev: Upgrade 1.4.6 -> 1.5.1
[+] dff8ca223f gtk+: Upgrade 2.24.29 -> 2.24.30
[+] 1645e7108d clutter-gst-3.0: Upgrade 3.0.16 -> 3.0.18
[+] 095f03cafe clutter-1.0: Upgrade 1.24.2 -> 1.26.0
[+] c342731c3f coreutils: revert upstream commit causing havoc with ls output
[+] 91488e9630 wic: bootimg-efi: include startup.nsh if it's available
[+] 837670e8ea gummiboot.bbclass: also write startup.nsh for non-iso
[+] dbee7aed3d grub-efi.bbclass: also write startup.nsh for non-iso
[+] affb439e8b linux-firmware: update to git rev 80d463be82
[+] 87f0a82625 libpam: update to 1.3.0
[+] 52d130d9e9 dropbear: Remove incorrect SFTPSERVER_PATH from CFLAGS
[+] 1eca8ea3f7 docbook-xsl-stylesheets: Upgrade 1.78.1 -> 1.79.1
[+] c45c94223d kernel: Make symbol link to vmlinuz in boot directory
[+] 0437a59e3c kernel: Add KERNEL_IMAGETYPES to build multi types kernel at one time
[+] 077377e912 cpio: Add native variant
[+] 6a7138ebb6 oega/utl/package_manager.py: Add get_package_manager()
[+] dafocc3745 oetest.py: Move getTests() outside loadTests() method
[+] 549f134970 testexport.bbclass: Stop exporting test context
[+] c358ab5d4c nopackages.bbclass: deltask foo_setscene
[+] fbb6775ae5 libjpeg-turbo: set SUMMARY
[+] 2c7cf1370e gobject-introspection: set SUMMARY and HOMEPAGE

```

```

[+] 4dd7a01380 argp-standalone: set SUMMARY instead of DESCRIPTION
[+] 8e2617a3a6 signing-keys: set SUMMARY instead of DESCRIPTION
[+] 0c2972b9f8 fts: set SUMMARY instead of DESCRIPTION
[+] 3a3104720d bsd-headers: set SUMMARY instead of DESCRIPTION
[+] 4d6f027e51 dhcp: fix non-deterministic libxml2 dependency
[+] a0acd705ba gcc: Backport nios2 gcc ICE fix
[+] 899358a586 npm: add target_arch flag to npm
[+] 7fed397ed0 ghostscript: Set UPSTREAM_CHECK_URI variable
[+] 7b3061e5e7 sanity: check that the en_US.UTF-8 locale exists
[+] 4c3738c149 diffutils: Add patch to fix gplv2 version with gcc6
[+] 239efc0cca tcmode-default: Bump gcc
[+] 2718e843b3 yocto-bsps: update to 4.4.11
[+] 56ab1a5345 linux-yocto/4.4: integrate v4.4.11
[+] 1e9c392044 linux-yocto/4.4: beaglebone: build in the usb controller drivers
[+] 9a38dc6aaf linux-yocto/4.1: v4.1.24 and gcc6 powerpc fixes
[+] ce376577a9 ssqlite3: update to 3.13.0
[+] 9ade84b57e iproute2: upgrade to 4.6.0
[+] 44e4d20a6f matchbox-keyboard: Upgrade
[+] b5fe46044e mesa-demos: Upgrade 8.2.0 -> 8.3.0
[+] 6ec08043dc fontconfig: Upgrade 2.11.94 -> 2.11.95
[+] 8aad2302a6 dropbear: Upgrade 2015.71 -> 2016.73
[+] 8a97d9ef92 mkelfimage: fix compile issues
[+] 06563e639f openssl: Ensure SSL certificates are stored on sysconfdir
[+] 0b1a03e332 ca-certificates: Use c_rehash utility
[+] 0a84108e0f openssl: Add Shell-Script based c_rehash utility
[+] 1cdd9795dd sstate.bbclass: Don't create symlinks, download to the correct location
[+] 2d0a5c8361 devtool: upgrade: clarify help text for --srcdev option
[+] 93alc01666 devtool: upgrade: tweak conflict handling
[+] ab227452c7 devtool: upgrade: handle upgrading recipes with a versioned inc file
[+] c7e614c438 useradd: Fix infinite build loop
[+] 32bbf68570 meta-yocto-bsp: Enable xf86 modeset for beaglebone
[+] bd7b363361 linux-yocto-rt, core-image-rt*: Explicitly skip when PREFERRED_PROVIDER_virtual/kernel isn't set
to linux-yocto-rt
[+] 21af6c60b0 scripts/bitbake-whatchanged: migrate from optparse to argparse
[+] aac36591db core-image-{minimal, testmaster}-initramfs: set COMPATIBLE_HOST
[+] 1974624eb9 image.bbclass: additional output in create_symlinks
[+] e7b5bd2ba1 image.bbclass: support duplicate compression types
[+] 96bleb4e6d coreutils: Fix rootfs creation errors
[+] 34d64f00ca net-tools: Fix rootfs creation errors
[+] f8aa96e23f shadow: Fix rootfs creation errors
[+] b414b50c76 musl: Update to latest tip
[+] ff35bfa242 qemu: Upgrade to 2.6.0
[+] bcl55f88cf harfbuzz: update to 1.2.7
[+] fb51dc9ede libsolv: update to 0.6.21
[+] 133ad838ce libsoup-2.4: provide PACKAGECONFIG for gssapi
[+] 2claa9c960 cmake: update to 3.5.2
[+] 9157c11d46 ghostscript: Update URL_SRI considered as 'old release'
[+] f2092e67ea systemd: re-enable mount propagation for udevd
[+] 13df45b74e package_manager: no need to output Note: in bb.note() calls
[+] 456b222e0c wipe-sysroot: fix wrong glob when removing manifests
[+] f9b0781534 scripts/oe-selftest: Remove inadvertant python3 specific change
[+] 66b484fbc6 python-smartpm: Avoid locale issue with bitbake python3
[+] d57de67357 bitbake.conf/toolchain-shar-extract: Use en_US.UTF-8 as locale
[+] 3ddde5f32a meta: Update to modern exception syntax
[+] 01d07f328f kernel-uimage: Fix python indentation
[+] 88972114a6 meta/scripts: python3: rename file -> open
[+] ffe9604be2 meta/selftest/scripts: Use print function for python3 compatibility
[+] 02986886fc devtool: sdk-update: drop support for local updates
[+] 011181bbb nativesdk-glibc: Extend relocation support to locales
[+] 6b3ac016d3 glibc-locale: Enable binary locale generation for nativesdk-glibc
[+] 72fb52eb12 build-appliance-image: use 'lnr' instead of 'ln -sr'
[+] 22a55ba6dd lttng-modules: Upgrade to 2.7.3 release
[+] fe70c063c5 mkelfimage: obey LDFLAGS, sort out HOST_flags
[+] d61d4ba6ca core-image-weston: If X11 is enabled, add XWayland support
[+] 5fb0c1edce weston-init: Use weston-launch when starting weston as the first windowing system
[+] 7b779c8c2a weston: Add Xwayland initialization support using weston-start
[+] 5afb6a9cd5 weston-init: Add module support for the weston-start helper
[+] 71b3566692 weston-init: Error out if loading a nested instance
[+] 2f0283ab0d weston-init: Rework init sequence to avoid code duplication
[+] d46c5beedc weston-init: Rework do_install to use install -D option
[+] 959237ef88 weston: Provide a default version of weston-launch that doesn't require PAM
[+] 9a9f04ff9b weston: Remove XWayland dependencies on PACKAGECONFIG
[+] 9b5abe2010 weston: Enable XWayland when X11 and Wayland support are available
[+] ecd8d8835d weston: Add PACKAGECONFIG option for 'clients'
[+] 959bec1031 weston: Fix SystemD service description
[+] 2ef31e150e weston: weston-launch: Handle invalid command line options
[+] 2192a48a5d bitbake: cooker: Fix parse progress for python3
[+] e73a85be3e lib/oe/rootfs: Fix DEBUGFS generation, without openssl
[+] bf4616d43b gdb: Backport patch to changes with AVX and MPX
[+] 070ea45b6c acl.inc, run-ptest: improve ptest functionality on limited rootfs
[+] 599933cfe1 mesa: fix mesa_populate_packages() when dri is disabled
[+] 70b0e62af9 wic: fix path parsing, use last occurrence
[+] 55159ef056 classes/kernel: check OLDEST_KERNEL at configure time
[+] 02587c4bad classes/kernel: fix typo
[+] 55c383d1b7 bluez5: fixed path to bluetoothd in sysvinit script
[+] b0207e7425 qemu: Upgrade to 2.5.1.1 for fix CVE-2016-3710 and CVE-2016-3712
[+] 1bf7a8118f openssl: update homepage and summary
[+] fd436a2b0d classes/populate_sdk_ext: adjust variable blacklisting
[+] 711185d82c linux-dummy: set INHIBIT_DEFAULT_DEPS
[+] d3a2da45b6 kernel: fitimage: Repair misuse of shell test command
[+] 5ca7cbf4df bluez5: move btmgmt to common READLINE section
[+] del8e6bac1 webkitgtk: turn off JIT on armv4 and armv7a
[+] 982b63129e mesa-demos: provide option for disabling GLX demos
[+] 409c940533 bitbake: toaster: tests builds Add SSTATE_MISS as a valid condition for tc=833
[+] 0664a89ef0 bitbake: toaster: tests build Add a test for a build of core-image-minimal
[+] 085688c8ed bitbake: toaster: tests Add a BuildTest helper class
[+] 5ce1adb177 bitbake: toaster: Add a specific test settings file
[+] 82dc991f48 bitbake: toaster: runbuilds move the execution sequence out of the poll loop
[+] db84307055 bitbake: toaster: Remove DATABASE_URL being passed around as an environment var
[+] 8fba59ce45 bitbake: toaster-tests: tests for project config
[+] 1aab29ed8d bitbake: toaster: projectconf Small tweaks to IMAGE_FSTYPES form
[+] c81d03e8a3 bitbake: toaster: handle multiple imagefs types
[+] 5444abaaca kernel: moves KERNEL_SRC_PATH to bitbake.conf
[+] a53a9ddbdd zip: update SRC_URI
[+] 8949d253f6 unzip: update SRC_URI
[+] 7dbdef48be libgudev: fix upstream check

```

```

[+] 69dfa87680 freetype: fix upstream check
[+] 9f447baa7c package_regex.inc: remove deprecated file
[+] efd892b455 yocto-uninative: Update to 1.1 tarball (new version of glibc)
[+] 18eccfa383 rootfs.py: Unify _log_check_warn() and _log_check_error()
[+] 9948e0d3cb rootfs.py: Reduce spam from _log_check_warn()
[+] 79d177822b rootfs.py: Exclude lines in _log_check_warn() as well
[+] e3e8d500e2 rootfs.py: Use one way to exclude lines in _log_check_error()
[+] a653f36814 rootfs.py: Simplify the regular expression used in _log_check_warn()
[+] d416a4e16e rootfs.py: Remove _log_check_error() from the RpmRootfs class
[+] c60134f4c8 Revert "rootfs.py: add more info to the warning message"
[+] 458f824b7e sysprof: Disable nios2 support
[+] elec420c0fb elfutils-0.148: Fix build with gcc6
[+] fd36a447d0 systemd: Create missing sysusers offline
[+] 553fa35147 useradd.bbclass: Strip trailing ';' in cmd params
[+] c9867c4624 bitbake: cooker: Improve taskgraph file handling
[+] 2970800a09 bitbake: codeparser: Increase cache version after code parser dependency changes
[+] 1fb330bea6 bitbake: bb.codeparser: track variable flag references
[+] 32ee30a46d bitbake: Provide LAYERDIR_RE for layer.conf
[+] 90bc9b4f33 bitbake: cache: Increase cache version after task checksum calculation changes
[+] 692b87497e bitbake: Implement support for per-task exports
[+] a809f1c6af bitbake: bb.cooker: show limited traceback for parsing ExpansionError
[+] b00282fd20 makedevs: fix security issues
[+] c676d5dd6f zip: fix security issues
[+] 8ed25517a9 stat: fix security issues
[+] 1613275de7 pixman: Fix build on arches not defining FE_INVALID exception
[+] 479780d790 buildtools-tarball: add nativesdk-locale-base-en-us
[+] 9f9216767a buildtools-tarball: replace nativesdk-python with nativesdk-python3
[+] a2e3f17594 buildtools-tarball: remove nativesdk-python-pexpect
[+] 65ab0968f1 python3-git: add it for buildtools-tarball
[+] 57c50be5bc python3-gitdb: add it for python3-git
[+] 643b444eeb python3-async: add it for python3-gitdb
[+] e0b7ecc8af python3-smmmap: add it for python3-gitdb
[+] 1e244471d0 useradd: use bindir_native for pseudo PATH
[+] 90cb500a7f openssh: Backport fix for CVE-2015-8325
[+] 4d72f50631 openssh: Upgrade 7.1p2 -> 7.2p2
[+] ce2dd24ced scripts/oe-selftest: Improve listing by reducing unneeded spacing
[+] 978d450a52 oe-selftest: wic: add test_bmap test case
[+] 471a816224 wic: add help for --bmap commandline option
[+] b5804498d6 wic: implement --bmap option
[+] a49d279b50 wic: add bmaptool to the list of utilities
[+] 37abaa362c mkefidisk.sh: mount images as read-only
[+] e44c849769 python-smartpm: Remove unnecessary error reporting improvement patch
[+] be0cabf816 python-smartpm: Don't ignore error if RPM transaction fails without problems
[+] e89c6c4aa6 python-smartpm: Fix channel command --remove-all option (again)
[+] 350d939d4e python-numpy: fix build failure with python-matplotlib
[+] b4c23e9e95 oetest.py: Use the real ExportTestContext in exported tests
[+] 86d65d79ad oetest.py: Add default pscmd to oeTest
[+] 20afc59704 testimage.bbclass: Remove exported test
[+] 41fbf2c353 oeqa/runexported.py: Remove host dumper
[+] 3ba656374b testexport.bbclass: Split testimage class
[+] a9eb2e3d3d oeqa/oetest.py: Add class ExportTestContext
[+] e090775f7e pseudo: Work around issues with glibc 2.24
[+] 3eb00d6597 glibc: Add missing patch hunk back
[+] 7707cf6562 sdk-manual: Fixed three broken links to sections within manual.
[+] ba91c248d3 pkgconfig: Update AM_GLIB_GNU_GETTEXT macro
[+] 7cfaf9f679 gnome-doc-utils: Update AM_GLIB_GNU_GETTEXT macro
[+] d972c6239e weston: Upgrade 1.9.0 -> 1.10.0
[+] aac99fb37f wayland-protocols: Add recipe
[+] c88aee4cde wayland: Upgrade 1.9.0 -> 1.10.0
[+] 93e7f386bc glib-2.0: Upgrade 2.46.2 -> 2.48.1
[+] 6bbe4fe48c bitbake: bitbake-layers: convert to plugin-based
[+] 07eebc6689 bitbake: knotty: Fix output buffering issues
[+] 62384f5467 bitbake: siggen: Fixes to handle sigdata/siginfo files only containing basehash data
[+] 74ae91e0bd bitbake: toaster: don't show "Rebuild" button for cancelled cli builds
[+] d9d715b9f9 bitbake: toasterui: capture keyboard interrupts the same way as knotty
[+] df0fc2d908 bitbake: buildinfohelper: add method to set current build as CANCELLED
[+] 3718f8d90c bitbake: toaster: toastergui tests Fix toastertable tests
[+] 54bf7cce48 bitbake: toaster: toastertables: Clean up and fix up a number of items
[+] a906a09c73 gcc: Security fix CVE-2016-4490
[+] a1928c81e6 gcc: Security fix CVE-2016-2226
[+] 23f00321e9 gcc: Security fix CVE-2016-4489
[+] 02321b6d63 gcc: Security fix CVE-2016-4488
[+] e3eaef7f22 eudev: remove eudev-hwdb from RRECOMMENDS_eudev
[+] 3da513ba73 mesa-demos: OpenVG demos with single frame need eglSwapBuffer
[+] d28ab58485 classes/base: get_lic_checksum_file_list improve validation of url's
[+] 4725d9021d coreutils: fix for native and nativesdk
[+] da53c7db9e oe-buildenv-internal: add BBPATH_EXTRA to BB_ENV_EXTRAWHITE_OE
[+] 46cf6f5f2c gnu-efi: set COMPATIBLE_HOST_armv4 to null
[+] d34237c948 cogl-1.0: set COMPATIBLE_HOST_armv4 to null
[+] a994ad94b5 openssh: change URI to http:
[+] 3fec661466 perl: use PACKAGESPLITFUNCS instead of populate_packages_prepend
[+] 9e48d198ed libsolv: upgrade to 0.6.20
[+] 53b05b5508 libproxy: update to version 0.4.13
[+] 31af2908d3 xproto: Upgrade 7.0.28 -> 7.0.29
[+] d4099e1042 expat: Upgrade 2.1.0 -> 2.1.1
[+] 169852ebc2 libsoup-2.4: Upgrade 2.52.2 -> 2.54.1
[+] 249dd7954e json-glib: Upgrade 1.0.4 -> 1.2.0
[+] blf49328c8 inputproto: Upgrade 2.3.1 -> 2.3.2
[+] d63463bf9f gsettings-desktop-schemas: Upgrade 3.19.3 -> 3.20.0
[+] 7e96b681c2 gdk-pixbuf: Upgrade 2.32.3 -> 2.34.0
[+] 53c431828a pango: Upgrade 1.38.1 -> 1.40.1
[+] 29b9316b2a glib-networking: Upgrade 2.46.1 -> 2.48.2
[+] 7db0cc27d5 sstate: Ensure we sort the value used for SSTATETASKS for determinism
[+] 9094ea9fdd classes/oeqa: Update for print statements and file() -> open() for python3
[+] ca2edae7c3 oeqa: Print function python3 fixes
[+] 52b3cc9066 tcmode-default: Bump glibc,gdb
[+] 45da72bb53 security_flags: Enable security flags on leafpad, ltp and libuser.
[+] b830a97f9e leafpad: Fix security formatting issues.
[+] 65238546b7 libuser: Fix security string formatting issues.
[+] eecha7171d ltp: Fixes security string printf on testcases/network/nfsv4/acl/acl1.c
[+] 574e9f4b43 linux-yocto/4.4: gcc6 build fixes (powerpc and mips)
[+] 531c354e7e glibc-initial.inc: fix py3 SyntaxError in cfgscript print()
[+] 144c5175b8 autotools.bbclass: fix py3 SyntaxError in cfgscript print()
[+] bb44e5b99d oeqa/decorators: Use wraps consistently
[+] 7a93223483 linux-yocto: Update SRCREV for genericx86* for 4.4
[+] ba36be66c0 linux-yocto: Update SRCREV for genericx86* for 4.1

```

```

[+] 0854035d9c bitbake: toaster: use new syntax of except statement
[+] 519a85ef25 bitbake: toaster: use print function in toaster script
[+] 3249e33251 bitbake: toaster: use 'in' instead of has_key
[+] bfc21fd9b2 bitbake: server/process: Fix missing log messages issue
[+] 471310e5e7 bitbake: cooker/toasterui: Drop SEND_DEPENDS_TREE UI feature
[+] da467519c2 bitbake: runqueue.py: always emit bb.event.DepTreeGenerated
[+] ff5d6f8854 selftest: add bmap test
[+] 39498d0e90 image types: add bmap generation option
[+] 8a8ed5239d bmap-tools: initial commit, version 3.2
[+] dc939724c2 image_types: add support for zip compression
[+] c589aff080 wic: use next builtin instead of .next method
[+] dd732eedd wic: don't encode unicode strings
[+] a173885ccf wic: decode output of subprocess.communicate
[+] 5f06463c6c wic: use // operator instead of /
[+] bc89dc4225 wic: use find_executable in favor of bb.utils.which
[+] b6b5b5e295 wic: don't use L suffix for integers
[+] 5fedb5d3cc wic: refactor pluginbase
[+] d4ded7fcb1 wic: remove unused functions
[+] e301be3cd0 wic: use new syntax of 'except' statement
[+] ed10a80c2c wic: remove with_statement imports
[+] dac0e809b7 wic: don't inherit classes from object
[+] 52ce79dcba wic: don't use dict.keys and dict.has_key
[+] e36d04abb7 wic: use items instead of iteritems
[+] 0c57dd96c8 wic: replace print statements with print function
[+] 4dadbbdd46 combo-layer: avoid too long command lines in update with history
[+] 659ed8718b combo-layer: fix default "update" mode
[+] f969ce9ddf python-native: Point to expat in native sysroot and add missing dep on expat-native
[+] 45dd3d28e4 feature-arm-vfp.inc: fix overzealous ARMPKGSFX_FPU modification
[+] 0c717ff4e7 gdb: Upgrade to 7.11
[+] 6d27c16ec0 glibc: Add recipes for 2.24 release
[+] 9b25b35456 gcc 4.9: backport gperf fixes
[+] 31f98f9237 openjade-native: work around bug exposed by GCC 6
[+] efe59dbec5 gcc-5.3: backport gperf fixes
[+] 97531efe4d report-error: Replace the build directory path in the error text
[+] 0ba9ce24d5 mmc-utils: update to latest git version
[+] ad03e92c79 connman: update to version 1.32
[+] 0ff3f495ca package_manager.py: Add extract() method for RPM package manager
[+] b372a82818 package_manager.py: Add extract() method for opkg and dpkg
[+] c5aa5246e0 package_manager.py: Move opkg_query() outside of Indexer class
[+] e81c8fcl1b6 pong-clock: obey CFLAGS, LDFLAGS
[+] e593d3aeb2 ruby: obey LDFLAGS for the link of libruby
[+] 01cbd46ac5 pseudo: obey our LDFLAGS
[+] b39ddd9fe7 image_types: adjust default level of XZ compression
[+] 36912cd2e4 cmake: enable verbose builds
[+] 3d11229aa1 bitbake: toaster: fix progress bar in MySQL environment
[+] c0db739f35 bitbake: main: Ensure exceptions are correctly displayed
[+] 2fc5d5da6f bitbake: cookerdata: Fix log messages and ensure we exit
[+] a46d485856 bitbake: event/msg: Pass formatted exceptions
[+] ca824a976a bitbake: fetch: Use OrderedDict for url parameters
[+] ef4a7c30ca bitbake: main: Change warn() -> warning()
[+] 7c0a219d29 bitbake: cooker: Fix log message syntax
[+] a0db1211ca bitbake: utils: Force bitbake to en_US.UTF-8 locale setting everywhere
[+] 221705a03b bitbake: bin/bitbake-worker: Fix invalid bb.msg.fatal usage
[+] df1546952b bitbake: contrib/dump_cache.py, cache: Fix to use python 3 syntax
[+] 7d06ec193e bitbake: knotty: Ensure consolelog file handle is closed
[+] 6cc6818068 bitbake: runqueue: Improve timestamp comparisons
[+] fce8da957f bitbake: daemonize/prserv/tests/fetch: Convert file() -> open()
[+] 9a309684cf gcc-runtime, libgcc: Symlink c++ header and startup files in target_triplet for SDK use
[+] 7cab9ec11 mpfr: Upgrade to 3.1.4
[+] 0dcc42c9ab ruby: Upgrade to 2.2.5
[+] 278f8e82d6 distcc: Upgrade to 3.2
[+] 3a167e6290 mdadm: Fix build with clang
[+] 922c640ca9 musl: Create symlinks for stub libraries
[+] 6d7cbc6b90 bitbake: Oldest kernel for nios2 is 3.19
[+] f2f35ccffe gdb: Disable binutils components
[+] 26698cdcf9 libunwind: Add a configure option for tests
[+] f3c90e12b1 gdb, strace: Fix builds on ppc/musl
[+] af6bfd00 libgcc: Ensure that gcc configure options are passed to libgcc too
[+] cc86da055b libunwind: Upgrade to 1.2rc1+
[+] fb6ee2225b libgcc: Ensure that gcc configure options are passed to libgcc too
[+] e260dc35b7 musl: Upgrade to tip of tree
[+] 54d06c0803 bitbake.conf: Empty out BUILDSDK_CPPFLAGS
[+] ca8ae667ac libunwind: Upgrade to 1.2rc1+
[+] 08a9f5dec6 grub_git: Upgrade to latest tip
[+] e511478763 conf: bump minimum kernel to 3.2.0
[+] f99fb6a167 libc-common.bbclass: Use sed instead of grep
[+] ec8c9eb269 busybox/mdev: Ensure /sys is mounted before using it
[+] 4eec0cb209 valgrind: Fix build with gcc6
[+] a6f67e23b8 grub: Fix build with gcc-6
[+] f0d2bd3d90 binutils: disable werror on native build
[+] b83a808fcb pkgconfig: Fix build with gcc-6 and upgrade to 0.29.1
[+] 40abaa622b nss: Upgrade to 3.23
[+] 6ab12ea4d1 mdadm: Fix gcc 6 warnings
[+] faf16fd051oprofile: Fix with gcc6
[+] 268f66fe0e webkitgtk: Upgrade to 2.12.1
[+] b5c1f58832 lzop: Fix build with gcc-6
[+] 54cbfa3a0b alsa-tools: Fix build with gcc6
[+] b8e70ce204 rpm: Fix build with gcc6
[+] 24d99279c5 elfutils: Upgrade to 0.166
[+] a088a41107 glib-2.0: Ignore useless warning found with gcc-6
[+] 6ea164c208 gcc: Add gcc6 recipes
[+] 1f2108f0f4 linux-yocto/4.4: bump to v4.4.10
[+] 5968601bd2 linux-yocto/4.4: beaglebone: Enable drm for omap
[+] 322a783592 linux-yocto/4.4: update to v4.4.9
[+] 975fa0d2ac linux-yocto/4.4: bump to v4.4.8
[+] 55f6cc4072 font-util: Remove ${datadir}/fonts from SYSROOT_DIRS_BLACKLIST
[+] fc8f228eae libtool: Use SYSROOT_DIRS_BLACKLIST to exclude dirs from the sysroot
[+] 9390701f11 gcc-target.inc: Use SYSROOT_DIRS_BLACKLIST to exclude dirs from sysroot
[+] 2aa49bc843 gettext: Use SYSROOT_DIRS_BLACKLIST to exclude dirs from the sysroot
[+] 2997f017dc grub2.inc: Use SYSROOT_DIRS_BLACKLIST to exclude dirs from the sysroot
[+] 4021e9bad6 gobject-introspection: Use SYSROOT_DIRS to add dirs to stage in sysroot
[+] df0299431b vala.inc: Use SYSROOT_DIRS to add dirs to stage in sysroot
[+] 700ce6b5e3 signing-keys: Use SYSROOT_DIRS to add dirs to stage in sysroot
[+] 40d19d9208 base-files: Use SYSROOT_DIRS to add dirs to stage in sysroot
[+] 138d161fd4 depmodwrapper-cross: Use SYSROOT_DIRS to add dirs to stage in sysroot
[+] c486741d12 shadow-sysroot: Use SYSROOT_DIRS to add dirs to stage in sysroot

```

```

[+] f6ed023c5b tcl: Use SYSROOT_DIRS to add dirs to stage in sysroot
[+] bc217a6f15 gemuwrapper-cross: Use SYSROOT_DIRS to add dirs to stage in sysroot
[+] dad93163a6 libtool-cross: Use SYSROOT_DIRS to add dirs to stage in sysroot
[+] 97f6ed3282 u-boot-fw-utils: Use SYSROOT_DIRS to add dirs to stage in sysroot
[+] e839431468 staging.bbclass: Make it easier to define which dirs to stage
[+] 5f6e5e45d5 pixman: Upgrade 0.32.8 -> 0.34.0
[+] c2ceef3973 mesa: Upgrade 11.1.1 -> 11.2.2
[+] 8505fde731 libdrm: Upgrade 2.4.67 -> 2.4.68
[+] 1c55101af0 libxkbcommon: Upgrade 0.5.0 -> 0.6.1
[+] f9d53282a3 videoproto: Upgrade 2.3.2 -> 2.3.3
[+] f264e09e7c xf86-input-evdev: Upgrade 2.10.1 -> 2.10.2
[+] 06b53bf865 libinput: Upgrade 1.1.4 -> 1.3.0
[+] b74ee99cc1 xkeyboard-config: Upgrade to 2.17
[+] 376bba7d35 xrandr: Upgrade to 1.5.0
[+] 28433319ad bitbake: toaster: tests browser Add test for creating a project
[+] cd4f0b3a83 bitbake: toaster: models Add missing import sys
[+] 7e2d5017be bitbake: toaster: ui handles duplicate project name in project page
[+] dc57476d0b bitbake: toaster: ui handles duplicate project name in new project page
[+] 9bdfed856b bitbake: toaster: projectNameValidation API added
[+] cc2f1368dc bitbake: runqueue: Fix missing fakeworker under dry run
[+] 442acd2ea9 bitbake: lib/bb/utlils.py: Fix explode_dep_versions2() determinism issue
[+] 3795f4d6a6 bitbake: bin, toaster: Fix print and exception syntax
[+] a9d90f7405 bitbake: tests: assertEquals -> assertEquals
[+] 654eadfa30 bitbake: bitbake: bitbake: logger.warn() -> logger.warning()
[+] 5052bf92e4 oega/lic-checksum: Update after recent LIC_FILES_CHKSUM changes
[+] 832029356f devtool: Fix build-sdk when pn doesn't match filename
[+] 32d80fe258 Drop unneeded LIC_FILES_CHKSUM values
[+] 296c7e11f1 classes/insane: do not force LIC_FILES_CHKSUM unless SRC_URI is set
[+] 69cf7b3273 lib/classextend: Fix determinism issue
[+] f49be7e7c9 update-alternatives: Fix determinism issue
[+] 8a88c56968 image: Fix IMAGE_FEATURES determinism issue
[+] 015266a665 bitbake.conf: add default for IMAGE_FSTYPES_DEBUGFS
[+] 88d5f563c9 metadata_scm.bbclass: Do not assume ${COREBASE} is a Git repo
[+] 361c5be77f ltngn-tools: filter random filename of ptest output
[+] c7bfla871a feature-arm-neon.inc: restore vfpv3-d16 support
[+] 33330021a1 gcc: obey ldflags in the link of libgcc
[+] 47c994fff0 populate_sdk_ext: Change lockedsigns task mismatch to a warning
[+] 1e88c74650 xserver-xorg: update 1.18.3 and add PACKAGECONFIG for glamor
[+] b86f8a0a66 populate_sdk_ext.bbclass: Show logfile in case the SDK EXT installation failed
[+] d53ed05390 combo-layer: implement "update with history"
[+] 107c35e87e combo-layer: runcmd() enhancements
[+] aa4de3c8c5 combo-layer: dummy "update with history"
[+] eb0ab04149 sshcontrol.py: Add methods to copy dirs and delete files
[+] e81d7a8afe classes/image_vm: allow different filesystems to be used for VM images.
[+] clce0d9a9e lib/oe/rootfs: Fix DEBUGFS generation for opkg & openssl-cnf
[+] 442fbd58d linux-yocto-rt/4.1: update to rt23
[+] 834d31688c linux-yocto/4.4: bump to v4.4.8
[+] 3730f6ffef linux-yocto/4.4: broxton enablement and refactoring
[+] 954bf18507 linux-yocto/4.4: skylake configuration
[+] 6fd2ec93c7 linux-yocto/4.4: BXT mmc fixes + PUNIT, tubropower, and telemetry backport
[+] 3db6b646e5 linux-yocto/4.1: make ltsi content available
[+] ccfa4985f3 linux-yocto/4.1: update to v4.1.22
[+] 1ce221da64 kernel-yocto: allow branch auditing to be suspended
[+] 0e50f6f295 kern-tools: handle directories with, or without, trailing /
[+] 07f913354f linux-yocto/4.4: sched/cgroup: Fix/cleanup cgroup teardown/init
[+] bfe3731646 linux-yocto/uvesafb: print error message when task timeout occurs
[+] 9b9b9832d6 image_types: fix image/compression dependency collection
[+] cfl1788218e libpcrc: Fix CVE-2016-3191
[+] af4e319861 image_types.bbclass: add WIC_CREATE_EXTRA_ARGS
[+] 5ae5fc7e7b openssl: Security fix via update to 1.0.2h
[+] 199b348d1d image-live.bbclass: make the INITRD optional
[+] 26bf0e9bf2 librsvg: Security fixes via update to 2.40.15
[+] 01f6052246 git: update to 2.8.2
[+] c63claaaa6 gemu: upggrade to 2.5.1
[+] 6b0bdd65da alsa-lib: Fix incorrect appl pointer when mmap_commit() returns error.
[+] 8c1932e05e iproute2: upgrade to version 4.5.0
[+] cc5e129492 sqlite3: upgrade to 3.12.2
[+] cb3b214c4b harfbuzz: upgrade to 1.2.6
[+] 64edecf8cd orc: upgrade to 0.4.25
[+] 8d66086ac4 mc: upgrade to 4.8.16
[+] 41a1bbf37d libtasnl: upgrade to 4.8
[+] a5f82b4ddb pkgconfig: update to version 0.29.1
[+] 5a214224a4 ethtool: upgrade to 4.5
[+] db36fc9246 acpid: upgrade to 2.0.27
[+] 06aa0d4371 gdb: fix QA warning (uClibc)
[+] 0aba7d5d36 base-files: add some safety checks in profile
[+] 548e55c334 bluez5: upgrade to 5.39
[+] 7ca60ec8bf test-empty-image: Fix LIC_FILES_CHKSUM typo
[+] 912e372bd3 scripts/lib/bsp/kernel.py: force patching when branch is machine branch is re-use
[+] 3cdecde23d meta-selftest/images: Add LIC_FILES_CHKSUM to images using image.bbclass
[+] lee4cc1073 bitbake.conf: change APACHE_MIRROR to point at archive.apache.org
[+] 2329274164 mesa: add PACKAGECONFIG for gbm
[+] 46bfdecf14 libxsettings-client: fix COPYING file
[+] b13367b10f meta-world-pkgdata: add LIC_FILES_CHKSUM
[+] b31c7ab236 packagegroup-foo.bb: remove LICENSE = "MIT"
[+] d38c92376c packagegroup.bbclass: set LICENSE and LIC_FILES_CHKSUM
[+] a8b35766d4 insane.bbclass: package_qa_check_license -> populate_lic_qa_checksum
[+] 24eb9b1dfb tune-mips32r2.inc: add soft-float variants
[+] 6e4b81777e ddimage: if 'pv' is installed, use it
[+] 6be903f1a dbus-test: install executables not libtool wrapper scripts
[+] b851cb0a2e mesa-demos: remove demos using obsolete screen surface
[+] 7f70b1065a arch-powerpc64.inc: disable the use of gemu usermode on ppc64
[+] 1108bee72c eudev: add PACKAGECONFIG for hwdb
[+] 41f716010a libxml2: fix dependencies and QA Issues
[+] 1d9432a6d0 bash: fix dependencies and QA Issue
[+] 7ce949cf13 popt: fix dependencies and QA Issue
[+] 0c26298c0c curl: add krb5 to PACKAGECONFIG
[+] 9efd5474ff oega/selftest/buildoptions: remove buildhistory signature test
[+] 692f9d416e mesa-gl: add missing MESA_CRYPT to PACKAGECONFIG
[+] 5f142040ba cross-localedef-native_2.22.bb: Use autotools configure
[+] 0bf6d578b4 insane.bbclass: remove workdir from package_qa_check_license()
[+] 30ba663e35 gemu: remove explicit but redundant native build dependencies
[+] b73ebda2ef webkitgtk: remove gnome-common dependency
[+] 1b6ff9d151 gnome-desktop3: remove redundant gnome-common dependency
[+] 997beb09a8 python-pyobject: remove redundant gnome-common dependency
[+] 8f275ff0d8 recipetool: create: fix falling back to declared license for npm packages

```

```

[+] 6ddd408f6d recipetool: create: fix picking up false npm package directories
[+] de7562620e arch-armv7ve: inherit armv7a tunes file
[+] f088e693b2 kernel: fitimage: basic support for fitimage signature
[+] cb565d5b40 kernel: fitimage: support device tree compiler options
[+] 858add508b u-boot: deploy u-boot-nodtb and dtb files
[+] d8ae39687a u-boot: basic support of dtb append for verified boot
[+] a78e4ade1f scripts/lib/argparse_oe: also change 'positional arguments' to 'arguments'
[+] 09cbec8947 scripts/lib/argparse_oe: simplify options title change
[+] 3e79d54523 scripts/lib/argparse_oe: show subparser help for unrecognized args
[+] 55c760bda3 scripts/lib/argparse_oe: show self.prog in the error message
[+] 7669219652 wic: use sparse_copy to preserve sparseness
[+] db9557cc46 wic: use sparse_copy to copy partitions
[+] 4b971568e1 wic: add sparse_copy API
[+] a468d4bc57 wic: add FIEMAP and SEEK_HOLE / SEEK_DATA APIs
[+] f8959d48e8 wic: moved DiskImage to direct.py
[+] f3180152a4 wic: get rid of fs_related.makedirs
[+] 4daf903fb0 wic: get rid of inheritance Disk->DiskImage
[+] d03cbac796 wic: use truncate utility to create sparse files
[+] e93254b482 autotools: add default for CACHED_CONFIGUREVARS
[+] 8d6bb655e5 packagegroup-core-lsb: fix whitespace in meta-gt* warnings
[+] 30f9a5072d security_flags: turn potential string format security issues into an error
[+] 8fa797d73b sysvinit-inittab: restrict labels to 4 chars
[+] 36a26402fe toolchain-scripts: replace source built-in call
[+] a2526b575a gstreamer1.0-rtsp-server: upgrade to version 1.8.1
[+] 06f5b8a9e7 gstreamer1.0-libav: upgrade to version 1.8.1
[+] b8dbd21848 gstreamer1.0-plugins-ugly: upgrade to version 1.8.1
[+] 9f9e48cc9d gstreamer1.0-plugins-good: upgrade to version 1.8.1
[+] 32a315alal gstreamer1.0-plugins-base: upgrade to version 1.8.1
[+] e9c85d5b99 gstreamer1.0: upgrade to version 1.8.1
[+] c6394a56f7 bitbake: bb.{cooker, data}: only emit a var as python if 'func' is set
[+] 94655584cb bitbake: bb.utils: let loaded plugins provide a plugin object
[+] 19e6fd5b7b bitbake: bb.utils: use imp.get_suffices for load_plugins
[+] 7dc12110d4 bitbake: bb.utils: add load_plugins from scriptutils
[+] 39b79efc7e bitbake: bb.data_smart: use iter() for __len__
[+] cd20dd057b bitbake: bb.event: handle __builtins__ as a module
[+] 2d2d312188 bitbake: bb.build: handle __builtins__ as a module
[+] 4f4f1cf1db bitbake: bitbake: fetch2: Safer check for BB_ORIGENV datastore
[+] f00b4e4c3d bitbake: toaster: bin/toaster Fix noweb command
[+] 93853e06fb bitbake: toaster: bin/toaster Add ability to specify port and address to bind to
[+] 4446b35138 bitbake: toaster: bin/toaster Add help text for unrecognized command
[+] be49d0ad57 bitbake: bitake: main: fix line-too-long pytlng warnings
[+] b5af50e024 bitbake: bitbake: main: fix bad-continuation warnings
[+] 3437266a08 bitbake: bitbake: main: fix bad-witespace pylint warnings
[+] 24f5c32b80 bitbake: bitbake: main: set defaults from env variables
[+] 12b314d4d1 bitbake: bitbake: main: add 2 environment variables
[+] fce42a28cc bitbake: toaster: customrecipe Only show download icon or button if it's possible
[+] d3b5b0b4bb bitbake: toaster: orm Add get_base_recipe_file to CustomImageRecipe
[+] f7b520878b poky: Switch to post release name/version
[+] dfc5510c92 poky-tiny: Switch to using kernel 4.4 and busybox for init
[+] a4cf8bc200 bitbake: bitbake: Switch to post release version
[+] f9c623d8bf bitbake: fetch2: export DBUS_SESSION_BUS_ADDRESS to support authentication agents
[+] 768c796850 utils.bbclass: note for deprecated base_contains
[+] f22380e693 oeqa/sstatetests: remove temporary DL_DIRS in noop_samesigs
[+] 10ebdbb030 attr: Remove redundant "+" after ".append"
[+] 19d8760032 oeqa/sstatetests: add http_proxy to no-op hash test
[+] 05797191f0 bluez5: enable out-of-tree builds
[+] 860dfafeed mx: move to autotools instead of autotools-brokensep
[+] c4ee663afb mx-1.0: inherit gtk-doc
[+] 92f482bc3c meta: add comments to explain autotools-brokensep use
[+] 7f8b97535f cups.inc: Fix ldflags warning.
[+] 2daea56eb8 wic: add help for --system-id option
[+] 5bc1e42b03 wic: set partition system id
[+] 514a87877e wic: add system_id argument to Image.add_partition
[+] 8d747c8b43 wic: add system_id attribute to Partition
[+] e6a523286e wic: add sfdisk to the list of utilities
[+] a48630b12a wic: add --system-id wks option
[+] 4ed22edac8 wic: isoimage-isoybrid: fix splash file paths
[+] d73b756d82 image.bbclass: don't execute compression commands multiple times
[+] 57136a613b grub_git: set COMPATIBLE_HOST_armv7a to null
[+] 222c5c65b1 wic: isoimage-isoybrid: add grubefi configfile support
[+] 5073e5bbf1 busybox: don't build ar
[+] 002847ab0b autotools: warn when running intltoolize if intltool isn't a dependency
[+] 9563869995 bash: fixed ptest run-builtins failed
[+] 9c812e7d3c libunwind: backport aarch64_be support
[+] e7d3dc9cbb image.bbclass: don't emit redundant IMAGE_CMD_xxx functions
[+] 2c9ead480d linux-firmware: break out bnx2 mips firmware and WHENCE license
[+] f095f5dc408 package: ensure do_split_packages doesn't return duplicates
[+] 4e0d9d1b8f kernel-umimage: change target image to vmlinux
[+] 5dc3f38b8b packagegroup-core-tools-profile: Enable valgrind on ARMv7a and above
[+] a13343b094 directfb/pango/webkit: base_contains -> bb.utils.contains
[+] cb613904fd gcc-sanitizers: Depend on target gcc
[+] 510344f372 babeltrace: Let autotools.bbclass run autoreconf
[+] ald67b2418 ref-manual: Added GObject Introspection to 2.1 migration section.
[+] 8aebdlcd0a dev-manual: Added GObject Introspection section.
[+] ab3147e995 ref-manual: Added new 2.1 migration misc. Change
[+] 64293699f6 sdk-manual: Applied review edits throughout the manual.
[+] d4c4b2f7b8 ref-manual: Applied 2.1 Migration section review edits.
[+] 1ae33ba916 sdk-manual: Updated the normal customization.xml file.
[+] 3f55657134 ref-manual: Fixed a grammar consistency error
[+] 01df6a7c77 ref-manual: Applied review edit comments to the 2.1 migration section.
[+] 15a93e9a39 dev-manual: Updated the "varname" use to "VARIABLE"
[+] b98a834818 sdk-manual: Updated eclipse customization file.
[+] 07286b63aa build-appliance: Switch to master branch post release

```