

added projects :

meta-sdl at revision d9451f4d2dd1a3927b0ce5e55a4f0dc9a3daee27
 meta-virtualization at revision 8a0173487504676e2897575cab858ab4c0f1ca09

changed projects :

meta-agl changed from refs/tags/dab/4.0.0 to refs/tags/eel/5.0.0

- [+] b3084b0 Prepare EE 5.0.0 distro config
- [+] 969173a Disable window decoration and ensure fullscreen
- [+] e941ffd Merge "Open final merge window for EE" into eel
- [+] f5fe952 Merge "low-level-can-service: bump to new version" into eel
- [+] 16b3a9e Open final merge window for EE
- [+] cf5fc8d low-level-can-service: bump to new version
- [+] b1e0f7a Merge "weston-ini-conf: Disable kingfisher's 2nd and 3rd output" into eel
- [+] fbc35fa Merge "adding copying of microcode.cpio if present" into eel
- [+] 7b9585d weston-ini-conf: Disable kingfisher's 2nd and 3rd output
- [+] c2falce adding copying of microcode.cpio if present
- [+] 2a1c8e5 Prepare EE rc5
- [+] 541ba5c Merge "Adding lua to Host SDK" into eel
- [+] 27cac0e Merge changes I6716197b,I07fe2d5a,Ia35a6007,I1457c89a,Iaaf3b308 into eel
- [+] fa21007 Adding lua to Host SDK
- [+] 8e1e3e7 meta-agl-bsp/meta-rcar-gen3: Add u-boot-script-rcar-gen3 to ease boot
- [+] 6d60fcc meta-rcar-gen3: add si46xx radio tools for KF support
- [+] a6f5393 ti-bt: add a systemd unit and enable
- [+] b8f17a4 meta-rcar-gen3: add WiLink8 tools for KF support
- [+] fb3a394 templates: rcar3: add meta-rcar-gen3-adas for KF support
- [+] affcab4 pulseaudio: disable exit-idle-time in daemon.conf
- [+] 420d2f3 af-binder & af-main: use AGL_DEFAULT_REVISION for eel
- [+] 6c8b235 Adding mkabl to support MRB platforms (non signed kernel) and detection/
 rejection of configuration with initrd=microcode.cpio
- [+] 0195929 4A: don't pull agl-audio-plugin when 4A is enabled
- [+] 56e07fa Removing qtwebkit to be replaced by qtwebengine
- [+] 97c2daa Enabled general Intel bluetooth driver support instead of specific one.
 ibt-11-5 is the specific firmware for Joule. The image for IA should be able to include
 multiple firmware, including this one.
- [+] a92307d A larger value is set as default-id-offset
- [+] 6bd86bd meta-intel: Ensure we pass the microcode as initrd in wic images
- [+] 58574f9 Eel branch open for final merge window before v5.0.0
- [+] 2c5e0e6 Prepare Electric Eel rc4 release v4.99.4
- [+] cc88bfc meta-intel: Switch to using WIC images only
- [+] 9f7e0ce ivi-controller: add resize setting suit to surface size
- [+] 400273b adding support for .wic .wic.xz as source for image
- [+] ad65c09 lightmediascanner: add ~/Videos to initial media scan
- [+] 8523e65 Fix wrong config.xml file used to build widget
- [+] cb2dbc1 linux-renesas_%.bbappend: Fix ath9k_htc.cfg and rtl_sdr.cfg
- [+] 9bbf45f af-binder: Make weak ws-client by default (to be fixed)
- [+] 0e83de8 XDG-IVI: Load by default id-agent in weston
- [+] f64bdf7 meta-agl-bsp: move usbaudio.cfg to linux-agl.inc
- [+] 095c333 af-binder: Fix hangup on long messages
- [+] 99fcfb3 Fix permission label and write verbs call
- [+] 95d4322 meta-netboot: enhance reference uboot config for R-Car Gen3
- [+] 274e29b Fix Linux Kernel fragment for netboot
- [+] fe954d2 meta-agl-bsp/meta-rcar-gen3: Add default asound.state file
- [+] b7271c2 Update eel branch defaults
- [+] abeee5e mxml: remove SECURITY_CFLAGS override
- [+] 02dd1a5 Merge window for EE rc4 is open
- [+] 9365264 Added XDG compatibility to ivi-shell
- [+] 9cdd1e7 Prepare for eel rc3 release
- [+] 3cd23e4 aglsetup: exit with error if fragment script fails
- [+] d05fb36 Remove obsolete examples
- [+] 4344dae Add sota support for Renesas R-Car M3
- [+] 3cf09f2 afm-main: use AGL_BRANCH for naming package
- [+] 3ce50af af-binder-devtools: Align to use app-framework-binder repo
- [+] 9691b89 Rework Linux Kernel fragment applications
- [+] 5692de9 Move genskel to af-binder-tools recipes
- [+] 5316a9c af-binder: Fix autolock in protocol
- [+] 5d544b0 mxml: disable SECURITY_CFLAGS
- [+] e979b4d Fix: wrong config.xml used to build widget
- [+] 8473ae3 Remove unused and/or obsolete default binding from image
- [+] 1358482 Add Logicoool G29 steering wheel kernel config
- [+] 020969c af-binder: Improve monitoring of events
- [+] 91804ab af-binder: Bug fixes and improvements
- [+] f00e6dc Bump poky-agl.conf post release

```
[+] 385616e meta-agl-bsp: kernel: remove linux-boundary defconfig from meta-freescale-layer.
[+] f0e87b1 Revert "Fix FTBS on newer pyro versions due to duplicate userids"
[+] cbfe218 Remove duplicate user/group definition
[+] 14a6db7 Fix FTBS on newer pyro versions due to duplicate userids
[+] 2f33602 Prepare Electric Eel RC2 release
[+] 13dc9cd Allow SRCREV handling through poky-agl.conf
[+] 35d76cc af-binder: Bug fixes
[+] 382091d lightmediascanner: add ~/Music to initial media scan
[+] 08a721e meta-agl-bsp: templates: update of nitrogen6x machine template
[+] 0f54abc imx6qsabrelite starts to using 'meta-boundary' layer
[+] 9056377 meta-agl-bsp: imx6qsabrelite: Switch to WIC image
[+] 4a2b05b python-wand: Add patch to ensure our built ImageMagick is used
[+] a8fb243 meta-agl-bsp/meta-rcar-gen3: Import imagemagick_6.9.2.bb
[+] d0310f8 Add joystick.cfg for usb joystick and steering-wheel kernel configure
[+] 1dcaaa9 Update low-can service
[+] 5760b8a af-binder: Extend maxlength of websocket messages
[+] 9aa10da Invert make/autobuild order
[+] ca00468 R-Car Gen3: Add WIC support
[+] 7f8b394 weston-ini-conf: Rework to use fragments to construct weston.ini
[+] 1c09a21 Fix build issue due to missing dependency in linpack
[+] 60119ef Backport fix for image class dependencies
[+] fdf111b meta-agl-bsp: Make more and better use of WIC images
[+] 0732629 BSPs: Do not use := for AGL_DEFAULT_IMAGE_FSTYPES
[+] 6d0620b meta-agl-bsp: Re-merge image-vm/image.bbclass overlays
[+] 91dc175 meta-agl-bsp: Enable WIC support for Raspberry Pi 2/3
[+] 747eb16 Add feature for enabling the YP ptest capabilities
[+] e336a5b weston: Set require-input to false in weston.ini
[+] f1d3961 meta-agl-bsp: imx6: Add EGL support for iMX6 in Weston 2.0
[+] 6195e19 meta-agl-bsp: imx6: Update the imx6sabreauto machine template
[+] f64af24 meta-agl-bsp: imx6: Update the imx6qsabrelite machine template
[+] d9b0202 meta-agl-bsp: imx6: Add new defconfig for the linux-boundary kernel
[+] fc52632 af-binder: upgrade to 4.99-EERC1
[+] d9c429f Remove rc1 locks merge window open for rc2
[+] 970a7f8 Lock down of SRCREVS matching EE RC1
[+] 91dce2f Revert "app-framework/conf: Remove PACKAGECONFIG of shadow"
[+] 1f94c21 weston-ini-conf: Make this track variables correctly for signatures
[+] 151ea41 weston-ini-conf: require eGALAX screen
[+] 48de89f app-framework/conf: Remove PACKAGECONFIG of shadow
[+] 1800fae psplash: add animation and last message from systemd
[+] 655d099 Support CANUSB device
[+] f970319 adding eGalax screen support for demo
[+] 8967fde linux-intel: Pull in common configuration fragments
[+] e4d96f5 Change DISTRO_VERSION for EE rc1
[+] 2698d8a weston: Launch even without input devices
[+] 7184220 meta-intel: Include and deploy a startup.nsh file
[+] 3193912 enable vmware drm drivers
[+] 82857bf systemd: backport serialization change from v234
[+] b027511 dra7xx-evm: fix build by including linux-dtb.inc
[+] e2eaaf7 cleaning kernel config warnings under pyro
[+] 63267c5 adding a symlink to keep compatibility with linux-yocto
[+] 88f8497 recipes-connectvity: bluez5: resolve CVE-2017-1000250
[+] 6a5e107 meta-agl-bsp: meta-ti: Rework Weston patches for 2.0
[+] e64dbfe meta-agl: gpsd: enable udev GPS device detection
[+] efed2d2 Add uvc.cfg for usb video class kernel configure
[+] e48cb24 navigation: add geoclue package
[+] efcc26f autogen-native: backport autogen-native POSIX_SHELL fix
[+] 3d6217e Fix rpm metadata clash due to change of rpm backend
[+] 6ab7578 Create virtual-gles-user-module recipes
[+] 65e09fa Remove weston.bin pkg from gen3 machine conf
[+] 76bb74f Fix clash in metadata of nativesdk-cmake and nativesdk-qtbase-tools
[+] 47a062e App-FW: Update namings and bug fixes
[+] 6658e7d realigning Joule on kernel 4.9
[+] 3fb7b8c Fix post install script dependency
[+] 222488d Update rcar gen3 to BSP 2.23
[+] 5797ddf Fix ovmf parallel build issue
[+] 635b084 Fix build of harfbuzz Reference: https://www.mail-archive.com/yocto@yoctoproject.org/msg36472.html
[+] 040eea5 Fix lacked vspm kernel module for R-Car H3 and M3
[+] a86064f Fix u-boot deploy
[+] 2acf74e Revert "[rcar-gen3] Fix webp bbappend"
[+] fbddf7 Remove af-main dependency on generator dev tool.
[+] e30b82f small improvement and correction in mkefi-agl.sh script
[+] 3bf1a3f Revert "Forward port local-arm-futex patch to poky morty HEAD"
[+] cb0b5d9 Upgrade to pyro
```

```

[+] 3d32b32 Forward port local-arm-futex patch to poky morty HEAD
[+] e2c34fb Revert "Fix for CVE-2017-1000366 in glibc"
[+] a6eef50 meta-app-framework: bump binder to 170aef2
[+] 9b5bc91 Update the RCar M3 inc file to add agl-egvirt feature
[+] 45974df linux: kernel: add USB serial support and ACM class
[+] 8f0aed0 Do not use cpio.gz for initramfs as smack does not work
[+] ad929d2 af-binder: bug fix and feature improvements
[+] 89264bc af-main: Fix 2 bugs
[+] 24815ea packagegroup: navigation: add gpsd package
[+] c30f27b meta-agl: Init SDL feature
[+] 5923db0 Add template file holding index of variables available to the user
[+] 37c55f8 Initial version of a LOC counter class
[+] 869b6a0 m3ulcb-nogfx: enable HW tests
[+] 4b2ed7c low-level-can-service: update SRCREV for eel
[+] 7e4e1c6 intel: build hddimg by default
[+] 3ca6c57 raspberrypi: Fix U-Boot support
[+] 019c738 meta-agl-bsp: meta-ti: add pvr systemd service
[+] 01065c1 meta-agl-bsp: meta-ti: add dra7xx-evm weston.ini support
[+] c06f414 meta-agl-bsp: meta-ti: append alsa-state with dra7xx-evm defaults
[+] f1ec7fd meta-agl-bsp: meta-ti: pulseaudio: set sink/source for dra7xx-evm
[+] ff41f29 Bump master version and codename to Electric Eel
[+] 4811c1c Bump version of low-level-can-service to include cmake fixes
[+] a4309d8 qemux86-64: build vmdk.xz images
[+] 972cf76 Just inherit "sota.bbclass", let machine template snippets append to
DISTRO_FEATURES
[+] 16aa392 Fix runqemu by generating an ext4 image by default
[+] 986afef Fix cve patch for kernel 4.4 on intel joule [master/dab]
[+] 2c450f5 image: Add vmdk.xz to the list of types that trigger image-vm inherit
[+] 765bbcd Fix build of agl-demo-image-qa
[+] 8e79503 af-main: Install debugging features when agl-devel
[+] 8e6affc tests: enable HW test for QEMU x86-64
[+] 6776911 tests: templates/qemux86-64: KVM updates
[+] fa90294 Only apply CVE-2017-1000366 to 4.8 kernel - 4.4 needs different patchset
[+] c33f8d5 Fix: can-bus not applied at kernel configuration
[+] 2a5cc01 tests: templates/qemux86-64: enable QEMU audio driver
[+] c6019b1 image-vm: Allow for xz compressed vmdk images
[+] 6831573 meta-agl-bsp/meta-intel: make new 4.8 .bbappend
[+] ee845aa tests: templates/qemux86-64: add MACHINE name to rootfs filename
[+] 84d8bb6 tests: templates/qemux86-64: add (empty) DTB
[+] 638d696 qemux86-64: root using root=PARTUUID
[+] 6d12319 Add low-level-can-generator as devtool in SDK
[+] f98545c agl-devel: auto-add drivers for vmdk images
[+] 1093894 qemux86-64: add hwtest environment
[+] d140198 af-main: add RDEPENDS on bash
[+] 665a605 Update freescale layer names, add nitrogen inc file
[+] 31716c2 backport open-vm-tools recipe
[+] 6778887 Possibility to copy wgt without installing them
[+] 101e627 Fix weston failed
[+] 195c64e systemd: remove timesystemd feature
[+] e069ead systemd-udev: ensure convention for naming udev rules
[+] bfc447d af-binder: Fix const issue in afb-auth.h
[+] 5fbfb7a netboot: fix dependency loop for qemu build
[+] e5bb886 Add ath9k_htc driver to rcar-gen3 for demos
[+] d541eea Integration of low-level-can-service apps
[+] e95ef7b Fix i.MX6 (usb)
[+] 8aef3fb Upgrade framework and binder
[+] 8f022c8 Disable rpi3 tests as they are broken right now with the kernel Image
[+] 2877003 test templates: m3ulcb-nogfx: use core-image-minimal
[+] 41b0d5c af-main: Allow service to run by default
[+] c106ac6 framework: update DAB for RC3
[+] 226471f af-main: make sockets.target accessible by group
[+] 1ac22f0 Framework: Leverage agl-devel and set PV
[+] 983756a Add systemd synchronization script
[+] 0c28379 Handle error during run-agl-postinsts
[+] 7f54d0b Executing /bin/bash explicitly
[+] b4cd314 Add gst-record argument to weston option
[+] 4bc0523 Fix for image format dependencies during parsing
[+] 1c46fcd Fix i.MX6
[+] cff9db0 db410c kernel fixed CVE-2017-1000366 upstream thus remove our patches
[+] d0d26f7 weston-init: set udev rule to display group for gst-record feature.
[+] 37956b2 raspberrypi3-64: test: add LAVA env and job template
[+] 560fc09 Enable OTA updates using inc from meta-updater
[+] 462bcd1 Fix for CVE-2017-1000366 in glibc
[+] f6f141b Backport fix for CVE-2017-1000366 to linux-yocto-4.8
[+] 9b9894c Fix CVE-2017-1000366 by backporting the patches for gen3

```

```
[+] 834b16c Fix CVE-2017-1000364 for dragonboard-410c by backporting the patches from
upstream kernel v4.9
[+] 56b115a Fix CVE-2017-1000364 by backporting the patches for rpi3
[+] ee1770e afw: Fix error report
[+] a2555e5 af-main: moves reload of service
[+] 84a229c Fix rpi-sdimg after IMAGE_FSTYPE being enforced in poky-agl.conf
[+] db2fae4 Add CAN drivers by default to AGL boards
[+] 3283601 af-main: report error status in afm-install
[+] ca8367a m3ulcb-nogfx: add test templates for LAVA job and environment
[+] be141be Enforce same IMAGE_FSTYPES across all boards for AGL
```

meta-agl-demo changed from refs/tags/dab/4.0.0 to refs/tags/eel/5.0.0

```
[+] 2efecdd Add native version of translation tools to hvac
[+] e8a890c high-level-can-service: bump to new version
[+] 2ac388b Add QtAGLExtras
[+] 99affba POI App does not visible after startup
[+] a9aaead Fix: Cannot running POI App
[+] 1c99cf5 agl-service-radio_git: Enable Kingfisher radio support for M3ULCB
[+] 93ff14e Enable Navigation API in navigation app
[+] ac40779 add recipes for identity, data persistence and nfc
[+] f4247f5 Bump signal-composer revision
[+] 0b60e63 Adding lua to Host SDK
[+] f7bc41f recipes-config: unicens-config: add service type oneshot
[+] fa23fc8 lightmediascanner: build mp4 plugin
[+] 0eb8ca8 libmp4v2: initial add 2.1.0
[+] 0d29ff0 agl-service-radio: Set appropriate sink if 4A is configured
[+] 6a216fe agl-service-mediaplayer: enable 4A support if configured
[+] 7c4c881 recipes-demo-hmi: remove deprecated MostNetworkManager
[+] b1d9059 recipes-demo-hmi: vod-server: use fix SRCREV
[+] d069c2e Remove qtwebkit from packagegroup-qt5-toolchain-target
[+] 39060d4 recipes-config: unicens-config: update configuration script
[+] b654a85 Add libnfc recipes.
[+] e4c5586 Convert most.bb to use KERNEL_MODULE_AUTOLOAD framework
[+] f7e640a Initial commit for POI App using Binder
[+] a15e98c Add signal composer recipe to demo platform target
[+] 289f6c9 Add D-Bus configuration of navigation service
[+] 0341131 Enable the AGL Navigation API library for C++
[+] 2e7d61c Add a dependency on agl-service-navigation to the navigation recipe
[+] 475c624 Add initial support for AGL Navigation API
[+] fecbcfb Fix BUG: meter map go to sea after navigation launch
[+] 7493263 settings: add qtvirtualkeyboardplugin build dependency
[+] 5029d44 Add jp,cn,tw fonts into agl-demo-platform
[+] 27b8053 weston-ini-conf: Fix test of DISTRO_FEATURE
[+] e6d5953 Replace qtwebkit by qtwebengine
[+] 2a97376 navigation-demo: add navigation demo application recipe
[+] 4c7279c recipes-platform: packagegroups: add agl-service-unicens to section
MOST_HVAC_append
[+] 3768888 navigation: change current application to a RPROVIDES to allow multiple
options
[+] ec6344d recipes-multimedia: add recipe for agl-service-unicens
[+] 43583c6 weston-ini-conf: Add virtual display and record for CES2017 demo
[+] 41949b6 mapviewer: Change layer id to 11001 to avoid conflict.
[+] 9438be0 libhomescreen-2017: correct dbus permissions to allow statusbar access
[+] 77eb5ee recipes-config: unicens-config: fix driver configuration script
[+] e048bd0 Clean recipe for Dashboard
[+] 5e37078 Add .gitreview defaultbranch for eel
[+] 9e15222 recipes-config: unicens-config: fix file permission
[+] 9717d7c Update libhomescreen-2017 SRCREV
[+] 04b63f8 recipes-platform: add MOST driver configuration
[+] d312c2f Use ROOT_HOME variable, not /home/root
[+] 64b28dd Add build time dependency to qttools-native
[+] 61053e4 Set Qt Quick Controls 2 default style
[+] c9fe976 Upgrade to 1.x for ivi-extensions
[+] 9a5412b Remove unicens v1 in favor of agl-service-unicens
[+] 05345ec Fix to navigation can not build in crosssdk
[+] 74b387b Pulseaudio configuration fixes
[+] 93b83aa Make the new hmi-framework a default dependency for agl-demo
[+] 4d724cb Check audiomanager before add virtual/pulseaudio-config
[+] e96aae7 Update app DEPENDS for new HMI framework
[+] f2f5947 Fix pulseaudio service start
[+] 3f92477 protozero: fix missing license declaration
[+] e0e2b0c Introduce new 4A audio framework conditionaly to feature 'agl-audio-4a-
framework'
[+] 3cd7f84 Fix license declared in libosmium recipe
[+] a163bed phone: add build dependency on qtmultimedia
```

```
[+] 77dbcdd phone: add build dependency on libqtappfw
[+] 9339adb osrm-backend: add osrm routing backend recipe
[+] 7462035 libosmium: add osmium recipe
[+] 7fc850d protozero: add protozero recipe
[+] e422e5c Add PROVIDES into libhomescreen bb files
[+] 2alc53a libqtappfw: clean up syntax and unused FILES* bits
[+] a0d3614 Add AGL libqtappfw to the platform
[+] 69b2582 recipes-kernel: most: remove MOST support for Porter
[+] 6ceed84 recipes-kernel: most: use AGL_BRANCH variable
[+] 3386278 recipes-kernel: most: update recipes
[+] 10c9f16 Allow SRCREV handling through poky-agl.conf
[+] 3294d06 Rework PulseAudio / audiomanager config setup to allow over-rides
[+] e96107e Add a new include file for new framework homescreen
[+] d1ed12c Add als-meter-demo recipe
[+] 65361ab Add dependency to agl-service-mediaplayer build recipe
[+] 3a8536a weston-ini-conf.bbappend: Delete
[+] 3e2e44b packagegroup: multimedia: add agl-service-mediaplayer to group
[+] bdce9d5 Update agl-service-steering-wheel SRCREV
[+] cf13626 mediaplayer: add agl-service-mediaplayer recipe
[+] 46e00b1 packagegroups: navigation: add location services
[+] 0c843ff Fix build issue on SDK due to missing ffmpeg-dev
[+] df3a7f9 Add nativesdk-wayland to the SDK
[+] 601ba51 Add switch between homescreen and homescreen-2017
[+] 4fd6eb3 SDK: add native+target packages to build chromium
[+] e3a4827 udisk: automount: correct automount on bootup
[+] 79f2003 agl-service-geofence: add recipe for geofence service
[+] c0ea046 Add missing qtcharts Qt5 module in AGL demo
[+] 9b749f2 Don't use libegl on nogfx target board
[+] 9879e35 mapview: It should be run user service instead of system
[+] 94f35a1 Add kernel-devsrc to AGL demo platform SDK
[+] eae0ff9 most.bbappend: Fix for Renesas Porter board
[+] 5cbbff packagegroup-agl-appfw-graphics: Add opencv
[+] e3253ac recipes-kernel: most: add most.bbappend file
[+] c3b43f6 Add gst-recorder implementation for weston2.0.0
[+] 4c56761 Revert "Add gst-recorder implementation"
[+] ebf8bde Revert "weston: Fix gst-record uses MONOTONIC time for IVI-Cluster system"
[+] cb10c35 mediaplayer: move service dependency from DEPENDS to RDEPENDS
[+] b6cf096 Revert "Fix rpm metadata issue between cmake and nativesdk-qtbase"
[+] 6d3eb8f agl-service-geoclue: add geoclue binding recipe
[+] 3becf98 Revert "weston.ini: Add virtual display and record for CES2017 demo"
[+] ecc327f Fix rpm metadata issue between cmake and nativesdk-qtbase
[+] 2f9f7f5 agl-service-mediascanner: add recipe for standalone service
[+] 3d8b791 Add agl-service-steering-wheel recipe
[+] 50491ab low-can-demo_git.bb: Fix typo
[+] 23237f8 Upgrade to pyro
[+] 199f3d3 Add missing dependency
[+] d3f784c Porter cannot include sdl as the gstreamer version is too old
[+] b5928ac agl-service-gps: add recipe to build gps/gnss binding
[+] 3a37458 agl-service-bluetooth: switch from qmake to cmake
[+] 065c203 agl-service-wifi: switch from qmake to cmake
[+] c8876ab agl-service-radio: add recipe for newly standalone binding
[+] 981760a Fix: Build error and launch fail
[+] 822f68b Fix dependency issue of weston for m3ulcb
[+] 8359774 Integration Low CAN demo and High Lvl ViWi.
[+] b380573 agl-demo-platform: add packagegroup smartdevicelink
[+] e9aab9e navigation: fixing navigation packaging methods
[+] ee44c8c Correct poiapp dependency
[+] 7244b49 Hotfix : Correct navigation dependency
[+] 8bc079d Temporarily fix the navigation app until SPEC-384 and SPEC-785 are fixed
[+] f7ad564 qtbase-native: backport qdbuscpp2xml segfault fix
[+] a3626b5 Restrict addition of low-level-can-service to m3ulcb qemux86-64 and intel-corei7-64
[+] b6a99ee Integration by default of low lvl CAN service
[+] dla3ac4 udisks: make automount it's own service
[+] 1f81a10 Remove old radio plugins
[+] 4ce3f8a Add mapviewer app to use cluster demo for R-Car M3
[+] 077a0ef weston.ini: Add virtual display and record for CES2017 demo
[+] 2236dc4 module-router: update SRCREV to include empty proplist description fix
[+] 2a0e9f5 Add mp3 support in lightmediascanner for AGL demo
[+] efb1cb8 Fix agl-service-bluetooth and agl-service-wifi recipe dependencies
[+] a951b82 settings: add service bindings to RDEPENDS
[+] 5c22932 agl-service-wifi: add new system wide wifi service
[+] 24f0f70 agl-service-bluetooth: add new system wide bluetooth service
[+] 9ff0fbc disable module-role-cork by default
```

meta-agl-devel changed from refs/tags/dab/4.0.0 to refs/tags/eel/5.0.0

```
[+] 5f5052f Merge "Fix default.pa for 4a" into eel
[+] 2e80d18 Fix default.pa for 4a
[+] 46eb4a3 Enable audio management with Sound Manager automatically
[+] 1695c68 Update AGL HMI Framework to latest stable
[+] afe22a9 Merge "Delete HMI Framework individual correspondence" into eel
[+] 9e51304 Remove event from asound config file
[+] 77b4862 Delete HMI Framework individual correspondence
[+] d2dd726 Merge "setting Emergency and Warning to Pause lower priority streams" into eel
[+] 5cfe3e4 setting Emergency and Warning to Pause lower priority streams
[+] 35f7952 Fix: Navigation cannot play guide voice
[+] b55c9f1 reduce the number of pulseaudio module alsa-sink
[+] 7182f41 Enable runxdg in CES2018 demo by default
[+] 899374c Add XDG Application Launcher on AGL HMI Framework
[+] 2e85d86 Update HomeScreen for CES 2018 demo
[+] 619461d Merge "Add D-Bus configuration of navigation service" into eel
[+] 5ad366d Add D-Bus configuration of navigation service
[+] 9c4fa65 Integrate Tanikawa XDG Support
[+] 39dadab2 Merge "templates: add PREFERRED_RPROVIDER for navigation" into eel
[+] ba43a15 Update libwindowmanager SRCREV
[+] 07216cb templates: add PREFERRED_RPROVIDER for navigation
[+] 29a042e Merge "4a-framework: recipes-multimedia: rm recipe for agl-service-unicens"
into eel
[+] b4c8182 Add whitespaces
[+] c68bc7f 4a-framework: recipes-multimedia: rm recipe for agl-service-unicens
[+] 7766b3e Add .gitreview defaultbranch for eel
[+] 5f5382f Merge "agl-service-unicens(4A): remove mxml recipes due to replacemet by
libxml2"
[+] a5da979 Merge "Update agl-service-windowmanager-2017 SRCREV"
[+] f7af196 agl-service-unicens(4A): remove mxml recipes due to replacemet by libxml2
[+] 51f13ca Change 4A PCM Name
[+] c06d653 Update agl-service-windowmanager-2017 SRCREV
[+] 21cf14b Merge "Fix recipe not using AGL_APP_REVISION"
[+] 73279d6 Fix recipe not using AGL_APP_REVISION
[+] 6074b47 Merge "Update homescreen-2017 SRCREV"
[+] fc66c9a Merge "agl-service-audio-4a: Fix issue when --verbose is repeated"
[+] 2b067a0 Merge "agl-service-unicens: Use libxml2 instead of mxml."
[+] 7e51144 agl-service-unicens: Use libxml2 instead of mxml.
[+] 3b59f5f agl-service-audio-4a: Fix issue when --verbose is repeated
[+] 63d58b5 Update homescreen-2017 SRCREV
[+] afe9e11 Update agl-service-homescreen-2017 SRCREV
[+] d05565d Update agl-service-windowmanager-2017 SRCREV
[+] a0ca3f6 Update libwindowmanager SRCREV
[+] 7436db8 agl-service-audio-4a: Update the fix for new AFM
[+] a23e72f Adding hidden dependency to mxml for unicens binding
[+] 78bb696 Merge changes I02f0a93b,I30b116be
[+] 52ac579 Merge "4a-hal-reference: Tweak platform HAL packaging"
[+] 2164d16 Merge "mxml: add to SDK"
[+] 7a77a5a 4a-hal-reference: Tweak platform HAL packaging
[+] 0c4fcb3 mxml: add to SDK
[+] 4dcb9fc Merge "Soundmanager needs to be enabled outside of hmi packagegroup"
[+] c595090 Add agl-service-unicens recipes
[+] ce8c376 Adjust navigation to libwindowmanager update
[+] 51a504d Navigation : experimental support of new home screen
[+] c9ff29b Soundmanager needs to be enabled outside of hmi packagegroup
[+] bf5edb1 Merge "Update asound.conf.template"
[+] 5c0da57 Fix runtime package conflict on asound.conf
[+] 06b9508 Update asound.conf.template
[+] 865324b Update agl-service-windowmanager-2017 SRCREV
[+] 93c806a Merge "Update libwindowmanager SRCREV"
[+] dcfc156 Update libwindowmanager SRCREV
[+] 2a841cc qlibwindowmanager: Fix installation error
[+] 54447aa Initial integration of 4A (AGL Advance Audio Agent)
[+] c3ec51d Merge "Set PREFERRED_PROVIDER_virtual/libhomescreen in config fragment"
[+] 27155d6 Add qlibwindowmanager recipe
[+] 10e8985 Set PREFERRED_PROVIDER_virtual/libhomescreen in config fragment
[+] 583e5b6 Allow SRCREV handling through poky-agl.conf
[+] ab08d90 Update SRCREVs for hmi-framework packages
[+] 8e7e0ea Recipe style fixes in meta-hmi-framework
[+] b94ec61 Change agl-service-windowmanger-2017 EXTRA_OECMAKE
[+] 4d8df2f Update libwindowmanager SRCREV
[+] 7a861e1 Update agl-service-windowmanager-2017 SRCREV
[+] 1386c74 Update libsoundmanager SRCREV
[+] 37b6f4b Update agl-service-soundmanager-2017 SRCREV
[+] d95ee44 Update agl-service-homescreen-2017 SRCREV
```

```

[+] d2edd7a Update homescreen-2017 SRCREV
[+] 730e08f Delete do_install sections for libhomescreen
[+] 4f6401b Add libhomescreen libwindowmanager to Depends
[+] 306c61a Add LICENSE.MIT to recipe CHKSUM
[+] 2571ca3 Add libraries to hmi-framework packagegroup
[+] e7331f4 Fix md5 checksum
[+] 7ad0d6b Split library from windowmanager
[+] 1d17992 Add libsoundmanager library recipe
[+] 66f48ee Split library from soundmanager
[+] 0dec413 Bump revision for auto startup homescreen service
[+] 12b42f9 Fix HMI framework recipes
[+] 7d7fe0e Add recipes for new hmi fw
[+] 9a58b81 re-add protoc to sdk
[+] 75ea816 Add HMI framework layer for HMI recipes
[+] 62b4106 Install qemu and create agl-egvirt machine feature
[+] 83bd7c5 New meta-egvirt layer for AGL virtualization
[+] 99d07be Fix libthai (oem-extra-libs) build break
[+] 6bbe67c add nativesdk-protobuf to TOOLCHAIN_HOST_TASK

```

meta-agl-extra changed from refs/tags/dab/4.0.0 to refs/tags/eel/5.0.0

```
[+] 109dea1 Add .gitreview defaultbranch for eel
```

meta-altera changed from 4364dbfcb600da82ecdfc4797f112d187e40f1c3 to d4bbb7ef016eab4ab04c3e794dfe6f4276196c66

```

[+] d4bbb7e Add support for v2017.07 u-boot
[+] 37ca0f7 Fix build with YP pyro
[+] 12d7066 linux-altera_4.11.bb: add support for the Linux kernel v4.11
[+] 9d22d2d linux-altera_4.10: add more dtbs for cyclone5 and arria10
[+] 833e37f linux-altera_4.10: add support for kernel v4.10
[+] afc9b66 linux-altera_4.9: add support for kernel v4.9
[+] aaf84c4 nios2: Add Nios2 R2 CDX support
[+] d283676 nios2: Add Nios2 R2 BMX support
[+] b8ccadd nios2: Add Nios2 R2
[+] 9b5158f nios2: Add Nios2 R1 EB
[+] 5469c16 nios2: Use _append in machine TUNE_FEATURES
[+] ec4aa12 nios2: Consolidate Nios2 R1 EL
[+] 3fd8deb nios2: Zap NIOS2PKG*
[+] 8896024 nios2: Zap NIOS2CCARGS*
[+] 91aa15b nios2: Inline tunables into tune-nios2.inc
[+] 4f0215c nios2: Drop CSL_TARGET_SYS
[+] cf7fc46 Add support for socfpga 4.1.33 LTSi and 4.8 kernels

```

meta-boundary changed from d44ee8f58d841cf13fbe63dab271344e2b9ba6db to fb9bd92e4173ded438cd05f4c5c7f7d028d29cc7

```

[+] fb9bd92 u-boot-fw-utils: fix recipe for mx7 boards
[+] 2b085d7 init-ifupdown: apply bbappend for mx7 boards
[+] 28a7426 busybox: apply bbappend for all platforms
[+] 241f7df libio: remove recipe as now part of meta-openembedded
[+] f2ca013 init-ifupdown: update interfaces file
[+] a53c912 initscripts: remove obsolete scripts
[+] 6013129 busybox: add useful features to ash shell
[+] 84417c2 busybox: remove obsolete syslog configuration
[+] 6b19366 Revert "qtbases: Copy meta-freescale qtbases patches and fix them"
[+] bf5692f kernel-module-silex: bump revision to ccc4f306
[+] 19657c4 linux-firmware-silex: fix do_populate_lic issue
[+] 6a9ac32 linux-firmware-silex: Bump to ef3f5b5 and add crda to RDEPENDS
[+] 276d3c2 linux-boundary: Bump to latest SRCREV
[+] 934de4d image recipes: Update to iperf3
[+] d6d1fe1 firefox: Needed unzip-native package
[+] 21cdf6d qtbases: Copy meta-freescale qtbases patches and fix them
[+] be923c0 chromium: Update flags for more HW acceleration
[+] 887bf1a Initial pyro commit

```

meta-freescale changed from fa774ad7fb797957601a8c9fee45af453fea34b7 to 06178400afbd641a6709473fd21d893dcd3cfbfa

```

[+] 06178400 Stop using image_types_uboot class
[+] 10d8ccb5 image_types_fsl: define SDCARD_GENERATION_COMMAND for use-mainline-bsp
[+] 1310cba8 imx-uuc: update to new git hash, where the patch is been accepted upstream
[+] d0d5e2cc alsa-state: Add override to use with use-mainline-bsp
[+] 65a07215 imx-uuc: Fix missing build ldflags leading to QA issues
[+] 443c14b0 linux-fslc-imx: Bump to 6c1ad49339f4 revision
[+] 3085b0cd wic: Add a i.MX bootpart templates
[+] 68cc1c36 wic: Force the use of 'msdos' partition tables
[+] 5812cale wic: Move all wks files to root layer directory
[+] 2c6fb6cb linux-fslc-imx: Bump revision to a73554d6a5e1

```

```

[+] 9c311b88 Remove $COREBASE/LICENSE from LIC_FILES_CHKSUM
[+] 4bf3f3ef imx-uuc: Bump revision to 1de598e7
[+] bdf61c43 linux-fslc: Bump version 4.9 to revision 8f876e153b25
[+] 42c201bd image_types_fsl: fix for dtb filenames containing multiple dots
[+] cc134779 imx-base: Add MACHINE_SOCARCH_SUFFIX for mx51 and mx53
[+] a1592e53 linux-fslc: Bump revision to 836377e382
[+] ab771260 classes/image_types_fsl: Fix uboot_mxsboot task dependency
[+] 22561ff4 imx-base: Add MACHINE_SOCARCH_SUFFIX for mx23 and mx28
[+] acc2df2a linux-fslc-imx: Bump revision to 09845b886c11
[+] c5a83f84 linux-fslc-imx: Bump to 300a765 revision
[+] c78799dd alsa-lib: Ensure MACHINE_SOCARCH is used consistently
[+] 6f66d087 classes/image_types_fsl.bbclass: replace IMAGE_DEPENDS_sdimg by
do_image_sdimage[depends]
[+] 66f49f82 image_types_fsl: fix deprecated notation
[+] 84f328eb qtbase: Fix QT5.8 build error "Platform not recognized" in egl header
[+] 4b943536 qtbase: Update patch for upgrade to Qt 5.8
[+] eb2390db Revert "gststreamer1.0-plugins-bad: Add some gstplayer API"
[+] a4510160 libdrm-armada: fix license string
[+] fadf1f68 openssl-qoriq: s/inline/static/ to fix gcc7.1 issue
[+] 046a6c98 openssl-qoriq: Sync with oe-core recipe
[+] 6f7ab0b4 imx6sllvck: Add dtb with support for Murata Type ZP module
[+] 19abe5e7 imx6sllvck: Create i.MX 6 SLL EVK machine
[+] 07f9300b linux-imx: Upgrade to 4.1.15-2.1.0 release supporting i.MX 6SLL EVK
[+] a98c77c3 u-boot-imx: Upgrade to 4.1.15-2.1.0 supporting i.MX 6SLL EVK
[+] 1d49d14d imx-base.inc: Update for mx6sllvck board support
[+] faa2234c gststreamer1.0-plugins-bad: Add some gstplayer API
[+] c87e1a1c gststreamer1.0-plugins-base: Don't set async of custom text-sink to false in
gstplaysink
[+] 98d57b06 u-boot-fslc.inc: add use-mainline-bsp
[+] fb1e35f0 xf86-video-armada: add
[+] 2fa9cd5e libdrm-armada: add
[+] dcd0e5f1 u-boot-fslc: Add dtc-native to DEPENDS
[+] a65d13c3 weston: Apply append only for weston 1.11.1 version
[+] 66879c8b imx-gst1.0-plugin: Upgrade to v4.1.6
[+] dac30112 imx-parser: Upgrade to v4.1.6
[+] 5fa6c0bd imx-codec: Upgrade to v4.1.6
[+] 77af50a7 imx-kobs: Fix a typo
[+] fbe9c67f ppa: update to use Recipe Specific Sysroots
[+] fa928161 weston: Use weston 1.11.1 for mx6 and mx7 machines
[+] 15d531bf mesa: fix configuration rewrite
[+] ae6434f5 imx-kobs: Fix build with musl
[+] f89d2a3e imx-kobs: Pick up new commit as fix-compile patch is merged
[+] 8b415653 linux-qoriq: update to lae843c
[+] 304d35eb ofp: add recipes
[+] 382b4195 odp: add recipes
[+] fc4edb48 ppa: Add support for ls1012a
[+] 6f5f87a4 skmm-ep:update to de6816c
[+] 1e48f66e gpp-aioptool: add recipes
[+] 44756724 dce: add recipes
[+] d90fd90c aiopsl: add recipes
[+] e756964a cryptodev: update to 6c2b61c
[+] cfb3ddaa openssl-qoriq: upgrade to 1.0.2k
[+] 6e3cc428 pkc-firmware: update to 209e0e6
[+] 45d09e3e u-boot:update to a06b209
[+] f38484d7 dpdk-extras :update to 47ee260
[+] 0aaeb715 dpdk: update to a3395d2
[+] 67d70b7c fm-ucode: update to c275e91
[+] 5762de9c ls2-rcw: update to 5d4624f
[+] 9d686dcb management-complex: upgrade to 10.1.2
[+] 02a7895f ppa :update to 9fcb080
[+] a4ecc660 restool: update SRC_URI to fix fetching
[+] 28a6946d usdpaa :update to db0ea70
[+] 9cd0f690 usdpaa-apps:update to 49fce3a
[+] 50d7d20a restool: add ls2088ardb as COMPATIBLE_MACHIN
[+] 14bedd1d dpl-examples: add ls2088a as COMPATIBLE_MACHINE
[+] aefd732f ppa: Add support for ls2088a
[+] 82bf5ccb ls2-phy: add ls2088ardb as COMPATIBLE_MACHINE
[+] 5de97a75 ls2-rcw: add ls2088a as COMPATIBLE_MACHINE
[+] 53755337 ls2088ardb: Add machine config file
[+] 82fd8338 dpl-examples:update to cea280f
[+] 47ba4d16 cst :update to a292f9d
[+] f5f0a178 chromium-wayland: Remove redundant setting
[+] d15ada45 hypervisor: Pass HOSTCC in EXTRA_OEMAKE
[+] da115a45 classes/image_types_fsl: Fix mxsboot image generation
[+] 9bee191b imx-base: Fix uboot.mxsboot-sdcard IMAGE_FSTYPES name

```



```

[+] 3b7f5a00 fsl-kernel-localversion: Add preconfigure dependency on do_unpack
[+] f1267111 u-boot-fslc: Bump revision to ac3b20cdbe
[+] cb7f3ea9 linux-fslc: Bump revision to b69ecd63c123
[+] 9aaabf39 u-boot-fslc: Update to version 2017.03
[+] d7899bf5 linux-qoriq, powerpc: kernel patches for cmp assembly instructions that fail
with binutils 2.28
[+] 8451a464 linux-fslc: bump longterm branch 4.4.x to 4.4.56
[+] 196bee74 rcw: export PYTHON to override the assignment in Makefile
[+] a962a4ef linux-fslc: Bump recipe to 4a2e3a368083 revision
[+] 06c92e76 qtbase: Add 'use-mainline-bsp' support
[+] acfdfe39 mesa: Enable Etnaviv support when using 'use-mainline-bsp' override
[+] 34002dbb imx-base.inc: Add 'use-mainline-bsp' override support
[+] 7dc760ad machine-overrides-extender.bbclass: Add filter out support
[+] 4d1bcc05 linux-fslc: Bump to c3825da143fc revision
[+] 46f18021 firmware-imx: Change recipe for allarch
[+] e884159d dpdk: fix typo
[+] 7bf063af ls2-rcw: fix host-user-contaminated QA warning
[+] 8e342b52 ls2-rcw: update to 83a7a66
[+] cb715502 rcw: update to 7bd43d9
[+] 7cbee3a8 linux-qoriq: update to b14540e
[+] a192c90b usdpaa: update to 7dd9b4e
[+] bb96cd06 qemu-qoriq: upgrade to v2.6.2+
[+] 8e2582eb ppfe-firmware: add recipe
[+] 4a33957a dpdk/dpdk-extras/ovs-dpdk: add recipe
[+] 7493e87a udev: remove eudev_%.bbappend and associated patch since it's no longer
required
[+] bc39afa5 udev-rules-qoriq: add rules for ls1046a
[+] b85198cf udev-rules-qoriq: no rule to install for ls1012a/ls2080a
[+] 19d4c81b ls1046ardb-32b: build ppa
[+] 89045a81 ls1046ardb-32b: KERNEL_DEFCONFIG use multi_v7_defconfig
[+] 6f63e862 ls1046ardb-32b: update u-boot configs
[+] 9ae5cf45 ls1043ardb-32b: build ppa
[+] 9740f03a ls1043ardb-32b: KERNEL_DEFCONFIG use multi_v7_defconfig
[+] 3f582104 ls1043ardb-32b: update u-boot configs
[+] feddf8f0 ls1046ardb: build emmc u-boot
[+] fe8d3e2f ls1012afrdm-32b: add machine file
[+] d43dd318 ls1012afrdm: add machine file
[+] 2f848035 ls1012ardb-32b: add machine file
[+] a7017918 ls1012ardb: add machine file
[+] 2a479f06 openssl: use linux-aarch64 target for aarch64
[+] 4a9fa9a3 init-ifupdown: use consistent interfaces for qoriq
[+] 698fac41 ls1021atwr: switch to new UBOOT_CONFIG format
[+] 5b1a43d5 ls2080ardb: add MACHINEOVERRES fsl-lsch3/ls2080a
[+] 6b0e3060 imx-usb-loader_git: add pkgconfig to inherit
[+] a02247a7 mxsldr_git: add pkgconfig to inherit
[+] a49c8647 linux-fslc-imx-rt: Update checksums for realtime patch
[+] 2442d45d u-boot: update to use Recipe Specific Sysroots
[+] ba1df8a9 u-boot-qoriq: update to 2735535
[+] df3e00a1 linux-fslc: Update to 4.9-based fork
[+] 2461898d imx-gpu-viv: Fix build break for missing gl headers
[+] 3de58ea3 xf86-video-imxfb-vivante: cleanup
[+] bfb1565c xorg-driver: remove the local copies of xorg-driver-*.inc
[+] 028e3702 gstreamer1.0-plugins-imx: add pkgconfig to inherit
[+] c98274c4 linux-fslc: bump to linux-fslc 4.4.48
[+] ca6203da change-file-endianess: Rework recipe completely
[+] 74280e66 ppa: Add dtc-native on DEPENDS
[+] 5be01a64 linux-fslc-imx-rt: Update realtime patch to 4.1.38-rt45
[+] f0d6bc84 kernel-module-imx-gpu-viv: Bump revision to a05d9b2
[+] 54766b11 weston: Fix patch for no input device handling
[+] a2741b3e linux-fslc-imx-rt: Bump revision to ee67fc7e072d
[+] b43ebdca xserver-xorg: disable glamor
[+] f2738655 Update machine description fields
[+] 030e8a56 change-file-endianess: update do_deploy_class-native so it finds
byte_swap.tcl
[+] 389b8e5b Revert "qoriq-base, imx-base: Allow DISTRO and local.conf override of
IMAGE_FSTYPES"
[+] 81664650 machine: Change maintainer email to nxp.com for Daiane Angolini
[+] da745817 imx6ulevk: Add mx6 in the MACHINEOVERRIDES set
[+] f8841b1d imx-parser: Remove i.MX 6UL specific metadata
[+] 6a570252 imx-codec: Remove i.MX 6UL specific metadata
[+] 92e53216 linux-imx: Remove i.MX 6UL specific metadata
[+] e525c1da u-boot-imx: Remove i.MX 6UL specific metadata
[+] b58cb607 u-boot-fslc: Remove i.MX 6UL specific metadata
[+] 396dc568 imx-test: Remove i.MX 6UL specific metadata
[+] dfa3616b imx-lib: Remove i.MX 6UL specific metadata

```

```

[+] 882197e5 firmware-imx: Remove i.MX 6UL specific metadata
[+] 32c24765 imx-base.inc: SIGGEN_EXCLUDE_SAFE_RECIPE_DEPS can be always appended
[+] bf759e34 imx-base.inc: Convert to use i.MX MACHINEOVERRIDES_EXTENDER
[+] fd65dac9 qt4-imx-support: Set override for imxgpu2d machines
[+] 924c90b0 piglit: Set override for imxgpu2d machines
[+] c18d2452 mesa-demos: Set override for imxgpu2d machines
[+] a7e9c611 libdrm: Set override for imxgpu2d machines
[+] 0666ed0a opencv: Set override for imxgpu2d machines
[+] bf0c4d9a gtk+3: Set override for imxgpu2d machines
[+] 8c65ff7d gogl: Set override for imxgpu2d machines
[+] bc150694 clutter: Set override for imxgpu2d machines
[+] 7bc39ea1 efl: Set override for imxgpu2d machines
[+] 6b735cf7 pulseaudio: Remove i.MX 6UL specific metadata
[+] 63f17d49 alsa-lib: Remove i.MX 6UL specific metadata
[+] 9af1b945 alsa-state: Remove i.MX 6UL specific metadata
[+] 83c0f210 image_types_fsl.bbclass: Remove i.MX 6UL specific metadata
[+] 97c8bce5 mesa: Rework recipe to use the feature overrides
[+] 6080fc11 xserver-common: Set PACKAGE_ARCH override for imxgpu3d machines
[+] 65847049 xserver-common: Append SRC_URI for imxgpu3d machines
[+] 74c4c863 weston: Consolidate i.MX GPU patches
[+] 44f552cd xserver-common: Move to dynamic layers
[+] 67b09d4b linux-fslc-imx: Bump revision to ee67fc7e072d
[+] 099afcd6 linux-fslc: Bump revision to 3d8f8d0
[+] 00e0de55 linux-fslc: Longterm Branch 4.4.x
[+] afa03c97 weston: Touch events cause startup failure
[+] 599f72c3 weston: Undo recent command-line change for renderer selection
[+] a9184abc weston: xwayland: Fix crash when run with no input device
[+] 12a51ab3 weston: Enable double buffer with fb_pan_display for weston compositor
[+] 1d4e45ff weston: T3DStressTest_Wayland displays abnormally while using G2D compositor
[+] 68107cf2 Update machine description fields
[+] f608adec xserver-common: Enable iglx module
[+] 4d18c54f mfgtool-initramfs-image.bbclass: do not overwrite IMAGE_CLASSES
[+] 5cb8dede u-boot-qoriq: Fix python function for fsl-lsch2-32b arch
[+] dc95bfb2 qoriq-base, imx-base: Allow DISTRO and local.conf override of IMAGE_FSTYPES
[+] a99b95c8 qtbase: Recipe cleanup
[+] 0d82059f qtbase: Configure eglfs with EGL pkg-config
[+] 59885ab9 qtbase: Reimplement i.MX configuration changes with patches
[+] 1c0104b6 qtbase: Remove link to libGAL
[+] 80d7b4e5 qtbase: Use compiler settings provided by IMX-GPU driver pkg-config
[+] 218f9261 gstreamer1.0-plugins-bad: Fix MRT cannot work in GLES3.0
[+] ef2bc9b2 gstreamer1.0-plugins-bad: Workaround for no frame when imxplayer using
glimagesink
[+] f09365be gstreamer1.0-plugins-bad: Convert YUV to RGB using directviv
[+] e11cf9e8 gstreamer1.0-plugins-bad: Accelerate gldownload with directviv API
[+] 591fc3b5 gstreamer1.0-plugins-bad: Add directviv to glimagesink to improve playback
performance
[+] f2fbc0ed gstreamer1.0-plugins-bad: Support fb backend for gl plugins
[+] 2612cc0c gstreamer1.0-plugins-bad: Remove the conflicted patches
[+] cc0262af ls1043ardb.conf: add fsl-lsch2 in MACHINEOVERRIDES
[+] e62d6eeb ls1046ardb-32b: add machine conf
[+] b8f64c97 ls1046ardb: add machine conf
[+] c179e778 ls1043ardb-32b: add machine conf file
[+] d89725b3 change-file-endianess: update byte_swap script to support ls1046
[+] 9bbf7ca1 qemu-qoriq: support 32b build for arm64 platforms
[+] 0f8a64aa cst: upgrade to SDK 2.0 GA-1611 release
[+] 6276652f kernel-module-ar: set CLEANBROKEN to 1
[+] 5714da0d ceetm: support ls1046a targets
[+] 420f9a4f rcw: upgrade to SDK 2.0 GA-1611 release
[+] 8eccdeb6 u-boot: upgrade to 2016.09
[+] 5841c4bc ppa: migrate to generic ppa tree
[+] c20ddce9 dpa-offload: upgrade to SDK 2.0 GA-1611 release
[+] 4a013ebf usdpaa-apps: upgrade to SDK 2.0 GA-1611 release
[+] 8f2a95e1 usdpaa: upgrade to SDK 2.0 GA-1611 release
[+] 034697be eth-config: upgrade to SDK 2.0 GA-1611 release
[+] 51a80677 fm-ucode: support ls1046ardb boards
[+] 8e575d25 fmlib: upgrade to SDK 2.0 GA-1611 release
[+] 8976804d fmc: upgrade to SDK 2.0 GA-1611 release
[+] dcb50faf linux-qoriq: upgrade to SDK 2.0 GA1611 release
[+] 3335d090 libsd12: add append to fix build
[+] 17c22893 gstreamer1.0-plugins: Upgrade to 1.10

```

```

meta-freescale-3rdparty changed from 1879485e63ce369292c89b5902ff6df13509090b to
35badbde05d4f10d4faeefc30bc126b5bd228e2e

```

```

[+] 35badbd linux-advantech: Add linux kernel patch for external WDOG_B support
[+] b7ee79e cgtqmx6: Fix PREFERRED_PROVIDER for u-boot and virtual/bootloader

```

```

[+] 0383ab2 u-boot-congatec: Bump revision to 2a24305837
[+] 8d8eddc u-boot-congatec: Fix build for gcc7
[+] 5508e9d u-boot-congatec: Don't override PROVIDES variable
[+] 3b01767 linux-congatec: Enable CONFIG_FHANDLE
[+] c9f33e6 cfa10036: Fix IMAGE_FSTYPES barebox-mxsboot-sdcard
[+] 3fb59e4 Replace deprecated IMAGE_DEPENDS_wic with WKS_FILE_DEPENDS
[+] 081f9b4 linux-boundary: change kernel command line defaults (console, initrd)
[+] 62dd587 mcc-kmod: use latest mcc kernel module from toradex git
[+] a73a142 wandboard: fix deprecated notation
[+] e492a6c linux-wandboard: fix for gcc7
[+] fd3962a wandboard: use-mainline-bsp default kernel choice
[+] 1f37698 linux-gateworks-imx: update to latest Gateworks kernel
[+] 97b16ed WaRP7: Change board maintainer
[+] d016c19 linux-warp7: Bump revision to a543d1b
[+] 213c5f7 linux-gateworks-imx: replace underscore with hyphen in LOCALVERSION
[+] bc562d8 ventana: add GW553x and GW560x support
[+] 23991b3 nitrogen7: Add 'use-mainline-bsp' support
[+] 9653d7c nitrogen7: Add wic image tool support
[+] 795aa11 nitrogen6x-lite: Add 'use-mainline-bsp' support
[+] ccd608a nitrogen6x-lite: Add wic image tool support
[+] 5b10984 nitrogen6sx: Add 'use-mainline-bsp' support
[+] aee0f2a nitrogen6sx: Add wic image tool support
[+] 0758364 linux-wandboard: Update LOCALVERSION to use valid characters
[+] ebccc38 wandboard: Use wic as default tool to create images
[+] 61bcfe2 ventana: Add 'use-mainline-bsp' support
[+] 9378428 u-boot-script-gateworks-imx: bump to v1.07
[+] ba226b0 u-boot-gateworks-imx: bump to 040377
[+] 3ad7853 linux-gateworks-imx_3.14: bump to 1032ddf6
[+] 96a70f0 linux-boundary-rt: Update checksums for realtime patch
[+] 7cf4a42 linux-congatec: Bump kernel to 4.1.15_2.0.0
[+] d682a66 u-boot-boundary, u-boot-script-boundary: Bump revision to 568947b
[+] 437938d nitrogen6x: Add 'use-mainline-bsp' support
[+] f36a959 nitrogen6x: Add wic image tool support
[+] a5b485f nitrogen6x: Use weak-default for virtual/kernel
[+] 0e4d346 u-boot-script-boundary: Enable 'use-mainline-bsp' support

```

meta-intel changed from 6add41510412ca196efb3e4f949d403a8b6f35d7 to
4cd63f57820ce0e4ebd598251d3a13b5a4b9b791

```

[+] 4cd63f5 linux-intel: Update SRCREV -> 4.9.56
[+] 137538e lttng-modules: Fix issue related to -rt kernel
[+] 0d8dccd lttng-modules: also apply patch if linux-intel-rt is preferred kernel
[+] 63de2ab disable_skylake_sound: Temp disable config for core2-32
[+] 78e6dbc linux-intel/4.9: Update to v4.9.47
[+] 0b8e14c linux-yocto/4.1: Update to v4.1.43
[+] 6c63c14 linux-yocto/4.4: Update to v4.4.87
[+] 78c74ce lttng-modules: Add patch for API Change
[+] 16aea09 meta-tlk: Add linux-intel bbappend
[+] 99737b3 meta-tlk: merge linux-yocto_tlk.inc with bbappend
[+] 7d4813e rmc: add install.conf for platforms without internal storage
[+] 2471ec6 linux-intel: bump srcrevs
[+] e2a4d8b Revert "linux-yocto/4.9: Remove bbappends"
[+] dfa7fb4 linux-intel: Update to 4.9.30
[+] bc8019e rmc: add support for Broxton-M based Joule board (rev. 1F1)
[+] 1c8b8ba rmc: add fingerprint for generic Broxton-M (rev. 1F1)
[+] 997cec3 rmc-db: allow multiple fingerprint per board directory
[+] 6562bbc linux-intel/4.9: Update yocto-kernel-cache SRCREV
[+] 7e8f98a conf/machine/intel-core*: Fix WKS_FILE setting
[+] 5fe286f libva-intel-driver: Set UPSTREAM_CHECK_GITTAGREGEX
[+] 5b073d9 CHANGELOG: add file
[+] 87ca116 README: Update information for pyro release
[+] 939e805 linux-intel: Update SRCREVs
[+] dd69e3b intel-microcode: Update to latest 20170511
[+] 1dbf462 maintainers: Re-Sort and remove duplicate
[+] 7169c2a conf/machine/intel-core*: change WKS_FILE based on EFI_PROVIDER
[+] c339fa1 canned-wks/systemd-bootdisk-uuid.wks: remove file
[+] 3e540d7 intel-gpu-tools: Upgrade to version 1.18
[+] 3afa94c initrdscripsts: add support for NVME target install
[+] 8b1bc47 qemu-intel.inc: Add to KERNEL_FEATURES via KERNEL_FEATURES_INTEL_COMMON
[+] f8e08ec recipes-kernel/linux/*: Standardize use of KERNEL_FEATURES_INTEL_COMMON
[+] 4b83cea thermald,iucode-tool,libyami: Add UPSTREAM_CHECK_variables
[+] ca8695a linux-intel: use = to set LINUX_VERSION_EXTENSION
[+] e9c3997 maintainer: Update Maintainer list
[+] 6cbb6f9 conf: set recipe maintainers
[+] 0f42169 linux-yocto/4.1: Update to v4.1.39
[+] ccf39d6 linux-yocto/4.4: Update to v4.4.60

```

```

[+] 2275341 linux-intel/4.9: grab latest changes
[+] 112643b linux-intel: Set LINUX_VERSION_EXTENSION
[+] e5f79bf libyami: Add PACKAGECONFIG for x11
[+] c7e6889 core-image-rt: Add yocto-intel-rt based recipes
[+] ce71121 intel-common-pkgarch: Add additional kernel types
[+] 45bd09c linux-intel-rt: Add recipe to support preempt-rt kernel
[+] b275a11 linux-intel: Update to 4.9.20
[+] 60c2703 cryptodev-module: Fix the check
[+] df5bc8a linux-yocto: fix builds for x32
[+] e681552 qat: disable for x32 build
[+] ebb8fc8 dpdk: disable for x32 build
[+] 600c8a3 meta-intel: support distro without OpenGL
[+] e726360 cryptodev-modules: Add bbappend to add patch
[+] 7564469 rmc: update SRCREV for rmc recipe
[+] 1add284 rmc: update license file checksum
[+] f4b922a linux-yocto/4.4: Update to v4.4.56
[+] 2a95548 qemu-intel.inc: Add ovmf to EXTRA_IMAGEDEPENDS
[+] 86f13d1 linux-yocto/4.4: Update to v4.4.53
[+] e7762df linux-yocto/4.1: Update to v4.1.38
[+] 5587993 LICENSE: Add file
[+] 33ad07e COPYING.MIT: Add COPYING file
[+] 0be3c6b meta-intel.inc: Set PREFERRED_PROVIDER to linux-yocto for linuxstbase
[+] 66637d2 Include recommended packages for all Intel machines
[+] 37d46e1 linux-intel: Update SRCREV to latest
[+] 23f676a rmc: enable serial console when running under QEMU
[+] 5aa04f4 rmc: update SRCREV for rmc recipe
[+] 0d4b967 linux-intel/4.9: Update yocto-kernel-cache SRCREV
[+] de9c533 linux-yocto/4.9: Remove bbappends
[+] c24a207 linux-yocto: Add linux-yocto 4.10 bbappends
[+] af8e376 openssl-qat: Use COMPATIBLE_MACHINE
[+] df8aa97 systemd-boot: stub: check LoadOptions contains data
[+] 54df72f linux-yocto/4.4: add intel-quark-preempt-rt config to cache
[+] 80600d7 linux-yocto/4.8: Remove recipes
[+] 8ce207d linux-yocto/4.1: Leafhill config changes and yaffs2 fixes
[+] ce81e55 core-image-tiny-initramfs: Choose WKS_FILE correctly between architectures
[+] ba824ee meta-intel.inc: Set intel-linux as default kernel for poky-tiny
[+] 4e5d634 linux-yocto-tiny: Adds support for core2-32 and corei7-64 on linux-yocto-
tiny_4.9 and upgrades to 4.9.13
[+] c5790c6 linux-yocto-tiny: Adds support for core2-32 and corei7-64 on linux-yocto-
tiny_4.4
[+] be48e2a systemd-bootdisk-tiny: Adds kickstart file for poky-tiny to support corei7-64
and core2-32 using wic
[+] 513efa6 mktinygalileodisk: Adds kickstart file for poky-tiny to support quark using
wic
[+] 8a16876 rmc-db: LICENSE is straight MIT so just use common-license/MIT
[+] bba5c14 va-intel: LICENSE is straight MIT so just use COPYING.MIT
[+] 250f40f libyami: update to version 1.1.0
[+] 233d9c4 libyami-utils: update to version 1.1.0
[+] 9cbc001 rmc: broxton-m: enable xstate save and restore using xsave
[+] 1a20554 linux-intel: Update meta SRCREV
[+] 8e971f7 linux-intel: Update SRCREV
[+] f5aa708 intel-common-pkgarch: Add linux-intel
[+] f6e8abb dpdk: Add libibverbs library to support MLX config
[+] 3d22362 Updated the DPDK recipe from v16.11 to v17.02.
[+] 80ce6eb meta-intel: Don't override default qemu slirp options
[+] 5153dad linux-intel: Use base branch
[+] fe301af intel-gpu-tools: Disable build for MUSL
[+] 9d4da35 dpdk: Disable building for musl
[+] 69af9a3 zlib-qat: Add patch to support MUSL
[+] 66cb81c openssl-qat: Add patch to support MUSL
[+] baef668 qat16: add additional patch with guard for MUSL build
[+] ef7e9d9 lms7: Use patches from lms8 that fixed MUSL build
[+] b5b93ad iucode-tool: Add support for MUSL
[+] bb6021a libva-intel-driver: Add wayland-native to DEPENDS list
[+] 0c2da99 libva-intel-driver: Update to 1.7.3
[+] e8fd58c meta-intel.inc: Enable linux-intel and 4.9 by default for meta-intel hardware
[+] fc0d7cf linux-intel: Add the linux-intel kernel recipe
[+] 9cf334e thermald: Add library to support MUSL
[+] 7e04596 thermald: Add dbus-glib-native for dbus-binding-tool
[+] f1d2fb2 rmc: add Minnowboard Turbot board data
[+] 7fba4ba systemd-boot: use RMC database in EFI stub
[+] a020ceb linux-yocto: Add linux-yocto 4.9 bbappends
[+] 1c8a4a7 thermald: Update from 1.5.3 to 1.5.4
[+] 5c1515b thermald: Add glib-2.0-native to DEPENDS
[+] b7ef51c lms8: Fix build on musl

```

```

[+] c92e40d Update broxton-m machine subtype kernel SRCREV
[+] 5130e81 meta-intel: enable qemu and select more suitable virtual machine options
[+] 72402b0 systemd-boot: update 230 -> 232
[+] 3747347 iucode-tool: Upgrade to 2.1.1
[+] 1d36b0c linux-yocto/4.8: Update from v4.8.12 to v4.8.17
[+] 540d699 linux-yocto/4.4: Update from v4.4.36 to v4.4.41
[+] 006bd8a linux-yocto/4.1: Update from v4.1.36 to v4.1.37
[+] c5986ea intel-quark: remove redundant EFI_PROVIDER setting
[+] 85c16a9 intel-*: wic: drop recursive task dependency to do_bootimg
[+] a7941f7 intel-*: build dosfs/mtools for wic image creation
[+] 368673e rmc: Extend usages of RMC_BOARD_DATA_DIRS to specify board data
[+] 499b251 libyami-utils: demo programs based on libyami
[+] 4c928a6 libyami: hardware acceleration VA-API media-codec
[+] 976d695 systemd-boot%.bbappend: rename to match the versioned recipe
[+] 466196f vaapi: remove as recipes moved to oe-core
[+] 04899c3 rmc: don't hardcode install paths
[+] 48c335a rmc: add support for alternative EFI bootloaders
[+] 3d21838 linux-yocto/4.8: Update to v4.8.12 and fix CVE-2016-8655
[+] 0381487 linux-yocto/4.4: Update to v4.4.36 and fix CVE-2016-8655
[+] 934f526 linux-yocto/4.1: Update to v4.1.36 and fix CVE-2016-8655
[+] 9a948a9 qat: add EXCLUDE_FROM_WORLD for core2
[+] 753f37a dpdk: Use stable and fast download source
[+] ce143f5 linux-yocto/4.4/4.8: Update cache SRCREVs for final config warning fixes
[+] 4092ce9 systemd-boot.bbappend: Rename to use wildcard
[+] b01ba81 gnu-efi: removed from meta-intel
[+] 58e5069 rmc: integration update
[+] 5bd26ee rmc: remove stack-protector-strong from CFLAGS
[+] 3de465c linux-yocto/4.8: Update from v4.8.3 to v4.8.10
[+] ac00937 linux-yocto/4.4: Update from v4.4.26 to v4.4.32
[+] b0edefd linux-yocto/4.1: Update from v4.1.33 to v4.1.35
[+] 6aab3f1 xf86-video-mga: Backport ABI 23 fix
[+] d688045 dpdk: cleanup unused patches
[+] 5b74ee0 dpdk: Update v16.07 -> v16.11
[+] f8d2448 meta-isg: removing meta-isg layer
[+] cf8fe21 meta-isg/meta-mohonpeak: remove BSP layer
[+] 2c0811e rmc: Add support for MohonPeak platform
[+] 35d60f1 intel-core*: Add ASPEED Xserver driver
[+] 61634f8 intel-core*: add ttyS1 to SERIAL_CONSOLES
[+] c40a23b galileodisk: Change timeout to 1 second
[+] 7f92eb3 galileodisk-sd.wks: Add rootwait

```

meta-oic changed from 028a5c234fb9fe51b39db339f7d4250fba978198 to 70d5bec59a3b8aabaa4a69f1d8513ff22d86b473

```

[+] 70d5bec Hotfix: Include functional header for g++-7.1.0
[+] 0773893 doc: Translate README to ascii
[+] adc685e Add Notification service and Easy Setup enrollee files and libraries
[+] 216a978 iotivity_1.2.1: Sanitize URIs to support older yocto versions
[+] b8527b7 Add recipe for IoTivity 1.2.1

```

meta-openembedded changed from fe5c83312de11e80b85680ef237f8acb04b4b26e to b2ce52334cf88e07f703cf25ced92302edd5b0e9

```

[+] b2ce52334 xstddmap: Change libxmu from RDEPENDS -> DEPENDS and unblacklist xstddmap
[+] 32f734f6f fbida: inherit pkgconfig and unblacklist
[+] ad5d9d604 rrdtool: add gettext-native dependency
[+] c7d2ad2e3 xerces-c: fix a wrong PACKAGECONFIG option
[+] f0eb8fb1f libndp: Update patch with upstream version.
[+] 72b2f5daf libndp: switch to github uri. libndp.org is unstable
[+] c28f7dec1 nginx: use consistent pid file location accross recipe and init scripts
[+] bdb16007a kodi: Fix build when x11 is disabled
[+] 5506e2ce2 libsdl2-ttf: Check for x11 and opengl in distro features
[+] 8119287a2 gnome-bluetooth: Look for x11 in distro features
[+] b316598c9 php: fix install error for libphp*.so
[+] cbe22e7f1 libmicrohttpd: Fix a segmentation fault on upgrade error
[+] 5e062b835 crash: fix build failure with mips
[+] 302726663 wvdial: inherit pkgconfig Missing pkgconfig does not let build the package.
[+] 41ef0f7fb wxstreams: fix build with gcc-6 (patch from Debian). Remove blacklists for
wstreams and wvdial
[+] cbf084630 python-pyudev: correct LICENSE from GPLv2 to LGPLv2.1+
[+] 7c278564f drbd-utils: fix dependency for perl under small-fs
[+] e2ac3b4b9 netcat-openbsd: correct subdir for SRC_URI
[+] 5e8299514 opencv: disable broken Intel FP16 detection
[+] 7e4f7073d Revert "opencv: disable broken Intel FP16 detection"
[+] abdcc1e02 README: update maintainers list for pyro
[+] ad0db129c wireguard: module install cleanup
[+] 6418010bf ninja: extend to nativesdk

```

```

[+] 1e322de8e python-prettytable: fix files permissions
[+] 3af551405 meta_oe_security_flags.inc: Disable PIE for libdevmapper
[+] 474eb0daa python-pyobject: remove the empty pkgconfig directory
[+] 6ad29368c cryptsetup: 1.7.2 -> 1.7.4
[+] 17f6775a1 thrift: refactor recipe
[+] 3927abca0 wireguard: blacklist
[+] e7ad92dec evince: fix do_install problem
[+] 51fbd3cf7 opencv: disable broken Intel FP16 detection
[+] bf357b2e4 wireguard: add dependencies and kernel build options
[+] 9867ffa48 wireguard: add WireGuard kernel module and tools
[+] 57d3b5c5c strongswan: Split plugins
[+] be327baf0 opensaf: Upgrade to 5.2.0
[+] 26c812ece openmpi: add new recipe
[+] 6dce1a2d9 kodi: Make it build again and upgrade to 17.1
[+] 18dcde134 ipmitool: add new recipe
[+] 5f4191269 openipmi: add new recipe
[+] ab68fcadb libauthn-radius-perl: add new recipe
[+] 8bdaca3f6 libnet-telnet-perl: add new recipe
[+] 3a4385bc0 libdata-hexdump-perl: add new recipe
[+] c94e13622 libnet-ldap-perl: add new recipe
[+] ba89d451f hostapd: 2.5 -> 2.6
[+] ff85915aa libedit: 20160903-3.1 -> 20170329-3.1
[+] a0b2e6f4f mozjs: prevent target CFLAGS etc being passed to the host
[+] 94699f3f8 frame,grail: Disable PIE in SECURITY_FLAGS
[+] 6d8fabae7 geis: Fix build with gcc7
[+] c9f063c21 mozjs: Fix build with gcc7
[+] db1ceb942 efibootmgr: Fix build with gcc 7
[+] dd5b81adf efivar: Backport patches to remove double const decls
[+] 67595636e python-unidiff: Upgrade to 0.5.3
[+] 91fa3724d msgpack-c: Drop unused patch
[+] e36e01040 mpv: Add libxcbcommon when configuring with wayland
[+] 4a58ee571 libmusicbrainz: Upgrade to 5.1.0
[+] 8dec4d3f9 ntfs-3g-ntfsprogs: fix install failed while host dir not exist
[+] 47a9500b4 python-pytz, python3-pytz: update to 2017.2
[+] 11123f2a9 python-sqlalchemy, python3-sqlalchemy: update to 1.1.9
[+] 627ac48bc python-chardet, python3-chardet: update to 3.0.2
[+] 881ac49a9 nodejs: update to 4.8.2
[+] e84b80d54 multipath-tools: depend on libdevmapper instead of lvm2
[+] 2f2f52e68 cryptsetup: DEPENDS on libdevmapper instead of lvm2
[+] 7f17da154 lvm2: separate libdevmapper to avoid circular dependency
[+] 7e4166e80 krb5: 1.13.6 -> 1.15.1
[+] fa630bc9e efivar: Fix multiple definition of `efi_set_variable'
[+] 94cc46bc1 mariadb: Upgrade to 5.5.55
[+] 50cf14b46 glcompbench: Fix build with gcc7
[+] 6f45b92f5 glibmm: Upgrade to 2.50.1
[+] dc86996a9 libsigc++: Disable PIE in SECURITY_FLAGS
[+] adcea0604 collectd: Upgrade to 5.7.1
[+] 68c22d5bf fluentbit: Upgrade to 0.11.3 release
[+] cc275f0b1 msgpack-c: Upgrade to 2.1.1
[+] 2f6193d78 ltrace: Fix FTBFS due to invalid code in ARM support
[+] 6723757dc lirc: update to 0.9.4d
[+] 1d7d2dbfc jack2: Fix build errors found with gcc7
[+] 850ab4df1 python3-pytest-runner: make available for both Python 2 & 3
[+] 8c1c8c269 python3-setuptools-scm: make version available for both Python 2 & 3
[+] f420757d1 python-snimpy: add new recipe
[+] 65525a2d7 python-pysnmp: add new recipe
[+] cdcf4c042 python-pysmi: add new recipe
[+] 4ebcca667 python-ply: add new recipe
[+] d1d2775a3 multipath-tools: don't blindly assume base_sbindir to be /sbin.
[+] 33310f289 waf-samba.bbclass: redefine WAF_CROSS_ANSWERS_PATH
[+] 066360f31 postfix: do NOT create directory /var/spool/mail
[+] 50c15c53d autofs: Upgrade to 5.1.2 release
[+] 4e9984d27 dovecot: 2.2.25 -> 2.2.29
[+] c8d5f975f yp-tools: Fix build with gcc7
[+] d16352e9b samba: Upgrade to 4.6.2
[+] 8ef5e3ffc libtalloc: Upgrade to 2.1.9
[+] 52db0e6c0 squid: Upgrade to 3.5.25
[+] 9c022b475 lowpan-tools: Fix build with gcc7
[+] 09e7ae53f memcached: Upgrade to 1.4.36
[+] dec5adef4 ipsec-tools: Fix build with gcc7
[+] b9b6ace5a tinyproxy: Add recipe
[+] 27ac61803 lowpan-tools: Fix build with clang
[+] 3f63557cc ez-ipupdate: Fix formatting security warnings
[+] 752653a10 libnetfilter-contrack: Upgrade to 1.0.6
[+] 0094968f1 contrack-tools: Upgrade to 1.4.4

```

```
[+] 93de05ce5 libnetfilter-acct: Fix build with clang
[+] 46eb9bad8 libnetfilter-queue: Fix symbol visibility bug found with clang
[+] 0237ee20d libnetfilter-cthelper, libnetfilter-cttimeout: Backport patches to fix
symbol visibility
[+] 5477d5bcb nftables: Upgrade to 0.7
[+] 2571887a9 libnftnl: Upgrade to 1.0.7
[+] 9a98b3f66 mtr: Upgrade 0.87+git
[+] 81efffcc2 samba: fix conflict between samba and sudo packages
[+] c083405d2 wireshark: update to 2.2.6
[+] b6adc8bae openvpn: avoid hardcoded path
[+] a6916b224 openvpn: avoid packaging /run
[+] 07e8b8ebe openvpn: openvpn-volatile.conf: avoid hardcoded localstatedir
[+] eb0a49cc9 openvpn: remove duplicate attempt to create dir in ${localstatedir}
[+] ccaf0a99d openvpn: ensure ${sysconfdir}/tmpfiles.d is packaged
[+] a6e6115c8 quagga: set ac_cv_path_PERL to '/usr/bin/env perl'
[+] 25bfdafca nfacct: fixed SRC_URI and dropped workdir statement
[+] 171c52816 uftp: Add recipe
[+] 1543614e9 ntimed: Use adjtimex on musl
[+] 488214259 autofs: Patch to build on musl
[+] 423d6f08d snort: Fix build with musl
[+] 141261784 libnetfilter-queue: Update to git for SRC_URI
[+] 3692f1e20 libnetfilter-log: Switch to git URI
[+] a8d26915e arptables: Upgrade to 0.0.4
[+] 9e69cd9c1 daq: Fix build with musl
[+] 46cd79e49 vpnc: Update to build from github SRC_URI
[+] 3b94d8533 dibbler: Upgrade to 1.0.2RC1
[+] 764c7f46d vsftpd: Fix build with musl
[+] d946331bc rp-pppoe: Fix build with musl
[+] 2fee58615 openl2tp: Fix build with musl
[+] b57ae5a2b lowpan-tools: Fix build with musl
[+] 2cc844809 ebttables: Fix build with musl
[+] 729eae749 libnftlink: Backport patches to fix musl build
[+] d9dc6b2d4 squid: Update to 3.5.23
[+] 3402c594e netcat-openbsd: Fix build and whitelist
[+] 01511d4cd ntp: update to 4.2.8.p10
[+] 529b1e660 wireless-regdb: fix crda failing from missing pubkey
[+] 38a5b1104 libdnet: update SRC_URI
[+] 11618db5c ctdb: Fix build with musl
[+] 2c21aa863 libsodium: Extend recipe for native and nativesdk usage
[+] 8210c6300 openzone: make build and unblacklist
[+] 755921d33 live555: Update from 20130430 to 20170410
[+] 0e27972d9 ne10: Fix build errors on cortex-a7 cpus
[+] 07bbd665e python-lxml,python3-lxml: Fix libxslt format warnings
[+] 7417c35df gtksourceview2: Fix build with clang
[+] 0723adbfd mg: Upgrade to 20170401 release
[+] 584d3114a dstat: Add missing dep on xmlto-native
[+] 5780e186c mosh: Upgrade to 1.3.0
[+] 82c654d4c libutempter: Fix build with musl
[+] 95e511248 librcf: Fix build on aarch64
[+] 2ba483aec pngcheck: Fix cross build and format string errors
[+] 47604c040 cdparanoia: Fix autoconf do it builds on new arches like aarch64
[+] 71feffbdf zeromq: Upgrade to 4.1.6
[+] 9db29860a dates: Fix builds with security flags
[+] d8ce1607c xfce4-notes-plugin: Fix format string errors
[+] eb96674c5 dash: Fix build with clang
[+] 1d79b3685 avro-c: Fix build with clang
[+] 2d384da05 sharutils: Upgrade to 4.15.2
[+] 4210d1a3e evince: Upgrade to 3.24.0
[+] f93fcdc4f lcdproc: Upgrade to 0.5.8
[+] f013940ce tipcutils: Fix build with musl
[+] 5dba3ddf7 fftw: Add -D_GNU_SOURCE to CFLAGS
[+] dcb4c9183 ckermit: Fix build with musl
[+] 449030b1b autoconf-archive: drop m4files confliction with gnome-common
[+] 7308d3313 libmicrohttpd: update to version 0.9.53
[+] 5bceadcfa python-mprpc: add new recipe
[+] 622d3c1be python-gsocketpool: add new recipe
[+] 8a23ed2da gimp: update 2.8.18 -> 2.8.20
[+] 4ad82c0f1 hunspell: update 1.3.3 -> 1.6.1
[+] 85b4e2e14 klibc: disable PARALLEL_MAKE
[+] 60885e322 python-can: add initial recipe for version 1.5.2
[+] 4ddc0a58a mcelog: upgrade to 1.49 to support Denverton SoC
[+] efcf4e677 devilspie2: update 0.33 -> 0.42
[+] 619e93aab devilspie2: add gettext to inherit and unblacklist
[+] 2b7552e2b florence: unblacklist - gstreamer is fine
[+] b2217b9cd python-systemd, python3-systemd: add a new recipes
```

```

[+] 74f9dcd4b gevent: update 0.13.8 -> 1.2.1
[+] 444e1fb19 php: remove PNBLACKLIST
[+] 91a13a1b5 xfce4-sensors-plugin: update 1.2.6 -> 1.2.97
[+] 6dc31ce48 xarchiver: Upstream printf-fix-patch
[+] 33b05cc85 xfce4-closebutton-plugin: Upstream clang-fix-patch
[+] 4f25ed6df mpv: add PACKAGECONFIG for drm/gbm/vdpau/wayland
[+] 6fbc2c7c6 mpv: update 0.15.0 -> 0.24.0
[+] 9d2916933 libass: update 0.13.2 -> 0.13.6
[+] ee4460ffa poppler: update 0.51.0 -> 0.53.0
[+] f193ec03d xfce4-mount-plugin: update 0.6.4 -> 1.1.2
[+] 8d4a4455c network-manager-applet: update 1.4.2 -> 1.4.4
[+] 711eaef2d networkmanager-openvpn: update 1.2.6 -> 1.2.8
[+] 36e96e4de networkmanager-openvpn: pack static libs properly
[+] 1ec5592eb networkmanager-openvpn: add glib-2.0-native to DEPENDS and unblacklist
[+] e3be885ab networkmanager: update 1.4.2 -> 1.4.4
[+] a17bce0ea xfce4-whiskermenu-plugin: update 2.1.0 -> 2.1.2
[+] 5dba80cb3 xfce4-genmon-plugin: update 3.4.0 -> 4.0.0
[+] 81cale2d7 xfce4-equake-plugin: update 1.3.8 -> 1.3.8.1
[+] 97c028109 xfce4-netload-plugin: update 1.3.0 -> 1.3.1
[+] 27944f97b xfce4-systemload-plugin: update 1.2.0 -> 1.2.1
[+] 675d2ab54 xfce4-weather-plugin: update 0.8.8 -> 0.8.9
[+] 714830db3 xfwm4: 4.12.3 -> 4.12.4
[+] fe7ee79d2 xfce4-diskperf-plugin: update 2.6.0 -> 2.6.1
[+] d3e9fcacd xfce4-terminal: update 0.8.3 -> 0.8.4
[+] c10bc7e8a xfce4-taskmanager: update 1.1.0 -> 1.2.0
[+] 27f05648e xfce4-notifyd: update 0.3.4 -> 0.3.6
[+] db7a09ede geany-plugins: update 1.29 -> 1.30
[+] 1566cbb50 geany: update 1.29 -> 1.30.1
[+] 0326e739b thunar: update 1.6.10 -> 1.6.11
[+] 8b0da4671 jack: update to latest git-revision
[+] 2c78fa913 fltk: rework completely
[+] b6e7cc35d autoconf-archive: Upgrade to 2016.09.16
[+] fc6963cef crash: 7.1.5 -> 7.1.8
[+] 8aa550093 libnet-ssleay-perl: add openssl-native to DEPENDS
[+] fa943b113 opencv: correct subpackage name for multilib
[+] 2688cbade gflags: correct S and update library install directory
[+] 56c956f6c fbida: Fix compile-host-path error
[+] 104f811a0 python-pyalsaaudio: Extend recipe to support Python 3
[+] f66465d4d gd : CVE-2016-10167, CVE-2016-10168
[+] dcd6d5b24 jack: remove (non-existing) package jack from dependencies of jack-dev
[+] 3405347d5 librcf: install missing SF headers
[+] 4175dc4a8 python-paho-mqtt: make recipe available as python3 version
[+] f882211c1 gd : CVE-2016-10166
[+] eb97a736f f2fs-tools: Update to Version 1.8.0
[+] 2cdea6c5b opencv: do not depend on swig.
[+] cea7dff3e plymouth: Fix virtual RPROVIDES
[+] f84a551f2 v4l-utils: update to 1.12.3.
[+] e562c3ade logfsprogs: Pass LDFLAGS to link steps
[+] 147046ced corosync: Update to 2.4.2
[+] 440258c30 synergy: Add unzip-native dependency to right task
[+] 125066897 uml-utilities: Fix problem founds during musl build
[+] 10ad20d91 libui: Fix build with musl
[+] 6c4caeee6 libnih: Drop SIGCLD
[+] 401fbd9e5 vorbis-tools: Fix build with security flags
[+] 2ae91ddd6 xarchiver: Fix build with security flags turned on
[+] bc4d1aa83 libqb: Upgrade to 1.0.1 release
[+] 82dbf3f40 minicoresdumper: Update to 2.0.0
[+] 3ad787c67 lvm2: Fix patch errors found with musl
[+] 10e27be99 gpm: Update to use git src uri
[+] cdb428e7c recipes: add removal date to PNBLACKLIST messages
[+] 2af18f934 caps: Use c99 int types
[+] 61d1d45d2 v4l-utils: Depend on argp-standalone for musl
[+] 0e1d1787e dlm: fix ldflags QA warning
[+] ad9c16bb7 xdotool: prevent compile-host-path QA issues
[+] 1214d169f uml-utilities: respect LDFLAGS not only for mconsole but for other binaries as well
[+] 9097d4a3f pngcheck: respect LDFLAGS
[+] 61dc304a4 logfsprogs: Blacklist, doesn't have proper PV, doesn't respect LDFLAGS
[+] 490409c26 flite-alsa: Blacklist as old and unmaintained
[+] b0699e496 opencv: remove redundant build dependency on python2
[+] ad81891ee python-smbus: upgrade to 3.1.2
[+] a34ab25fc xdebug: 2.2.6 -> 2.5.1
[+] 01feee2cd jsonrpc: Backport and create patches to build with musl
[+] 38f0f1310 networkmanager: Fix build on musl
[+] 254a9f82a pavucontrol: Backport patches to build with c++11 std

```



```

[+] e2d806692 libunique: Fix build with secuti flags on
[+] b17f49913 lxdm: Find libexecinfo if its on platform
[+] 386f2eadd libexecinfo: Add recipe
[+] 2d5b14144 picocom: Upgrade to 2.2
[+] 6000766a8 libavc1394: Add libargp on musl
[+] 8acb143f4 utouch: Fix build on musl
[+] 50c14d253 libgxim: Fix build with security flags turned on
[+] 606155881 live555: Do not use XLOCALE on musl
[+] c2a7f3539 faac: Fix with with security flags and on musl
[+] 09a82e1fb ntfs-3g-ntfsprogs: Upgrade to 2017.3.23
[+] 217d65c7c libdc1394: Update to 2.2.5+
[+] accb3f4ea libraw1394: Update to 2.1.2 release
[+] d021ff09b aufs-util: Define HOSTCC
[+] 43f581101 usb-modeswitch-data: Add dep on native tcl
[+] b545c0643 mariadb: Do not use ucontext_* APIs with musl
[+] 211beca60 poco: Upgrade to 1.7.8
[+] 4ecaaf8c1 tcsh: Update to 6.20.00 release
[+] c142219d3 xfce4-timer-plugin: Fix build when security flags are enabled with clang
[+] b1b626c16 xfce4-closebutton-plugin: Fix build with clang
[+] 56c233bb2 meta-efl: blacklist efl-native and dependent recipes
[+] b8368598a zile: fix do_install
[+] 385cb8853 tcsh, dt: blacklist because tcsh doesn't respect CC variable
[+] 4cf51a617 vboxguestdrivers: upgrade to 5.1.18 to fix compatibility with 4.10 kernel
[+] a9715573c vboxguestdrivers: make sure that do_compile fails when some module failed to
build
[+] 2c4b17449 ttf-liberation-sans-narrow: use pagure.org instead of retired
fedorahosted.org
[+] 2e408bdba ttf-abyssinica: fix SRC_URI
[+] 1a9dc2303 libqb: inherit autotools-brokensep
[+] 18893ec94 libqb: use github.com instead of retired fedorahosted.org
[+] 23361dfa3 mailcap: use pagure.org instead of retired fedorahosted.org
[+] 8e804afeb hwdata: use github instead of fedorahosted.org
[+] fbfaf104c atop: Fix build with musl
[+] b5bb61163 php: fix install failure
[+] 6c9c7317e polkit-group-rule.inc: Fix comment typo "polkid" -> "polkitd"
[+] 7dd95720e glm: Fix rootfs error for glm-dev install
[+] a02ec57e1 alsa-equal: Update SRC_URI to something valid
[+] fe63fd7b9 python-slip-dbus: Update SRC_URI to github
[+] 9a3812e4b libedit: Update to 20160618-3.1 release
[+] 9cd2b3fe9 libndp: Include sys/select.h in ndptool.c
[+] 0ef3f0016 log4cpp: Upgrade to 1.1.2 rc5
[+] 705a86332 xfce4-mount-plugin: Fix build with musl
[+] 1b22caf4f abiword: Mark gconv dependencies only for glibc
[+] 7f9746354 fwts: upgrade to 17.03.00 release
[+] defe6cafb aufs-utils-native: define CC
[+] d050a3503 nginx: make sure the user is correctly set for the volatile directories
[+] a4e4cfd93 nginx: set sane defaults for temp directories
[+] df3d2beaf lio-utils: Fix GNU_HASH QA errors
[+] f646f52ea libnice: Upgrade to 0.1.13
[+] aa4daa999 libssh: Force to use gcc toolchain
[+] ff30e01f6 lvm2: fix lvm2-native RRECOMMENDS problem
[+] 269d009a8 lvm2: libdevicemapper package needs udev rules and dmsetup
[+] af279a8e7 lvm2: Avoid an unnecessary dependency on bash
[+] cafa3a454 memstat: Fix build with musl
[+] bfc16ec09 digitemp: Update past 3.7.1 release
[+] fb9224ed9 samsung-soc-utils: Remove -static
[+] 64640f4e3 zile: Fix build with musl
[+] d92ee32a6 gradm: Fix GNU_HASH QA errors
[+] 738d386c8 procmail: Fix GNU_HASH errors, pass LDFLAGS
[+] 040036aba smstools3: Fix GNU_HASH errors
[+] e961adf6c libmatroska: Fix missing GNU_HASH errors
[+] 2e3645ea4 sgio: Fix missing GNU_HASH errors
[+] f67e20182 libtorrent, rtorrent: Update to latest
[+] 0d48a392d rapidjson: Update to 1.1.0 + git
[+] 0233f4cc1 nginx: make user in nginx.conf consistent with the default value
[+] 02cf7aba3 gperftools: fix do_compile failure for qemuppc
[+] f2dfae565 curlpp: 0.7.3 -> 0.8.1
[+] cb3561aa2 lftp: Upgrade to 4.7.7
[+] e4e7c0ac8 dovecot: Use libtirpc to provide rpc on musl systems
[+] 62bf0f64d ipsec-tools: Fix build with musl
[+] b26bb1d79 usrsrc: Enabled shared lib
[+] 2b33f9101 libmemcached: Upgrade to 1.0.18
[+] 762d1eb30 inetutils: use update-alternatives for more manpages
[+] c6a894f80 inetutils: bump priority to avoid conflict issue
[+] 88489005b openflow: add dependency on openssl-native

```

```

[+] 916a95029 chrony: fix build failure for arma9
[+] 64ab19b7d postfix: remove references to buildmachine paths in target makedefs.out
[+] f1986a5fe wireshark: update to 2.2.5
[+] de05464e9 samba: update tevent_internal.h
[+] 80fa973c0 ptpd: add pkgconfig to inherit
[+] 6784bec01 dnsmasq: add info for port setting
[+] 8bc2e7cb7 netcf_git: Check if src != dst while moving files.
[+] 9f0eebd82 ebttables: Move files only when src != dst.
[+] 9fb708d87 inetutils: Move files only when src != dst.
[+] 1a63d1dcf netcat-openbsd: fix implicit dependency on pkg-config
[+] d63e5687c eject: use update-alternatives for manpage
[+] 8fbbc45d2 core-image-minimal-xfce: Drop ROOTFS_PKGMANAGE_BOOTSTRAP
[+] b3ddf559a libnet-ssleay-perl: Update to 1.80
[+] 6c584374a devmem2: use different filename to avoid checksum conflicts
[+] 9c36e098d lprng: disable clear support
[+] 266e134c3 scsirastools: add dependency on groff-native
[+] 078cfe871 vim: Update to 8.0.0427
[+] dcdd064a5 acpica: moved to OE-core
[+] 56d0a5607 luajit: test SITEINFO_BITS instead of maintaining a list of 32bit targets
[+] d6ff17de8 toybox: Upgrade to 0.7.3
[+] 82b589603 toybox: Fix configure failure
[+] ebd31fd8d meta: do not prepend/append to BBCLASSEXTEND
[+] 4b4a62ec0 recipes: delete obsolete patches
[+] cd653249c cherokee: update SRC_URI
[+] a4b42b9b6 python-pyserial: update to version 3.3
[+] 9ef1da92c lvm2: fix bash depends QA issue
[+] 40fd946e1 meson.bbclass: Use the correct C++ compiler when cross compiling
[+] 7fb45590f meson.bbclass: Support building for native
[+] 08164e4c9 meson.bbclass: Make changes to meson.build files trigger reconfiguration
[+] b9534442f meson.bbclass: Add support for more standard installation directories
[+] f07b8a219 meson: Update to 0.37.1
[+] 9a3e69fe8 libcec: update to version 4.0.1 and provide package for python3 wrapper
[+] 1dff2351a vim: add native BBCLASSEXTEND
[+] 1a373a033 python-pyparsing: update to version 2.2.0
[+] a4a1950e3 python-pycparser: reverse depend on cpp.
[+] 268e2a619 syslog-ng: fix syntax error in syslog-ng.conf
[+] c7ecb6c29 python-psutil: update to version 5.2.0
[+] 1c7018795 python-serpent: update to version 1.19
[+] 5831b3680 python-serpent: add a python3 recipe
[+] 1d4249389 python-idna: update to version 2.5
[+] 414426a39 librcf: add new recipe
[+] 29cc9583e json-spirit: add new recipe
[+] cc9fd968c rsyslog: fixes musl libc build
[+] ff5d50b43 iptraf: Fix build with clang
[+] fd490689f ltrace: Fix build with aarch64 and bump to latest
[+] f8c9209db log4c: Backport patch to fix security format errors with clang
[+] 073fc4e47 a2jmidid: Fix build on aarch64
[+] a3a54983e irssi: Upgrade to 1.0.1
[+] 475ba851d tbb: Update to 2017 release
[+] e2975aee7 gperftools: Fix build with clang
[+] a336efc8d graal: Disable elision warnings for clang
[+] 35eb06d8c libxml++: Update to 2.40.1
[+] bfc4ad130 fftw: Update to 3.3.6 release
[+] d6c99da9d tllib: Fix printf format string errors
[+] 07b5b9602 glm: Add recipe for OpenGL Mathematics library
[+] e386a9a6c assimp: Add missing dependency on virtual/libgl
[+] 579a7bb3b Update meta-webserver README to add Derek Straka as the maintainer
[+] a5c5b1a8c python-pbr: update to version 2.0.0
[+] c036ae10e python-flask-sqlalchemy: update to version 2.2
[+] eeffd9d20 python-werkzeug: set clean as broken
[+] 1597be88b python-flask: set clean as broken
[+] 87ba89575 python-click: set clean as broken
[+] 408b6665b libmime-types-perl: update to version 2.13
[+] 1afefcf7b libcgi-perl: update to version 4.35
[+] b17bbbe22 gitver: fix try/except syntax for python3 support
[+] 0c31f55bc Make use of the new bb.utils.filter() function
[+] b4524eb78 meta-python: Remove superfluous "PYPI_PACKAGE" assignments
[+] c10c1c0cf meson.bbclass: Add progress support for do_compile()
[+] 1bbb552e9 libunique: depends on dbus-glib-native
[+] 5962ec478 python-dnspython: add initial recipe with version 1.15.0
[+] d911e0f5f python-babel: add initial recipe for version 2.3.4
[+] e54e5fbce libmng: fix duplicate dependency on lcms + misc cleanup
[+] f291c5e07 fuse-exfat: fix mount detection of mount.exfat
[+] cd5b07e5a zabbix: 2.4.7 -> 3.0.8
[+] 0d0709cf0 fuse: Remove unneeded RDEPENDS on util-linux-mount

```

```

[+] dcff4339d python-anyjson: add a recipe for version 0.3.3
[+] 32b0092f6 python-simplejson: relocate to meta-python and add a python3 version
[+] 8173c31a0 python-pysqlite: add initial recipe for version 2.8.3
[+] 32e1af737 python-sqlalchemy: update to version 1.1.6
[+] 0b40da2c3 python-pymisp: update to version 2.4.67
[+] 27caea619 python-parse: update to version 1.8.0
[+] 3ef05c8a9 python-idna: update to version 2.4
[+] b6f9a5dd9 python-pyalsaaudio: update to version 0.8.4
[+] 8f7e76fc1 python-pytest-runner: update to version 2.11.1
[+] 8eaaf546b python-pyasn1: update to version 2.2.3
[+] 9cb9783ea python-cmd2: update to version 0.7.0
[+] 25dbf48ff efivar: unblacklist package and those that depend on it
[+] c27b278ef xfsprogs: update to version 4.10.0
[+] f5ad70187 syslog-ng: Update to 3.8.1
[+] a4835a616 syslog-ng: Run autoreconf twice to avoid problems with libtool
[+] fcd985180 usb-modeswitch and usb-modeswitch-data: update to 2.5.0 and 20170205
respectively.
[+] fc8019614 devmem2: Change source URL to regain access to it
[+] ff483494b ell: Initial recipe for Embedded Linux Library
[+] 131255dd5 nginx: update to version 1.11.10
[+] 7f502e723 system-config-keyboard: fix depends to work correctly with RSS
[+] 8de29d274 font-bh-100dpi: update depends to fix builds with RSS
[+] 5fecd31c6 font-bh-lucidatypewriter-100dpi: update depends to fix builds with RSS
[+] be5a3e3fb font-misc-misc: update depends to fix builds with RSS
[+] bac94456a font-adobe-utopia-100dpi: update depends to fix builds with RSS
[+] b3d7a464c font-adobe-100dpi: update depends to fix builds with RSS
[+] 42c2a68dc mosh: update inherit to work correctly with RSS
[+] 807722d51 ipmiutil: fix depends to work correctly with RSS
[+] 88bea2958 usb-modeswitch: update inherit to work correctly with RSS
[+] 0760cef00 netdata: update DEPENDS to fix RSS build error
[+] 3a407c0cb apache-websocket: add depend on pzip2-native
[+] d8bb36abe multipath-tools: Replace 'lib' with ${nonarch_base_libdir} for placing udev
rules.
[+] 45e1eeb4b collect: fix to build with glibc 2.25
[+] 545b16a98 python-cryptography-vectors, python-ndg-httpsclient, python-prettytable:
Update UPSTREAM_CHECK variables to allow for version checking
[+] d533527c6 python-gdata: update to version 2.0.18
[+] 3964b36ee python-pyalsaaudio: update to version 0.8.3
[+] f53736794 python-django: update to version 1.10.5
[+] 4b5baed4c python-slip-dbus: update to version 0.6.1
[+] 2e9b8c63a python-ldap: update to version 2.4.32
[+] 86b30aa1f python-ldap: remove obsolete recipe
[+] 7b65b6ba1 abiword: fix build and unblacklist
[+] 3279e86fc python-bcrypt: update to version 3.1.3
[+] bf6d5459c python3-cassandra-driver: update to version 3.8.0
[+] a86841813 Revert "Samba: use built-in libtevent"
[+] 05aefd1ca openct: Replace /lib/udev with ${nonarch_base_libdir}/udev.
[+] 2320db653 lvm2: Replace 'lib' with ${nonarch_base_libdir} for placing udev rules.
[+] 38d7aaa6e xf86-input-tslib: Replace 'lib' with ${nonarch_base_libdir} for placing udev
rules.
[+] 9b97a8ba8 libgphoto: Replace 'lib' with ${nonarch_base_libdir}
[+] ff454ba1e aufs-utils: Replace install paths with appropriate bitbake environment
[+] 594e949b8 python-tornado: update to version 4.4.2
[+] 5fd25205a python-pylint: update to version 1.6.5
[+] 903c55667 python-cryptography-vectors: update to version 1.7.2
[+] b709685e8 python-cryptography: update to version 1.7.2
[+] 998afc121 python-prompt-toolkit: update to version 1.0.13
[+] f8d4b5d63 python-pymisp: update to version 2.4.65
[+] 2a5e3b55f python-jinja2: update to version 2.9.5
[+] f2b080fb4 python-pyasn1: update to version 0.2.2
[+] 05fc773d6 python-lxml: update to version 3.7.3
[+] 00db5fae3 python-serpent: update to version 1.18.1
[+] e5a3b328e python-vobject: update to version 0.9.4.1
[+] b096ba27e python-greenlet: update to version 0.4.12
[+] d2407d052 python-pyro4: update to version 4.55
[+] 99338b8e9 python-autobahn: remove obsolete recipe
[+] 09a3bb6d4 python-cloudeebus: remove obsolete recipe
[+] 4ebe225e2 python-paho-mqtt: update to version 1.2
[+] d86b0abb8 libsdl-ttf: fix and unblacklist
[+] 397c50a91 libsdl2-ttf: add pkgconfig to inherit and unblacklist
[+] 919felca1 postgresql: update 9.4.10 -> 9.4.11
[+] 18b373d14 postgresql: use gettext bbclass and unblacklist
[+] 936654143 fontforge: update 20150824 -> 20161012
[+] a369df879 fontforge: add gettext to inherit and unblacklist
[+] 724bcc14a gtkmathview: libxslt -> libxslt-native in DEPENDS and unblacklist

```

```

[+] f0bf62072 gtk-engines: add glib-2.0-native to DEPENDS and unblacklist
[+] 1752e1ad9 libsdl2-mixer: add pkgconfig to inherit and unblacklist
[+] a5ec20e46 libsdl-mixer: add pkgconfig to inherit and unblacklist
[+] ec8d5fc0b pidgin: add missing dependencies and unblacklist
[+] f9176fcbe fbgrab: Update to latest version
[+] 035dd6b71 geoclue: unblacklist, modemmanager was fixed
[+] 053d28528 mpd: add pkgconfig to inherit, rework DEPENDS and unblacklist
[+] lbd0@db14 libldb: update package split rules
[+] 9c6cc7ae7 inetutils: update files for -dbg packages
[+] e29a3aaf7 openconnect: add gettext-native to DEPENDS
[+] a87e046bc openflow: inherit pkgconfig
[+] cd366899e Samba: use built-in libevent
[+] d940c11e6 tcpdump: update to 4.9.0 for security fixes
[+] 4758f0af1 wireshark: unblacklist
[+] 17864cdba wireshark: fix build issue
[+] 99bc48cf8 lldpd: Update to version 0.9.6
[+] 2418ea389 inetutils: register hostname.1 man page as an alternate
[+] 085d2d487 wireshark: update package to 2.2.4
[+] 0994337c9 iscsitarget: update patch to contain changes required to build with only
linux v4.8 and above
[+] 8e068c202 iscsitarget: use upstream to build with linux kernel >= 4.3
[+] 67acc0109 iscsitarget: fix inconsistent crash while login to iscsi target from
initiator
[+] 62e939f83 dibbler: fix SRC_URI from ${P} to ${BP}
[+] f4edcbc4a relayd: derive PV from SRCPV
[+] c48160ed0 iscsitarget: Fix call trace of ahash API calling
[+] 681df62a3 tcpdump: upgrade to 4.8.1
[+] a2e075ba6 lftp: update to 4.7.5 and change SRC_URI source
[+] f7326128b android-tools: add libcap dependency and fix build on big endian systems
[+] 4816cb8bc gimp: add libxslt-native to DEPENDS and unblacklist
[+] 4a3ab8a7d a2jmidid: add pkgconfig to inherit and unblacklist
[+] 34f58b4c2 onboard: add necessary native recipes to DEPENDS and unblacklist
[+] efa7fbdc1 gparted: add glib-2.0-native to DEPENDS and unblacklist
[+] 4cae9c99f geany-plugins: unblacklist - geany is back
[+] 410e47a11 geany: add intltool-native to DEPENDS and unblacklist
[+] b8d9ff8f4 gthumb: fix implicit dependency on gconf causing configure fail
[+] 4fe8f4037 florence: add explicit dependency on gconf-native to fix install error
[+] 7a8f7dffa nodejs: update to version 4.7.3
[+] 67a0e5280 python-simplejson: update to version 3.10.0
[+] 0d77dcf5c farsight: fix implicit pkgconfig dependency causing configure fail
[+] 129596c48 packagegroup-xfce-extended: unblacklist - all dependencies are back
[+] 2daf4da9f packagegroup-xfce-multimedia: unblacklist - dependencies are back
[+] c3ffdb425 xfce4-mixer: unblacklist - gst-plugins-base is back
[+] 967b59888 gst-meta-base: unblacklist - all dependencies are back
[+] b64c67e38 gst-rtsp: unblacklist - gstreamer is back
[+] 3993316aa gst-plugins-ugly: unblacklist - gstreamer is back
[+] e5af1c28d gst-plugins-good: unblacklist - gstreamer is back
[+] 828d3cda6 gst-plugins-gl: unblacklist - gstreamer is back
[+] d95d91873 gst-plugins-base: unblacklist gstreamer is back
[+] c03cdd971 gst-plugins-bad: unblacklist - gstreamer is back
[+] b1b146123 gst-openmax: unblacklist - gstreamer is back
[+] 614368cee gst-fluendo-mpegdemux: unblacklist - gstreamer is back
[+] f46d01571 gst-fluendo-mp3: unblacklist - gstreamer is back
[+] eeald1fc libqmi: add glib-2.0-native dependency and unblacklist - libmbim is back
[+] b323ddd90 xdg-user-dirs: fix build by disabling building of man pages and unblacklist
[+] 96b07df24 gedit: unblacklist - gtksourceview2 is back
[+] 5afe0b6ff modemmanager: unblacklist - libmbim is back
[+] e3b717b64 libmbim: add glib-2.0-native to DEPENDS and unblacklist
[+] 9ac7ac614 mousepad: unblacklist - gtksourceview2 is back
[+] d3e64a3e8 gtksourceview2: add glib-2.0-native to DEPENDS and unblacklist
[+] 2dd286fa1 xfce4-sensors-plugin: unblacklist - lmsensors is back
[+] 3a9e21d92 lmsensors: fix fetch and unblacklist
[+] 0322a7dd8 xfce4-verve-plugin: add dbus-glib-native to DEPENDS and unblacklist
[+] 73e9b257d xfce4-whiskermenu-plugin: update 2.0.3 -> 2.1.0
[+] 38ef38e2a xfce4-whiskermenu-plugin: unblacklist - menulibre should be back
[+] bba0027c3 menulibre: add intltool-native to DEPENDS and unblacklist
[+] a8f0c2719 ristretto: update 0.8.1 -> 0.8.2
[+] ea2531278 ristretto: unblacklist - dependencies are back
[+] 312caf457 tumbler: add dbus-glib-native to DEPENDS and unblacklist
[+] 68577bf6f imsettings: fix build and unblacklist
[+] 07178d0e7 libgxm: add glib-2.0 to DEPENDS and unblacklist
[+] ae7fd921d xfce4-mpc-plugin: unblacklist - all dependencies are back
[+] 251da11ef xfmpc: unblacklist - all dependencies are back
[+] 1792b8137 glade3: unblacklist - libbonoboui and libgnomeui are back
[+] 63890c4d7 libgnomeui: unblacklist - libgnome is back

```

```

[+] 306e60f31 libbonoboui: unblacklist - libgnome and libbonobo are back
[+] 3b9fdffd2 libgnome: unblacklist gnome-vfs is back
[+] db9765020 libbonobo: unblacklist orbit2 is back
[+] 2e26e18ba orbit2: unblacklist - libidl-native is back
[+] 76f0b74f0 libidl: unblacklist - libidl-native is back
[+] 1ec686ef4 libidl-native: add flex-native to DEPENDS
[+] d3b846916 pavucontrol: add pulseaudio-server to RDEPENDS
[+] 4404c6113 ninja: update version to 1.7.2
[+] ace4a9301 gitpkgv.bbclass: fix versioning with multiple repos
[+] 411f5caab lvm2: Move libdevmapper to a separate package
[+] 6370feda0 lvm2: Move bash scripts to a separate package
[+] 402ee2143 lvm2: Add a PACKAGECONFIG for lvm2metad
[+] 62ee47f2c lvm2: Add a PACKAGECONFIG for dmeventd
[+] 698d51287 lvm2: Add a PACKAGECONFIG for udev support
[+] b790d81e6 lvm2: Standardize how PACKAGECONFIG is defined
[+] 02848f970 lvm2: Make sure odirect is always enabled
[+] 247256f42 lvm2: Depend on autoconf-archive-native instead of autoconf-archive
[+] 99d89597b apache2: Correct the SRC_URI
[+] 56d77341b fwts: upgrade to 17.02.00 release
[+] 7335b65b0 libmikmod: create packageconfig option for pulseaudio
[+] eefc9c0fb python-mock: add RDEPENDS on python-pbr and python-funcsigs
[+] db093ee54 python-funcsigs: add new recipe
[+] 3f39aa010 gstreamer: fix dependency issue and un-blacklist it
[+] cfa4ae250 gnome-vfs: remove blacklist
[+] b01472f6a gnome-mime-data: add depends on glib-2.0-native
[+] 0557b5e3d multipath-tools: fix ARM build failure
[+] 72647e2c0 python-pymongo: update to version 3.4.0
[+] df6b6fe8c python-flask: update to version 0.12
[+] c4b47e17d python-jjsonschema: update to version 2.6.0
[+] 0e4356275 python-decorator: update to version 4.0.11
[+] 66beffe60 python-urllib3: update to version 1.2
[+] f93702385 initramfs-kexecboot-klibc-image: remove blacklisting
[+] 37f6c6a25 python-certifi: update to version 2017.1.23
[+] 5b1614d04 python-psutil: update to version 5.1.3
[+] ff0bb0bff python-passlib: update to version 1.7.1
[+] b393366a7 python-pysocks: update to version 1.6.6
[+] c4445538f meson.bbclass: Add meson.bbclass
[+] b8f6712bd meson: Add recipe for the meson build system
[+] ald02f972 python-pyconnman: rdepend on connman
[+] 093e32fe6 python-networkx: add package
[+] 41feeb4df libtalloc: fix SRC_URI to use https instead of http
[+] 3e294a321 fetchmail: update SRC_URI
[+] 8bafca983 ipsec-tools: change SRC_URI fetcher.
[+] 583a3af2e netkit-ruser: update SRC_URI
[+] 3a3e44386 libtevent: fix SRC_URI - http has gone
[+] 7131b825b libtldb: fix SRC_URI - http has gone
[+] 35fe82474 libuv: update 1.10.2 -> 1.11.0
[+] 260422eb5 Remove blacklists of python packages where build issues have been resolved
[+] fbef460e2 python-pbr: remove PNBLACKLIST
[+] 3f69e3cd8 udisks: add dbus-glib-native to DEPENDS
[+] 0f1662588 postgresql: add gettext-native and tcl-native to DEPENDS
[+] a5f6cb7b4 openlmi-tools: remove blacklist
[+] 8e35bdef1 pywbem: add depends on python-typing-native
[+] efbdd6540 crda: add depends on python-typing-native
[+] a8463f3ee python-m2crypto: rdepend on python-typing
[+] 7d8a81fd1 kexec-tools-klibc_2.0.2: remove blacklisting
[+] 520034a86 klibc-utils_2.0.4: remove blacklisting
[+] 1d8dca3e4 kexecboot(-klibc)_0.6: remove blacklisting
[+] 1fa716b28 ubi-utils-klibc_1.5.1: remove blacklisting
[+] 54f8d3179 klcc-cross: Use SYSROOT_DIRS to add dirs to stage in sysroot
[+] 2b9068b68 klcc-cross: restrict scope of SSTATE_SCAN_FILES
[+] f6649fa31 klcc-cross: disable packaging using appropriate
[+] f4fd9a028 klcc-cross: fixes for recipe specific sysroot
[+] 8c5cafe1f python-pyyaml: Fix build for per recipe sysroot.
[+] 044e51895 smbnetfs gnome-disk-utility contacts kexecboot initramfs-kexecboot-klibc-
image system-config-keyboard system-setup-keyboard geany geany-plugins efivar efibootmgr
gimp system-config-keyboard tumbler: Blacklist
[+] 7f3176f62 recipes: blacklist recipes runtime depending on blacklisted recipes
[+] 00ba7da84 recipes: blacklist recipes depending on blacklisted recipes
[+] b7f480cc4 python-edbus exquisite elementary libweather unionfs-fuse xfsprogs gmtk
devilsie2 gnome-backgrounds gnome-desktop gnome-mime-data gtk-engines gtksourceview2
libgnomekbd libidl-native onboard libgpewidget ubi-utils-klibc kexec-tools-klibc gupnp-igd
gupnp-tools dvb-apps gstreamer mpd crda netcat-openbsd wireshark gnokii libmbim mosh
networkmanager-openvpn libtelepathy dbus-daemon-proxy libdbus-c++ php vala-dbus-binding-
tool collectd libgxim pywbem gtkhtml2 fbida fontforge libsexy wayland-fits xstdcmap xf86-

```

```

[+] b7f480cc4 python-edbus exquisite elementary libweather unionfs-fuse xfsprogs gmtk
devilspie2 gnome-backgrounds gnome-desktop gnome-mime-data gtk-engines gtksourceview2
libgnomekbd libidl-native onboard libgpewidget ubi-utils-klibc kexec-tools-klibc gupnp-igd
gupnp-tools dvb-apps gstreamer mpd crda netcat-openbsd wireshark gnokii libmbim mosh
networkmanager-openvpn libtelepathy dbus-daemon-proxy libdbus-c++ php vala-dbus-binding-
tool collectd libgxim pywbem gtkhtml2 fbida fontforge libsexy wayland-fits xstddmap xf86-
video-glamor font-adobe-100dpi font-adobe-utopia-100dpi font-bh-100dpi font-bh-
lucidatypewriter-100dpi font-misc-misc crash a2jmidid libSDL2-mixer libSDL2-mixer minidlna
sylpheed libSDL2-ttf libSDL-ttf ode pidgin postgresql syslog-ng usb-modeswitch xdg-user-
dirs gateone python3-cryptography-vectors python3-ndg-httpsclient python-cryptography-
vectors python-pbr bundler netdata menulibre openzone xfce4-verve-plugin iperf terminus-
font xf86-video-nouveau ipmiutil klibc-utils pmbw multipath-tools gparted, gnome-system-
monitor, php, vala-dbus-binding-tool, gtkmathview, lmsensors, postgresql: Blacklist
[+] 92a1d82b0 gnome-disk-utility: add dbus-glib-native to DEPENDS
[+] cfad4bab5 nostromo: add base-passwd to DEPENDS
[+] 38813ff30 sthttpd: add base-passwd to DEPENDS
[+] 7b62fe8ea xfce4-notifyd: add dbus-glib-native to DEPENDS
[+] f501f7a26 geany: fix build
[+] ffd750f0d abiword: fix build
[+] 6bb7f371d gedit: fix build
[+] d34a32cf3 gegl: fix build
[+] 786d11d77 libgnomeui: fix build
[+] 6f9b762d0 evolution-data-server: fix build
[+] ca8ddb666 poppler: add qttools-native to qt5 dependency to fix build
[+] 928849af3 libglade: fix build and cleanup
[+] f35f4fbb7 esound: fix build
[+] 765ac5125 audiofile: add alsa-lib to DEPENDS
[+] 93a44dfa4 exfat-utils: update SRC_URI
[+] f87a2b06a glibmm: add dependency on glib-2.0-native
[+] 701397952 libwebsockets: Add recipe for version 2.1.0
[+] 28528c4ca libuv: Add recipe for version 1.10.2
[+] 63d64b8b1 libev: Add recipe for version 4.24
[+] f93ea4031 dconf: make gtk+3 dependency optional
[+] f2b6681cb dconf: fix bash completion in wrong package
[+] d614f8c16 dconf: depends on dbus
[+] 26e52a261 udisks: Make use of bitbake variables for sbin, lib locations.
[+] 663f8271a nginx: update to version 1.11.9
[+] 79c03f5ad nginx: update to version 1.10.3
[+] dfbe6cf21 apache: use the APACHE_MIRROR variable in the SRC_URI
[+] 3b1ea9889 python-py: update to version 1.4.32
[+] 773200a18 python-sqlalchemy: update to version 1.1.5
[+] 4d5e97e8b python-werkzeug: update to version 0.11.15
[+] c0416d417 python-thrift: update to version 0.10.0
[+] 09d3d5631 python-pyalsaaudio: update to version 0.8.2
[+] 927657dbb gateone: correct the inherit to use setuptools
[+] 85fac0ea7 python-pbr: change the dependency to be a RDEPENDS and fix build issues
[+] 338980d37 procmail: avoid bashism in do_install
[+] 2ef3979a4 cryptsetup: enable native compilation
[+] 4071e6b4b lvm2: enable native compilation
[+] f732d1796 fuse: support native compilation
[+] 2def6f6f5 lvm2: remove unbuildable 2.02.138
[+] 8c03a0619 linux-yocto-tiny-kexecboot: remove obsoleted recipe
[+] 547c047e4 initramfs-kexecboot-image: disable runtime dependency on run-postinsts
[+] 8731b651c udisks: add missing hard dependency
[+] 7c0c45c47 lm_sensors: update SRC_URI
[+] a62549486 python-pycrypto: add app to meta-python
[+] 2b6cad952 iperf: remove deprecated package
[+] 8a0667b25 ipmiutil: fix build issue
[+] 3527257c1 libatasmart: unify the compiler and CFLAGS for host build
[+] 2ede2eb6e postgresql: update to 9.4.10 and build fix
[+] 1d1a43bb0 nginx: handle systemd service file
[+] 2c21e3b27 python-pytest: update version to 3.0.6
[+] 131008ee5 python-lxml: update to version 3.7.2
[+] bda2d658b python-requests: update to version 2.13.0
[+] a8a0efe89 python-ndg-httpsclient: add to the DEPENDS rather than replace
[+] cc255f9db python-cryptography-vectors: add to the DEPENDS rather than replace
[+] 1c376eca7 python-pyudev: update to version 0.21.0
[+] fbda6b54d python-pybind11: Update to version 2.0.1
[+] db9b1ea86 python-idna: update to version 2.2
[+] bab0cf605 udisks2: add libxslt-native to DEPENDS for xsltproc to be in sysroot
[+] f7aaa3472 m2crypto: depend on typing
[+] 83b9dc3f9 typing: add version 3.5.3.0
[+] a975cd8e9 geoclue: add missing dependency on GObject-introspection-native
[+] 0d80e47ce vboxguestdrivers: upgrade to 5.1.14 to fix compatibility with 4.9 kernel
[+] f4559c4cc gst-instruments: add recipe

```

```
[+] 91d4dd423 python-pytz: update to 2016.10
[+] e8d5a1bb6 python-pyyaml: add dependency on python
[+] 63bdd4f51 python3-multidict: make repeated builds work even without sphinx
[+] b4acda8e3 python-pyopenssl: Don't overwrite inherited dependencies
[+] 47d1e27b8 python-cffi: Don't overwrite inherited dependencies
[+] a0f5552df libnet-ssleay-perl: fix build error
[+] dc1d8fad1 opencv: Configure freetype via PACKAGECONFIG
[+] bc34c97ef multipath-tools: update to 0.6.4
[+] 960acf856 multipath-tools: fix building of shared objects
[+] ebef44963 remove some more True options to getVar calls
[+] e79566f51 nano: upgrade to 2.7.4
[+] d307c4f59 jack: add ARM NEON support for sample conversions
[+] 0db057da4 python-pyopenssl: Fix build for per recipe sysroot.
[+] 7e7fd567a python-ndg-httpclient: Fix build for per recipe sysroot.
[+] 396efbc55 python-cffi: Fix build for per-recipe sysroot.
[+] f091501c5 python-click: update to version 6.7
[+] 7cada0a96 python-psutil: upgrade to version 5.0.1
[+] b7eb68c7e python-pyro4: update to version 4.53
[+] ebe26af31 python-serpent: add new recipe for version 1.16
[+] 8241ef07f python-selector34: add new recipe for version 1.1
[+] 9fb591a6a libgphoto2: remove bash runtime dependency.
[+] 18771a9c9 luajit: mips and mipsel are 32bit targets too
[+] 56019364d xfce: add dbus-glib-native to DEPENDS to fix do_configure
[+] fcc4940b7 tremor: add (from oe-core)
[+] 585dd4136 python-netaddr: update to version 0.7.19
[+] b74c65672 python-flask-bootstrap: update to version 3.3.7.1
[+] a23927601 python-ipaddress: update to version 1.0.18
[+] 4a7fe831c nginx: update to version 1.11.8
[+] 370553b28 onboard: initial add 1.3.0
[+] d77049fac picocom: Fix build
[+] b9c6c8847 fwts: upgrade to 17.01.00 release
[+] 300d23030 rsyslog: use atomic builtins to avoid race issue
[+] e5d586750 kodi-17: Fix build for qemuarm and update to latest
[+] 54edcc570 kodi-17: Recommend python-ctypes for addons to work
[+] bd28b29d9 kodi-17: Upgrade 17.0 release
[+] 610e09422 kodi-17: Fix build with musl
[+] eb45dac03 kodi-17: Add packageconfig for lcms support
[+] 99fce36ca kodi: Fix build with pic on x86_64
[+] ab4369c58 kodi: Add krypton/17.0 recipe
[+] 5ecbf9bab poppler: update to 0.51.0
[+] 55493cb33 jack: add a PACKAGECONFIG for opus - disabled by default
[+] 65bb47c88 jack: fix PACKAGECONFIG for alsa
[+] 3221d4252 jack: update to git master
[+] cde2d5367 libopus: add --enable-custom-modes to EXTRA_OECONF
[+] cab0c7856 libopus: update 1.1.2 -> 1.1.3
[+] 0bb9d1ded fltk: update 1.3.3 -> 1.3.4-1
[+] afe081f58 xfce4-terminal: update 0.8.2 -> 0.8.3
[+] a9d2b8bad netdata: derive PV from SRCPV
[+] 74568b142 libubox: derive PV from SRCPV
[+] 4ab4ed102 gnuilib: derive PV from SRCPV
[+] 68548d456 cppzmq: derive PV from SRCPV
[+] 591187d08 python: drop executable permission from recipes
[+] df522c53c python-m2crypto: 0.23.0 -> 0.25.1
[+] 8db2f21a8 python-pyparsing: 2.1.4 -> 2.1.10
[+] 77eec4dc5 python-jsonpatch: 1.14 -> 1.15
[+] 67aff6b52 python-greenlet: 0.4.9 -> 0.4.11
[+] 86ee2cdc4 rapidjson: explicitly disable unit tests
[+] 874527184 syslog-ng: drop obsolete pcre PACKAGECONFIG option
[+] be4fe4303 syslog-ng: drop attempts to disable LFS
[+] 726862b3f jsoncpp: upgrade to 1.8.0
[+] 17844504d nodejs: update to 4.7.2
[+] fc05a9f5f log4c: add support for log4c-native
[+] f43ea8ff7 libio: Update to 0.8
[+] 8dbee05bc poco: update to 1.7.7
[+] 0afa43b35 python-sqlalchemy: update to 1.1.4 and provide python2 and python3 package
[+] 13447acd1 python-pytz: provide native and nativesdk version for pytz
[+] 9b1ef5238 sip: re-add 4.19
[+] 279a2b3ff makedumpfile: update to 1.6.1
[+] 219e3f925 raptor2: initial add 2.0.15
[+] 76091264e python3-multidict: add package for multidict
[+] 1161ab8f8 python-yaml: provide both python2 and python3 package
[+] 0c41b5e31 python-pytz: provide both python2 and python3 packages
[+] 43b62423d python-chardet: provide both python2 and python3 packages
[+] ea4abd908 gnome-system-monitor: fix build after update of gnome c++ bindings
[+] fc3a1a7a9 gtkmm: update 2.24.3 -> 2.24.5
```

```

[+] bc48dcd73 atkmm: update 2.22.7 -> 2.24.2
[+] bfc9ec2e6 pangomm: update 2.36.0 -> 2.40.1
[+] 5df69584f cairomm: update 1.11.2 -> 1.12.0
[+] 39c7438c7 glibmm: update 2.44.0 -> 2.50.0
[+] 021695f73 libsigc+-2.0: update 2.2.11 -> 2.10.0
[+] 35f52074d mm-common: update 0.9.8 -> 0.9.10
[+] 0de62aa85 lcov: fix env command argument pass issue
[+] def2483db usrsctp: Add recipe
[+] c50baaa48 openl2tp: update SRC_URI
[+] 885a8588a ctdb: update SRC_URI
[+] 742ef73eb pimd: update SRC_URI
[+] 9beb04e98 waf-samba.bbclass: fix build error with PARALLEL_MAKE="-j X -l Y"
[+] cc32689a5 samba: conditionalize sed call for onnode
[+] 807be0aee quagga: update to 1.1.0
[+] c0ff097fa tcpreplay: upgrade to 4.1.2
[+] 0e84e385b strongswan: update to 5.5.1
[+] c0e27d549 strongswan: delete obsolete patches
[+] c01cf2a58 wireshark: update to 2.2.3
[+] fa65be9ba iperf3: update to 3.1.3
[+] 742ab7fc9 opencv: Remove extra space
[+] 37ff1e842 rsyslog: don't use update-alternatives to manage init script
[+] 7ee100149 syslog-ng: don't use update-alternatives to manage init script
[+] 93f7a39fa xfce4-terminal: update to 0.8.2
[+] 85bf0e96a xf86-video-ati: upgrade to 7.8.0
[+] 4fe4318c5 nodejs: upgrade to 4.7.0
[+] cabf72ebb mercurial: upgrade to 4.0.1
[+] 9a60a2336 cppunit: update to 1.13.2
[+] 3ad0b30fe python-vcversioner: empty the RDEPENDS for native
[+] 75da410e4 opencv: Update to version 3.2
[+] 354764af5 protobuf: Update to latest version 3.1.0
[+] 29f111e03 nano: update SRC_URI with new source
[+] 1ae8c1862 opencv: Add new PACKAGECONFIG text
[+] 90ab04139 gflags: Update to 2.2.0
[+] 1ba2436bd gflags: Fix fetch URL
[+] 1bff71c62 python-pyobject: empty the RDEPENDS for native
[+] clad61096 php: Add 7.1.0
[+] cae9cafb9 fftw: work around segfault when checking for presence of ARM NEON
[+] f90df2e2f fftw: update 3.3.4 -> 3.3.5
[+] 7ef4ff680 apache2: always use the archive.apache.org to ensure older releases are
always available
[+] ff60f7c11 linuxptp: fix cross compilation not using host headers
[+] b68744fb8 mpd: add PACKAGECONFIG for libcdio-paranoia
[+] 0f802654e mpd: update to 0.19.21
[+] 5bd699fee mpd: add PACKAGECONFIG for audiofile
[+] a71bcee4d geany-plugins: update to 1.29
[+] f961e013a geany: update to 1.29
[+] 047975031 xfce4-whiskermenu-plugin: update to 2.0.3
[+] 4f7b8f8c2 poppler: update to 0.50.0
[+] 2a5fa6b83 python-flask-login: update to version 0.4.0
[+] b686c380e python3-wekzeug: update RDEPENDS to pull in http module
[+] bb4140f94 python-pysocks: update to version 1.6.5 and fix RDEPENDS
[+] 4c64bd812 python-bcrypt: update to version 3.1.2
[+] 84e9d850d python-cython: update to version 0.25.2
[+] dec77ecb7 python-cffi: update to version 1.9.1
[+] 6a0f6e034 cryptsetup: Add kernel-module-xts to RRECOMMENDS
[+] 7787c5638 fwts: upgrade to 16.12.00 release
[+] 31c93c34a python-astroid: update to version 1.4.9
[+] 7b762e97d python-wrapt: update RDEPENDS to work with minimal python install
[+] 409afe23b python-zopeinterface: update to version 4.3.3
[+] f5afd8705 python-dateutil: update to version 2.6.0
[+] e6e76f04a python-webcolors: update to version 1.7
[+] 029b69836 python-passlib: update to version 1.7.0
[+] 9148d8b82 apache2: update to version 2.4.25
[+] e873c0e6e python-dominate: update to version 2.3.1
[+] 1a48527cb python-lxml: update to version 3.7.0
[+] b941fd295 yajl_1.0.12: Add recipe for yajl1
[+] 72932540d python-urllib3: update to version 1.19.1
[+] 9c72933e1 pmbw: add recipe for ram benchmarks
[+] 0df6263bf cxxtest: Add CxxTest framework to recipe-devtools.
[+] d0a8298f5 python-pyobject: 3.20.1 -> 3.22.0
[+] dad0c620d directfb: Disable vdpau x11 sport
[+] 5a5f0ab44 gst-plugins-bad_0.10.23.bb: Add packageconfig for zbar plugin
[+] 45de4a60c rapidjson: add initial recipe
[+] a2e1a1496 hplip: Fix build with clang
[+] a21cdb62c esound: fix build after update of audiofile

```



```

[+] 58f8e5604 audiofile: update to 0.3.6
[+] e0d4e8f46 poppler: Disable PIE, it does not compile
[+] eb18c5dfa zlog: Add recipe
[+] e7e2e3cf8 dibbler: add initial recipe, dibbler 1.0.1
[+] 1e2491d12 gtest, gmock: update 1.7.0 -> 1.8.0
[+] c4e9e1c9a gimp: Enable libmng plugins
[+] 226ea3d8b liboop: Add recipe
[+] 29881464a avro: Add recipe
[+] 097626066 zbar: Add recipe
[+] 6e6cbf1ab libmng: Add recipe
[+] 1dcc6e1d0 tinymembench: fix QA warning for GNU_HASH
[+] 0d0ce836e opencv: Merge dbg packages and Fix QA Issues
[+] 21b4e5b6f opencv: Add new PACKAGECONFIG dnn
[+] d6d14547d opencv: Add missing DEPEND for opencv PKGCFG
[+] f66aa42d9 opencv: Add support for python3
[+] 39d2e1b70 opencv: Add support for OpenJDK
[+] 98b2cb5bc opencv: Add missing depends
[+] 83248edc6 opencv: Metapkg should not rdepend on -staticdev
[+] 68a23a497 opencv: Update repository location
[+] 2d2bb4fd8 protobuf: switch from mips16 to mips32 due to in-line assembler
[+] b4659368a libunp: Fix out-of-bound access in create_url_list() (CVE-2016-8863)
[+] 42a469033 makedumpfile: add ARM into COMPATIBLE_HOST
[+] 380f0cef3 samba: simplify LSB handling
[+] cb9e34086 samba: start on boot with systemd
[+] 8b61539ea samba: move /etc/sysconfig to more common /etc/default, package tmpfiles.d
in samba-common
[+] 8f2c04b9a samba: add packages samba-dsdb-modules, samba-testsuite and registry-tools
[+] 264430e38 samba: split libraries into their own packages
[+] 21c63e1b9 samba: simplify files list for samba-python
[+] 07f20aebd samba: install manpages
[+] 2245e5293 samba: add smbclient package
[+] 505b35c89 samba: install systemd units and initscripts unconditionally
[+] d491c0bcf samba: rename initscript from 'samba.sh' to more common 'samba'
[+] 1c8720a13 ifenslave: make option '-h' work
[+] 0f817b124 opensaf: fix QA Issue
[+] 8151702b6 drbd-utils: 8.9.3 -> 8.9.6
[+] 598777d89 lksctp-tools: 1.0.16 -> 1.0.17
[+] b1ef189bd libtevent: 0.9.29 -> 0.9.31
[+] 4fd3d93e3 libldb 1.1.27 -> 1.1.29
[+] ef6df6adb libtdb 1.3.10 -> 1.3.12
[+] 377372598 inetutils: Disable rsh, rcp, rlogin on musl
[+] 70980214e cifs-utils 6.4->6.6
[+] e6c7a66eb wireshark: 2.2.1 -> 2.2.2
[+] 96c1efd3a tftp-hpa: fix ALTERNATIVE_PRIORITY to avoid conflict
[+] 4439c66e0 netcat-openbsd: fix ALTERNATIVE_PRIORITY to avoid conflict
[+] c5c78e051 inetutils: fix alternative priority to avoid conflict
[+] e37d98565 postfix: add dependency icu
[+] 489fce65e ruli: Add new package
[+] 3b8f33b1c nopoll: Add recipe
[+] 92c6bbda7 igmpproxy: Add recipe
[+] 28b8edc76 samba: install all systemd unit files
[+] 38279b4a5 samba: remove superflous listing of pam_smbpass.so
[+] f38245280 samba: use systemd_system_unitdir variable
[+] 9ecd97eba samba: remove unneeded conditionals for sysvinit and systemd
[+] 78fa7f8d1 samba: use default packaging rules for -dbg and -dev packages
[+] f25fd7a2e crda: check the word size of target instead of host machine.
[+] 0fc2bd373 lftp: do_configure: fix "Argument list too long"
[+] 80c5535db inetutils: do_configure: fix "Argument list too long"
[+] bb2cbb965 samba: Avoid timeout for nmbd if started offline with systemd
[+] 1404d793d ntp: update to version 4.8p9
[+] 1aedb972b samba: fix the hardcoded path in init script
[+] 3c55a185c iscsi-initiator-utils: Update to 2.0.874
[+] 6d700823b crda: Fix build with clang
[+] f99ac6369 ipsec-tools: Fix build with clang
[+] 08492d166 dante: Add recipe for 1.4.1
[+] 9db75b354 ssmtp: Add recipe
[+] cf51ee759 ez-ipupdate: Add recipe
[+] b8d98187b dibbler: Add recipe
[+] eb6f1afd1 arno-iptables-firewall: Add recipe
[+] a0ee08d75 net-snmp: snmplib, UDPIPV6 transport: Add a missing return statement
[+] 50169dcce net-snmp: fix snmptrap to use clientaddr from snmp.conf.
[+] ba665493a dnsmasq: allow for dnsmasq instances to reuse default dnsmasq.conf
[+] 2b457e6f1 dnsmasq: read the conf files found in dnsmasq.d
[+] 4166296e4 ncp: add v1.2.4
[+] f42fc7929 curlpp: fix qa issue of do_configure

```

```

[+] 8f92aa970 samba: correct sub-package name for multilib
[+] 42dd4ee1b samba: Fix qa issue and update ctdb-tests
[+] f16b1c0d0 libowfat: add v0.31
[+] eflc823a3 samba: Fix build with musl
[+] 961ed807d fwknop: Initial add 2.6.9
[+] 25437c58a tsock: Make use of LDFLAGS
[+] 0ff5665cf chrony: remove unrecognized option ipv6
[+] 12764d1cb squid: disable gnu atomic operations for mipsel
[+] c7a90c502 rrdtool: split out rrdcached into a package of its own
[+] a5b1a0753 poppler: update to 0.49.0
[+] 0c9bef453 xfce4-clipman-plugin: update to 1.4.1
[+] c548d556f xfce4-notifyd: update 0.3.4
[+] 5d9ea4064 gnome-menus3: add gnome-common-native to DEPENDS
[+] 1085a4d1d exo: update to 0.11.2
[+] 3d383cce9 pypi: add default values for UPSTREAM_CHECK_URI and UPSTREAM_CHECK_REGEX
[+] 684c76f0e iozone3: Fix parallel build problem
[+] b0493d4cc gthumb: Add missing dependency on gnome-common-native
[+] 3be9eea72 libwnck3: Add missing dependency on gnome-common-native
[+] efa72fe95 toybox: Upgrade to 0.7.2
[+] 4685df1dd msgpack-c: Add recipe
[+] 138715ffc dmalloc: Add recipe
[+] c0c8f946c python-cson: Add recipe
[+] a14aa989b libvncserver: Fix build with security flags on and disable libva
[+] d9b5870ed python-pylint: modifies package bin to match source and adds dependencies
[+] d83612a1e python-isort: add new recipe
[+] 3aac48c72 python-setuptools-scm: add native to BBCLASSEXTEND
[+] 8ea8fff79 python-lazy-object-proxy: add new recipe
[+] f5a5a84d5 python-astroid: add new recipe
[+] 1b73d2c71 python-wrapt: add new recipe
[+] d356e03ce python-backports-functools-lru-cache: add new recipe
[+] 13611ae96 python-pymisp: update to version 2.4.54
[+] 39a71692e python-pyopenssl: update to version 16.2.0
[+] 6a8d57c0b python-cryptography: update to version 1.6
[+] 4bb23bc4c python-cryptography-vectors: update to version 1.6
[+] a541eb88e python-ipaddress: add native and nativesdk
[+] 84597e39c python-pip: update to version 9.0.1
[+] a749fbc37 python-pyasn1: fix RDEPENDS to work correctly when building native version
[+] a838527cc python-enum34: add native and nativesdk
[+] 00f04936e python-six: remove recipe that was pulled into oe-core
[+] f44e54116 python-pytest: update to version 3.0.4
[+] 58ff22a35 python-pymongo: update to version 3.3.1
[+] 336692f24 python-psutil: update to version 5.0.0
[+] 9d4029191 nginx: update to version 1.11.6
[+] 6e0c24e9b imagemagick: use correct major version in program suffix
[+] cfde74c9d krb5: create Debian-like package structure
[+] 4fc06fd23 libcdio: clean up recipe
[+] 9cd05c165 libcdio-paranoia: new recipe for 10.2+0.93.1
[+] 3d998f374 redis: increase the max number of fds to actually match redis.conf
[+] albdd5f40 redis: do not run as root
[+] 9aace0c56 redis: log to syslog
[+] 3237c650e redis: do not expose the service to the network by default
[+] 142faee17 redis: add a systemd service file
[+] 5f85256b4 python-pyconnman: Add new recipe
[+] 18d518a03 libxml++: fix LICENSE
[+] aac6bf8bf meta_oe_security_flags.inc: Disable PIE for luajit
[+] 24e51a6a1 mpv: Add PACKAGECONFIG for vaapi
[+] 5596b52d6 obex-data-server: Fix build with new openobex version
[+] 0288b204f openobex,obexftp: Update recipes
[+] c476219e8 miniupnpd: Add recipe
[+] 4580e5ae2 xfce4-vala: fix build
[+] b6ea2c0ba jsoncpp: Remove unused patch
[+] a4251575f meta_oe_security_flags: disable PIE for libdbus-c++
[+] 119e75e48 libdbus-c++: missing DEPENDS, fix musl build, oe-stylize.py
[+] 45837e6c5 gpsd: fix multilib build
[+] a85e12928 tvheadend: Update to 4.0.9
[+] 41d7bac5d memcached: Update to 1.4.33
[+] 86fed80d8 xfsprogs: Upgrade 3.2.3 -> 4.8.0
[+] 2f6e45bab xserver-common: Don't install some Xsession files
[+] 877e52fd7 xserver-nodm-init-2.0: Remove recipe
[+] a7f3ec87f meta-gnome: add explicit gnome-common dependencies
[+] 6afb85d29 meta-gnome: remove redundant gnome-common dependencies
[+] 533826b76 meta-oe: add explicit dependencies on gnome-common
[+] fc2fc9097 vala-dbus-binding-tool: remove redundant dependency on intltool
[+] 8c720146b breakpad: Upgrade to latest
[+] efd3696e7 remove True option to getVar calls

```

```
[+] 761639b9d mpv: Add libvdpau to DEPENDS
[+] 7c670ff33 vlc: Add packageconfig for vdpau
[+] 67485ec59 libcec: Add missing dep on ncurses
[+] a9ca41110 modemmanager: Fix build with clang
[+] f708267eb libmad: Fix build with clang
[+] fcc7a4d97 jsonrpc: Add recipe
[+] 34baf3328 jsoncpp: Add new recipe
[+] 1c8afeed1 fribidi: Fix build with security flags turned on
[+] eef06e7cb flashrom: Remove redundant const qualifier
[+] c0eabbecc dialog: Update 1.3-20160424 -> 1.3-20160828
[+] 856ac210a md5deep: Fix build with clang
[+] fa8f71b4b networkmanager-openvpn: Update 1.0.8->1.2.6
[+] 5d22f0661 openldap: Fix Build error due to missing -fPIC
[+] e4f6f96f9 libgit2: Update to 0.24.3
[+] 6e431331d ne10: Update to latest
[+] bc0ea5b27 libvdpau: Disable PIE
[+] bf1de4db2 libvdpau: Add recipe
[+] c5fd46f74 libqmi: Fix build with clang
[+] d361ef01a nis, opencv: Update getVar/setVar syntax
[+] ac2abd467 python-pycparser: update to version 2.17
[+] e9053535d libdbus-c++: added recipe for it
[+] 4cd27df21 android-tools: fix do_install
[+] b451e5444 python-pytz: update to version 2016.7
[+] dfd16a3dc python-pyserial: update to version 3.2.1
[+] ebde590d1 mcelog: Add KabyLake client support
[+] e5db2d34f python-requests: update to version 2.12.0
[+] 4d5f35b4e opencv: remove DEFAULT_PREFERENCE = "-1" for 3.1
[+] cdbc7cdc2 python-setuptools-scm: update to version 1.15.0
[+] 509cc2a90 python-urllib3: update to version 1.19
[+] 245b2f063 python-vobject: update to version 0.9.3
[+] aea3dbd89 rsnapshot: fix host path in rsnapshot.conf.default
[+] c851e2193 python-yappi: update to version 0.98
[+] c6796218e python-zopeinterface: update to version 4.3.2
[+] 671c597a8 xfwm4: add x11 to REQUIRED_DISTRO_FEATURES
[+] e0ead9073 xfdesktop: add x11 to REQUIRED_DISTRO_FEATURES
[+] 61b747ebd xfce4-settings: add x11 to REQUIRED_DISTRO_FEATURES
[+] 464e4d403 xfce4-session: add x11 to REQUIRED_DISTRO_FEATURES
[+] 3d15aede4 xfce4-power-manager: add x11 to REQUIRED_DISTRO_FEATURES
[+] f625e13f8 xfce4-panel: add x11 to REQUIRED_DISTRO_FEATURES
[+] 036ce4827 xfce4-appfinder: add x11 to REQUIRED_DISTRO_FEATURES
[+] b1f1aeac9 thunar-volman: add x11 to REQUIRED_DISTRO_FEATURES
[+] 3fe63ec69 thunar: add x11 to REQUIRED_DISTRO_FEATURES
[+] 567a71839 libxfce4ui: add x11 to REQUIRED_DISTRO_FEATURES
[+] d922ce3cd gtk-xfce-engine: add x11 to REQUIRED_DISTRO_FEATURES
[+] c07deeb58 garcon: add x11 to REQUIRED_DISTRO_FEATURES
[+] 004dab1b3 exo: add x11 to REQUIRED_DISTRO_FEATURES
[+] db0e4783e xfce-app.bbclass: add x11 to REQUIRED_DISTRO_FEATURES
[+] 723e9b71a xfce-panel-plugin.bbclass: add x11 to REQUIRED_DISTRO_FEATURES
[+] 20b398d87 thunar-plugin.bbclass: add x11 to REQUIRED_DISTRO_FEATURES
[+] e4ff7d0ac xfce4-pulseaudio-plugin: add x11 to REQUIRED_DISTRO_FEATURES
[+] e0dc48331 packagegroup-xfce-base: add x11 to REQUIRED_DISTRO_FEATURES
[+] 9a3c5c2b2 libxklavier: add x11 to REQUIRED_DISTRO_FEATURES
[+] 28d767851 libwnck: add x11 to REQUIRED_DISTRO_FEATURES
[+] 0b365d72a gtksourceview2: add x11 to REQUIRED_DISTRO_FEATURES
[+] fa62ed899 gnome-disk-utility: add x11 to REQUIRED_DISTRO_FEATURES
[+] 2d8180ecf evince: add x11 to REQUIRED_DISTRO_FEATURES
[+] 6afe63346 dconf: add x11 to REQUIRED_DISTRO_FEATURES
[+] ba879d436 libunique: add x11 to REQUIRED_DISTRO_FEATURES
[+] 426734113 pavucontrol: add x11 to REQUIRED_DISTRO_FEATURES
[+] 8a9071347 gtkmm: add x11 to REQUIRED_DISTRO_FEATURES
[+] cefba87ff opencv: checking existence of /usr/lib
[+] acal6cee9 lvm2: 2.02.138 -> 2.02.166
[+] ba0717b0c libeigen: set tarball name as ${BP}.tar.bz2
[+] a36efdd02 opencv: fix QA issue
[+] 38bec9147 python-humanize, python3-humanize: Add recipe for version 0.5.1
[+] d0fa502a2 openjpeg: rename the download file
[+] b2409021d apache2: include .load files in modules.d
[+] 902a38b98 asio: fix a musl compilation warning
[+] 334608d5d asio: DEPENDS on openssl
[+] e045a66fc phoronix-test-suite: 6.0.1 -> 6.6.1
[+] 3c5b7a841 libhugetlbfs: 1.19 -> 1.20
[+] ce306bbec iozone3: 434 -> 465
[+] ca83981ec pyyaml: Enable nativesdk bake
[+] 2372fb641 gnuplot: upgrade to 5.0.5
[+] b70dd8f2a lockdev: Pretend GNU libc on musl
```

```

[+] a44b96910 python-pyserial: remove serialjava.py
[+] ecdf2c308 libplist: Remove rpaths surgically
[+] 20d98f67a augeas: fix QA warning
[+] 9a0f8dcbf python-spidev: add recipe for version 3.2
[+] 6d4cde463 python-cassandra-driver: add recipe for version 3.7.1
[+] caf48f2ea edac-utils: fix systemd service
[+] 2f652ec3d mariadb: use faster download URL
[+] 3173e7e22 streamripper: add v1.64.6
[+] 35f77c625 libcec: Update to 3.1.0+
[+] 1d01458df krb5: Add -fPIC to compile flags
[+] 2b9328074 fwts: Update to 16.09 release
[+] 53a6b833d libio: add recipe
[+] 7f27b88ed dcadec, libsquish: Add new recipes
[+] 4b3a21003 meta_oe_security_flags.inc: Add libcec, libmodplug, libcdio
[+] aaa64ef4b boinc: Add recipe for boinc-client
[+] 8076afca3 meta_oe_security_flags: Disable PIE for s3c64xx-gpio/s3c24xx-gpio/
cpufrequtils
[+] 1e3fe19b5 python-m2crypto: inherit siteinfo
[+] 54b108253 ttf-abyssinica: update SRC_URI
[+] 5b0060bbb libwnck3: add a recipe
[+] b24dd42d4 python-distutils-extra: initial add 2.39
[+] 471cd564f xterm: package /usr/lib/X11 to avoid installed-vs-shipped error on ppc64
[+] 5a752d719 exo: unbreak Thunar's detailed file view
[+] edf147b90 python-msgpack: update to version 0.4.8
[+] 1e199baa3 python-ipaddress: update to version 1.0.17
[+] 970b4358b python-html5lib: update to version 0.99999999
[+] 11303503d python-webencodings: add recipe for version 0.5
[+] b7338ed2f libmicrohttpd: update to version 0.9.52
[+] 45df11ccb libtinyclang: Upgrade 3.0.0 -> 4.0.1
[+] 6d4ca6868 apache2: cve-2016-5387
[+] 87affdd40 sdparm: 1.09 -> 1.10
[+] 116c6e08d nginx: update to version 1.10.2
[+] 82a873821 libxklavier: upgrade 5.4
[+] b393e7344 fftw: Remove the fftw-dev package dependency on non-existent fftw package.
[+] c64f57cf8 gstreamer: fix rare but annoying build errors
[+] 7c55dd1e2 xfce4-panel: update to 4.12.1
[+] 794acac89 xfce4-panel: do not display desktop icon when no window is opened
[+] 5e4fd050b xfce4-terminal: update to 0.8.1
[+] 649df5d88 poppler: update to 0.48.0
[+] a87873eac xfce4-notifyd: update to 0.3.3
[+] b26f915d7 xfconf: update to 4.12.1
[+] 944c5dd85 ristretto: update to 0.8.1
[+] af98c7d2c xfce4-whiskermenu-plugin: add menulibre to RRECOMMENDS
[+] 41f64c62f xfce4-whiskermenu-plugin: update to 2.0.2
[+] fa933acd4 menulibre: initial add 2.1.3
[+] 6914eb635 gnome-menus3: unblacklist and cleanup
[+] 6864b6010 python3-psutil: add python3 version of psutil
[+] 913d1ea5d glmark: update to latest sources
[+] 06a1221a3 portaudio-v19: update to v190600 released on 20161030
[+] 14768271a network-manager-applet: update to 1.4.2
[+] 71a05ec00 networkmanager: update to 1.4.2
[+] a7ecdec52 gparted: update to 0.27.0
[+] b6761377b xfmpc: update to 0.2.3
[+] 22548e08a xfce4-wavelan-plugin: update to 0.6.0
[+] 5ecc17b52 xfce4-systemload-plugin: update to 1.2.0
[+] 765f23c07 xfce4-smartbookmark-plugin: update to 0.5.0
[+] 540ff1c0b xfce4-netload-plugin: update to 1.3.0
[+] c064f4db5 xfce4-mpc-plugin: update to 0.5.0
[+] 15e7d276e xfce4-fsguard-plugin: update to 1.1.0
[+] 6e5accf7a xfce4-diskperf-plugin: update to 2.6.0
[+] 4b4b2cdf5 xfce4-datetimer-plugin: update to 0.7.0
[+] 7e012e503 xfce4-battery-plugin: update to 1.1.0
[+] c3dad0ba4 Revert "physfs: move to sources found at github/supertux"
[+] 7f8915a6e wireshark: install missing header files
[+] 294d7126f tuncctl: fix QA warning for GNU_HASH
[+] f08e9d4c7 vblade: fix QA warning for GNU_HASH
[+] 80450e62a tsocks: fix QA warning for GNU_HASH
[+] 0a1144767 zeroconf: fix QA warning for GNU_HASH
[+] 0eff2b604 nuttcp: fix QA warning for GNU_HASH
[+] 942cd0960 aoetools: fix QA warning for GNU_HASH
[+] 816c723aa iscsi-initiator-utils: fix postinstall and systemd service file
[+] 06d15756b lftp: fix PACKAGECONFIG[readline]

```

meta-qcom changed from 26380970f5e8a04efe8c1098ad45acae0d87e4 to
e27bc2054557df848f22b05674e51f289491723b

```

[+] e27bc20 linux-linaro-qcomlt: upgrade kernel
[+] 82f3a7d dragonboard410c/820c: switch from Image to Image.gz
[+] de0e9d5 linux-linaro-qcomlt: upgrade kernel
[+] 02f0b08 firmware-qcom-dragonboard410c: add symlinks for venus files
[+] bae2826 linux-linaro-qcomlt: upgrade kernel
[+] f7f61b6 qdsp-config: qdsp-start.service can now be started on boot
[+] 6b69b67 qcom-x11-image: sample image for X11 testing
[+] e6f9496 linux-linaro-qcomlt: upgrade kernel
[+] 260a527 linux-linaro-qcomlt: upgrade kernel
[+] e634e35 linux-linaro-qcomlt: upgrade kernel
[+] aa09d55 linux-linaro-qcomlt-db820c: update to 4.11 release
[+] a745400 dragonboard820c: add firmware for ath10k
[+] fd45e9c linux-linaro-qcomlt: upgrade kernel version
[+] a95622c kmscube: remove recipe
[+] bf52f01 skales: install binary files in app specific folder
[+] ddc8f9f kmscube: add recipe
[+] d697104 Revert "linux-linaro-qcom: Fix build with gcc7"
[+] 07d3029 linux-linaro-qcomlt: update kernel
[+] 3e8c6e4 firmware-qcom-dragonboard: upgrade to r1032.1
[+] dc97efd qmi-gps-proxy: update to new release
[+] b9d70fc qdsp-config: update to release 1.2
[+] 53a56cc Merge pull request #40 from kraj/kraj/master
[+] 2f6c732 linux-linaro-qcom: Fix build with gcc7
[+] 62ea958 linux-linaro-qcomlt: update to kernel 4.9
[+] 2fab6d1 dragonboard820c: rename kernel recipe
[+] e29f6fe README: add more details about meta-oe optional dependency
[+] 97bcc25 README: add symlink
[+] 061ab4a qmi-gps-proxy: move the recipe in openembedded-layer sublayer
[+] 3a5c442 Merge pull request #37 from kraj/kraj/master
[+] 44d5842 xf86-video-freedreno: Limit to arm and aarch64 arches
[+] b4706aa alsa-lib: Delete bbappend

```

meta-qt5 changed from 5f837b47f5c3e462f24cd5abf58ff6ef1dd04932 to
c6aa602d0640040b470ee81de39726276ddc0ea3

```

[+] c6aa602 qtquickcontrols2: fix compilation of examples/texteditor
[+] a00ec62 qtbase-native: Fix qdbuscpp2xml segfault
[+] 31761f6 Revert "qttools: DEPENDS on icu"
[+] 6a42ca0 qttools: DEPENDS on icu
[+] 3ae86cb qtbase: respect "ld-is-gold" DISTRO_FEATURES
[+] 6605c48 python-pyqt5: Add recipe.
[+] 960aaf3 qwt: Add recipe.

```

meta-raspberrypi changed from 28d4404f89eb59d406b4976c0e3f5ca19137ba74 to
40447de4782d76f1e23e67ba05e272c27f6ec250

```

[+] 40447de rpi-base.inc: Set dependencies for creating wic images
[+] a6ebf95 rpi-base.inc: Simplify setting of IMAGE_BOOT_FILES
[+] 9bb89a7 rpi-base: wic: generate entries for u-boot
[+] 015999b linux-raspberrypi_4.9.bb: Upgrade to 4.9.50
[+] 093286d sdcard_image-rpi: fix absolute path in vfat symlink
[+] ed3b254 Merge pull request #134 from agherzan/pyro-wifi-fw-update
[+] 1220c46 linux-firmware: Update brcmfmac43430 to 7.45.41.46
[+] c981f01 wiringpi: Fix linking problem
[+] 8291756 firmware: Update to tag '1.20170811'
[+] 6521c4d linux-raspberrypi: Update to tag 'raspberrypi-kernel_1.20170811-1'
[+] 6b38f3c rpio: Add RDEPENDS For python-logging & python-threading
[+] 62ecc5a linux-raspberrypi: Update to 4.9.35
[+] 8ba2d6f raspberrypi3-64.conf: Don't use raspberrypi as MACHINEOVERRIDES
[+] ff59ad9 sdcard_image-rpi.bbclass: deploy vfat partition
[+] c750b0a pi-blaster: update to include proper rpi3 support
[+] 31a813c Merge pull request #81 from agherzan/master
[+] 081405f linux-raspberrypi-dev: Skip if not preferred provider
[+] e147e12 linux-raspberrypi-dev: Rename recipe
[+] a71483f bcm2835: Remove dependency of bcm2835-dev on bcm2835
[+] 371f85c docs: Format all links correctly
[+] 5eb159d docs: small editorial fix
[+] caabd6a docs: drop "Device tree support" section
[+] 3411335 docs: fix alignment of "code blocks"
[+] a30708d docs: Remove incompatible table format
[+] bf02bfd docs: Include readme in sphinx documentation
[+] 654d84d docs: Initial sphinx configuration
[+] 03976f7 docs: Initial split of README into docs directory
[+] f6764c8 userland: Update to latest
[+] 7f88c39 linux-raspberrypi: Minor recipe tidyup
[+] b32257c linux-raspberrypi: Update to 4.9.27
[+] 4f2dd0f userland: Update to latest

```

```
[+] 45ece9c linux-raspberrypi: Minor recipe tidyup
[+] e5f3333 linux-raspberrypi: Update to 4.9.27
[+] 3d43e17 Merge pull request #71 from agherzan/pbarker/dev-4.11
[+] c4e6ff4 Merge pull request #59 from LocutusOfBorg/patch-2
[+] 39e1d49 Merge pull request #70 from agherzan/pbarker/drop-4.4
[+] adf62cd Merge pull request #68 from resin-os/ignore-logs
[+] e28e6e6 raspberrypi0.conf: make SERIAL_CONSOLE overridable from outside
[+] 4a2e37f linux-raspberrypi: Make CMDLINE overridable from outside
[+] 6d5d83f Merge pull request #67 from agherzan/misc-fixes
[+] a438f1d Merge pull request #69 from agherzan/github
[+] a001d9f linux-raspberrypi: Switch dev recipe to 4.11 branch
[+] 9eaff5c linux-raspberrypi: Drop 4.4 series kernel
[+] 135a7ae PULL_REQUEST_TEMPLATE.md: Add pull request template
[+] 63aa852 ISSUE_TEMPLATE.md: Add issue template
[+] d0abd92 .gitignore: Ignore log files
[+] abeddc3 README.md: Add info about github pull requests
[+] d8da77b README: Migrate to markdown version
[+] 3cf2582 README: Document missing dependencies
[+] d9e94b8 mesa-gl: Enable gbm for rpi
[+] 2aa6b1a userland: Add missing GLES2 defines
[+] 8527a39 rpi-base: fix make_dtb_boot_files() for raspberrypi3-64
[+] decdacf raspberrypi3.conf: Use a stand alone machine configuration
[+] 0d28786 raspberrypi3-64.conf: Make SERIAL_CONSOLE overwriteable
[+] b05e5e3 raspberrypi2.conf: Make SERIAL_CONSOLE overwriteable
[+] e868222 raspberrypi.conf: Have the ability to overwrite SERIAL_CONSOLE
[+] 7d06496 linux-raspberrypi_4.9.bb: Update to 4.9.23
[+] 962ba44 raspberrypi0-wifi.conf: Use a stand alone machine configuration
[+] 668446e udev: Create rules file to generate serial0/1
[+] 8a450f0 README: document 64 bit r-pi3 variant for MACHINE
[+] af79504 pitft: Add documentation for pitft35r in README
[+] 0ef0667 pitft: Include a pitft35r MACHINE_FEATURE
[+] e11d38f pitft: Include the pitft35r dtbo files
[+] d70e311 psplash: Let distro override the default splash image if it provides
[+] 7e941bb eglinf-fb: Mark is userland specific
[+] 1a42bce userland: Upgrade to latest
[+] fe909cd x264: Fix build for armv6 RaspberryPi boards
[+] 1b05ca6 omxplayer: Bump to head and fix missing native dependency
[+] 78612df README: Add info about raspberrypi0-wifi
[+] 723f046 raspberrypi0-wifi.conf: Add machine configuration file
[+] 66e0e37 rpi-base.inc: Include dtb for RPI0 WiFi
[+] aa454ee linux-raspberrypi_4.9: Bump to 4.9.21
[+] e3620fc firmware.inc: Bump to 20170405
[+] 58b2015 bcm2835: Update to v1.52
[+] 2adfc68 rpi-gpio: Update to v0.6.2
[+] 4b0bc45 wiringpi: uprev to 2.44
[+] d0c152d rpi-config: fix invalid shell variable name
[+] da32aac rpi-config: waveshare screen support
[+] 0948d17 omxplayer: Add dependency on coreutils-native
[+] 6c8ca9c sdcard_image: fix sdcard image generation
[+] e070005 userland: Do not provide libgl
[+] a84ba9b linux-raspberrypi_dev: Add back arm64 dtbo rules patch
[+] 65b9376 linux-raspberrypi_4.4: Update to 4.4.50
[+] 7a9c3e4 linux-raspberrypi_dev: Disable version sanity check
[+] 65723a9 linux-raspberrypi_dev: Allow branch override
[+] bfae6d8 linux-raspberrypi_dev: Use AUTOREV
[+] 6561bef linux-raspberrypi: Fix uImage build on 4.9.y and later
[+] 52bec45 xserver-xf86-config: remove evdev configuration
[+] c01466a rpi-base: wic: generate entries for device tree files
[+] 6bafea4 wic: move sdimage-raspberrypi to toplevel wic location
[+] ff914ff gstreamer1.0-omx: remove bbappend for version 1.2.0 and git
[+] a230037 userland: Update to latest
[+] 8873478 linux-raspberrypi: Default to 4.9 kernel
[+] 59d1111 linux-raspberrypi_4.9.bb: Update to 4.9.13
[+] 12f8a35 firmware: Update to 20170303 release
[+] 6ce6e57 linux-firmware: Bring up wifi/ble interface on rpi3
[+] 9aded8f omxplayer: Update to latest and disable on rpi64
[+] c768a3d linux-raspberrypi_dev: Fix build on rpi3 64bit
[+] 9d418db raspberrypi3-64.conf: Add vc4graphics to MACHINE_FEATURES
[+] f81e9ac rpi-default-versions.inc: Use fallback weak assignment
[+] 11d376d rpi-config: Specify bcm2710-rpi-3-b dtb for 64bit rpi3
[+] 50f769f sdcard: Use kernel8.img for 64bit kernel image name
[+] 9eee283 raspberrypi3-64.conf: Specify rpi3-64bit dtbs
[+] 8990caf linux-raspberrypi: Add defconfig for raspberrypi3-64
[+] c9cf319 firmware: Update to 20161215 release
[+] d01bf87 userland: Upgrade to latest and implement triple buffering for wayland
```

- [+] 39bd54a linux-raspberrypi_4.9.bb: Upgrade to 4.9.10
- [+] d9c6b79 linux-raspberrypi_dev.bb: Add recipe for tracking development tip
- [+] 0be123e raspberrypi3-64.conf: Use 4.9 as default kernel
- [+] 9ed927c rpi-default-providers: Let mesa provide libgbm
- [+] 36a3895 Add raspberrypi3-64.conf
- [+] 67e0216 u-boot: Fix boot on rpi3
- [+] acbbe4b linux-raspberrypi_4.4: Update to 4.4.48
- [+] 68634de u-boot: drop backported patches
- [+] ae2be3a README: Mention CM1 and CM3 support
- [+] 8f1511d rpi-base.inc: Include dtb file for CM1 and CM3
- [+] 9d4b68d raspberrypi*.conf: Minor tweaks
- [+] f43dd79 raspberrypi-cm3.conf: Add dummy machine for CM3 (alias for RPi2)
- [+] 3ea6f9f raspberrypi-cm.conf: Add dummy machine for CM1 (alias for RPi1)
- [+] ec28a0d linux-raspberrypi_4.9: Update to 4.9.4
- [+] 9288778 linux-raspberrypi_4.4: Update to 4.4.43
- [+] 7f99a4c gstreamer1.0-omx: Add 1.10x support
- [+] ac715f7 linux-raspberrypi: Drop v4.8
- [+] 6dccb7f linux-raspberrypi: Drop v4.7
- [+] 8716d70 linux-raspberrypi: Upgrade to v4.4.39
- [+] 642d5c2 linux-raspberrypi: Drop v4.1
- [+] 3ad29d1 Remove True option to getVar calls

meta-renesas changed from refs/tags/dab/4.0.0 to refs/tags/eel/5.0.0

- [+] 829c848 Fix: duplicated mesa inclusion
- [+] 20109e6 Upgrade to pyro
- [+] 5698cf2 Fix RSS-related issues for rcar gen2
- [+] 33bb9fe Fix CVE-2017-1000364 by backporting the patches from 3.10.107

meta-renesas-rcar-gen3 changed from 4fa88fc2e452dd1ca5992cb605b3cd1823ee5316 to refs/tags/eel/5.0.0

- [+] 89ae3df [COMMUNITY] Enable ADSP on M3ULCB
- [+] a5dfada si-tools: FM configuration improvements
- [+] 9024a58 [AGL] ulcb: Disable build-in most driver.
- [+] 75b6ede utest-cam-imr-drm: Fix build failure with -Werror
- [+] 20f06cc Merge remote-tracking branch 'origin/pyro' into eel
- [+] 9ae3b81 Merge branch 'pyro' into eel
- [+] 27fc60c ti-bt-firmware: remove unused recipe
- [+] 1320c5f linux-firmware: add Wilink8 bluetooth init script
- [+] fce5dbe linux-renesas: blacklist btwilink module
- [+] e0f401d linux-renesas: disable DMA on hscif0
- [+] eb67572 linux-renesas: preserve M3ULCB uHDMI connector name as HDMI-A-1
- [+] d9e6a4c linux-renesas: remove deprecated rcar-dmac patches
- [+] 34b7915 si-tools: fix GNU_HASH QA error
- [+] 5734fac linux-renesas: update sdio kernel configuration
- [+] dcf1ef7 linux-renesas: switch to rcar-3.5.9 branch
- [+] 0661018 u-boot: switch to rcar-3.5.9 branch
- [+] 883a75b opencv: remove krogoth related appends
- [+] e38ce1c wayland: remove krogoth related appends
- [+] ec3e38b cairo: remove krogoth related appends
- [+] 0a40279 systemd: remove krogoth related appends
- [+] c566ab7 pulseaudio: remove krogoth related appends
- [+] c2a0f01 glog: remove krogoth related appends
- [+] 2eaa66f conf: remove distro-specific package configuration from BSP layer
- [+] 2fb1d02 valgrind: remove krogoth related recipe
- [+] 04eee32 bluez5: remove krogoth related appends
- [+] 1457e3d libpng: remove krogoth related appends
- [+] cc760ae opencv: remove krogoth related appends
- [+] fb7d377 weston-init: remove krogoth related appends
- [+] 8b1a395 linux-firmware: remove krogoth related appends
- [+] 9866480 IMP udev rules
- [+] d3878e8 arm-trusted-firmware: ulcb: fix cpld access
- [+] 8d8070b linux-renesas: add dmac fixes files
- [+] 465a65c KF: release GP6_08
- [+] 46f4499 R8A7797: Add CNN node
- [+] 1575525 DMAC fixes
- [+] 47bbe76 Pulseaudio: fixes
- [+] 53e8293 Bluetooth: fix PCM channel of WL18xx
- [+] 0b40877 Release ADAS boards in BSP2.23.1
- [+] 592c4ac [COMMUNITY] Add M3 audio quality patches
- [+] bdc8327 Add .gitreview defaultbranch for eel
- [+] a2a1895 LVDS OTP work if OTP memory empty
- [+] 7ffe4e8 Add missed patch during LVDS stability commit
- [+] c3ea8a2 Add IMP
- [+] 27ebba7 Kingfisher: bluetooth fixes
- [+] a741482 LVDS stability update

```

[+] cfc23e6 Fix glog compilation when gflags or gmock are installed on the host machine
[+] 0b492a5 Generate r8a7797-v3msk-view.dtb during kernel build
[+] 3943570 V3M View board support
[+] 8a92de0 R8A7797: enable IMR resources in kernel
[+] b88b7d2 Fix CANFD kernel config for V3M boards
[+] 0eea032 Unit test for VIN-IMR-DRM camera capture pipe
[+] b033920 Rename sv packagegroup recipes and split them
[+] f94d655 ov10640: fix flip position
[+] c37e386 V3M: fix QSPI access and tune MMC clock
[+] 366a422 V3M: add V3MSK board in uboot
[+] cc609cd V3M IMR/DRM
[+] 3c441bc V3M: support MSIOF on KF V0
[+] ee30ce0 Radio RST gpio typo fix
[+] 8238b30 Update si_init script to work on H3/M3 ULCB
[+] f9e026d Videobox Mini support
[+] 07ee309 V3M: enable MMNGR
[+] cb475ff Fix pinmux conflict on V3MSK
[+] 77df181 Replace pcm creation fix with upstream varian
[+] 769a9fe [Community] Do not _append to IMAGE_FSTYPES but use default value if unset
[+] 22c3415 V3MSK boards update
[+] 06e06e1 R8A7797: kernel updates
[+] 6e3e2bf Update radio scripts
[+] d3648e5 Fix incorrect radio reset gpio
[+] 3b3bb85 MOST: add scripts used for testing
[+] bbec61a MOST update
[+] 34cc89b disable BT in pulseaudio since it is broken
[+] 91f95c0 Fix Multiaudio (TDM mode) playback in 2.23
[+] e86165c enable pulseaudio daemon at first boot
[+] ab7cb49 Change CI branch to master
[+] b0ebdd9 [COMMUNITY] Remove weston-bin package
[+] 2aa4c83 FIX ssi pingroup used for PCM3168A
[+] d070d7a revert snd card name to wl18xx
[+] 8d336db Name wl18xx dummy pcm card as wl18xx-codec
[+] c949a23 Add MOST
[+] 5a76ca6 Use OpenCV 2.4 by default (necessary for public release SV)
[+] ad3f272 Merge branch 'v2.23.0' of git://github.com/CogentEmbedded/meta-rcar into
v2.23.0
[+] c052bd4 Build fail fix
[+] 18fae74 Update supported boards info
[+] 477afbfb Add gflags recipe, necessary for opencv 3.2
[+] abceb74 Build offline patches
[+] bc699ee switch to 2.23.0 bsp
[+] ea5800a [CV] Add gflags recipe, necessary for opencv 3.2
[+] 1188bae Add opencv 3.2 and use it by default
[+] 2212d4e Merge branch 'v2.19.0' of git://github.com/CogentEmbedded/meta-rcar into
v2.19.0
[+] 281c286 Build offline patches
[+] 122260c [AGL] change review branch to pyro_bsp_2.23
[+] 4636a4f [COMMUNITY] Add LICENSE to u-boot recipes
[+] 7717e9c [COMMUNITY] gstreamer1.0-plugins-base: disable ivorbis
[+] c60384c [COMMUNITY] BSP's should not ship files in /usr/local/
[+] 3282241 [AGL] Remove weston conf from weston recipes
[+] cd6e2a9 [COMMUNITY] use mesa preferred version 17.%
[+] dee273d [AGL] remove backport from morty
[+] 1d64401 [COMMUNITY] Enable Linux-based hypervisor execution in AGL
[+] b3ebb30 [AGL] Add defaultbranch for gitreview
[+] 136b171 [AGL] move dlcsrv_REL to a debug package
[+] 6ada967 [COMMUNITY] add depends on mesa to gles-user-module
[+] 48f2ee2 [COMMUNITY] glmark2 build fix
[+] 0967775 [COMMUNITY] Fix rc.pvr systemd service
[+] 4776fda [AGL] add .gitreview
[+] 554cebb [AGL] Update general README
[+] c0b80e2 Revert "rcar-gen3: ppp: Add patches to fix build with 4.8/4.9 kernel headers"
[+] 79cf0b6 xserver-xorg: remove glamor in PACKAGECONFIG
[+] ad16a46 kernel-module: adopt to YP 2.3 package name change
[+] c58ac10 gstreamer1.0-plugins-bad: add missing wayland-native dependency
[+] aec2474 gstreamer1.0-plugin-vspfilter: add missing inherit pkgconfig
[+] 219789c weston-init: adapt to poky meta weston-init.
[+] c936e8b u-boot: adapt to pyro u-boot headers
[+] 7a6bea9 wayland-kms: fix missing wayland-scanner dependency
[+] fcf1d37 optee-client: Respect LDFLAGS set from OE build
[+] e493fb8 wayland: use poky meta wayland/weston
[+] bf28a00 conf: select gcc version 5.3 in sample conf
[+] 62b8bba webp: upgrade to 0.5.1
[+] 289fbd4 Initial commit for ADAS boards support in 2.23.0

```



```

[+] 9f5581d libgcc: fix bitbake QA issue "No GNU_HASH"
[+] f16dbb6 gles-user-module: fix occasional qtbase configure build issue
[+] 8675c1f omx-user-module: correct build tree setup for yp 2.2 morty
[+] 4b1967c u-boot: adapt to change in build directory in morty
[+] 076bb29 KF V0: fix CAN0
[+] e4cb7b9 V3M: fix DU PLL
[+] 26e3d93 RDCAM20: fix FSIN
[+] 0a403d7 KF M3: disable xhci
[+] 307b341 ADAS boards: fix ssi012(3)9 pinmuxes on H3 and M3
[+] b499d0b Update capture test: support raw12 rendering to FB
[+] ac797bf Add V3MSK and deploy legacy KF images
[+] 1c7295a Add V3MSK on KF V0
[+] a857465 Add AR0132 LVDS camera support
[+] cfdd0ec Add V3M Eagle machine
[+] 52a5df3 rcar-gen3: packagegroup: Create new packagegroups for GFX packages
[+] f8e9978 rcar-gen3: libegl: Create new recipe to fix build dependency issues
[+] bc0a99e rcar-gen3: Add .gitignore
[+] f3b8689 rcar-gen3: Use flexible coding style for Renesas datadir
[+] 006e8f7 rcar-gen3: Correct coding style of IMAGE_FSTYPES
[+] b2db674 rcar-gen3: cms-user-module: Update MD5SUM and lib version for new CMS pkgs
[+] c303665 rcar-gen3: copyscript: Update MD5SUM for ADSP packages
[+] 0ad1ac3 rcar-gen3: copyscript: Update MD5SUM for Audio packages
[+] 6951325 rcar-gen3: copyscript: Update MD5SUM for Video packages
[+] 6e003ca rcar-gen3: EthernetAVB: Update SRCREV to follow the latest version
[+] 70db163 rcar-gen3: libalacdla-l: Update SRCREV to follow the latest version
[+] 5c74ca1 rcar-gen3: libflacdla-l: Update SRCREV to follow the latest version
[+] 1396b78 rcar-gen3: gstreamer: Update SRCREV to follow the latest version
[+] e325704 rcar-gen3: gstreamer: Clean gstreamer recipes to facilitate maintenance
[+] 705d8f7 rcar-gen3: kernel-module-vsp2driver: Update SRCREV to follow the latest
version
[+] 5c8216d rcar-gen3: kernel-module-vspm: Update SRCREV to follow latest version
[+] 21c8a03 rcar-gen3: MMNGR: Update SRCREV for driver to follow latest version
[+] f40f31d rcar-gen3: libgbm: Update SRCREV to follow the latest version
[+] b733169 rcar-gen3: wayland-kms: Update SRCREV to follow the latest version
[+] b69c97f rcar-gen3: weston: Update recipe and SRCREV to follow the latest version
[+] 03fb4dd rcar-gen3: mesa: Rename mesa bbappend
[+] 23a3ef7 rcar-gen3: mesa: Remove installation of eglmesaext.h
[+] cf3bea7 rcar-gen3: gles-user-module: Remove patch to include header from mesa
[+] 4c59b6d rcar-gen3: copyscript: Update MD5SUM for ICCOM packages
[+] c909fac rcar-gen3: IPL: Update SRCREV to follow the latest version
[+] 4c5fb52 rcar-gen3: u-boot: Upgrade version according to Linux BSP to v3.5.6
[+] 9da249f rcar-gen3: linux-renesas: linux-renesas: Upgrade Linux BSP from v3.5.5 to
v3.5.8
[+] e2409ff LVDS: fix camera start-up (stability work)
[+] e26fbca Fix delay if used external gpio for PoC power
[+] 82aab8c Add V4L2_CID_MIN_BUFFERS_FOR_CAPTURE control
[+] 2d894ac LVDS: fix camera startup
[+] c167cd6 Add opencv 3.2 and use it by default
[+] 09d4ad9 Add V3MSK Kingfisher board support
[+] cf77e72 Typo fixes
[+] 5edfcca KF: use ulcb-kf.dtsi
[+] 16a2f60 revert gpio-max732x-set-gpio-ouput-low-at-init
[+] 4c8261b r8a7797: add V3MSK board, correct V3M Eagle dts
[+] 89f9668 r8a7797: fix csi2 node name
[+] b65e908 Eagle r8a7797 support, adv7511 clock rate fixes
[+] de056da Gen3: disable autosuspend for SMSC usb hubs
[+] e03ac06 Add recipe for libmediactl-v4l2
[+] 0cf6512 Kingfisher: enable PCM audio between CPU and BT module
[+] 5b99b3d KF: fix DU RGB flickering, remove SDR50/104
[+] 72bf973 sound: fixes and improvements
[+] fc79186 Sound: ak4613: suppress warning during pulseaudio probe
[+] 113ff66 KF: ADV7511 edid fixes, i2c2 speed 400khz, hsub ws2.0 enable
[+] 4fdd1ff KF: Add SDR50/104 for SDHI3
[+] 8a4b6d0 LVDS: workaroundpatch is not needed anymore
[+] 2000417 Gen3: LVDS: fix RDCAM21/24 firmware
[+] c544e44 Kingfisher: BT: use proper way to get shutdown gpio
[+] cf57099 ADAS boards: fix ssi012(3)9 pinmuxex on H3 and M3
[+] ed9bf6b Kingfisher: install pulseaudio-bluetooth.conf in proper place
[+] fe9f640 Kingfisher: fixes for bluetooth audio
[+] faf087d Fix build error: kf-v1 does not present anymore
[+] 09ede7b VIN: fix S_SELECTION (S_CROP_IOCTL)
[+] bfce53f Image: install kernel-modules
[+] e9ad78f ADAS boards: separate V0/V1 and V3 (default) KF boards
[+] d366270 LVDS cameras: fix typo
[+] 3dbe9ff Kingfisher: WiFi: use more recent FW

```

```

[+] 54b25ba Kingfisher: BT: fix RTS/CTS and firmware path
[+] 50fdf67 Kingfisher V3: update m-channel sound support (fix)
[+] 3e74132 Kingfisher V3: update m-channel sound support
[+] 3b54c5a LVDS: optional compilation for Cogent firmware
[+] 8c94bd9 Kingfisher V3 update
[+] 117d0b8 TTA-RDRIVE: remove unused patch
[+] d5caada Kingfisher: add BT initialization tool/service
[+] f47e839 Kingfisher: fix radio init script
[+] 0590448 Kingfisher: add pulseaudio
[+] 181c02f arm-trusted-firmware: deploy bin files
[+] 7a8bbdb arm-trusted-firmware: add nonsecure hyperflash access
[+] 5ef3abf lvds/VB/KF, cma memory
[+] 6236b2a Kingfisher: Fix BT speed
[+] c11ff1e ov490 switch to vendor's firmware, OV495 OTP ID
[+] 5f7f957 add ov5642, fix DVP in VIN
[+] 9ef8b23 Add EDT FT5X06 driver
[+] 4f10398 KF: enable SAM
[+] 967b75f KF: fix high rate re-rendering on adv7511
[+] a11d208 KF: ADV7511 EDID read workaround
[+] d3fdbba ti9x4: fix FSIN
[+] b7cc354 Kingfisher: SSI, IIO update
[+] e69877f Pack patches: put all ADAS boards patches on one
[+] 7844f28 Add firmwares and tools for wireless
[+] cc63010 Kingfisher: add multichannel audio, IMU driver
[+] 545439c add H3 Videobox board
[+] 48f8c7e add IIO Utils
[+] ff6936b I2C switch: fix PCA954x i2c expander access
[+] dacf3fa HAD: add missed serial alias for console
[+] 317253c systemd: fix rootfs on NFS
[+] 85b7865 rcar-gen3: ULCB: Add default SOC_FAMILY for ULCB
[+] 2cd35b4 rcar-gen3: gstreamer1.0-omx: Fix issue downloading from HTTP/HTTPS proxy
[+] 7405103 rcar-gen3: EthernetAVB: Update SRCREV to follow latest version
[+] b941502 rcar-gen3: copyscript: Update MD5SUM for ADSP packages
[+] 979c108 rcar-gen3: kernel-module-vsp2driver: Update SRCREV to follow latest version
[+] d3032b0 rcar-gen3: VSPM: Update SRCREV for VSPM and VSPM I/F driver
[+] 99b7da7 rcar-gen3: kernel-module-mmng: Update version and correct compile option
[+] eeb2358 rcar-gen3: copyscript: Update MD5SUM for ICCOM packages
[+] 6ad142d rcar-gen3: arm-trusted-firmware: Update SRCREV to follow latest version
[+] 8d26f47 rcar-gen3: u-boot: Update u-boot to v3.5.4
[+] f704621 rcar-gen3: linux-renesas: Update BSP to v3.5.5
[+] ea69e73 Add weston patches: toytoolkit, ivi shell patches
[+] 29d90de Add gstreamer patches for gst wayland header
[+] ce9e562 Add libsubg1 recipe
[+] 6c6e16e Add ctemplate recipe
[+] f712721 Add libio
[+] dfbada2 build fail fix: add missed part
[+] e51e85a Build fail fix
[+] a72bca9 [core] Install surroundview necessary packages and opencv, remove X11
[+] 941a519 [core] Add cmake to SDK
[+] 599635b [core] Add packagegroups necessary for ADAS apps
[+] 8f1e73d [core] Add systemd networkd, add default eth0 configuration and dummy0
[+] 3c4889b [weston] Add weston profile.d script, XDG_RUNTIME_DIR=/run/user/0 by default
[+] 65d551e [support] Add netevent utility
[+] 9baa287 [multimedia] Add mm-init script which load mmngr mmngrbu modules
[+] d7174e5 [graphics] Add opencv 2.4
[+] bbc9015 [support] Add nlopt library and nlopt library static dev built
[+] c6af613 [support] Add spacnavd and libspnav
[+] aabd255 [support] Add glm library
[+] 11c93f0 [graphics] Fix cairo recipe to be built with egl and glesv2
[+] ff1e589 [devtools] Add yaml-cpp
[+] 61d22fa [devtools] Add Valgrind 3.12 (has fixes on aarch64)
[+] ca625ec [layer] Add more utils by default, add surroundview and opencv-sdk to
DISTRO_FEATURES, disabel x11 by default
[+] cf07484 [kernel] Enable dummy interface
[+] 2003c19 [weston] Update weston-init script, add profile.d script
[+] bafd9ba Kingfisher: add ability to use SD on SDHI3
[+] b86aae9 Kingfisher: add USB modem, RaspberryPi camera
[+] 5093468 Kingfisher V1 update
[+] 4e28049 KF V1 deploy dtb images
[+] 62c4002 Add CAN/CANFD/XHCI, fix build for CANFD
[+] a60ce0c Fix build after adding KF V1
[+] 232c24f Kingfisher M3: fix typo
[+] fe37f51 LVDS cameras enumeration fix
[+] bf371db Add KF V1 board
[+] 6968dc3 ov490: add FSIN, NOEMB to avoid firmware reflash

```

- [+] b66c038 csi2: fix RCAR H3 ws2.0 freq pll
- [+] 0abcb36 uboot: add Hyperflash access
- [+] 0700bc1 Fix dtb list
- [+] 6de4102 Initial commit for ADAS boards support in 2.19.0

meta-rust changed from a506df4ba4b186e311117d5bdc6a54844583a4fd to 94280a636c9a6dd729f9eb3ed88fe85b11ee8ffa

- [+] 94280a6 Merge pull request #171 from cardoe/pyro-1.20.0
- [+] 4c764c3 Always allow the clean-up to succeed
- [+] 980f6e2 rust: Don't specify allocator for >= 1.20.0
- [+] 633c18c libstd: correct path to COPYRIGHT
- [+] 13e81c1 bump to Rust 1.20.0 and Cargo 0.21
- [+] ee3fec5 Switch to rustbuild
- [+] a086ab5 cargo: convert to versioned include file
- [+] f822a1e update container to the pyro supported version
- [+] c7d40b7 cargo{_common}.bbclass: abstract out parts for rustbuild
- [+] e4c106a cargo.bbclass: include CXXFLAGS for builds
- [+] f881c08 rustfmt: bump to 0.8.0 and use cargo-bitbake
- [+] 243bc13 cargo: convert recipe to cargo-bitbake
- [+] 5b7699b cargo.bbclass: improve debug note showing paths
- [+] 49c512c rust: drop custom target finding patch
- [+] b452701 cargo: build cargo using cargo and not make
- [+] e04de10 rust-common: provide C++ wrappers
- [+] f6d973c compiler-rt: drop unused bits
- [+] 4b9d7a8 Merge pull request #159 from cardoe/pyro-drop-rust-1.12
- [+] a3fe7c7 drop Rust 1.12.1 and Cargo 0.13
- [+] 7373052 Merge pull request #157 from meta-rust/fix-pyro-jenkinsfile
- [+] 9d3b6cd Jenkinsfile: update for pyro branch
- [+] 4dcaaa8 Merge pull request #156 from bkylerussell/native-fixes
- [+] 027b7ae rust-llvm: Fix bad license checksum for 1.15.1
- [+] 8e28683 rust-llvm: Drop unnecessary native customization
- [+] 394ad27 Merge pull request #148 from cardoe/rust-1.15.0
- [+] 1820907 compiler-rt: remove standalone build for Rust 1.15
- [+] 5a9614f bump to Rust 1.15.1
- [+] f851e8f Bump to Cargo 0.16.0 for Rust 1.15.x
- [+] bc04c2e libstd-rs: move depends out of the shared file
- [+] 64cdd4b Update the source paths for each item
- [+] 502fc9b Merge pull request #149 from derekstraka/add-sstate
- [+] 0adcc6e Add the ability to use and store build cache artifacts
- [+] efae1a8 Merge pull request #146 from srwalter/fix-rust-bin
- [+] 1eb86e9 rust-bin: fix recent breakage
- [+] f0e0b3b Merge pull request #145 from srwalter/fix-llvm-build-race
- [+] 3276afb rust-llvm.inc: work around build race
- [+] a58ea82 Merge pull request #142 from cardoe/rust-1.14.0
- [+] 22c971c bump to Rust 1.14.0
- [+] 5d2e062 rust: move versioned files into .inc
- [+] 97fcc5d rust: update the cpu selection to use PACKAGE_ARCH to ensure older processors can run created executables when building targets that have newer features
- [+] 2a21657 Merge pull request #135 from cardoe/readme-updates
- [+] d867f3d fetch: fix check for local ref path
- [+] f43eadc README: swath of updates to reflect the current state
- [+] bf4cdaf Merge pull request #133 from cardoe/drop-unused-patches-more
- [+] 4ccca55 rust: remove unused patches
- [+] e6b7571 Merge pull request #132 from cardoe/drop-unused-patch
- [+] c19badf rust: drop unnecessary patch
- [+] 247bb57 scripts/fetch: add missing die statement
- [+] abe20ca compiler-rt: fix toolchain installer
- [+] 185e29e Merge pull request #128 from cardoe/for-pyro
- [+] 94aa140 rustfmt: update to use Cargo 0.13.0 fetching
- [+] 04bd03b libstd-rs: update to use Cargo 0.13.0 fetching
- [+] 84af800 cargo: update to use Cargo 0.13.0 fetching
- [+] 339cc78 drop the old fetch behavior for pre Cargo 0.13.0
- [+] ac5d169 Remove Rust 1.10.0 / Cargo 0.11.0
- [+] c05b6b4 Merge pull request #117 from derekstraka/update-getvar
- [+] 52c0f97 getVar will expand by default, so the 'True' option is no longer required
- [+] 85d411c Jenkinsfile: swap back to using master

meta-ti changed from 460ce7d0473b88d20fcb3fed3aa0f3acc37c78c9 to 230f5409bd47a850e718c81d485bb17b3d5ddcb0

- [+] 230f5409 cmem: Update to new version 4.14.01.00
- [+] 78326e7b am574x-evm.conf: add am574x-idk-lcd-osd101t2587.dtb to the list
- [+] 95d52b3d u-boot-ti-staging: update to ti2017.05-rc4 tag
- [+] 6d44d912 linux-ti-staging: update to ti2017.05-rc4 tag
- [+] 8de74d5e libdce: update to 3.00.14.00 version
- [+] 655680fa ipumm-fw: update to 3.00.14.00

```
[+] 2fcca0ef  emacs-ll-drtos: Added emacs-ll-drtos recipe
[+] 29945ed1  board-rtos: Added board-rtos recipe
[+] 7e334fed  u-boot-ti-staging: update to ti2017.05-rc3 tag
[+] 415cee6d  linux-ti-staging: update to ti2017.05-rc3 tag
[+] 9fb1889d  edma3-ll-d: Updating the revision to 02.12.05.30
[+] 4c28ce3d  ti-pdk: clean the sources during the configure task
[+] ac12e50b  ti-cgt6x: update to version 8.2.2
[+] 7ed8f53b  edma3-ll-d: Update to new eng version
[+] 85d95b93  ti-ipc: Update to new version 3.47.00.00
[+] 8ac18852  ti-xdctools: Update to new version 3.50.03.33
[+] ee4dea2d  ti-sysbios: Add recipe for new version 6.52.00.12
[+] 0a8bc24e  gcc-arm-none-eabi-native: Add recipe for new version 6-2017-q1-update
[+] 4bddfab3  kselftests: bypass seccomp gcc7 build failure, gpio RDEPENDS on bash
[+] fb0b5e42  dsptop: RDEPENDS on bash
[+] 0dd67789  ti-sysbios: avoid file-rdeps QA errors in pre-packaged binaries
[+] e1509af8  u-boot-ti-staging: update to ti2017.05-rc2 tag
[+] f6949d4c  linux-ti-staging: update to ti2017.05-rc2 tag
[+] ae36a7c8  linux: ti-uio: remove KERNEL_DEVICETREE appends
[+] d20674a5  pruss-ll-d-test: do compile and install for all devices in TI_PDK_LIMIT_SOCS
[+] ee63e13c  u-boot-ti-staging: update to ti2017.05-rc1 tag
[+] 74bcc7f2  linux-ti-staging: update to ti2017.05-rc1 tag
[+] 10c9cf6c  ipumm-fw: Update new SRCREV on git repo
[+] a8d75480  prueth-fw: update to version 5.1.4
[+] 6c671573  linux-ti-staging: update to 4.9.52 and add new AM5 DTBs
[+] a1aee168  pm/vps-ll-d, cmb/audk2g-addon: fix double-inclusion warning for ti-paths.inc
[+] 391bfb8c  linux-ti-staging: stop using linux-dtb.inc
[+] 19589571  ti-pdk.bbclass: add dependency on ti-cgt-pru-native
[+] 9b817d3f  uio-module-driv-test: include pruss_uio_test for k2g
[+] 3ec531de  uio-test-pruss: add support for k2g
[+] 3353b3ca  serdes-diag-rtos: updated to version 01.00.00.08
[+] dd6f473a  audk2g-addon-rtos: Adding rtos recipe for audio addons for k2g
[+] fd5f5acc  cmb-addon-rtos: Adding CMB rtos recipe
[+] 03f1abe4  vps-ll-d-rtos: Added rtos recipe for vps-ll-d
[+] 97fb0537  transport-rtos: Added transport recipes(bmet, nimu, nimu-icss) for rtos
[+] 23766957  ti-ndk: Adding recipe for ti-ndk
[+] 511b167f  pruss-ll-d: Add rtos recipe & update the version to 1.0.0.7
[+] 7d038d89  pm-ll-d-rtos: Adding rtos recipe for pm-ll-d
[+] f6726f6f  conf/machine: add pru-uio dtbs in KERNEL_DEVICETREE for am3/am4/am5/k2g
[+] a62a97bd  linux-ti-staging: include pru-uio device tree files for am571x and k2g
[+] aab57f6f  starterware: Updating to version 2.1.1.4
[+] 26513565  uio-test-pruss: Update to new version 1.0.2.0
[+] 945d261d  osal: Updating to version 1.0.0.8
[+] c5c4318f  hypnlk-ll-d: Updating to version 2.1.0.7
[+] 32a977ed  common-csl-ip: Updating to version 3.3.0.8
[+] a324b6e3  linux-ti-staging: update to ti2017.04-rc4 tag
[+] 790fc476  uio-module-driv: Update to version 02.02.01.00
[+] deca57ee  linux-ti-staging: update to ti2017.04-rc3 tag
[+] 40759287  openmp-rtos: bump SRCREV to version 2.6.2.0
[+] 665e63d1  u-boot-ti-staging: update to ti2017.04-rc2 tag
[+] f301570b  linux-ti-staging: update to ti2017.04-rc2 tag
[+] 6f783a45  icss-ema-ll-d*: upstream version 1.0.0.7C with recipes for linux user space
[+] 350ccbc9  starterware: add starterware for linux which installs header files only
[+] 1c924c00  ti-pdk-bbclass: Fix for building pru firmware
[+] f536ac38  wdtimer-rtos: added recipe for wdtimer
[+] c3c780c8  dra7xx-evm.conf: add new dra76-evm.dtb
[+] faad7455  u-boot-ti-staging: update to ti2017.04-rc1 tag
[+] 9bcc6fc7  linux-ti-staging: update to ti2017.04-rc1 tag
[+] ff3e821d  libaet: TI Emulation CTools AET library
[+] 99262b80  ti-cgt-pru: updated version to 2.1.5
[+] 2910ee91  multiprocMgr: Update to new version 3.0.4.0
[+] 51c60eaa  serdes-diag-rtos: Add rtos recipe for serdes-diag
[+] 780a7a48  nwal-ll-d-rtos: Add rtos recipe for nwal
[+] 6b6ca0c2  usb-ll-d-rtos: Added rtos recipe for usb-ll-d
[+] 35b23909  iqn2-ll-d-rtos: Adding rtos recipe for iqn2-ll-d
[+] 5dfec11  dfe-ll-d-rtos: Added RTOS recipe for dfe-ll-d
[+] c53bd48b  aif2-ll-d-rtos: Added RTOS recipe for aif2-ll-d
[+] ab74490b  tcp3d-ll-d-rtos: Added rtos recipe for tcp3d-ll-d
[+] dc9093f4  uart-ll-d-rtos: Added rtos recipe for uart-ll-d
[+] a2b08fd2  ibl-boot-rtos: added recipe for RTOS IBL
[+] d44d83fd  mad-utils-rtos: added recipe for MAD utils
[+] 62b190a8  ti-cgt6x-7: added recipe for TI CGT6x 7.x.x
[+] 091ec702  ti-paths.inc: added path for TI CGT6x 7.x.x
[+] 8beaaa80  sa-ll-d-rtos: Added rtos recipe for sa-ll-d
[+] 948f3073  pa-ll-d-rtos: Added rtos recipe for pa-ll-d
[+] 6b775825  spi-ll-d-rtos: Add rtos recipe for spi-ll-d
```

```

[+] cbb14827 hyplnk-ll-d-rtos: Add rtos recipe for hyplnk-ll-d
[+] 3d84b2e5 srio-ll-d-rtos: Add rtos recipe for srio-ll-d
[+] 9abc770e tsip-ll-d-rtos: Add rtos recipe for tsip-ll-d
[+] ed04da49 profiling-rtos: Add rtos recipe for profiling
[+] 8db1e4dc pcie-ll-d-rtos: Added rtos recipe for pcie-ll-d
[+] 5a160858 mcasep-ll-d-rtos: Added rtos recipe for mcasep-ll-d
[+] b8a910f5 mcbasp-ll-d-rtos: Added rtos recipe for mcbasp-ll-d
[+] 3ddab056 i2c-ll-d-rtos: Add rtos recipe for i2c-ll-d
[+] 7a8cbf10 gpmc-ll-d-rtos: Added rtos recipe for gpmc-ll-d
[+] 73540c8f gpio-ll-d-rtos: Added rtos recipe for gpio ll-d
[+] 66cdd7b4 fatfs-rtos: Added fatfs recipe for rtos
[+] a338a4ff mmc-sd-ll-d-rtos: Add rtos recipe for mmc-sd-ll-d
[+] db1f590c faultmanagement-rtos: Added rtos recipe for faultmanagement
[+] adf31a90 fftc-ll-d-rtos: Added rtos recipe for fftc-ll-d
[+] 71bdba60 bcp-ll-d-rtos: Added RTOS recipe for bcp-ll-d
[+] aca8f5d6 ti-ipc-rtos: add default symlinks for Keystone DSP firmware images
[+] 188f73e1 u-boot-ti-staging: update to ti2017.03-rc4 tag
[+] 2bc1015c linux-ti-staging: update to ti2017.03-rc4 tag
[+] 28bd2c60 ti-ipc: Update source release type to GA
[+] 231104d2 ti-ipc: Update to GA version 3.46.02.04
[+] e85dcf65 u-boot-ti-staging: update to ti2017.03-rc3 tag
[+] 88b3f418 linux-ti-staging: update to ti2017.03-rc3 tag
[+] 0a553445 ti-sgx-ddk-um: Fix PVR_DBG level in 1RGB FBO completeness check
[+] f1293314 libdce: Update PV and SRCREV
[+] ec6250df u-boot-ti-staging: update to ti2017.03-rc2 tag
[+] ebd40046 linux-ti-staging: update to ti2017.03-rc2 tag
[+] ff18a7ad multiprocMgr: Update to new version 3.0.3.0
[+] 6e4f9f28 linux-ti-staging: update to ti2017.03-rc1 tag
[+] 01207b87 u-boot-ti-staging: update to ti2017.03-rc1 tag
[+] c9ad6991 ti-cgt6x: revert version to 8.1.3
[+] 536fb130 ti-ipc: Update to new version 3.46.02.04_eng
[+] a912dd68 am57xx-hs, dra7xx-hs: add setting for OPTEE pager config
[+] bde5ff5a pa-ll-d: Updating the version to 3.0.2.4
[+] 8f0af6d8 sa-ll-d: Updating the revision to 3.0.0.18
[+] c106a8f5 traceframework-rtos: Add HTML doc link text
[+] c2f6c198 rm-ll-d-rtos: Add support for c66x
[+] 03e18c5c qmss-ll-d-rtos: Add support for c66x
[+] 74ba4393 pktlib-rtos: Add support for c66x
[+] b17c0409 cppi-ll-d-rtos: Add support for c66x
[+] 1289366e common-csl-ip-rtos: Add support for c66x
[+] e4639170 osal: Added rtos recipe and updated to 1.0.0.7 along with omapl1 support
[+] fd6dbc29 common-csl-ip: Update for CSL version 3.3.0.7 & support for ti33x, ti43x &
omapl1
[+] d8c22a95 ti-pdk: Update tool paths for omapl1 & update cores for ti33x & ti43x

```

meta-updater changed from 45c155a67d3532ad32342fc512e8bf6341ab9e5d to 090141edfc5883a2fe0ed1faece3ee2da957d115

```

[+] 090141e Merge pull request #171 from advancedtelematic/feat/pkcs11uptane
[+] 9e0bd0d Add the newest version of libp11
[+] efb1433 Add UPTANE key generation capability
[+] 371d304 Merge pull request #169 from advancedtelematic/bugfix/PRO-4259/latest-garage-sign
[+] 459d961 Latest garage-sign with many bug fixes.
[+] 41254c4 Merge pull request #164 from advancedtelematic/fix/pro-4254-cacert-path
[+] cbb8f8f Merge pull request #166 from advancedtelematic/bugfix/pyrobuild
[+] 6329b9c Merge pull request #167 from advancedtelematic/bugfix/qemuoverlay
[+] f1689ba Fix ca-certificates-native dependency.
[+] 443e92c Fix race condition in run-qemu-ota
[+] 9edb72f Fix incompatibilities with latest pyro, use wic on RPi
[+] 5812f49 Explicitly include ca-certificates as a dependency for garage-push
[+] 514fbb9 Merge pull request #162 from advancedtelematic/feat/PRO-4256/copy-manifest
[+] 468b053 Copy repo manifest to the device.
[+] 09fbb91 Merge pull request #161 from leon-anavi/pyro
[+] c8b535d Merge pull request #160 from advancedtelematic/bugfix/PRO-4140/silence-ostree-errors
[+] 2e73a3d garage-sign: Update checksums
[+] 1becb26 Bump ostree version to get Shaun's fix.
[+] be78e0b Merge pull request #159 from advancedtelematic/bugfix/PRO-4249/varmount
[+] afd18c7 Share /run directory between initramfs and system image to communicate ostree-booted file
[+] c72d37a Merge pull request #158 from leon-anavi/feat/PRO-4199/oe-selftest
[+] 3814eb4 garage-sign: ship files
[+] a1fc5ef garage-sign: Update checksums
[+] c24a4eb Merge branch 'pyro' of https://github.com/advancedtelematic/meta-updater into feat/PRO-4199/oe-selftest

```

```

[+] cdeaf69 Merge pull request #157 from advancedtelematic/docs/contributing
[+] 43b0d7f Add CONTRIBUTING information
[+] 26d7ed9 Merge pull request #156 from advancedtelematic/bugfix/update-garage-sign
[+] 456e3e7 Merge pull request #150 from advancedtelematic/feat/remerge-recipes
[+] 45c9cef Update to latest version.
[+] d3d3247 Merge pull request #151 from advancedtelematic/bugfix/PRO-4012/basehash
[+] 4ec946c Merge pull request #154 from advancedtelematic/refactor/PRO-4179/rust-1.20
[+] 32eb7ff Merge pull request #155 from advancedtelematic/feat/PRO-4219/garage-sign-
recipe
[+] 9f838e7 New garage-sign recipe.
[+] b50f8c8 Upgrade Rust to 1.20 on Pyro
[+] 45668eb Remove IMAGEDATESTAMP to make sstate input deterministic
[+] 6e12274 Reremerge aktualizr recipes.
[+] 63be71d Basic tests. Not complete.
[+] 86032c4 Clean up recipes according to Yocto recommendations.
[+] eceaca2 Merge pull request #148 from advancedtelematic/bugfix/PRO-4216/new-garage-push
[+] 5d654c0 README updates.
[+] 3725420 Use garage-push from aktualizr repo.
[+] 6b83fd2 Merge pull request #147 from advancedtelematic/bugfix/rm-garage-deploy
[+] af48969 Fix harmless error from not installing garage_deploy.
[+] 85960c2 Merge pull request #146 from advancedtelematic/feat/PRO-3805/pkcs11
[+] 9d9b6a8 Support pkcs#11 in aktualizr and add softhsm token for testing
[+] df3b263 Merge pull request #145 from advancedtelematic/bugfix/big-update-numfmt
[+] 96a8690 fix missing `numfmt`
[+] 36f1d86 Merge pull request #143 from advancedtelematic/feat/PRO-3799/implicit-writer
[+] 2bce870 Bump aktualizr version for implicit_writer support.
[+] 098f69a Move provisioning out of ostree bbclass into autoprov recipe.
[+] 6727062 Move implicit root CA to /usr/lib/sota.
[+] 0ab7fe3 Create recipe for implicit provisioning file shuffling.
[+] e8916f0 Formatting.
[+] e789ff5 Merge pull request #142 from advancedtelematic/feat/development-tools-pyro
[+] 9f5623f Make it easier to build from branches and run a specific image
[+] 1f7c727 Merge pull request #140 from advancedtelematic/feat/PRO-3805/cert_install
[+] c320103 Merge pull request #136 from advancedtelematic/feat/PRO-3805/p11test
[+] 364f235 Merge pull request #134 from advancedtelematic/refactor/remove_keyid
[+] 4a7366c Add recipes to test pkcs11 functionality in Aktualizr
[+] 2712c05 Hacky ability to provide client credentials and install them on the device.
[+] 6db91a2 Merge pull request #138 from dl9pf/patch-13
[+] 2287e74 Merge pull request #139 from leon-anavi/pyro
[+] d472c32 sota.bbclass: Add aktualizr-auto-prov
[+] 975c98c aktualizr-auto-prov.bb: Aktualizr configuraitons
[+] 5b31bcd Merge pull request #137 from advancedtelematic/feat/switchtopyro
[+] a9a01b8 aktualizr_git.bb: remove systemd service and configurations
[+] 9fb73b0 Pyro needs coreutils-native (we call sync) b/c rss
[+] c82338b Merge branch 'morty' into pyro
[+] 025bed3 Merge pull request #135 from advancedtelematic/feat/PRO-3923-add-persistence-
option-qemu-script
[+] c37424f PRO-3923 Add persistence option to run-qemu script
[+] c630035 Remove useless/obsolete --disable-keyid-validation option.
[+] 80b420a Merge pull request #129 from advancedtelematic/bugfix/cruft
[+] 9953c9c Merge pull request #130 from leon-anavi/morty
[+] 6ed33bd Merge pull request #133 from advancedtelematic/merge-morty-changes-forward
[+] cc8585e Add missing libarchive dependency
[+] a130c02 Merge remote-tracking branch 'github/morty' into HEAD
[+] f943268 Merge pull request #131 from leon-anavi/pyro
[+] 8ae459c ostree_git.bb: Depends on xz for liblzma
[+] fefc668 ostree_git.bb: Depends on xz for liblzma
[+] 4e5064a Merge pull request #126 from leon-anavi/morty
[+] deac6ea Merge pull request #123 from dl9pf/patch-11
[+] bf3abfd Merge pull request #121 from advancedtelematic/feat/bump-sota
[+] 7cfed25 Merge pull request #127 from leon-anavi/PRO-3776
[+] c5ed6a9 Remove BUILD_TESTS=OFF because it does nothing.
[+] b48fe3e scripts/envsetup.sh: Use machine specific local.conf
[+] dee9bf7 Show warnings if credentials are not provided
[+] e4d1236 Merge pull request #124 from dl9pf/patch-12
[+] 906a94f Set IMAGE_OVERHEAD_FACTOR for fixed initrd size
[+] 3ca24fc Set IMAGE_OVERHEAD_FACTOR for fixed initrd size
[+] 88c35d3 update sota-client to d41540a5
[+] 97ae557 Merge pull request #120 from leon-anavi/pyro
[+] 8a0ef9f Merge pull request #119 from advancedtelematic/bugfix/treehub.json
[+] 624e5e7 glib-networking_%.bbappend: Add again hackery
[+] 91c7c98 Delete treehub.json from the credentials package on the device
[+] cae622f Merge pull request #110 from advancedtelematic/bugfix/PRO-3484/avoid-build-
unzip
[+] e59b7e9 Remove device section as it is no longer used.

```

```

[+] b20eb4a Prepare credentials correctly for rvi-sota-client.
[+] b376ae9 Minor documentation typo/grammar fix.
[+] 5330702 Call garage-push directly with zip file instead of sending unzipped contents.
[+] 67601af Merge pull request #117 from chbae/pyro
[+] 93e5ebe Add LICENSE and SRC_URI variable in recipe
[+] 34d5f75 Merge pull request #115 from advancedtelematic/bugfix/sota-launcher-depends
[+] 0f3f8b4 fix dependency of sota-launcher to correct rvi-sota-client
[+] 245bdcd update sota-client to b9170df
[+] 03b1971 Merge pull request #114 from advancedtelematic/bugfix/PRO-3681-reenable-
petname-rvi-sota-server
[+] a50d20b PRO-3681 Add python-petname back in rvi-sota-server RDEPENDS
[+] 999e261 Merge pull request #107 from advancedtelematic/refactor/PRO-3377/secondary-
ecus
[+] 16eb34d Merge pull request #111 from advancedtelematic/bugfix/pro-3663/sota-tools
[+] 25fa85e rename back sota-client to rvi-sota-client
[+] 61a7adc Bump version of sota-tools
[+] ff5efc4 Split rvi-sota-client into multiple binaries
[+] ealc3a4 Merge pull request #108 from leon-anavi/pyro
[+] 2c43ed0 glib-networking_%.bbappend: Remove hackery
[+] ad5245e u-boot_2016.11: Copy U-Boot recipe from morty
[+] 53526d7 Merge branch 'morty' of https://github.com/advancedtelematic/meta-updater into
pyro
[+] e5a12d4 Merge pull request #104 from advancedtelematic/feat/new-run-qemu
[+] c6488a1 Merge pull request #106 from advancedtelematic/bugfix/PRO-3157-restore-
petnames
[+] 3000fc4 Merge pull request #103 from leon-anavi/morty
[+] a4bab29 PRO-3157 Restore petname usage in rvi-sota-client provision script
[+] 28e841a aktualizr: Update to c24f1fc
[+] 5ec153a Copy run-qemu script over from meta-updater-qemux86-64
[+] c88d6c6 aktualizr: Update to 207898e
[+] 6f7f86b Merge pull request #97 from advancedtelematic/refactor/PRO-3413/update-client
[+] 3c0ab61 Merge pull request #102 from leon-anavi/pyro
[+] a89a2a7 Remove canonical_json.py from rvi_sota_client recipe
[+] 92204be image_types_ostree.bbclass: Fix path to unzip
[+] a6dbdad Update rvi_sota_client to latest commit
[+] 00dc1fe Merge pull request #101 from advancedtelematic/feat/mergemorty
[+] b56329a Merge pull request #99 from advancedtelematic/bugfix/rpixz
[+] 69a0db9 Merge branch 'morty' into pyro
[+] b0d9d70 Merge pull request #92 from dl9pf/patch-2
[+] 4b32751 Merge pull request #91 from dl9pf/patch-1
[+] 0c35f17 Fix output directory in sdcard_image-rpi-ota
[+] 02c4dbb Merge pull request #98 from advancedtelematic/bugfix/pokybuild
[+] e39692a Fix build issues with yocto pyro
[+] 3cffb22 Merge pull request #93 from dl9pf/patch-3
[+] 00cf945 Merge pull request #94 from dl9pf/patch-4
[+] 109b534 Use compression on output file to save space
[+] 51e4c72 Disable noisy warnings ... should only print once.
[+] 43163f4 Disable noisy warnings ... should only print once.
[+] 510483e Also remove compressed rpi-sdimg.xz
[+] 56aab3b Remove also compressed rpi-sdimg.xz
[+] e565878 Merge pull request #88 from advancedtelematic/feat/PRO-3341/PRO-3342/report-
device-info
[+] f4d02e3 PRO-3341 PRO-3342 Bump aktualizr version to add sw/hw reporting
[+] 964c035 Merge pull request #86 from advancedtelematic/feat/pro-3320
[+] 83af625 Merge pull request #87 from advancedtelematic/bugfix/agl-doesnt-boot
[+] 5d38a4f Merge pull request #83 from advancedtelematic/bugfix/PRO-3330/build-script
[+] 0f40a9d Fix new/existing build directory logic
[+] a33124a Quote all bash variables
[+] 30109fe Fix script directory in zsh
[+] fa0129a Override IMAGE_ROOTFS_EXTRA_SPACE
[+] dc23453 Aktualizr updates, including sync()
[+] 2d49a25 Merge pull request #81 from chbae/pyro
[+] 1e068cd u-boot: Remove bb file
[+] 55cf85a otainage.py: Arrage script for pyro

```

poky changed from fd7f2d644a94bbb951c0bed11af7deb35f1cfb22 to
ebb625a140ef67d65dca1b262304377814eb8ed4

```

[+] ebb625a140 openssh: Fix key generation with systemd
[+] 9f981b48cf json-c: backport patch to fix gcc7 compilation
[+] 7ca04fef1b useradd-staticids: don't create username-group if gid is specified
[+] 8c3ea68812 curl: enable threaded resolver
[+] 47d26eef52 kernel-fitimage: support MIPS (compressed)
[+] 431cb72138 kernel-uboot: support compressed kernel on MIPS
[+] 1e69586439 kernel-uimage: optimise UBOOT_ENTRYSYMBOL support
[+] 01e24eb47b kernel-fitimage: unbreak UBOOT_ENTRYSYMBOL support

```

```

[+] 637fec385a kernel-fitimage: sanitize dtb section name (unbreak MIPS)
[+] 8deaf6612a kernel-uimage.bbclass: Fix up generation of uImage from vmlinux
[+] b286ba24f4 ca-certificates: Fix postinst dependency issues
[+] cfa154ec74 debianutils: Add a native version (for run-parts)
[+] 5399eb5636 copyleft_filter.bbclass: restore possibility to filter on type
[+] 0c9925f229 selftest/archiver: only execute deploy_archives task
[+] edae320ef5 selftest/archiver: add tests for recipe type filtering
[+] 28b8850356 openssl: allow to override OpenSSL HostKeys when read-only-rootfs
[+] cd28daadfd busybox: add backported patch to support iproute 'scope'
[+] 5cb078a086 busybox: fix a linking issue
[+] 7deed8ff4e gdb: fix gdbserver not working in musl/mips context
[+] b085162a8e oe-pkgdata-util: package-info: Allow extra variables to be displayed
[+] faf109ca94 binutils: apply mingw fix only for binutils-cross-canadian
[+] 65c54c2700 oe-build-perf-report: use correct x-axis max value in html charts
[+] eff8629de1 oe-build-perf-report: allow slashes in {branch} field in tag names
[+] b9d63e19a9 oe-build-perf-report: accept parenthesis in tag names
[+] 24be54c87c oeqa/selftest/recipe tool: use stable tarball for recipetool create test
[+] 448d0be779 wic: accept '-' in bitbake variables
[+] c458f2867e useradd: don't override pseudo environment
[+] 9351217eb7 bitbake: tests/fetch: handle network failures gracefully
[+] 4490625088 bitbake: bitbake: Fix return value checks from subprocess.call()'s
[+] a475795953 bitbake: Replace deprecated git branch parameter "--set-upstream"
[+] 50cc15335e goarch.bbclass: Replace logic for setting GOARM
[+] 827eb5b232 wpa_supplicant: fix WPA2 key replay security bug
[+] b1f14ecddf bitbake: toaster/highlight.pack.js: Fix corrupted file
[+] 15eb02516b bitbake: toaster: Remove prettify
[+] 717303e6fb image.bbclass: Sorted ctypes to avoid basehash error
[+] 30613467d8 bitbake: cooker: add BB_CMDLINE to enable access to UI command line with
memres
[+] e9834ba34b linux-yocto/4.1: genericx86* bsp fix perf issue with gcc >=7
[+] 9b1a7e66af linux-yocto: Update genericx86* SRCREVs for linux-yocto 4.1
[+] b24d9be38f meta-yocto-bsp: bump 4.1 to latest linux stable kernel for the non-x86 BSPs
[+] 4a8a38986f meta-yocto-bsp: bump to the latest linux stable kernel for the non-x86 BSPs
[+] b2408ffb9e linux-yocto: Update genericx86* SRCREVs for linux-yocto 4.9
[+] 17286a9114 linux-yocto: Update genericx86* SRCREVs for linux-yocto 4.10
[+] b1d08ca8db linux-yocto: Update genericx86* SRCREVs for linux-yocto 4.4
[+] 4340075da0 linux-yocto: Update genericx86* SRCREVs for linux-yocto 4.10
[+] f56136d78e linux-yocto: Update genericx86* SRCREVs for linux-yocto 4.9
[+] d8115fe4a4 linux-yocto: Update genericx86* SRCREVs for linux-yocto 4.4
[+] 8d7351e37d meta-yocto-bsp: bump to the latest linux stable kernel for the non-x86 BSPs
[+] 8981242a91 linux-yocto: Update genericx86* SRCREVs for linux-yocto 4.9
[+] 6b2b85b405 linux-yocto: Update genericx86* SRCREVs for linux-yocto 4.4
[+] dc7418f759 linux-yocto: Update genericx86* SRCREVs for linux-yocto 4.1
[+] affe0dcc8e meta-yocto-bsp: bump to the latest linux stable kernel for the non-x86 BSPs
[+] 47b8028c8d meta-yocto-bsp: bump to the latest linux stable kernel for the non-x86 BSPs
[+] 23be02c8ae linux-yocto: Update genericx86* SRCREVs for linux-yocto 4.10
[+] d011ec9def linux-yocto: Update genericx86* SRCREVs for linux-yocto 4.9
[+] 0cb21a4d1e linux-yocto: Update genericx86* SRCREVs for linux-yocto 4.4
[+] b9dd3782ce meta-yocto-bsp: bump to the latest linux stable kernel for the non-x86 BSPs
[+] 251fea0032 linux-yocto: Update genericx86* SRCREVs for linux-yocto 4.10
[+] e094dcf0f3 linux-yocto: Update genericx86* SRCREVs for linux-yocto 4.9
[+] 710ff8cdda linux-yocto: Update genericx86* SRCREVs for linux-yocto 4.4
[+] 9d3df55f8c linux-yocto: Update genericx86* SRCREVs for linux-yocto 4.1
[+] cb8f468991 gcc-6.3.inc: Use ucontext_t not struct ucontext.
[+] 4297169451 linux-yocto/4.1: update to 4.1.43 plus bluetooth CVE-2017-1000251
[+] 5d5cc1fa6a libproxy: use stable download URL
[+] ec29ea0394 linux-yocto/4.9: bluetooth: CVE-2017-1000251
[+] 468bcd601d linux-yocto/4.4: bluetooth: CVE-2017-1000251
[+] e77d5579f4 linux-yocto/4.10: bluetooth: CVE-2017-1000251
[+] 460d2292f8 linux-yocto/4.9: update to v4.9.49
[+] 0808085dc4 linux-yocto/4.4: update to v4.4.87
[+] 873a4eca11 (PRE)MIRRORS: fix pattern for npm:// without slash
[+] 23ea6ac574 waffle: fix REQUIRED_DISTRO_FEATURES and PACKAGECONFIG virtual/libgl
dependencies
[+] 44c5efb453 rootfs-postcommands: add test for unsatisfied RRECOMMENDS
[+] 4d85aa71a0 rootfs-postcommands: remove empty line
[+] 40ce8ca30c rootfs-postcommands.bbclass: Filter out dangling symlinks in
ssh_allow_empty_password()
[+] 88455dd53c alsa-utils: Do not hardcode path to /lib/udev
[+] 625b0a6702 package_rpm.bbclass: disable generation of .build-id links
[+] 59f8925f60 package_rpm.bbclass: use multithreaded xz compression
[+] f6eff90737 rpm: allow arch-dependent binaries in noarch packages
[+] b5bef4ea31 bitbake: cooker.py: Fix layer priority processing
[+] 372f72f2ee bitbake: toaster: recipe links broken for default layers
[+] 17b4f4e731 bitbake: toaster: edit column list not sorted

```



```

[+] 8ef614ee77 bitbake: toaster: set default pokydirname if no external layers
[+] 9566ec3c3a bitbake: toaster: debug message for lists layers missing separators
[+] f744d7c496 bitbake: toaster: Order column in Tasks selectable
[+] 4c246b822a bitbake: toaster: display error when the fstype select is empty
[+] 9034b2c57b bitbake: cooker: ensure monkey-patching in collect_bbfiles() gets undone on
error
[+] 0704bbdaeb bitbake: cooker: fix watching empty directories
[+] 200362645b bitbake: cooker: Track directories searched for bbappend/bb files
[+] 072430b9b3 bitbake.conf: add bzip2 to HOSTTOOLS_NONFATAL
[+] 5228b68cfe glibc-locale: add runtime dependency on glibc
[+] ce26a57e04 Revert "expat: Don't use getrandom() in the -native case"
[+] c60135eef poky: Update version to 2.3.2
[+] e2ab43fd1d grub: Fix build with gcc7
[+] 911146122c staging: Fix a logic error which caused dependency removal
[+] 8329bfd156 staging: Ensure dependencies are removed before being added
[+] 292cb6a32f staging: Avoid sysroot removal races
[+] 54efca180b classes/license: drop erroneous sha256 parameter in LIC_FILES_CHKSUM
[+] 21c1a32746 linux-yocto/4.4: update to v4.4.85
[+] 5d83d8d351 linux-yocto/4.9: update to v4.9.46
[+] 519942c592 linux-yocto/4.10/4.9: fix BRCMFMAC_PROTO_MSGBUF warning
[+] c18e8747f0 linux-yocto/4.10: fix aufs build
[+] 2e740c4583 linux-yocto/4.10: CVE & misc fixes
[+] 288c2ff81b kernel-yocto: configuration updates: x86 features
[+] 3490db6a4c linux-yocto/4.1: fix fsl-ls10xx sdhci
[+] 2d6eb6904d linux-yocto/4.9: update to v4.9.36
[+] 5ec4c63573 linux-yocto/4.1: update to v4.1.42
[+] 197a32fd1b kernel-yocto: configuration updates: x86 features
[+] b1ffdf653c terminal.py: fix devshell with mate-terminal
[+] 452164e7d6 terminal.py: avoid 100% cpu while waiting for phonehome pid file
[+] 0f81fcb600 terminal: wait for terminal task to finish before proceeding
[+] 08f8bf817b bash: memleak bug fix for builtin command read
[+] d2b60efe20 libxml2: Fix CVE-2017-8872
[+] 6c657b8441 libxml2: Revert "Add an XML_PARSE_NOXXE flag to block all entities loading
even local"
[+] a602b9f748 taglib: Security fix CVE-2017-12678
[+] 02b1cc0aef e2fsprogs: fix ptest script
[+] e6533d1d9e ghostscript: CVE-2017-9727, -9835, -11714
[+] bbb081544c ghostscript: fix several CVEs by adding bounds checking
[+] f77fdc9f9f tiff: Security fixes
[+] cb4fd41504 libtasn1: CVE-2017-10790
[+] df8c138772 libsndfile1: Fix CVE-2017-8363
[+] 2cc6f0ba68 libsndfile1: Fix CVE-2017-8362
[+] 7ec1ed5c80 libsndfile1: Fix CVE-2017-8361 and CVE-2017-8365
[+] ce45b35a67 libsndfile1: Fix CVE-2017-6892
[+] 108f9a2666 wget: Security fix CVE-2017-6508
[+] e99089ce24 xserver-xorg: Fix CVE-2017-10971
[+] c63480c960 ruby: fix CVE-2017-922{6-9}
[+] 62e244d713 ruby: fix CVE-2017-9224
[+] 960a653e0c expat: Don't use getrandom() in the -native case
[+] 3f97cd3514 nspr: Fix build error due to missing stdint.h> include
[+] 58f7950896 icu: Fix build with glibc 2.26
[+] b8eb4b65cd python-numpy: Fix issues with recent glibc versions
[+] 364f6b5fac qemu: Backport a patch for recent glibc versions
[+] ffb1aa67a4 python3-native: Avoid use of getentropy/getrandom
[+] d9b63154aa ref-manual: Fixed broken link.
[+] e40d58a879 ref-manual: Removed duplicate section id.
[+] dcd287d546 ref-manual: Added a cross-reference link to "tmp/sysroots-components"
[+] 89e6119a8b ref-manual: Updated SSTATE_SCAN_FILES variable description
[+] 0f1ea9ff44 ref-manual: Added tmp/sysroots-components task
[+] fed307f58b ref-manual: Corrected spelling errors
[+] d05391a7d4 documentation: Preparation for 2.3.2 release
[+] 3e9605bd98 ref-manual: Fixed YP Term problem with botched earlier commit
[+] 543337e849 ref-manual: Added new variable
[+] 5af18d3753 kernel-dev: Updated "Creating and Preparing a Layer" section
[+] f80223eb50 ref-manual: Fixed links in do_prepare_recipe_sysroot task
[+] 1f625b2dae ref-manual: Edited Migration section
[+] 573368bc90 ref-manual: Edits to staging.bbclass
[+] 7bc2ff7018 ref-manual: Updated build/tmp/work/tunearch/recipe-name/version
[+] a2712c3752 dev-manual: Updated "Sharing Files Between Recipes"
[+] 5826fabe6f ref-manual: Updated Documentation required packages
[+] d0c89b6d59 dev-manual: Updates to "Using .bbappend Files in Your Layer"
[+] 4712ba38e5 dev-manual: Changed wording that intros layer creation steps
[+] 7ea76684cb package.bbclass: Restore functionality to detect RPM dependencies
[+] 00b1e7d38b libcheck: fix file-rdeps QA issue
[+] 09471f0593 rpm: Disable perl dependency generation

```

```

[+] 371f480aeb ltp: Skip the filedependency scan
[+] 3afca26b11 bind: Use correct python interpreter path
[+] 2d3908ae4c package_rpm.bbclass: Filter out unwanted file deps for nativesdk packages
[+] abc1771306 git: Do not install git cvsserver and git svn by default
[+] 6f5b49ba22 rpm: Add dependencies on bash, perl and python3-core
[+] 58884341dc perl: Do not generate file dependencies for perl-ptest
[+] 6c17b29db1 insane.bbclass: Ignore perl as dependency for nativesdk packages
[+] abbd0abela rpm: Add a new option --alldeps to rpmdeps
[+] 6c9ad26db0 rpm: Use conditional to access %[_docdir] in macros.in
[+] ada48bbe8c rpm: Do not require that ELF binaries are executable to be identifiable
[+] 269bea560c rpm: Create a wrapper for the native rpmdeps tool
[+] e6aa58d0b0 rpm: Simplify the creation of wrappers for the native tools
[+] 14effcc3d6 toaster.bbclass: Ignore some dependencies in toaster_buildhistory_dump()
[+] 986de4b7f0 toaster.bbclass: Simplify parsing of depends.dot
[+] e56ff20931 buildhistory.bbclass: Improve the generated depends.dot file
[+] b539afa655 insane.bbclass: Improve the handling of runtime file dependencies
[+] 9d33b246ca insane.bbclass: Report all file-rdeps errors, not just the first
[+] 7defdff41f libxml2: Make ptest run the Python tests if Python support is enabled
[+] 26260d76b7 libxml2: move python module to Python 3
[+] 01406f8bf6 package_manager.py: Generate correct RPM package names again
[+] 80d0ce002e gtk+3: Update the patches to work with old versions of patch
[+] 5fd01704b9 connman: Fix for CVE-2017-12865
[+] 9842f64154 rootfs-postcommands.bbclass: Prevent linking testdata to itself
[+] 87b52832e8 gnu-efi: Fix build with gcc7
[+] 2ded079276 chrpath: use https for SRC_URI
[+] 86277e9408 systemtap: ensure systemtap-native is available
[+] 6bc0d5069f ncurses: add SYSROOT_DESTDIR for siteconfig_gencache
[+] 85c41bfcf2 mirrors.bbclass: provide git repo fallbacks using the https protocol
[+] 6da2983692 gnu-config: update SRC_URI to new savannah.gnu.org hostname
[+] 43435bc2e4 image: Fix "metadata is not deterministic" when chaining 2+ CONVERSION_CMDs
[+] 88eec32150 image.bbclass: Correct chaining compression support
[+] 5a20323f20 mesa.inc: drop wrong path in --with-llvm-prefix and export LLVM_CONFIG
[+] b4ea7bfad6 insane.bbclass: fix override handling in RDEPENDS QA
[+] 4ec0cbceec icecc.bbclass: prevent nativesdk builds depending on target specific
KERNEL_CC
[+] f2a65bd268 v86d, gemuboot-x86.inc: use KERNEL_MODULE_AUTOLOAD+KERNEL_MODULE_PROBECONF
for uvesafb instead of fbsetup init script
[+] 6f6a73f7ad linux-libc-headers: fix duplicate IFF_LOWER_UP DORMANT ECHO on musl
[+] 2002de4eae package_manager: Fix support for NO_RECOMMENDATIONS
[+] 05f7969366 kernel.bbclass: fix KERNEL_IMAGETYPE(S) for Image.gz
[+] ddb3a2f485 lsof: update SRC_URI
[+] 01429e2a64 lsof: minor recipe cleanup
[+] a58b021b75 lsof: clear setuid
[+] 279e22c16b kernel.bbclass: set CVE_PRODUCT to linux_kernel if not set by recipe
[+] 24b0fa7324 elfutils: use HTTP instead of FTP to fetch
[+] 39e40d2490 cve-check.bbclass: use weak assignment for default CVE_PRODUCT
[+] 90acac9f21 wpa-supPLICANT_2.6.bb: set CVE_PRODUCT to wpa-supPLICANT
[+] 77d6595116 sqlite3.inc: set CVE_PRODUCT to sqlite
[+] be8fbfb22e quota_4.03.bb: set CVE_PRODUCT to linux_diskquota
[+] 908e666fcb lttng-ust_2.9.1.bb: set CVE_PRODUCT to ust
[+] 5b56c220e6 python.inc: set CVE_PRODUCT to python
[+] 335d3cc262 nspr_4.14.bb: set CVE_PRODUCT to netscape_portable_runtime
[+] 96e31260d4 libsndfile1_1.0.28.bb: set CVE_PRODUCT to libsndfile
[+] b0655ebcbb libsamplerate0_0.1.9.bb: set CVE_PRODUCT to libsamplerate
[+] 156c033a3b libpcre2_10.23.bb: set CVE_PRODUCT to pcre2
[+] 9b81f32906 libpcre_8.40.bb: set CVE_PRODUCT to pcre
[+] 7657c7f5e8 icu.inc: set CVE_PRODUCT to international_components_for_unicode
[+] b7754933b7 glibc-common.inc: set CVE_PRODUCT to glibc
[+] db8f4f24ce glib.inc: set CVE_PRODUCT to glib
[+] fe3f704f10 gcc-common.inc: set CVE_PRODUCT to gcc
[+] 8142d69111 flac_1.3.1.bb: set CVE_PRODUCT to libflac
[+] 300fb6df80 eglinfo.inc: set CVE_PRODUCT to eglinfo
[+] c645465839 bluez5.inc: set CVE_PRODUCT to bluez
[+] b2cc8e045e acpid.inc: set CVE_PRODUCT to acpid2
[+] 98dcaa9d2c uninative: Update to 1.7 uninative release
[+] 4a39979c8d poky.ent: Updated CentOS required package
[+] 08d3bdf25e poky.ent: Corrected package duplication
[+] 9d7c958940 bitbake: toaster: noweb should init database
[+] 4b35d0a012 bitbake: toaster: get_last_build_id not called correctly
[+] b161cb0c35 bitbake: toaster: add getMessage to MockEvent
[+] 55f8db0246 bitbake: toaster: fail on layers with sub-layer
[+] f505d9fad9 bitbake: toaster: add ID's to build menu links
[+] 1a8d911989 bitbake: toaster: add ID's to navigation links
[+] a19c27b807 classes/staging: change fixme debug message from note to debug
[+] 6886e958df linux-yocto/4.9: update to v4.9.36

```

```

[+] 9ec87ef11c linux-yocto/4.4: update to v4.4.76
[+] 5d5d7c2f05 kernel-yocto/meta: smp configuration changes
[+] 2fd84d63a5 linux-yocto/4.4: update to v4.4.71
[+] c78d6743db linux-yocto/4.9: update to 4.9.31
[+] 23dd1b79bf linux-yocto/4.10: update to v4.10.17
[+] 835265b65b linux-yocto-rt: 4.9-rt18
[+] 3d10ba1b30 linux-yocto/meta: configuration changes (wifi, kexec and nft)
[+] 07a9b6a4fb kernel/meta: add virtualbox configuration fragment
[+] 47321834f1 linux-yocto/meta: smp: Add config X86_BIGSMP since its needed when NR_CPUS
> 8
[+] 728038c3a6 linux-yocto/meta: bluetooth: Adds BT_BREDR and BT_LE, which are needed as
dependencies
[+] ffe109c38b linux-yocto/4.1: fix gcc7 compilation and v4.1.39
[+] e2633fecbf linux-yocto/4.9: update to v4.9.27
[+] 8aaf737d8b linux-yocto/4.4: update to v4.4.67
[+] 49495c60c5 linux-yocto/4.10: update to v4.10.15
[+] 912d9f531e kernel-yocto: propagate configuration errors to bbclass
[+] 0ffe27ffef recipetool: git reformat URI mangling & parameter stripped
[+] 182e0a290d systemd: workaround login failure on qemumips64 when 'pam' is enabled
[+] b7e7b5e294 systemd: refuse to load units with errors (CVE-2017-1000082)
[+] bc3fa28e93 yocto-compat-layer.py: make signature check code reusable
[+] 026586965a yocto-compat-layer.py: allow README with suffix
[+] 8f20c03dd6 yocto-compat-layer.py: add test_world
[+] 14d5932c20 yocto-compat-layer.py: apply test_signatures to all layers
[+] 6d7302b53c yocto-compat-layer.py: tolerate broken world builds during signature diff
[+] 7546daec4f yocto-compat-layer.py: avoid adding layers more than once
[+] 8a08f866fc iptables: Apply 0001-fix-build-with-musl.patch unconditionally
[+] 0ee0a238fd tzcode-native: quote ${CC}
[+] a839f11d5d qemuboot.conf: make cpus match built artifacts
[+] d4c4708906 package_manager.py: set dnf's releaserver setting from DISTRO_CODENAME
[+] 4c78660fb4 zlib: Pass pre-calculate uname enable re-entrant flags
[+] 0e80156a99 git: Add a dependency on perl for gitweb
[+] e099cb6c35 texi2html: Add a dependency on perl
[+] 0f271a5eb9 linux-firmware: Avoid a dependency on python-core
[+] c89e7747aa libpcap: apply fix from upstream to fix build race
[+] bed0997f11 tzdata: Install zone1970.tab
[+] 9dee4e5650 libxml2: Fix CVE-2017-0663
[+] 9d59e7d739 libxml2: Fix CVE-2017-5969
[+] 93b0d29184 libxml2: Fix CVE-2017-9049 and CVE-2017-9050
[+] b611c4c7c0 libxml2: Fix CVE-2017-9047 and CVE-2017-9048
[+] b5ea1132a6 libxml2: Avoid reparsing and simplify control flow in xmlParseStartTag2
[+] 3a52b52844 libxml2: Disable LeakSanitizer when running API tests
[+] 00a859afd0 classes/buildhistory: fix failures collecting output signatures
[+] 5686f4e1fe tcf-agent: kill with USR2 in systemd stop
[+] 4ba7143744 tcf-agent: Fix daemon termination
[+] 0920b28c93 libgcrypt: fix CVE-2017-7526
[+] 74bfe85d5c libgcrypt: fix CVE-2017-9526
[+] 6bd890d9e0 build-appliance-image: Update to pyro head revision
[+] 405517b429 build-appliance: Set to pyro release branch
[+] c2ef32ae58 build-appliance-image: Update to pyro head revision
[+] e3ba377698 yocto-project-qs: Updated exit QEMU instructions.
[+] 16f14397a1 poky.conf: Bump version for 2.3.1 pyro release
[+] 1382d6ccce mkefidsk: fix bash/dash shell quoting problem
[+] 7c27bf2dd8 systemd-boot.bbclass: Add configuration data to secondary EFI partition
[+] 185f4e7e6e package_manager: flush installed_pkgs file before oe-pkgdata-util uses it
[+] cc48789276 u-boot-mkimage: fix nativesdk build
[+] f0d128ea0d Revert "bitbake.conf: Add sdl-config to HOSTTOOLS if using host SDL"
[+] c11f1ff584 bitbake: siggen: Make calc_taskhash match get_taskhash for file checksums
[+] 18341b9dc9 bitbake: fetch: fix handling of files with incorrect checksums from a
premirror
[+] 9074fb46bc ref-manual: uClibc Replaced by musl from Yocto 2.2
[+] 9f3cde2467 dev-manual: Fixed a DocBook issue with formatting "bug-id"
[+] ce2707487e sdk-manual: Updated the note for building SDK Installer
[+] a1f1b7f111 ref-manual: Updated LAYERRECOMMENDS variable
[+] 484237aa97 documentation: Prepared 2.3.1 release variables and dates
[+] 6f8a652eeb ref-manual: Updated PACKAGECONFIG_CONFARGS variable
[+] bb71e194c5 ref-manual: Added warning to native.bbclass for naming convention
[+] 003d869116 ref-manual: Updated PACKAGECONFIG_CONFARGS variable description
[+] 2bf0932d7b yocto-project-qs: Updated the YP Development Flow figure
[+] 5d32c4604c dev-manual, sdk-manual: Fixed link to Eclipse section
[+] 6edb524b26 dev-manual: Fixed broken link into the setting up Eclipse section
[+] 3f4cddf4eb ref-manual: Added LAYERRECOMMENDS variable description
[+] e9a2e5ae36 ref-manual: Updated LAYERDEPENDS variable description
[+] aade3895d4 ref-manual: Updated image-live.bbclass description
[+] 4fe09a11ee ref-manual: Enhanced the glossary description for INHERIT

```

```

[+] 726e26ae5a ref-manual: Fixed typo for "Installation"
[+] f01b909a26 package_ipk: Clean up Source entry in ipk packages
[+] 5bb92a3166 mkelfimage: Fix broken patch when building native
[+] 4ba0cc04af automake: Backport perl 5.22 fix
[+] 91cee06433 bitbake.conf: Add sdl-config to HOSTTOOLS if using host SDL
[+] c63903443b piglit: add patches for unbuildable surfaceless Mesa test
[+] 262af7bf2d piglit: add patch for lack of gbm_bo_map
[+] a99c56fb6d piglit: depend on virtual/egl
[+] bebb3d36f8 image-vm: Avoid use of fold, tac and paste commands for DISK_SIGNATURE
[+] 607bd9ec39 kernel: predefine KBUILD_BUILD_USER and KBUILD_BUILD_HOST
[+] fa7a1f2115 binutils: fix CVE-2017-7210
[+] e28778ee72 binutils: fix CVE-2017-7209 in readelf
[+] 7d7ac87831 libxslt: Fix CVE-2017-5029
[+] 30ala8e448 ghostscript: CVE-2016-7977, CVE-2016-7978, CVE-2016-7979, CVE-2017-9216
[+] 31e9be1981 ghostscript: CVE-2016-8602, CVE-2017-7975
[+] 829e2027b6 binutils: fix CVE-2017-6969 in readelf
[+] c2c48f2645 rpcbind: Fix CVE-2017-8779
[+] 13f7fc4655 binutils: Fix CVE-2017-8392
[+] d2586b6fde cve-check.bbclass: make warning contain CVE IDs
[+] bc45d3a86b cve-check-tool: backport a patch to make CVE checking work
[+] f375c30a17 oega/selftest: lock down Meson git revision for reliability
[+] 645467e03f scriptutils: fix fetch_uri() to work with RSS
[+] 31389f8b00 cryptodev-linux: update SRC_URI
[+] e5aa1ac236 bash: CVE-2016-0634
[+] abae42362a staging: Allow BB_LIMITEDDEPS to avoid BB_TASKDEPDATA
[+] 78747cc912 sstate: Ensure native/cross recipes have relocation of HOSTTOOLS_DIR
[+] d31bee70dd python.inc: Fix python2/3 hosttools path references
[+] 901d3880bf rpm: Ensure macros file doesn't reference HOSTTOOLS
[+] 0fcbb4d0ec GNU_MIRROR: switch from ftp to https
[+] 97e194e555 DEBIAN_MIRROR: switch from ftp to http
[+] eb30ca2b31 useradd: remove preinst script referring to recipe sysroot
[+] 7b56a4327b useradd.bbclass: Handle COMPONENTS_DIR when restoring state
[+] 439bb8cc71 bitbake.conf: Add COMPONENTS_DIR for ${STAGING_DIR}-components
[+] 3e655f9c7f yocto-project-qs: Updated output for git clone of meta-intel.
[+] 4b0bec5211 yocto-project-qs: Updated git clone output for pyro poky.
[+] f670640669 ref-manual: Removed section on checking for build-time dependencies.
[+] 0241215d3e ref-manual, dev-manual: replaced "depexp" with "taskexp"
[+] e801e6e7dd ref-manual: Removed text surrounding BB_SETSCENE_VERIFY_FUNCTION* vars
[+] d815dfbea3 dev-manual: Cleaned up "Gdbserver" term
[+] cbea3d8b6b dev-manual: Updated a few occurrences of "dnf" to "DNF"
[+] bcf22c0bb6 dev-manual: Changed "Dnf" to "DNF" for consistency
[+] bc1c16f616 ref-manual: Added links for variables
[+] 171b714ed2 ref-manual: Added 4 DISTRO_FEATURES* variable descriptions.
[+] b1dc0ee121 ref-manual, dev-manual: Completed first draft of 2.3 migration section.
[+] 7fdd0ac087 ref-manual: Applied 2.3 Migration review comments.
[+] 744cd8cfd7 ref-manual: Added new glossary entries for HOSTTOOLS* variables.
[+] 381897c640 build-appliance-image: Update to master head revision
[+] 1d57ca352f sstate.bbclass, staging.bbclass: Handle HOSTTOOLS_DIR when restoring state
[+] 160c4fd9ae bitbake.conf: Add HOSTTOOLS_DIR for ${TMPDIR}/hosttools
[+] a00f8981d8 build-appliance-image: Update to master head revision
[+] 22f57cfbb1 ref-manual: Added warning for nativesdk recipe naming convention
[+] ef7e8f10a1 poky.ent: Added "iputils-ping" to Ubuntu/Debian essential packages
[+] 5f737111a3 poky.ent: Added "python3-pexpect" to distros
[+] e1de6c05d0 build-appliance-image: Update to master head revision
[+] 470995c3c6 package_deb.bbclass: Avoid writing empty custom fields
[+] a428745d15 package_deb.bbclass: Fix multi-line package descriptions
[+] 33dd5fb96c busybox: make bash a valid login shell if enabled
[+] 1565a24918 gst-player: Disable visualizations as workaround
[+] d7ec005904 libxml2: CVE-2016-9318
[+] 5970acb3fe ghostscript : CVE-2016-10219, CVE-2016-10220, CVE-2017-5951
[+] 8913e94511 bind: Security fix CVE-2016-6170
[+] e9c8cbdf02 bind: Security fix CVE-2016-8864
[+] ad6bb68906 linux-libc-headers: fix upstream version check
[+] aaba16de6f libproxy: speed up upstream version check
[+] ac6bc39893 boost: fix upstream version check
[+] 9cb2695786 python3-iniparse: fix upstream version check
[+] 913adc49bd acpica: fix upstream version check
[+] 495c395bb4 lsbtest: add option --ignoreos to rpm install command
[+] 475786d0f3 rpm: properly relocate additional native tools
[+] fd9d421d0e libcap: drop obsolete attr PACKAGECONFIG option and libattr dependency
[+] 33f378ee33 cmake.bbclass: use weakest ??= assignment for default OECMAKE_SOURCEPATH
[+] edb7672c27 cmake.bbclass: Do not use bitbake variable syntax for shell variables
[+] 1fb309447f runqemu: support virtio drive type
[+] ba9e1066b0 bitbake.conf: Add python2 to HOSTTOOLS
[+] 625732083c bitbake.conf: Add pr to list of hosttools

```

```

[+] 71fd36a8ab devtool: Avoid touch sstates when cleaning linux-yocto environment
[+] e3e78df1b2 wic: Fix typo in help screen.
[+] 081e0a28f2 gstreamer1.0-vaapi: Fix playback breaking bug
[+] 1bc292fe25 selftest/bbtests: improve download rename test
[+] 929cebfb97 kernel-yocto/kern-tools: fix do_validate_branches clean stage
[+] 52493384aa oe-find-native-sysroot: don't clear OECORE_NATIVE_SYSROOT
[+] 9784ad79a4 runqemu-gen-tapdevs: fix runqemu-ifup script call
[+] d4dafce19b useradd-statids.bbclass: Add support for -P / --clear-password option
[+] 7a0e795373 build-appliance-image: Update to master head revision
[+] 36db8f2b78 testimage.bbclass: add additional dependency
[+] a59bfd05d1 openssl: Bump SONAME to match the ABI
[+] 4f462ee588 Revert "logrotate: set downloadfilename"
[+] a9268f9ac2 busybox: fix typo in CVE-2016-2147_2.patch Upstream-Status tag
[+] 55a53f5326 build-appliance-image: Update to master head revision
[+] c0dc8d492e dev-manual, ref-manual: Updated various wordings and links
[+] e14f9743f9 build-appliance-image: Update to master head revision
[+] 05784551a0 poky.conf: Bump version for 2.3 pyro release
[+] c519dc1cd4 bitbake: toaster: move release lookup from morty to pyro
[+] d45f5be977 bitbake: lib/bb/command: fix overrides in remote datastores where there is
no default
[+] 7bde854ef7 kexec-tools: Add again the x32 patch
[+] becf5aeefc Revert "kexec-tools: Remove unused patch"
[+] 03f4eb4ebe maintainers: move to TI
[+] 7b0d45967b maintainers: reassign to OS Systems
[+] a052b6e524 maintainers: reassign to montavista
[+] 98765c005b maintainers: move u-boot to marek
[+] b2b422c190 qemuboot.bbclass: save relative paths in conf file
[+] a6275df081 rootfs-postcommands.bbclass: save relative paths
[+] ecd485650c meta: add search, replace strings to export2json
[+] 7f0f7df8b3 kernel-arch.bbclass: conditional error message
[+] 9cb58a7f2b package_rpm.bbclass: Dosen't filter Conflicts if found in Provides
[+] 33212a8129 libsd12: fix build failures on powerpc
[+] 5882e890e8 bitbake.conf: add sha256sum to HOSTTOOLS
[+] adea8003ab package_manager.py: Reverse rpm arch order
[+] b73ceb2594 documentation.conf: update TCLIBC[doc] to match current options in oe-core
[+] 42d2e74b65 tclibc-musl.inc: fix stray comment reference to uclibc
[+] 1423508b29 bitbake: bitbake: Update version to 1.34.0 for stable release
[+] 2f3e34537e ext-sdk-prepare.py: use quiet mode when preparing sysroot
[+] 9e267ad173 classes/populate_sdk_ext: work around runqemu behaviour within the eSDK
[+] 6ffec971e8 runqemu: fix incorrect calls to get variable values
[+] 00d49a05a6 bitbake: command.py: multiconfig support for findBestProvider
[+] 3b3aab0e8d cmake.bbclass: Set CMAKE_CROSSCOMPILING correctly
[+] ae5d643114 package_manager: don't race on a file when installing complementary
packages
[+] 4c6d7a20bc pixbufcache.bbclass: update postinst script name
[+] 7fe30a5df4 Revert "openssl: Fix symlink creation"
[+] d31eead2af ltp: fix an incorrect macro checking
[+] 99c6e89db1 logrotate: set downloadfilename
[+] 0b11cfb57b mesa-demos: add glut dependency
[+] f81c0de905 acl: fix race issue when do_compile
[+] 567329b566 devupstream.bbclass: minor typo fix
[+] def638ebd6 poky.ent: Removed "python3-expect" package from 3 distros.
[+] 3db3344859 ref-manual, dev-manual: Updates to support recipe-specific sysroots
[+] 1fala7f174 oe-run-native: print more error messages
[+] c5269fd210 pseudo: Backport two upstream fixes
[+] 0bf9cb2272 meta-yocto-bsp: bump to the latest linux stable kernel for the non-x86 BSPs
[+] 045d01c63d populate_sdk_ext: Add do_addto_recipe_sysroot to
BB_SETSCENE_ENFORCE_WHITELIST
[+] 2248d18697 linux-firmware: Fix build failure when update SRCREV to latest HEAD
[+] 9a5039d563 linux-firmware: Set the license for carl9170 to GPLv2
[+] a6ace3153e linux-firmware: update to revision a4dde74b
[+] c52cc23531 busybox: drop unmaintained _git recipe
[+] b6353f5c43 unzip: add missing CVE headers to patches
[+] 135afdff02 Revert "dnf: remove systemd units in nativesdk builds"
[+] 2bc2e67dd0 package_manager.py: Generate separate repo entries per arch
[+] b4a093735c gpgme: add a dependency on python-unixadmin to Python bindings package
[+] 575f8b4819 gpgme: correctly avoid host contamination
[+] a84a323e4d classes/populate_sdk_ext: reset TCLIBCAPPEND to get consistent TMPDIR
[+] bce0b509bf devtool: extract: drop erroneous bb.event.TaskStarted
[+] 02c39d3fad devtool: extract: fix handling of failed tasks
[+] 2338032d0b devtool: modify: add --keep-temp option for debugging
[+] 1593f5de8a grep: do_configure: fix "Argument list too long"
[+] 7b4a8a2fb8 apt: fix libdir path for apt.systemd.daily
[+] 8cedb5f3f0 binconfig.bbclass: fix typo in get_binconfig_mangle()
[+] b5c383074a base-passwd/useradd: Various improvements to useradd with RSS

```

```

[+] 053e545b9d maintainers: change ownership on cve-check-tool, nfs-utils, ttf-bitstream-
vera and which
[+] fe47bff64b linux-yocto: Update genericx86* SRCREVs for linux-yocto 4.10
[+] 7a68e4aa06 linux-yocto: Update genericx86* SRCREVs for linux-yocto 4.9
[+] 0cfc7650ff linux-yocto: Update genericx86* SRCREVs for linux-yocto 4.4
[+] bcab5e12c1 bitbake: bitbake-layers: add signal handler to avoid exception
[+] 314df06b81 oe-run-native: explicitly use bash
[+] c8b67a463f oe-find-native-sysroot: add appropriate suggestion
[+] 4a0b6af446 oe-find-native-sysroot: work with RSS
[+] 5897c5edc4 Revert "scripts: change way we find native tools (pseudo)"
[+] 4273422072 sstate.bbclass: check if mirror directory is writable
[+] ec9b108f46 qemu-boot: write native sysroot of qemu-helper into qemu-boot.conf
[+] 4393cc550b runqemu: use bindir_native property to run ifup/down scripts
[+] 4d3becfc6 runqemu: add bindir_native property
[+] 7ffcdd0a07 runqemu: get qemu from qemu-helper-native sysroot
[+] 0637c5ab25 qemu-helper-native: prepare native sysroot for runqemu
[+] 6cd16dcde4 linux-yocto-dev: update to v4.11+
[+] 5bb82084b2 linux-yocto/4.10: update to v4.10.9
[+] 85eab8b0ed linux-yocto/4.9: update to v4.9.21
[+] 2a26619fda linux-yocto/4.4: update to v4.4.60
[+] 04f3423a2a meta: classes: Add building dir to uImage creation
[+] 11747280b5 oe-build-perf-report-email.py: use pwd for getting user name
[+] ffabe5d1b9 oe-selftest: Error if known problem variables are set
[+] 3f32ca2a57 oeqa/core/runner: Append PID in the test result folder name
[+] 68079d0f87 yocto-compat-layer: better handling of per-machine world build breakage
[+] de76d1cc94 yocto-compat-layer: test signature differences when setting MACHINE
[+] 40d1771944 recipetool: create: hide missing npm error when called from devtool
[+] 48f8d1201a devtool: add: prevent repeatedly running recipetool
[+] bb8f141d0c devtool: add: fix node.js/npm handling with recipe specific sysroots
[+] 0440cbccda recipetool: create: fix for regression in npm license handling
[+] 9dc4707035 blacklist.bbclass: fix for multilib
[+] 94467d5087 dev-manual, ref-manual: Edits to the "Incrementing Binary Package" section.
[+] f9e7fba02f dev-manual, ref-manual: Created new section on linear revision for packages
[+] 7f47526f5c ref-manual: Initial draft of 2.3 migration section.
[+] beb301c03a dev-manual: Added section on using headers to interface with devices
[+] e2232e6813 dev-manual, ref-manual: Added PACKAGE_WRITE_DEPS and concept support
[+] 1d5745f959 sdk-manual: Fixed link to Neon download site.
[+] e0a4972087 dev-manual: Added cross-reference to QA and Test Infrastructure section.
[+] 43fef1211 ref-manual: Added section on test and QA infrastructure
[+] c53ba427ef dev-manual: Added YP Compatibility feature
[+] 97f30c70bd busybox: In defconfig enable ASH_CMDCMD for built-in 'command'
[+] bf0fc2da66 bitbake: lib/bb/{data, siggen}: Don't warn on SkipRecipe exceptions
[+] 000b7d3d1c bitbake: data_smart: Ensure _remove operations on newly set variables are
cleared
[+] 64a379b325 wic-image-minimal: stop using core-image-minimal
[+] 31e53430f1 yocto-compat-layer: add --additional-layers
[+] e93a2ab3e3 yocto-compat-layer: also determine tune flags for each task
[+] 937c1ea974 yocto-compat-layer: include bitbake-diffsig output
[+] 3e903cb42f recipes/*-cross-recipes: ignore TARGET_ARCH sstate hash
[+] fc43f10a51 gdb-cross: avoid tune specific paths
[+] 30686e2fd6 go-cross: avoid libgcc dependency
[+] a9f119382b ed: update SRC_URI to yoctoproject mirror
[+] db1f1adace native/nativesdk: Use fixed DISTRO_FEATURES
[+] f2e41a197f package_manager.py: Add a name for the generated dnf repo.
[+] 620655697d selftest/wic.py: vda -> sda
[+] 8838dd2dbd oe-selftest: test wic sparse_copy API
[+] 7792688ac2 qemu86-directdisk.wks: vda -> sda
[+] be72eaf86f runqemu: use self.rootfs to replace self.nfs_dir
[+] d538cbb95e wic-image-minimal.wks: vda -> sda
[+] f57393b386 runqemu: do not rely on grepping images
[+] f2c09f7867 runqemu: run without arguments
[+] f6aaba31cf runqemu: support env vars explicitly
[+] b283b10d53 ptest-runner: Upgrade to minor version 2.0.2
[+] 7252450159 gstreamer1.0-plugins-good: Backport patch for v4l2object videometa
[+] a9dfae4e26 gstreamer1.0-plugins-bad: Update packageconfigs and config flags
[+] 283a9b3883 staging: Fix sysroot problem with populate_sysroot dependencies on do_fetch
[+] ca22ef73d0 binutils: Fix CVE-2017-6965 and CVE-2017-6966
[+] 40bf913a72 libsolv: correctly attribute musl fixing patches
[+] a2d5c0b602 python2/3: Move config/Makefile from core package to dev package
[+] 124b3ea99b openssl: fix the reference to native perl in ptests
[+] 1b4bd1b659 oeqa/sdk/cases/buildcpio: enable use of cached cpio from DL_DIR
[+] ba1d8e3691 toaster: fix SDK artifact capture
[+] 31a293d0dc mtd-utils: refresh patches now merged upstream
[+] 3df7ee4755 classes/buildhistory: save output file signatures for sstate tasks
[+] 54426c3a3b classes/uninative: set SSTATEPOSTUNPACKFUNCS[vardepvalueexclude] properly

```

```

[+] 1f19d9dfe5 buildhistory-diff: add option to compare actual signature differences
[+] 9049c09793 buildhistory-diff: add option to compare task signature list
[+] 6774995322 classes/buildhistory: write out task signatures on every build
[+] 313e551b55 buildhistory-diff: operate from buildhistory directory
[+] 069c46922e musl: Upgrade to latest tip
[+] e1eea200b8 logrotate: replace fedorahosted.org SRC_URI with github.com source
[+] 874a46b6a7 buildhistory.bbclass: do not influence sstate of do_rootfs
[+] ae65b95354 package_manager.py: Split feed_archs for RPM repo URIs
[+] aa524152d8 gnu-efi: copy header files for x32 build
[+] 34db499e6b classutils.py: deterministic sorting
[+] a4cca6a131 meta-yocto-bsp: bump to the latest linux stable kernel for the non-x86 BSPs
[+] e743c17b4 meta-yocto-bsp: workaround the X malfunction on beaglebone
[+] b06f7cbb94 bitbake: toaster: fix SDK artifact capture
[+] f187553b6d bitbake: bitbake-diffsigs: fix traceback with no arguments
[+] fc6370626e bitbake: cache: prevent division-by-zero in load_cahefile()
[+] 2a40a0587e bitbake: toaster: fix add layer button for Machines
[+] d8be835e28 bitbake: toaster: Toaster filters are broken
[+] 0793c758b1 Revert "staging: Fix sysroot problem with populate_sysroot dependencies on
do_fetch"
[+] 177d4be3c1 staging: Fix sysroot problem with populate_sysroot dependencies on do_fetch
[+] 684eefd7a3 scripts: Drop cleanup-workdir
[+] 503009b831 oeqa/selftest: Don't use cleanup-workdir
[+] 0e138bf56d python-pycurl: create python3-pycurl recipe
[+] dff701ffd4 scripts/oe-build-perf-report: improve guessing of args
[+] 182dd45f1f oe-build-perf-report-email.py: use proper fallback email address
[+] 60658499c2 build-perf-test-wrapper.sh: support extra args for email script
[+] 343cc9646d uninative-flags.inc: Build binutils-native as pie
[+] dc52b27f4c ncurses: Drop incorrect option
[+] bdc3ba2eb6 no-static-libs: Add entry for ncurses
[+] 90c1bb7569 selftest/ssstatetests: Replace glibc-initial with linux-libc-headers
[+] 863b6d4f80 cross-canadian.bbclass: override TARGET_* flags
[+] e378c0ee4b nativesdk.bbclass: override TARGET_* flags
[+] 0ab2c6e82d crosssdk.bbclass: override TARGET_* flags
[+] b9f9bb443b cross.bbclass: override TARGET_* flags
[+] 23095a6b01 lib/oe/ssstatesig: avoid reporting duplicate siginfo files from sstate
[+] 27b7de94f0 lib/oe/ssstatesig: fix finding native siginfo files in sstate-cache
[+] e340af0449 qemu: use python2.7 instead of python2
[+] 4d1b21fd6d selftest/recipeool: skip create_git in case x11 feature is not present
[+] 88cd926de2 qemux86*.conf: changed dependency task for syslinux
[+] f70179e280 gcc-6.3: backport fix of check for empty string in ubsan.c
[+] 5784961762 elfutils: fix building elfutils-native with GCC7
[+] 34313c4047 sstate: Skip glibc do_stash_locale and gcc do_gcc_stash_builddir tasks
[+] 950be7ae8d license.bbclass: improve reproducibility
[+] f91aedf6b5 selftest/wic: skip wic unit tests in case NLS is disable
[+] e9cf698d09 python3: fix run-time deps for core python3 libraries
[+] 57bbedcfef eudev: set LGPL-2.1+ for libudev package
[+] 2752d71e8d kmod: set ac_cv_path_DOLT_BASH to /usr/bin/env bash
[+] 607bc59588 autogen-native: fix POSIX_SHELL and perl
[+] 7daf525d37 guile: do_configure: fix "Argument list too long"
[+] 8d26272740 m4: do_configure: fix "Argument list too long"
[+] af440a00c5 valgrind: set ac_cv_path_PERL to /usr/bin/env perl
[+] 7b0a757413 mc: replace "perl -w" with "use warnings"
[+] 9356d02da0 groff: replace "perl -w" with "use warnings"
[+] 75001927cd glibc/gcc/libgcc-initial: Delete do_build tasks for -initial
[+] 66bd8b8247 sanity: Require bitbake 1.33.4
[+] 16b822509a base-files: profile: Do not assume that the tty command exists
[+] 227ec4809d base-files: profile: Whitespace clean up
[+] 104dac10f2 busybox: Security fix BUG9071
[+] 6df3fde8e9 ghostscript: CVE-2017-7207
[+] 77de4e58bf package.bbclass: add CONFFILES to pkgdata
[+] 78971cee15 package_ipk.bbclass: Replace empty lines in DESCRIPTION with '.'
[+] 7d4fa58c5c yocto-compat-layer: limit report of signature changes
[+] efd3b0ee30 yocto-compat-layer: fix also other command invocations
[+] f81a532dd6 oe-build-perf-report-email.py: fix one file path
[+] 36b2865318 busybox: Security fix CVE-2016-6301
[+] 74d7d12b37 runqemu: use realpath for imgdir
[+] c70a74402f runqemu: fix 2 typos
[+] b372e85d9b bitbake: bitbake-diffsigs: colourise output
[+] 5f7bf1f66d bitbake: lib/bb/siggen: show word-diff for single-line values containing
spaces
[+] 5d8b89fc0b bitbake: lib/bb/siggen: add collapsed mode to compare_sigfiles()
[+] f79a969c3a bitbake: bitbake-diffsigs: add an option to find and compare specific
signatures
[+] e0eda80371 bitbake: bitbake-diffsigs: change to use argparse
[+] 8c015e45ff bitbake: lib/bb/siggen: don't show unchanged runtaskdeps list

```

```

[+] 445e622b23 bitbake: lib/bb/siggen: show a diff when dumping changes to multi-line
values
[+] d88a4ade7e bitbake: bitbake-diffsigs: drop naive logic for removing duplicate files
[+] 8f6094135b bitbake: bitbake-diffsigs: properly report which signature is missing
[+] f3b010b39a bitbake: lib/bb/siggen: add missing path separator to cleaned paths
[+] ef05969dc6 bitbake: bitbake-diffsigs: fix -t picking wrong files to compare
[+] 123ec6ebc2 bitbake: toaster:test:Create selenium tests for project dashboard page
[+] f45a5a5de8 bitbake: toaster: toastergui: implement machine name validation
[+] eb7430e5b9 bitbake: Bump version to 1.33.4
[+] ee0ef7d13c bitbake: runqueue: Allow recrdeptask not to exist for all recipes
[+] 4c1f654311 poky-world-exclude.inc: add python-pyqt
[+] 633ad6c9f4 oeqa/runtime/utils/targetbuildproject: use parent classes defaults tmpdir
[+] fa2e536c44 oeqa/utils/targetbuild: tmp dir improvements
[+] 04cf8ad80e oeqa/utils/buildproject: create a more unique tmp dir
[+] 3468b4d96c glibc: fix nativesdk ldd RTLDLIST
[+] a99bb57bba net-tools: Fix build with USE_NLS="no"
[+] 3ed3ba16cb busybox.inc: drop comment explaining '-e MAKEFLAGS=' in EXTRA_OEMAKE
[+] 6e5176cf90 ethtool: Switch to download mirror
[+] e3c3d09562 selftest/devtool: skip test in case of poky-tiny distro
[+] 79fcb5157 libxml2: make dependencies on python conditional
[+] 89622db7c2 yocto-uninative: Update to the 1.6 release
[+] 90e9ccdf0a u-boot: Add bc-native to DEPENDS to fix u-boot/spl build.
[+] d6b5be863c libjpeg-turbo: don't depend on NASM for non-x86 targets
[+] e908ffe3cd quilt: Fix paths for patch and perl
[+] 9cacf8488c wic: improve error message
[+] b5bc885ba7 Revert "filemap: remove FilemapSeek class"
[+] 86eaa6d83f build-perf-test-wrapper.sh: support sending email reports
[+] 7e7c31fd00 build-perf-test-wrapper.sh: support pushing to remote Git
[+] 5576ce2de3 build-perf-test-wrapper.sh: correctly check test script exit status
[+] d3d24ef2f2 build-perf-test-wrapper.sh: make it possible to specify Git branch name
[+] 04e31f33c8 scripts/oe-build-perf-report: fix typo
[+] df20260016 scripts/oe-build-perf-report: fix 'charts ready' console message
[+] 728c668473 scripts/oe-build-perf-report: better guessing of args
[+] 6afe0e07ec yocto-compat-layer.py: Fix the signature validation
[+] d2d019a11b compatlayer/__init__.py: Allow add_layer to process recursive deps
[+] efd07494c5 yocto-compat-layer.py: Add --dependency argument
[+] 2a04cb8d22 yocto-compat-layer.py: Add status for skipped items
[+] 704613b2ec scripts: Add yocto-compat-layer-wrapper
[+] 4bd647af83 update_gio_module_cache: Do not chown a non-existing file
[+] 934dc65f06 chkconfig: replace fedorahosted.org SRC_URI with github.com source
[+] e66da71d31 selftest/recipe tool: replace fedorahosted.org SRC_URI with github.com
source
[+] 2ca7644603 cronie: replace fedorahosted.org SRC_URI with github.com source
[+] 724255393f liberation-fonts: replace fedorahosted.org SRC_URI with pagure.io source
[+] b0cf9311c2 libnewt: replace fedorahosted.org SRC_URI with pagure.io source
[+] f8a538c533 libuser: replace fedorahosted.org SRC_URI with pagure.io source
[+] 54aab227e1 xmlto: replace fedorahosted.org SRC_URI with pagure.io source
[+] 163bb0e21b runtime/dnf : Add ID to the dnf test cases
[+] c3186382ae gpgme: fix configure if 'import distutils' causes output on stderr
[+] e19289f28f selftest/devtool: use kernel provider instead of recipe allowing other
kernel providers
[+] b84671102e selftest/commands: extend variable regex to include A_B variable notation
[+] 37cfd2cca x86-base.inc, qemuarm.conf: prefer 4.10 version of linux-yocto
[+] 5e3a636b20 kernel.bbclass: move in addtask kernel_link_images statement from linux-
yocto.inc
[+] 0ffc7b8d2e devtool: point runqemu to correct native bindir
[+] 83e6eb613d meta-ide-support: exclude this recipe from rm_work
[+] f200f37699 scripts: change way we find native tools (pseudo)
[+] bb81269c3d sanity: explain where TMPDIR is if we're telling the user to delete it
[+] a584c181ac recipe_sanity: Drop now unused FILESDIR
[+] 2334036502 bitbake: fetch/local: Drop FILESDIR
[+] 2d704e445c bitbake: codeparser: add some comments
[+] 1fe95cfc12 bitbake: bitbake-selftest: add contains tests
[+] 7b7c238b2d bitbake: codeparser: improve handling of contains_any() and filter()
[+] f217b65f12 bitbake: lib/bb/data: fix dependency handling for contains and multiple
values
[+] eff56e4f0d bitbake: bitbake-user-manual: Fixed special character in -D output
[+] 4077dcb565 bitbake: fetch2: Do not fail to create symbolic links if they already exist
[+] 4aa21211a3 automake: Adjust shebang lines to remove interpreter path hardcoded
[+] e44946bff1 autoconf: Adjust shebang lines to remove interpreter path hardcoded
[+] 034702f520 scripts/contrib: add oe-build-perf-report-email
[+] 9f299876f7 scripts: add oe-build-perf-report script
[+] 5a85d39c9d binutils: Detect 64bit mips target for gold
[+] 7d369d794a ncurses_6.0: Improve reproducibility
[+] 1771bfd1a7 python: remove stale link to "Python for Embedded Systems Site"

```



```

[+] 2bdfce59bd dpkg: Add PACKAGECONFIG for liblzma and enable it
[+] 19e99786be yocto-bsp/i386 machine.cfg: Explicitly disable 64BIT
[+] c09a0631b5 kernel.bbclass: introduce INITRAMFS_IMAGE_NAME
[+] 63c605b841 base-files: resize only serial tty's in profile
[+] 0324617782 lsb: Create ${base_prefix}/lib64 correctly when needed
[+] 3041659c43 lsb: Avoid using double slashes in paths
[+] 63a3081006 selftest/pkgdata: replace the glibc recipe allowing execution on non-poky
distros
[+] f57a53d5ab oe-run-native: OLDPATH -> OLD_PATH
[+] 64fd22e42e systemd: make vconsole a PACKAGECONFIG option
[+] 35565057fa kernel.bbclass: fix a typo
[+] 28997864e2 wic: partition: Update fsck parameters
[+] 67ec097bc3 wic: remove prepare_empty_partition_squashfs
[+] 5efb8e039b oe-selftest: test creation of msdos partition
[+] d62a97ec54 wic: fix list of supported fstypes in help content
[+] 1586663fb3 wic: set correct system id for msdos partitions
[+] e5959eb480 wic: set FAT 16 for msdos partitions
[+] 88e1d55de2 wic: support 'msdos' fstype
[+] b4d15e0713 wic: don't silently skip unknown fstypes
[+] 54cd064c66 wic: allow only supported fstypes
[+] 09548406e1 oe-selftest: fix incorrect fstype
[+] a24ffc7088 oe-selftest: add test_image_bootpart_globbed test for wic
[+] ad1bce56c4 wic: remove unused code from runner module
[+] d39a158855 wic: remove runner.show API
[+] 2122dd7718 wic: use wic-tools STAGING_DATADIR as booting_dir
[+] 3a53361084 wic: remove fsimage plugin
[+] a7f22bd46f oe-selftest: add kickstart_parser test case
[+] 6b80c13f7a filemap: remove FilemapSeek class
[+] fae19c345d oe-selftest: add wic test case test_fs_types
[+] 0de9b2ade8 wic-tools: add btrfs-tools squashfs-tools to DEPENDS
[+] fcd48092d7 volatile-binds: correct some errors reported by systemd
[+] 739130370f oeqa/runtime/cases: Migrate underscore cases
[+] 34a7654689 openssl: add a "openssl10" PROVIDES
[+] 7cce71cf54 perl-native: Bring build dependencies inline with target perl package
[+] 3303027113 poky.ent: Removed python3-expect from the CentOS distro
[+] c015fed613 dev-manual: Replaced "smart" with "dnf"
[+] a51a7e9d87 ref-manual: Rewording of devtool-deploy target command caveats
[+] d7c5376946 kernel-dev: Provided better wording for recipe-space metadata section
[+] 1a4c0bfafd dev-manual; ref-manual: Updates to replace "smart" with "dnf"
[+] 646130271f ref-manual: Fixed wording for clarity
[+] af4ef8adbc ref-manual, yocto-project-qs, poky.ent: Fixed CentOS essentials
[+] ed0d609c7c bsp-guide, kernel-dev: Updates to how kernel metadata is found
[+] 730617f8d0 linux-yocto: Update genericx86* SRCREVs for linux-yocto 4.4 Updates to
Linux 4.4.56
[+] 80fa61e3d8 linux-yocto: Update genericx86* SRCREVs for linux-yocto 4.10 Updates to
Linux 4.10.5
[+] 06fd392de5 linux-yocto: Update genericx86* SRCREVs for linux-yocto 4.9 Updates to
Linux 4.9.17
[+] c5814108bc linux-yocto: Update genericx86* SRCREVs for linux-yocto 4.1 Updates to
Linux 4.1.38
[+] 5156cdc36b distutils3.bbclass: Fix path to python for scripts
[+] 253ce5d6c0 distutils.bbclass: Fix path to python for scripts
[+] 43832aa6c1 openssl: Fix regression when building for thumb2
[+] 22d9e285fe nasm: remove COMPATIBLE_HOST
[+] 271b06d8b9 net-tools: enable native and nativesdk variant
[+] 2a934a3df7 base.bbclass: ensure HOSTTOOLS links point to executables
[+] 555c48fb01 sanity.conf: Increase minimum version requirement to 1.33.3
[+] 707e74ffbc linux-libc-headers: Remove reference to cross-linkage
[+] 978bce0d49 linux-libc-headers: Drop 4.4
[+] 6897b33abe glibc-package: Allow 32 and 64 bit headers to exist on arm
[+] 69ac4e284d linux-libc-headers: Allow arm kernel headers to coexist on 32/64 bit
[+] 8b41b5ddfe multilib_header: Update wrapper to handle arm 32/64 bit
[+] 408e0b46ae bitbake.conf: Drop MULTIMACH_HOST_SYS
[+] 33887b5c07 ccache: Use MULTIMACH_TARGET_SYS not HOST_SYS
[+] 236a291abc sanity: Drop obsolete TMPDIR ABI conversions
[+] 8babb56c92 bitbake.conf: Add DEPLOY_DIR to BB_HASHBASE_WHITELIST
[+] 0dae983296 scripts/lib/compatlayer: detect_layers always use realpath's
[+] caf1c90871 populate_sdk_ext.bbclass: enhance compatibility with rm_work.bbclass
[+] d83e16a99c rm_work.bbclass: introduce do_build_without_rm_work
[+] 8e7f76bd8a ovmf: avoid linking with gold
[+] b152870bf4 bitbake: bitbake: Bump version to 1.33.3
[+] 8ce18c5c44 bitbake: bb/utlils: extend which() so it can look for just executables
[+] f46846dc11 bitbake: wget: Fix handling of urls with user/password
[+] 03b4226242 bitbake: tinfoil: improve get_recipe_file() exception text
[+] c2ac78c4d8 bitbake: tinfoil: fix get_recipe_file() to return an error on invalid

```

```
[+] c2ac78c4d8 bitbake: tinfoil: fix get_recipe_file() to return an error on invalid
recipe
[+] e5e463fbbb bitbake: s3.py: Remove hardcoded aws
[+] d828ccb05e bitbake.conf: Add aws to HOSTTOOLS_NONFATAL
[+] 2935151498 dnf: Use ln -s to create relative symlinks
[+] 2acc741dd0 maintainers.inc: Add maintainers to go-native and vulkan software package
recipes
[+] 6751dce4cf linux-yocto: drop 4.8 recipes
[+] 6b0abc9b7c systemd-boot: write startup.nsh
[+] 87ec35603d sysroot-relativelinks: also consider links to dirs on the host
[+] 07171aba2b update_gio_module_cache: fix host user contamination
[+] 7effe18700 scripts/yocto-compat-layer.py: Add dependency validation in add_layer
[+] 1632f6623c linux-yocto: drop 4.8 recipes
[+] fa86ca6e6f linux-yocto/4.9: integrate 4.9-rt12
[+] b3d4b70220 linux-yocto/4.9: update to v4.9.17
[+] 962f419195 linux-yocto/4.4: update to v4.4.56
[+] 4d217d942a linux-yocto/4.10: update to v4.10.5
[+] 8b1826e78a bitbake: lib/bb/codeparser: ensure BufferedLogger respects target logging
level
[+] bb826208e5 bitbake: fetch2: Ensure we don't have file downloads overwriting each other
[+] 415b72ffcb dnf: remove systemd units in nativesdk builds
[+] c76abc379e oeqa: allow persistent image writes in runqemu()
[+] 9a94208600 oeqa: allow customizing image used by runqemu()
[+] 41b67f1176 oeqa: allow extending qemuparams="..."
[+] 9a3f10590b bitbake.conf: sort HOSTTOOLS and remove duplicates
[+] e6adeac7aa recipes-kernel: Skip kernel version check on kernel templates
[+] 759fcd204f oeqa: QEMU_USE_KVM can list machines
[+] 7f6b1cd2c1 oeqa: tolerate interrupted select() while waiting for qemu
[+] 8c1c392ca3 dnf: move the entire dnf/rpm4 stack to Python 3
[+] 3d29214b20 python3: do not hardcode "lib" into site-packages search path
[+] b907e25fd9 insane.bbclass: error if file-rdeps not met
[+] 243693be54 devtool: open kconfig fragment in binary mode
[+] 020e35cfd9 eudev: restore userspace firmware loading support
[+] c711caae83 oeqa/core/loader.py: Do not import underscore modules by default
[+] 71e48a3617 bitbake: main: Improve -v and -D option documentation
[+] 542eb4731c bitbake: tinfoil: enable client-side logger handling by default
[+] 614cbddc8 bitbake: lib/bb/msg: introduce logger_create() function
[+] f41740ee8e bitbake: fetch2/git: prevent recursion on getting latest revision
[+] 58a02e73d0 oeqa/selftest: don't use cleanall in selftests
[+] 8fdbf9fcf2 ifupdown: Fix initscript
[+] 94ffc8e017 rpm: change PROVIDES rpm-build to RPROVIDES
[+] fd8d814027 mesa: Add Etnaviv and i.MX Gallium backend PACKAGECONFIG options
[+] 633564b017 mesa: Update to 17.0.2
[+] f5187871ce classes: Replace "if test" file tests with POSIX file tests
[+] 871363251a wic: fix generation of partition UUID
[+] 6b210e74b7 autotools.bbclass: Replace "grep ... >/dev/null" with "grep -q"
[+] 7ddcbc5eca scripts/contrib: scripts that updates kernel templates
[+] 6ce9cc464a scripts/lib/bsp/substrate: kernel templates for 4.10
[+] 794f9c9777 mdadm: update criteria to build with corosync
[+] 4ca286d45c scripts/wic: fix typo
[+] c8fd68adc0 runtime-test.py: fix typo
[+] a2d1d525f0 image_types: perform fsck on created ext image
[+] 430394da97 oeqa.buildperf: limit the length of error output
[+] 68190b5115 oeqa.utils.commands: limit runCmd exception output
[+] 5e3eaf7c57 build-perf-test-wrapper.sh: store buildstats under git-notes
[+] 746b6f6e68 scripts/oe-git-archive: implement --notes
[+] e10d1ea082 scripts/oe-git-archive: implement --exclude
[+] 60f32a00dc scripts/oe-git-archive: fix pushing
[+] f4b5419787 oe-build-perf-test: sum rusage in buildstats
[+] 7132f54041 oe-build-perf-test: pack all buildstat in one file
[+] 867c2dcbd7 valgrind: correct the comparison logic in vg_regtest
[+] d2278fe7b3 valgrind: vg_regtest.in: fix perl script
[+] 85293a044f boost: various cleanups
[+] 814e960d37 boost: port boost-python to Python 3
[+] d51913264f tzdata: update to 2017b
[+] 33f311b00a tzcode: update to 2017b
[+] c085688a5b targetcontrol.py: use logger.info to replace of bb.note
[+] b6f5a8ab6b selftest/runqemu.py: add it to test runqemu
[+] a5ald4f431 qemurunner.py: fix handling of runqemuparams
[+] b742fd023e oeqa/targetcontrol.py: modify it to test runqemu
[+] 58e6e7c204 qemurunner: configurable timeout for run_serial()
[+] 1e3f04f86a xserver-nodm-init: option to remove cursor
[+] d9f2938921 kernel-dev: Reorganized Kernel Metadata Location and Syntax sections
[+] 3f06074a0d kernel-dev: Corrected linking format for two variables.
[+] 17e46eff4a dev-manual: Added cross-reference note into the BSP Guide.
```

```

[+] b3e2eca2e documentation: Added support for "pyro" name and May release date.
[+] c94501d5ae ref-manual: Updated note about included failed license check
[+] f574b9f074 dev-manual, ref-manual: Added support for WKS_FILE_DEPENDS variable.
[+] 70872b9468 dev-manual: Fixed formatting error for arguments.
[+] 6273f91c6a dev-manual: Fixed grammar error - article agreement.
[+] 478c7c3043 ref-manual: Added information about pre-installed dependencies
[+] 2ad42e587a dev-manual: Add explanation for signing RPM packages and using signed
packages
[+] 4c1432bd0b ref-manual: Added new "Release Process" chapter
[+] 5413e9b210 poky.ent: Added python3-pip and python3-pexpect to all distros
[+] 0c8dede10d poky.ent, yocto-project-qs: Added "xz" and "which" to Essential packages
[+] e6ed5a6804 ref-manual: Added five "COPYLEFT*" variables to the glossary.
[+] cc970c23a7 wic: use kernel_dir to find systemd-efi bootloader
[+] faf70253ba staging: Remove uninstalled dependencies from sysroots
[+] ce9cbae874 staging: Update extend_recipe_sysroot vardepsexclude after code changes
[+] 3d3194a68f staging: Drop BB_SETSCENE_VERIFY_FUNCTION2
[+] 6e74b4e031 staging: Drop do_configure clean prefunc
[+] d74efb6aa9 staging: Drop BB_SETSCENE_VERIFY_FUNCTION since it was replaced
[+] cc32ccc2fb musl: Fix issues in relative symlink creation
[+] 80c3ce22bd base-files: Replace hardcoded root paths with appropriate bitbake variables
[+] 11b81e3fba runqemu-gen-tapdevs: fix file path in example
[+] c6344d3b6a libvorbis: Contain gcc specific compiler flags using configure option
[+] e0630bb3dc db: Fix atomic function namespace clash with clang builtins
[+] ce109ff89c native.bbclass: clear MACHINE_FEATURES
[+] 2180349f75 core-image.bbclass: update available IMAGE_FEATURES
[+] bb8889ad0e firmware: use ${nonarch_base_libdir} for firmware installation.
[+] da1d23a6d0 expect: resolve string formatting issues
[+] fcbad38193 package_manager.py: respect OPKGLIBDIR
[+] da8369b670 rootfs.py: Respect OPKGLIBDIR variable
[+] 3f46689cf1 uninative-tarball: glibc-gconv-{utf-16, cp1252} for binutils windres
[+] 9fe7a69535 bitbake: bitbake-diffsigs: Add debug support
[+] ea7faf7a05 bitbake: bitbake-dumpsig: Add debug support
[+] 82982d3d97 bitbake: bitbake-dumpsig: Allow recipe and task to be specified
[+] 99069699f1 bitbake: cooker.py: use correct multiconfig prefix in dependency graph
[+] fecf58b2a5 rpm: add a "rpm-build" PROVIDES
[+] 4581e2c3e6 sign_rpm.bbclass: do not set/use RPM_GPG_PUBKEY
[+] 0a435c7e6a oeqa: use WORKDIR/oe-testimage-repo to look for RPM packages
[+] a247553bb3 oe-selftest: add test_rawcopy_plugin test case
[+] 32c59203ce selftest: pylinted wic test suite.
[+] d2e0209866 oe-selftest: test wic rawcopy plugin
[+] fa10b24950 wic: improve getting syslinux path
[+] 5c04e37140 wic: remove empty plugin methods
[+] 3ea735d390 wic: use STAGING_DATADIR as a default for bootimg_dir
[+] b78c564cca wic: fix bug in sparse_copy
[+] 627952a234 wic: use kernel_dir instead of bootimg_dir
[+] ce627abf86 wic: don't set creator.bootimg_dir in plugins
[+] d38d526991 wic: remove rootfs_pcbios_ext plugin
[+] 49c2df5652 meta-yocto-bsp: Remove superfluous OVERRIDES in machine conf files
[+] 1ff2ece700 maintainers list: add self to libpcrc2 as maintainer
[+] 00abe678bf genericx86-common: Update .inc file's PREFERRED_VERSION
[+] 70f18264ce bitbake: data/cooker: Sort output data shown by -e
[+] f4a9248975 bitbake: fetch/git: fix FetchError reference
[+] 754e98c72e bitbake: fetch/git: drop pointless os.path.join, workdir=
[+] 5ee3bae3bb bitbake: fetch/git: kill pointless quotes around single % args
[+] b079a2da36 bitbake: fetch/git: use enumerate for ud.names
[+] 9a6f636679 bitbake: data.py: sort exported variables
[+] ad1d65ca32 bitbake: lib/bb/tests/codeparser: update expand syntax in comment
[+] 9b6b47c09d bitbake: taskdata.py: include more information in error message about
broken task depends
[+] 1485a5517a bitbake: bitbake-layers: fix layerindex-fetch for Python 3
[+] 5b1807021e bitbake: data_smart: implement missing remote datastore operations
[+] 99414bdb1c bitbake: tinfoil: fix override handling in remote datastores
[+] 0cb6f85335 sstate: Ensure installation directory is empty before execution
[+] 52d7d2c06b oeqa/selftest/devtool: Enable missing cleanup
[+] c0a2268ae8 externalsrc: Use git add -A for compatibility with all git versions
[+] 19090446da wic: selftest: add tests for --fixed-size partition flags
[+] 17fe3eb453 wic: selftest: do not assume bzImage kernel image
[+] 00ed0d4aec wic: selftest: avoid COMPATIBLE_HOST issues
[+] 4453c21d68 selftest: wic: replace directdisk with wictestdisk where possible
[+] 74c65b7528 selftest: wictestdisk: machine agnostic WKS for use with selftest
[+] f57eac5dc9 scripts/yocto-compat-layer.py: Handle layer dependencies when test
[+] 4703aa2b3b scripts/yocto-compat-layer.py: Add option to disable layer autodiscovery
[+] 995cb88233 scripts/lib/compatlayer: Remove require of meta- in layer dir name
[+] c52fe3a77a buildhistory.bbclass: add layer name to source recipe data
[+] 11aa390288 ovmf: fix toolchain selection

```

```

[+] 853a154850 libcomps: Fix/optimize building with clang
[+] 6786f662cd scripts/compatlayer: Add exclude of meta-world-pkgdata on get_signatures
[+] 07dd071bf6 scripts/yocto-compat-layer.py: Make output log argument optional
[+] 1e3ef54408 scripts/yocto-compat-layer.py: Dump log to stdout instead of stderr
[+] 15e65f5f07 scriptutils: Add support for specify stream on logger_create
[+] c8e8e50bc3 go-native: Install bootstrap binaries with 1.4 suffix
[+] 63bdd90acc acpitests: Point Makefile CC to use OE synthesized CC
[+] 231fae32d3 openssl: Fix build with clang
[+] b799e4a033 oeqa/selftest: remove test_sanity_unsafe_binary_references
[+] 3a1e31d714 insane: remove broken unsafe-references-in-binaries test
[+] fc3ae0cb2a package.bbclass: Add PRIVATE_LIBS to list of package specific variables
[+] 7c73e9b336 gpgme: Avoid requiring a host C++ compiler with C++11 support
[+] ff73130718 image-buildinfo.bbclass: configurable location for build file
[+] 898de507d3 wic: partition.py: Add fsck to avoid corrupt EXT file systems
[+] f38c551e6e e2fsprogs: Fix wrong error code after optimization
[+] ab34d08772 gen-lockedsig-cache: catch os.link error
[+] 4ad1148e68 python-3.3-multilib.patch: Fixes getpath on multilib configurations
[+] 995b02b00c devtool: tidy up handling of parse failures
[+] 258f98a27c oe-selftest: tinfoil: add tests for recently enabled datastore operations
[+] af994bfcfd bitbake.conf: remove vi from HOSTTOOLS list
[+] c0970e0af9 meta/lib/oeqa: change sdk test from cvs to cpio
[+] 3c8d045d79 rm_work.bbclass: re-enable recursive do_rm_work_all
[+] e4b5771409 image_types_wic.bbclass: tighten dependency to help do_rm_work_all
[+] 1ec405ef5d kernel-fitimage: dtb sections named by their filenames and one config
section for each dtb
[+] 938d077ca5 ltp: Fix __sighandler_t for mips
[+] 87c2bef1b9 lsb: Make use of appropriate bitbake variables.
[+] 63b62e5d80 mdadm: Avoid using hardcoded sbin path
[+] 4ef916ba24 lttng-modules: Replace '/lib' with ${nonarch_base_libdir}
[+] 89c41301f0 net-tools: Place package content as per bitbake environment.
[+] d582e406ba mktemp: Move installed files only when needed
[+] 8c13f318ae firmware: use ${nonarch_base_libdir} for firmware installation.
[+] 0decf1cc1c kernel: use ${nonarch_base_libdir} for kernel modules installation.
[+] 6a2e06e5d4 util-linux,shadow: Make 'nologin' alternative command
[+] f808bce13f util-linux: Make sure '${base_bindir}/reset' is part of util-linux-reset
package.
[+] b45a6993e9 systemd: Do not add libnss_* to systemd package
[+] b350ef0cea attr/acl: Do not create broken static library link when not needed
[+] ac8db9b30d util-linux: Fix packaging with "usrmerge"
[+] fada531cb2 glibc: Ensure ldconfig is packaged into glibc
[+] 76d182c757 wic/partitionedfs: Avoid reserving space for non-existing ext. partition
[+] b2cd8759b1 useradd-staticids.bbclass: Always fail/warn for missing IDs
[+] 6b5502566f useradd-staticids.bbclass: Support recipes specifying static IDs
[+] b1f10b18ea classes/npm: allow installation of devDependencies
[+] 6fa0fda116 devtool/recipeutil: npm install of devDependencies
[+] 2b52d7ebc0 busybox: ignore the largefile distro feature ( always enable LFS )
[+] c13eb4ff7c feature-arm-thumb.inc: fix ARM_THUMB_SUFFIX for armv8
[+] b641052961 selftest/devtool: Add test to verify "modify virtual/kernel"
[+] cc2744267f meta: replace uses of bb.data.expand(VARNAME, d) with d.expand(VARNAME)
[+] d60ede3315 bitbake.conf: add sudo to HOSTTOOLS_NONFATAL
[+] 0e4ccf1734 qemurunner: configure guest networking
[+] 62dc9d964f qemurunner: get network params from runqemu output
[+] 4a57a7bc8d runqemu: output network configuration
[+] e7ce3c7f62 image_types: increase filesystem size for BTRFS
[+] 9fc3fec449 Revert "file: update SRCREV for 5.30 to fix fetch fail on missing commit"
[+] 69d3d55ea7 binutils: disable gold on mingw
[+] a1eb378771 neard: Fix parallel build issue
[+] 7e0985bab6 nativesdk-packagegroup-sdk-host.bb: add cmake
[+] e987f62009 ccache: Disable CCACHE_HASHDIR by default
[+] b6971f52dc u-boot-fw-utils: reuse the same override HOSTCC patch as u-boot-mkimage
[+] 0c6ab4cd2e gettext: split recipe's description
[+] 37785b9fdb uninative.bbclass: split long command
[+] 1accf1f221 autogen-native: config/libopts.m4
[+] 08dfb89301 oe/path.py: fix for "Argument list too long"
[+] 8c1ac497da classes: Fix "U-boot", use proper spelling of "U-Boot".
[+] 39858da230 shadow: 'useradd' copies root's extended attributes
[+] 36f3c88970 gcc-target.inc: create symlinks for gcov and gcov-tool
[+] f420e4a071 fs-perms.txt: Two cleanup tweaks for consistency.
[+] 8f1d763adc openssl: Disable make's -e flag without breaking ${AR}
[+] 12cc4f550a toaster.bbclass: Correct parsing of installed-package-sizes.txt
[+] 5c9dc408aa gcc: move cc1 binary file to package cpp.
[+] 3e1b79a762 procs: fix ALTERNATIVE_PRIORITY to avoid conflict
[+] 8c0b432d2e bitbake.conf: Add few more binaries to HOSTTOOLS_NONFATAL
[+] 27ba0db9db go: Remove mips32r2 from mips
[+] 2102b8c9b6 file: update SRCREV for 5.30 to fix fetch fail on missing commit

```

```

[+] 602e96e2b6 build-compares: add date to PV
[+] 17e7ff4be9 webkitgtk: Fix build on aarch64
[+] ed602b58ed musl: Update to latest
[+] 422e94cd06 xserver-xf86-config: Remove X server module preload
[+] 56b2f19ca1 binutils: Enable threading when gold is enabled and is not default linker
[+] 12afe700f3 go: Fix packaging for target go
[+] 342a45317b mesa-glx: Drop MESA_CRYPTOC from PACKAGECONFIG
[+] c873d0bc1d mesa: Contain configure search for llvm
[+] 52d2faad9f package_manager: fix "exlcude" vs. "exclude" typo
[+] f8007417ea kexec-tools: Add patches to enable format-security
[+] 6dcf5c6e6e cmake: Backport fix to enable -Wformat-security
[+] a861ee210c sysklogd: use update-alternatives for more manpages
[+] 33162228c6 net-tools: use update-alternatives for more manpages
[+] c6532a199a util-linux: use update-alternatives for more manpages
[+] 4a660aa437 which: fix it so the manpage will respect alternatives
[+] 5686689408 gdb: don't bundle bfd.info -- leave that to binutils.
[+] aa66e8782e dnf: add /usr/bin/dnf symlink that points to /usr/bin/dnf-2
[+] fd04d16568 selftest/signing.py: verify that images can be created from signed packages
[+] 9a548edb0f lib/oe/package_manager: import rpm signing key to rpmdb
[+] 2b77735c72 rpm: add support for remote package feeds via PACKAGE_FEED_URIS variable
[+] cb05db0d03 package.bbclass: Add SKIP_FILEDEPS to list of package specific variables
[+] 766dccf975 runqemu: only boot ramfs when specified
[+] 8e9769773f meta-yocto-bsp: bump to the latest linux stable kernel for the non-x86 BSPs
[+] da577c7d37 bitbake: tests/data: Add inactive remove override test
[+] 0079607387 runqemu: add -h and --help
[+] ac451ea84c runqemu: improve when no machine specified
[+] bbdbdcaf06 packagegroup-core-lsb: avoid rebuilding when changing layer config
[+] 8aeb8e89fd classes/base: reformat HOSTTOOLS error
[+] ec1f1c4abe kexec-tools: Remove unused patch
[+] cd85351240 gstreamer1.0-vaapi: Remove unused patch
[+] 209bb1bc3d gstreamer1.0-omx: Remove unused patch
[+] f751a52a58 opkg-utils: Remove unused patches
[+] f3d8addbef gcc: Remove unused patch
[+] 7f60b7c474 python-native: Remove unused patch
[+] 82311dcf1f python: Remove unused patches
[+] 82d817826c python3: Remove unused patches
[+] 3d0ac9b8af xf86-input-mouse: Remove unused patch
[+] f8f015b13b readline: Remove unused patch
[+] a6707eda1d qemu: Remove uuid PACKAGECONFIG
[+] 3bbd7ae2a1 bitbake.conf: Drop pip3 from HOSTTOOLS_NONFATAL
[+] 0d8ce95782 build-appliance-image: ensure pod2man present in BA
[+] 86bf67a4a5 build-appliance-image: fix build errors
[+] 5674a08ca5 build-appliance-image: use pip3-native
[+] 8fc9d8e9a6 python3-pip: support native builds
[+] 68e57fa748 runqemu: independent network and rootfs setup
[+] ef0c54ab70 yocto-compat-layer: improve error handling in signature creation
[+] ab2caed31a sanity.bbclass: modify check for shell
[+] 3fa7239679 selftest: Disable SSTATE_MIRRORS for sstate signing test
[+] 4a3d0eda4e bitbake.conf: whitelist socat as non-fatal host tool
[+] 812fabbd30 bitbake: runqueue: minor typo fix
[+] 6e20b31d5d wic: selftest: account for occasional newline in debugfs file names
[+] 49c4fb941e go: add native recipes for 1.8
[+] c46c25dcfe go: Enable on musl
[+] 500a5e44a9 openssl: actually apply Use-SHA256-not-MD5-as-default-digest.patch
[+] 9e404449ab linux-yocto/4.4: update to v4.4.53
[+] 9afb397b31 linux-yocto/4.10: update to v4.10.2
[+] 6aa6f94eab linux-yocto/4.1: update to v4.1.38
[+] 802b695c53 linux-yocto/4.9/4.10: add Intel Memory Protection Extensions
[+] bb3904583e linux-yocto/4.9: integrate -rt9
[+] a67ec6f869 linux-yocto/4.10: update to v4.10.1
[+] db1da3bdcb linux-yocto/4.9: bump to v4.9.13
[+] c90246caeb package: Fix various rpmdeps relocation issues
[+] 4c09a95767 bitbake.conf: Add nc to HOSTTOOLS_NONFATAL
[+] d97a6eeaed testimage: Don't use systemd.log_level=debug logging
[+] 4ca2fff32c u-boot: Update patch to match upstream
[+] 3dad9722e security_flags.inc: update to reflect smart->dnf transition
[+] 226cc7396a package.bbclass: don't exclude package groups from runtime mapping
[+] 44e229c995 package_rpm.bbclass: do not strip multilib prefixes from package names, do
not add multilib prefix to package arch
[+] 778ce1b8f0 nspr: do not use shared library symbol resolution with musl
[+] b45765d7ac package_rpm.bbclass: do not set the OS dynamically when building rpms
[+] 1cf9dd6492 package_rpm.bbclass: add a /bin/sh Provides for nativesdk- packages
[+] 529244ee21 run-postinsts: simplify the logic of whether to install it to images
[+] 55928d1237 oe-selftest: no need to parse gpg output to determine the name of the
signing key

```

```

[+] 5a3e1290cb gpg_sign.py: fix signing of rpm files using gpg
[+] f72bc777fa selftest: update output checks in incremental image test to match what dnf
prints
[+] 648a5d6c49 selftest: do not perform a full build in test_continue
[+] d94b98fe30 package_rpm.bbclass: instruct rpm to not remove the buildroot directory
[+] ea4bac7e45 testimage.bbclass: fix runtime test for rpm, port smart tests to dnf
[+] dfa2987623 package_rpm.bbclass: no need to specify the magic file location
[+] 5445f03975 package_rpm.bbclass: replace createrepo reference with createrepo_c
[+] ba6106a3e2 scripts/oe-setup-rpmrepo: replace createrepo with createrepo_c
[+] aa17362d33 scripts/rpm2cpio.sh: replace 5.x version with 4.x version
[+] 67615e0175 rootfs_rpm.bbclass: migrate image creation to dnf
[+] d4efcded26 nativesdk-packagegroup-sdk-host: replace smartpm with dnf
[+] df3734551f package_rpm.bbclass: correctly map RRECOMMENDS and RSUGGESTS to rpm tags
[+] b9c550dd6e package_manager.py: improve the API for insert_feed_uris()
[+] cf7e0baffa package_rpm.bbclass: make architecture-independent .rpm packages "noarch"
instead of "all"
[+] f033bba14a db: remove the 6.x recipe
[+] 372bcd3c97 python-smartpm: remove the recipe
[+] b70f96a17f dnf: add a recipe
[+] 374494e746 libdnf: add a recipe
[+] bbddf83f65 rpm: remove 5.x recipe
[+] 27d56eeebd rpm: add a 4.x recipe
[+] 381c8e634c createrepo: remove the recipe
[+] 4ab1f76064 createrepo-c: add a recipe
[+] c3df454357 rpmresolve: remove the recipe
[+] 989a6423fc libsolv: enable rpm support
[+] a1180e91d0 package.bbclass: fix locations of debugedit and rpmdeps utilities
[+] b1f09df0f6 bitbake: ConfHandler: Use the same regular expression for all variable
names
[+] 1e275980f2 bitbake: knotty: Remove extra whitespace after task progress bars
[+] 404f2aef94 bitbake: runqueue: add option to run all tasks in specific build target
[+] 3e5f3cfe81 u-boot: add option to specify FDT argument in extlinux.conf
[+] 156571fad3 u-boot: fix extlinux creation race
[+] 8406db9e11 terminal: Use original PATH for terminals
[+] b3d13e058a libcomps: add a recipe
[+] a2b6910d14 librepo: add a recipe
[+] 5892bb7577 python-backports-lzma: add a recipe
[+] 647dd10215 python-iniparse: add a recipe
[+] 63904f6d11 python-pygggme: add a recipe
[+] 5765e1981d security_flags.inc: Update for new python modules
[+] e018993541 uninative: remove unneeded call to sparse copy
[+] 828fc447e5 pygggme: fix python module build and installation
[+] cd06d24525 base-files: do not write the current date into /etc/issue and /etc/
issue.net
[+] b9c986b0f3 db: do the multilib_header processing for db.h
[+] 852e8048d1 bash: package bashbug separately
[+] d37f41d8db glibc: do the multilib_header magic also for bits/long-double.h
[+] 60558c1544 glib-2.0: improve determinism for GIO ptests
[+] b89d6500ff grep: upgrade to 3.0
[+] f3c73f3d2a curl: upgrade to 7.53.1
[+] f15bcd78ba pkgconfig: specify --disable-indirect-deps to configure
[+] d760bf2436 opkg-utils: bump revision
[+] 0cfcdf2e95 wic/direct.py: Avoid exception if using multiple rawcopy/no-table entries.
[+] d5df9dd30f bison: Remove unused bison-2.3_m4.patch
[+] 42dee14477 libsolv: upgrade to 0.6.26
[+] f4d4f99cfb opkg: enable libsolv backend by default
[+] ca5059e638 classes: add devupstream class
[+] 94790a8254 base/bitbake.conf: Filter contents of PATH to only allow whitelisted tools
[+] 6df0da0aa1 yasm: Set CCLD_FOR_BUILD to ensure BUILD_CC is used
[+] 21db71990b u-boot-mkimage: Fix use of 'cc' instead of BUILD_CC
[+] 760e81678c go: Add recipes for golang compilers and tools
[+] 0efe58df2e runqemu-gen-tapdevs: Improve help text with an example
[+] c35a258827 quilt: Avoid hardcoding paths into output
[+] b94da69e31 cdrtools-native: Fix when cc is missing
[+] a39b7e2c50 quilt: Don't add hardcoded links to utilities
[+] a0bfdfa912 libpng12: Use rm instead of unlink
[+] ea7818b8b5 tzcode-native: Set cc to ${CC}
[+] cb454d401a toolchain-shar-extract.sh: Ensure sbin directories are in PATH in clean
environment
[+] 39ff731526 chkconfig-alternatives-native: fix obey_variables
[+] 66395bad7e busybox: ifupdown:pass interface device name for ipv6 route command
[+] 3570501025 meta: do not append to BBCLASSEXTEND
[+] c9d0d44e3c gstreamer: remove git recipes
[+] 0ed537f95b license: don't assume source files are UTF-8
[+] 519255fd73 gcc-runtime: Enable libmpx for x86-64

```

```

[+] c33aa1e088 e2fsprogs: expand @mkdir_p@ during configuration
[+] 070f3aa74f openssl: Fix symlink creation
[+] 8dddce21c4 wic: filemap: Fixed spared_copy skip
[+] 52de84763d wic: plugins: rawcopy: Fixed wrong variable type
[+] a097d29fb2 shadow: use config 'attr' if distro has 'xattr'
[+] 5c850760bb conf/machine/include: enable hardfloat by default for ARMv6 and above
[+] 5ccea3e02a dropbear: drop support for DSA host keys in dropbear init script
[+] 3f3ced499c sanity.bbclass: allow s3 protocol when sanity checking MIRRORS, etc
[+] 3835f04fc3 vulkan: Add recipe for Vulkan common loader
[+] c09a6bd8e2 mesa: Enable vulkan driver for intel
[+] 51edde6537 sstate.bbclass: update .siginfo atime
[+] e0a94a9ade lib/oeqa/selftest/bbtests: update test_non_gplv3 to use selftest-ed
[+] e663c6145a lib/oeqa/selftest/oescrpts: make test_cleanup_workdir use selftest-ed
[+] 52c10b6e58 meta-selftest: add selftest-ed recipes
[+] d454dc2fc1 gcc-runtime: Fix QA issue
[+] 3fc53377e2 zlib: Upgrade 1.2.8 -> 1.2.11
[+] d070d151d3 useradd.bbclass: drop obsolete code
[+] dc80d4f4bc kernel-arch: Lock the toolchain to use gcc compiler
[+] d49dba9a6a relocate_sdk.py: skip debug files from relocation
[+] 0884c80070 qemu: display: CVE-2016-9912
[+] 5724b1e3d9 qemu: display: CVE-2016-9908
[+] 27fbd839d4 qemu: Move recipe version specific patches and features to recipe
[+] ed25789bc0 qemu: Convert KVMOPTS to PACKAGECONFIG
[+] 6e7a2f0ba3 qemu: Consolidate EXTRA_OECONF
[+] 7065bb2148 qemu: Improve and add PACKAGECONFIG options
[+] 5738f86f99 selftest: remove extra backslashes from debug output
[+] ac462e464f qemurunner.py: ignore decode errors
[+] 55fc115d93 selftest: test wic efi image in qemu
[+] 27badf83ec targetcontrol: add image_fstype argument to commands.runqemu
[+] 383cd20828 qemurunner: add runqemuparams argument to commands.runqemu
[+] b41e1c9209 base.bbclass: improve wording when skipping recipes with incompatible
licenses
[+] c675b5dbe5 apr: fix rss+perf+gold failure on do_compile_ptest_base
[+] 1df119cd06 module.bbclass: Add inherit of pkgconfig
[+] fee8d9fdbba parted: fix rss+perf+gold failure on do_compile_ptest_base
[+] 2e213dd1b3 mesa: Upgrade 17.0.0 -> 17.0.1
[+] d0bed9a76e screen: update to 4.5.1
[+] aac3ad4785 buildhistory.bbclass: Only execute get_extra_sdkinfo when sdk is enabled
[+] 1f718c80e6 yocto-uninative: Update to the 1.5 release
[+] 9f3246522c meta: start to ignore the largefile distro feature
[+] fc6c81da79 gpgme: Fix issue building for the target
[+] 07eca81801 crosstap: Changes to support Recipe specific sysroot
[+] 3f0037ce3c systemtap: Add patch to remove quotes
[+] 35ce834167 bitbake: toaster: resolve missing 'native[ sdk ]:' prefixes
[+] 2345af9b48 recipes: Move out stale GPLv2 versions to a seperate layer
[+] c4901328fe patchelf: Fix issues with the 'hole' in binaries approach
[+] 4485ea5807 binutils: Upgrade to 2.28 release
[+] ee18a2b233 musl: Update to tip
[+] 4188e53f80 poky: make 4.10 the qemu* default
[+] 00e0182ac0 poky-tiny: Bump default kernel version to 4.9
[+] bb2106913b poky-tiny.conf: Adds poky-tiny to DISTROOVERRIDES, so we can re-set DISTRO
dependant variables such as the kernel accordingly
[+] 3efacaf2d2 linux-yocto: Update genericx86* SRCREVs for linux-yocto 4.9
[+] f384748c3d genericx86-64: Updates PREFERRED_VERSION to use kernel 4.10
[+] 4e758f98f7 genericx86: Updates PREFERRED_VERSION to use kernel 4.10
[+] 42a49ec9d7 linux-yocto: Adds new bbappend to support 4.10 on genericx86 and
genericx86-64 platforms
[+] c225f0fdb5 bitbake: fetch2: pass --no-same-owner when extracting tar files compressed
with 7-Zip
[+] 0788007ccf bitbake: fetch2: remove last remaining usage of deprecated bb.data APIs
[+] 0a66fc2242 tzdata: update to 2017a
[+] 46f7f56c58 tzcode-native: update to 2017a
[+] bbb1a0781a u-boot: Fix handling of CMD_LICENSE in u-boot-mkimage
[+] 624bf09790 linux-libc-headers: Add inherit of pkgconfig
[+] a041053056 gstreamer1.0-omx_1.2.0: remove recipe
[+] 47b2cf698b systemd: check "ldconfig" distro feature when setting PACKAGECONFIG
[+] 0808926dc2 guile: fix a bashism
[+] c7d8f854a3 lttng-tools: update to 2.9.4
[+] 8cf7d4525d lttng-modules: update to 2.9.1
[+] 16c918126d libgpg-error: Don't replace the syscfg header for mingw32
[+] 105d823831 libgpg-error: correctly configure on mips64
[+] e4ffcaea22 mesa: Upgrade 13.0.4 -> 17.0.0
[+] 851bdd2d69 gcc-source: add comment explaining why a function is Python
[+] f1475ed582 buildhistory.bbclass: use tabs as separator in installed-package-sizes.txt
[+] 132b4d13e0 kernel.bbclass: Give sanity check function an opt-out variable

```

```

[+] f3881e63fd package.bbclass: Add SHLIB detection support for mingw targets
[+] 09a253d09f update-alternatives.bbclass: Disable for mingw32 targets
[+] f6eec55982 autotools.bbclass: delete the extra varflag set for autotools_copy_aclocals
[+] 5528cd5c0f ptest.bbclass: use BPN in PTEST_PATH for multilib
[+] ba40c2f8bf no-static-libs: add missing leading space when using "_append"
[+] b6e6aa164c arch-mips: Fix tune configuration for mipsisa64r6el-n32-nf
[+] 2d1b0452ba bitbake.conf: replace USE_LDCONFIG with new "ldconfig" distro feature
[+] 93633edcf8 yocto-compat-layer.py: Add script to YP Compatible Layer validation
[+] 28376f9552 build-perf-test-wrapper.sh: support xml report format
[+] b4b2d6dec4 scripts/runqemu: avoid overridden user input for bootparams
[+] 86d6b790eb scripts/runqemu: Add always ttyS1 when no serial options are specified
[+] f573db010f scripts/lib/create_npm: handle Public Domain licenses
[+] 1da740ef32 scripts/lib/create_npm: handle AND and OR in licenses
[+] 837d89b47b scripts/lib/create_npm: rewrite see license in eula
[+] 2db1227fa2 lib/oe/package.py: remove @ from package name
[+] ca83f35f5a create_npm.py: convert MIT/X11 to MIT
[+] 13c54959dd wic: add more targets to directdisk syslinux config
[+] bf3e8c4500 wic: bootimg-pcbios: add support for syslinux vesamenu
[+] aad85050d7 wic: raise WicError instead of calling logger.error
[+] ee860b3bf5 wic: add WKS_FILE_DEPENDS variable
[+] e3c64a90d7 wic: exec_native_cmd: fix undefined variable error
[+] 97b07710c3 wic: exec_native_cmd: improve debug message
[+] 35df4ad171 wic: use image recipe sysroot as default
[+] 6d5dd6e560 wic: use 2 sysroots to find native executable
[+] c4b96817e5 wic: pluginbase: use global dictionary
[+] 0c0ed61992 wic: move PluginMgr class to pluginbase
[+] 93b3eb37ff wic: plugin: cache results in get_plugins
[+] b9839fd664 wic: remove PluginMgr.get_plugin_methods
[+] 59b72c0b26 wic: throw exception if required API is not implemented
[+] 455ce228df wic: pluginbase: use python 3 metaclass syntax
[+] d088d22a38 wic: reimplement PluginMgr.get_plugins
[+] d8cf70bf0f wic: reimplement PluginMgr.get_plugin_methods
[+] 27e172c3b6 wic: remove PluginMgr.get_source_plugins
[+] ec7b604b1e wic: use PluginMgr directly
[+] f8a4bd9950 wic: move WicError to lib/wic/__init__.py
[+] af17aa91b3 wic: raise WicError instead of ImageError and CreatorError
[+] 8da175607c wic: raise WicError in wic plugins
[+] f5ae79da40 wic: raise WicError in core modules
[+] 3d47a212a6 wic: raise WicError in main module
[+] 79c066b298 wic: move errors module
[+] 28014087b8 wic: remove msger module
[+] 1dd8cca631 wic: use wic logger in wic source plugins
[+] 7c163ada95 wic: use wic logger in imager direct plugin
[+] fe2d602240 wic: use wic logger in core modules
[+] 58ff06f1e7 wic: setup logging in the main wic module
[+] e0839dd113 cryptodev: update to handle 4.10 kernel API
[+] 977047fb99 gcc-runtime: Add libmpx supprt for x86
[+] e438ede997 linux-yocto-dev: add virtio fragment for virtio targets
[+] 3e35438d83 libc-headers: introduce 4.10 and set as default
[+] d2b776f34d linux-yocto: introduce 4.10 recipes
[+] 2e5181e510 teststdk: Fix lockfile patch
[+] 32e1eac492 populate_ext_sdk: Merge auto.conf into local.conf
[+] 7fefdc1e11 populate_ext_sdk: Append to SSTATE_MIRRORS
[+] e05c8d812e teststdk: Drop lockfile usage
[+] d3cdea0cc9 oeqa/sdkext/devtool: Ensure dependencies for
test_extend_autotools_recipe_creation are present
[+] 8f1ed17587 bitbake: fetch2: add initial Amazon AWS S3 fetcher
[+] da6652b526 bitbake: fetch2: Allow whitespace only mirror entries
[+] 85188262f7 sanity: Allow whitespace only mirror entries
[+] ea2fd77ba5 teststdk: Use auto.conf instead of local.conf to set SSTATE_MIRROR
[+] 7ddf8e19c4 meta-eststdk-toolchain: use WORKDIR instead of D to hold locked-sigs
[+] e77712ee02 core-image-lsb-sdk: Lower IMAGE_OVERHEAD_FACTOR
[+] fffb6086db oeqa/sdkext: don't skip tests if there isn't a toolchain
[+] 88c1fb2f0c oeqa/sdkext/devtool: use finally instead of repeating cleanup
[+] 726832895d oeqa: add output to subprocess exceptions
[+] 30ad362417 oeqa/esdk/devtool: clean setUpClass/tearDownClass
[+] 842bc0ff5a oeqa/selftest: Drop http sstate sharing
[+] 28430385ad populate_sdk_ext: Allow generation of meta-extstdk-toolchain even for
minimal SDKs
[+] 6ed096e5ed oeqa/sdkext/context: Work around broken dependency checks to get sdk tests
running
[+] 23137a9897 oeqa/sdk*/case: Use universal_newlines for subprocess calls
[+] 78195a23b0 oeqa/sdkext: Ensure we run a deterministic set of tests
[+] f73172e64e devtool/sdk: Run build-sysroots after installing new things
[+] 51d6f19fa8 teststdk: Handle minimal eSDK and avoid download costs

```



```
[+] f3b54c86b5 oeqa/sdnext/devtool: rename recipe name to match upstream
[+] adb0b6ae82 weston: Upgrade 1.11.1 -> 2.0.0, separate libweston
[+] 13d50280a1 wayland: Upgrade 1.12.0 -> 1.13.0
[+] db9b183d5c ruby: upgrade 2.3.3 -> 2.4.0
[+] 365a57f281 libusb1: upgrade 1.0.20 -> 1.0.21
[+] 09c85a8307 ffmpeg: use static package list
[+] f786def0ec insane.bbclass: Add missing dependencies
[+] 5230e490f8 generate-manifest-2.7.py: fix python-tests rdepends
[+] 2f821f3c09 generate-manifest-3.5.py: add logic to generate native manifest
[+] e720e3b4af generate-manifest-2.7.py: add logic to generate native manifest
[+] 8d8d0a52d5 base.bbclass: Fix OE_IMPORTS
[+] df55b06ceb oelib/buildhistory.py: Add unittest for buildhistory_analysis
[+] 661c73b716 oeqa/core/loader.py: Avoid importing tests with built-ins name
[+] 9f8748c59f oeqa/core/loader.py: Give meaningful error when failed to load classes
[+] 21eb3e07c6 wireless-tools: Update URLs
[+] 19d23814e4 selftest: Optimize get_bb_var use
[+] ef010c1a1d perl-native: Remove usage of -fstack-protector=strong
[+] 2cdaa0c493 gstreamer: update to 1.10.4
[+] cfe0def06d iproute2: upgrade to 4.10.0
[+] 162dac32be python3-pip: RDEPEND on python3-html.
[+] a38ab4ddb7 tar: CVE-2016-6321
[+] 010b368bc8 buildstats.bbclass: Avoid index exception in /proc/PID/io parsing
[+] 82f7573094 webkitgtk: update to 2.14.5
[+] 89c1220c40 systemtap: update to 3.1
[+] c9f9446585 ltp: upgrade to 20170116
[+] 6b3dda3cee ed: update to 1.14.1
[+] fdb1517dc0 lzip: add a recipe from meta-oe
[+] 445d3e6003 glib-2.0/glib.inc: If 'charset.alias' exists drop it
[+] 4ffb728df4 glib-2.0/glib.inc: Only apply MLPREFIX renaming to class-target
[+] 4e4ef3a683 btrfs-tools: update to 4.9.1
[+] 35afc1f97c slang: 2.3.1 -> 2.3.1a
[+] 6e1aad4596 license.bbclass: run chown only under pseudo
[+] 817f9b5899 boost: update to 1.63.0
[+] 76b831cc11 kconfig-frontends: fetch source from git
[+] 1942460f5c glib-2.0: Upgrade 2.50.2 -> 2.50.3
[+] 1f9af41dde unzip: CVE-2014-9913 CVE-2016-9844
[+] 9e6cb6ec8b nss: update to 3.28.1
[+] 1f17010446 libwebp: update to 0.6.0
[+] a4b618930a libnl: update to 3.2.29
[+] 22c56bd982 kbd: update to 2.0.4
[+] 3e7f9d8aba iso-codes: update to 3.74
[+] c8f21b5a1e gnutls: update to 3.5.9
[+] 85e5541cd0 ffmpeg: update to 3.2.4
[+] 32c3edb3a9 bash-completion: update to 2.5
[+] c49972abcf babeltrace: update to 1.5.2
[+] a66e0c53d0 libva: fix upstream version check
[+] 40b76536f6 libepoxy: fix upstream version check
[+] f89ea62842 sysprof: inherit upstream-version-is-even
[+] b332dbde2e zlib: fix upstream version check
[+] 922bfed3f6 ruby: fix upstream version check
[+] abda45bb2a initscripts/sysfs.sh: mount configs if present
[+] 033b9f70d6 bitbake.conf: fix ineffective include conf/target/${TARGET_SYS}.conf
[+] 7e6969bdc9 python-pexpect: BBCLASSEXTEND to native
[+] c986fc66be python-ptyprocess: BBCLASSEXTEND to native
[+] 9365e5f7a9 selftest: Avoid sstate corruption by calling cleansstate
[+] 093f673b2a curl: upgrade to 7.53.0
[+] 70b428f16a lib/oe/gpg_sign: fix rpm signing with gpg > 2.1
[+] 7f4278d472 lib/oe/gpg_sign: make gpg version a property of the signer
[+] 8032d64c43 rpm: support customizing gpg command line
[+] ba5f3143a7 lib/oe/gpg_sign: sign rpm packages in chunks of 100
[+] 6c23b6c586 qemu: fix build with glibc-2.25
[+] 584761577b e2fsprogs: Fix build with glibc-2.25
[+] 3b2d79971f syslinux: fix build with glibc-2.25
[+] 6828b03ac5 parted: fix build with glibc-2.25
[+] d4369c5004 x264: Upgrade to stable branch head
[+] d0842818fb gst-player: Upgrade to recent git revision
[+] f2a142a089 xf86-video-intel: Upgrade to recent git revision
[+] d15766dce8 epiphany: update to 3.22.6
[+] b1777d66e3 gdk-pixbuf: Upgrade 2.36.1 -> 2.36.5
[+] 9eff416170 menu-cache: Upgrade 1.0.1 -> 1.0.2
[+] cc24087c5a libdrm: Upgrade 2.4.74 -> 2.4.75
[+] 4fdec0fc60 libgudev: Upgrade 230 -> 231
[+] f216065e51 gtk+3: Upgrade 3.22.7 -> 3.22.8
[+] 7037b3ff83 sudo: upgrade to 1.8.19p2
[+] 85fb7a3c8d file: 5.29 -> 5.30
```

```

[+] 57537657d0 guile: 2.0.13 -> 2.0.14
[+] 1242c7eae7 strace: 4.15 -> 4.16
[+] 9b175c0602 dpkg: Upgrade to 1.18.10
[+] 95a4f9aa12 perl: Upgrade to 5.24.1
[+] 2d238896de Revert "flex: upgrade to 2.6.2"
[+] 2739719071 sqlite3: upgrade to 3.17.0
[+] 30b2044de6 python: Upgrade both python and python-native to 2.7.13
[+] 1bd3e545bd kernel-devsrc: remove symlink source
[+] ea8b9d5d7b scripts/lib/devtool/deploy.py: add --port/-P argument for target connection
[+] 129fbf324a classes/license.bbclass: Don't copy unneeded licenses by package
[+] 5a2a1ec16b license.bbclass: Don't copy again LICENSE already handled as no-generic
[+] 7abb5b7206 bitbake: bitbake-user-manual: Added "path_spec" parameter to SVN Fetcher
[+] bcfb0da4fe bitbake: bitbake-user-manual: Rewrite dependency dot file generation
[+] 254bf1071 recipes: Make use of the new bb.utils.filter() function
[+] dec5650bc2 sanity: Require bitbake 1.33.2
[+] 0b8d85a094 kernel, license, sstate, rootfs.py: Remove deploy directory README
[+] 7186e265c6 ovmf: increase path length limit
[+] b9824b1cec ovmf: remove BGRT patch
[+] ae147e9cf5 ovmf: build image which enrolls standard keys
[+] 715f4e3ec1 runqemu: support UEFI with OVMF firmware
[+] 63f61a1aff runqemu: also accept -image suffix for rootfs parameter
[+] 29618da02d runqemu: fix undefined variable reference in check_arg_path()
[+] 3ee86f5326 ovmf_git.bb: enable Secure Boot
[+] e404935ca9 ovmf_git.bb: enable parallel compilation
[+] 5d30fc4996 ovmf: deploy firmware in image directory
[+] bf7411cb4b ovmf: explicitly depend on nasm-native
[+] f2d2a116e7 ovmf: move from meta-luv to OE-core
[+] 76a4a4e8a4 acpica: fix compilation with musl
[+] 7a309065c1 acpica: work around flex 2.6.2 code generation issue
[+] 94f684e4f4 acpica: move from meta-oe to OE-core
[+] 81b7a9832f qemu: support virtual TPM
[+] b16192c938 bitbake: fetch2: don't use deprecated bb.data APIs
[+] b1c48fb646 bitbake: bitbake: Update version to 1.33.2
[+] 3004f57a25 bitbake: lib/bb/utils: Add filter()
[+] 8dd99c15af bitbake: wget.py: match .lz tarballs as well when determining latest
version
[+] 7b75bf8505 bitbake: process: stop bb.process.communicate mixing bytes and str return
types
[+] 3242826304 bitbake: lib/bb/fetch2: rewrite / to - in package names
[+] 4b70f27173 bitbake: fetch2/__init__: handle @ in package names
[+] 3c83b56309 bitbake: fetch2/svn: change 'rsh' parameter to 'ssh'
[+] c3e6178acf libva: Find the correct wayland-scanner
[+] 01be63828c selftest/eSDK.py: Cleanup when there is an error in setUpClass
[+] 134db01e7b iptables: upgrade to 1.6.1
[+] e60cb049d1 ffmpeg: Fix the license description
[+] 448f5c832d linux-firmware: Add Marvell sd88xx WiFi firmwares
[+] 5fb6bf0225 libarchive: Backport upstream fixes.
[+] 8bcfd4d29 ncurses: 6.0+20160625 -> 6.0+20161126
[+] 4a234b5c0e dbus: do not use systemctl from host for configure
[+] 5424dc2a21 alsa-lib: merge alsa-conf-base into alsa-conf
[+] 06fe5024e2 alsa-lib: fix softfloat enabling
[+] 5286f9c310 alsa-lib: 1.1.2 -> 1.1.3
[+] 00a2a55c01 lsb: lsb_release script incompatible with busybox head and find
[+] ce5d19cbfe ccache: Switch to downloading xz tarball
[+] 7f9951e5cc ccache: Upgrade to v3.3.4
[+] 4533abfb07 security_flags.inc: let gettext be secure
[+] 1e01b61029 gettext: fix formatting issues
[+] f35aa16f37 eudev: Upgrade to 3.2.1
[+] 47a6b62312 eudev: set downloadfilename
[+] b74cfdb8a0 pigz: set downloadfilename
[+] e39ffbcf92 unifdef: add UPSTREAM_CHECK_REGEX to filter out development snapshots
[+] 0cce08ba5a gstreamer1.0-vaapi: inherit upstream-version-is-even
[+] 84b03847da btrfs-tools: only target requires udev
[+] 39144a5a19 btrfs-tools: don't run autogen.sh
[+] 73c70c7d13 qemu-native: Point python to python2 on build host
[+] 27d8dc70ad swig: upgrade to 3.0.12
[+] b4c2bd20d6 libarchive: fix bzip2 dependency for native build
[+] c3447903e8 util-linux: upgrade to 2.29.1
[+] ec19def0cb sysstat: upgrade to 11.5.4
[+] aa834781fb cups: upgrade to 2.2.2
[+] bb90ff781b gcc: Fix CVE-2016-6131 in libiberty
[+] 04ce3a37b6 tcl: fix sed in do_install()
[+] c5f7a5af37 gawk/json-glib/libcheck: extend to nativesdk
[+] ed28a7eb8b tcl: extend to nativesdk
[+] 0f316ff715 python-native: PROVIDES python-io-native

```

```

[+] 7c8eb1030e kexec-tools/kdump: Correct typo in comment "crashkenrel="
[+] 0f82d65295 docbook-xml: correct typo "do_configure"
[+] b8cb30b13f cmake: Update to 3.7.2.
[+] 60bfaaa460 weston: fix LIC_FILES_CHKSUM newline and md5sum for src/compositor.c
[+] d0bec7eb8d gcc-6: Add fix for missing no-PIE flags
[+] bdf3009a25 piglit: Upgrade to current master
[+] 6df1d58cf2 libinput: Upgrade 1.6.0 -> 1.6.1
[+] 0ab375f76c xkeyboard-config: Upgrade 2.19 -> 2.20
[+] 4736303102 xf86-input-libinput: Upgrade 0.23.0 -> 0.24.0
[+] 39870a15c3 xauth: Upgrade 1.0.9 -> 1.0.10
[+] 51a5ec2824 presentproto: Upgrade 1.0 -> 1.1
[+] 596686330e util-macros: Upgrade 1.19.0 -> 1.19.1
[+] 0a57f9fecb vte: Upgrade 0.44.2 -> 0.46.1
[+] 30bcc8c266 gmp: Update to 6.1.2
[+] 930b6d4ddb gdb: Upgrade to 7.12.1
[+] f364cb7c4c musl: Update to latest
[+] 839568db9d libpcre2: add it for newer vte
[+] d16219b754 tremor: remove
[+] 9a1ac06139 slang: rewrite recipe to run autoconf
[+] f14fb8d124 depmodwrapper-cross/qemuwrapper-cross: Drop unneeded binutils dependency
[+] 9eaf51be2d gcc-cross: Avoid races with gcc_stash_builddir
[+] 3711607d91 binconfig.bbclass: fix get_binconfig_mangle()
[+] ce79111e73 native.bbclass: populate native recipe with it's files
[+] 970b0321cf kernel.bbclass: do_deploy requires depmodwrapper
[+] 1d133ec021 devtool: upgrade: fix error of import recipeutils
[+] 1aed4140bf terminal.bbclass: export configure vars
[+] 42d6b7818d useradd-staticids: fix typo for '--expiredate'
[+] 9571347bcc arch-arm*.inc: squash whitespace within TUNE_FEATURES strings
[+] 3b17343e6f scripts/buildstats-diff: fix epoch numbers in --ver-diff
[+] 73e811190b lib/oe/patch: Support xz-compressed patches
[+] 4a87679857 bitbake.conf: Point KERNELORG_MIRROR to cdn.kernel.org
[+] cf0b92f893 oeqa/runtime/context.py: Fix use of getTarget() with testexport
[+] 5ff7db946c oeqa: fix typo
[+] 88bda7d78d image_types_wic: fix expansion error
[+] e436a63986 layer.conf: bump version for change in eSDK selftest behaviour
[+] 27a9c9d788 ref-manual: Expanded kernel task descriptions.
[+] 90399afd54 dev-manual: Minor corrections to maintaining Open Source lic. comp.
[+] e504de2cf4 ref-manual: Updated NO_RECOMMENDATIONS glossary entry
[+] 77afd14e81 documentation: Updated "latest manual" note on title page
[+] 23bd7e100a selftest/containerimage.py: Add container IMAGE_FSTYPES test
[+] 5da9c1c38b image-container.bbclass: Error if not using linux-dummy
[+] 1b8f485c24 image-container.bbclass: Add the "container" IMAGE_FSTYPES
[+] b57e93c5c8 oeqa/selftest/bbttests: Update after changes to dependency graph file
generation
[+] ff734f0560 bitbake: runqueue: Fix collapsed setscene dependency tree
[+] 10968b4266 bitbake: bitbake-layers: Handle exception raised bytin foil.prepare()
[+] 157d9d92a0 bitbake: tinfoil: ensure PATH includes bitbake's bin directory
[+] b14e61d1bd bitbake: fetch2: Add NFS Stale file exception handling
[+] 6c611d697f bitbake: fetch2: Rename "setup_revisions" to "setup_revisions"
[+] 1bd4f040a3 bitbake: fetch2: Correct two examples of typo "revsion."
[+] 7ab8b6558c bitbake: cooker: detect malformed BBMASK expressions which begin with a
separator
[+] 6cfc1c83b9 bitbake: cooker: Rewrite dependency dot file generation
[+] 701ae7d1f4 bitbake: doc: Replace depexp UI with taskexp and cleanup UI lists
[+] 6a531c8b33 bitbake: ui: Replace depexp with taskexp
[+] 0bc0e9801b wget: Upgrade 1.19 -> 1.19.1
[+] bcb24c013d rootfspostcommands: remove shadow backup files instead of trying to sort
[+] 2a6323d300 linux-yocto-rt/4.9: update to 4.9-rt6
[+] 9b77a677a0 kernel-yocto: trivial: remove extra } from bsp_definition
[+] c57ccdc5b linux-yocto/4.4: meta/configuration updates
[+] 98f7fbfd6c linux-yocto/4.9: update to v4.9.9
[+] 005bc03aed linux-yocto-dev: bump to v4.10+
[+] b327597104 linux-yocto/4.8/4.9: fix tpm.cfg and add dm-verity
[+] 3c3cba24bd linux-yocto/4.9: Intel-quark: Add intel-quark-preempt-rt bsp configuration
[+] 315e8835ec linux-yocto-rt/4.9: integrate 4.9-rt4
[+] eccbb9a670 linux-yocto/4.8: update to v4.8.18
[+] 92ee540257 linux-yocto/4.9: bump to v4.9.8
[+] 35a79cc495 kernel-yocto.bbclass: ensure repatching when HEAD is checked out
[+] e98757e267 bitbake: cooker.py: run sanity checks for multiconfig
[+] d4b5a70831 bitbake: bitbake: toaster: add wic.bmap support to toaster
[+] 9bc41e1e8d bitbake: toaster: remove cut and paste cruft
[+] f43d97af94 bitbake: toaster: move sqlite database to TOASTER_DIR
[+] 3b7ab16bf8 bitbake: toaster: remove cut and paste cruft
[+] f0d5eb39c3 bitbake: lib: Drop now unneeded update_data calls
[+] 01b9ab89de wic: direct: move creation of PartitionedImage to __init__

```

```

[+] 924e84ea8d wic: direct: move generation of part.realnum to PartitionedImage
[+] 32e2d92913 wic: direct: add PartitionedImage.prepare method
[+] 01d37e7537 wic: direct: set bootloader.source in the __init__
[+] 58528cd5a7 wic: direct: move UUID generation to PartitionedImage
[+] d5f42cad0c wic: direct: add 'realnum' attribute to partition
[+] 77dc8e6ef3 wic: direct: remove useless code
[+] 870171a205 wic: direct: don't catch ImagerError
[+] 417e5f5be2b wic: direct: remove set_bootimg_dir setter
[+] 6d91c5f6f4 wic: ksparser: set default disk to 'sda'
[+] 93906fb830 wic: remove utils/oe/__init__.py
[+] cdcc6e2753 wic: move PartitionedImage class to direct.py
[+] adf5e2956c wic: move disk operations to PartitionedImage class
[+] 47ee6c2153 selftest/wic: Add tests for --exclude-dir option.
[+] f6a064d969 wic: Add --exclude-path option to rootfs source plugin.
[+] 7cb17e3e9e wic: remove unused argument scripts_path
[+] 74aee7a1a7 wic: direct: remove unused import
[+] 348c9c50c1 wic: direct: remove unused plugin attributes
[+] a9be5de4a1 wic: make sure layout_partitions is called once
[+] fd1f6fb201 wic: use the same partition object in direct and partitionedfs
[+] 4edcd63ba1 wic: direct: get rid of _get_parts getter
[+] 6355150674 wic: partitionedfs: rename __create_partition and __add_disk
[+] 86e190a614 wic: partitionedfs: get rid of __add_partition
[+] b8354df789 wic: partitionedfs: merged __format_disks and create
[+] 03648d3d04 m4: use wildcard for selftest bbappend
[+] 1b2857a781 bash: fix CVE-2016-9401
[+] 70907e352e libxslt: Add build fix (with ld-is-gold)
[+] 18951ec67d lighttpd: Upgrade 1.4.43 -> 1.4.45
[+] a06e298de8 m4: 1.4.17 -> 1.4.18
[+] baf1dbc198 mklibs-native: 0.1.41 -> 0.1.43
[+] 247e3fcec2 strace: fix gawk's path
[+] d832aec0b9 strace: 4.14 -> 4.15
[+] 7fd31fa226 wget: 1.18 -> 1.19
[+] 424428b0b3 libpcre: 8.39 -> 8.40
[+] 0a70941525 hdparm: 9.50 -> 9.51
[+] b413deab20 gnu-efi: 3.0.4 -> 3.0.5
[+] 2c97030552 git: 2.11.0 -> 2.11.1
[+] ae5942345c e2fsprogs: 1.43.3 -> 1.43.4
[+] 71ca295786 usbutils: allow udev-hwdb to be optional
[+] 4120693223 perf: add PACKAGECONFIG for jvmti
[+] 08855da829 dbus: remove pointless cd
[+] 419f7339ad elfutils: update homepage and upstream source
[+] f0a300c44d elfutils: 0.166 -> 0.168
[+] edd51e8659 libgpg-error: 1.25 -> 1.26
[+] 8d0b974f2d gpgme: allow building -native variant
[+] 6075e4978d gpgme: 1.6.0 -> 1.8.0
[+] 00dd77d449 security_flags: disable -pie for gpgme
[+] 375d35c387 gnupg: 2.1.14 -> 2.1.18
[+] 3026b4cdd9 rpcbind: 0.2.3 -> 0.2.4
[+] 1831b720c2 man-pages: 4.08 -> 4.09
[+] 151f9ab9de libgcrypt: 1.7.3 -> 1.7.6
[+] fal3b3efb socat: 1.7.3.1 -> 1.7.3.2
[+] 0355491595 pax-utils: 1.1.6 -> 1.2.2
[+] e051c70250 watchdog: Add RCONFLICTS to watchdog-keepalive and split RDEPENDS
[+] e380d55c1d libcap: Add gperf-native to depends
[+] bd38e7e84d ltnng-tools: no need to delete libxml.m4
[+] f5bbeae789 security_flags: enable string formatting check for console tools
[+] 1766594cec console-tools: fix string formatting issue
[+] 9872c3d2ae ltp: Fix containers/usersns05 failure for lib32
[+] 4dfa203a65 python: Don't use getentropy on Linux
[+] 5ca7184552 pseudo: update to 1.8.2
[+] d9a3ebef27 smartpm: if RPM transaction fails with an empty list of problems in attempt
mode, ignore it!
[+] cf6c8a94a4 glibc: Update to 2.25 release
[+] 36f6e71ccb pulseaudio: 9.0 -> 10.0
[+] 8b4474aa72 xz: upgrade to 5.2.3
[+] ddd2fbf722 libepoxy: upgrade to 1.4.0
[+] 4766960304 selftest: remove result file log awkward checking
[+] f4ba140c59 build-perf-test-wrapper.sh: fix issues with non-existing path arguments
[+] 1440b3e9aa oe-build-perf-test: drop --commit-results
[+] 37c9f3f180 build-perf-test-wrapper.sh: use oe-git-archive
[+] 3c862c647c scripts/oe-git-archive: support creating bare repositories
[+] e3f06659c2 oeqa.utils.git: support bare repos
[+] 69c7907bd9 scripts: Implement oe-git-archive
[+] 5c907bde11 oeqa.utils.git: add git_dir property
[+] fcd28fd50f oeqa/buildperf: don't archive stdout/stderr of commands

```

```

[+] 8279d6f257 classes/license: Respect beginline and endline
[+] 2c74929555 insane.bbclass: print QA message correctly
[+] f377eaa011 package_deb.bbclass: Ignore file paths in RPROVIDES
[+] e8b1864f70 poky.conf: prune SANITY_TESTED_DISTROS
[+] 3b93282a59 linux-yocto: Update genericx86* SRCREVs for linux-yocto 4.9
[+] b16203f893 linux-yocto: Update genericx86* SRCREVs for linux-yocto 4.8
[+] 999af60cdb linux-yocto: Update genericx86* SRCREVs for linux-yocto 4.4
[+] c9e7451dd8 linux-yocto: Update genericx86* SRCREVs for linux-yocto 4.1
[+] 94d40a5fae meta-yocto-bsp: bump to the latest linux stable kernel for the non-x86 BSPs
[+] b61ee699d testimage.bbclass: Add check for empty test suite
[+] fd1ecec6a9 image.bbclass: Use 'populate_sdk_base' for non-linux targets
[+] b6939b7392 sanity.bbclass: Add which to SANITY_REQUIRED_UTILITIES.
[+] 6f3f9457a6 uboot-extlinux-config.bbclass: add support for timeout & default
[+] 4794518720 classes/copyleft_filter: include AGPL in default included list
[+] 0fce3ec656 kernel.bbclass: Make symbol to vmlinuz.bin in boot directory
[+] d887c24d5a cve-check-tool: Use CA cert bundle in correct sysroot
[+] ea616d1226 cve-check-tool: Fixes for recipe sysroots
[+] 0d637857f2 cve-check.bbclass: Fix dependencies
[+] b1f99066bd testimage: Implement custom target loading
[+] 124f689569 oeqa/loader.py: Avoid error in TypeError exception
[+] ae98051014 qemu.py: add 'elf' as supported fstype
[+] 73d1c27137 libva: Update to new 01.org github location
[+] 430eb6fec3 oeqa/core/runner.py: OStreamLogger fix logging
[+] bfd0a39bdf classes: Drop now unneeded update_data calls
[+] e758547db9 nss: Fix nss-native so the checksum doesn't change with BUILD_ARCH
[+] 3eee8e99e1 sstate: Make absolute symlinks an error
[+] 23d9886aae openssl/fontconfig/bzip2: Use relative symlinks instead of absolute ones
(using a new class)
[+] eac8f9b986 lib/oe/path: Add replace_absolute_symlinks function
[+] 48527d4ff3 gcc-cross-initial: Remove unneeded temporary sysroot
[+] 5e68071c6f python3-native: Remove tests to save copying unneeded files around
[+] 7d08a1340f glibc-package: Avoid race sstate races with do_stash_locale
[+] a624cf7f95 oeqa/selftest/pkgdata: use m4 instead of bash
[+] c0f56dbaf3 dosfstools: upgrade to 4.1
[+] lbaae2a0d1 image_types.bbclass: fix image dependency chain collection
[+] 36e7717efe kernel-module-split: Allow custom suffix for package names
[+] 3990b5eb94 iproute2: Inherit pkgconfig
[+] ff729de1be pcmciautils: Inherit pkgconfig
[+] f5fc727f5b qemu: Add missing 'inherit pkgconfig'
[+] a82332b128 latencytop: Add missing 'inherit pkgconfig'
[+] 3154eedbfe pong-clock: Add missing 'inherit pkgconfig'
[+] e8f4e06e76 devtool: improve parse failure handling
[+] e0a94f2e1f recipetool: create: do not treat numbers in SCM URLs as versions
[+] 6ac9c605e6 recipetool: create: properly handle npm optional dependencies
[+] 21ace8b620 classes/npm: set HOME during do_install
[+] 014278d370 classes/populate_sdk_ext: account for custom image tasks
[+] 1a9f33ccc7 classes/patch: switch to new bb.build.tasksbetween() function
[+] 4b870ed47b classes/populate_sdk_ext: remove unnecessary dependencies breaking
SDK_TARGETS
[+] 75aafde619 sanity.conf: Update minimum version requirement for devtool
[+] 529582a238 staging: Add missing parameter to debug message
[+] ab78c782f7 staging: Improve file creation resilience
[+] 175a457032 staging: Add shared manifest support
[+] 4764c113f9 perl-native: Remove .packlist file
[+] c8b280e8a4 staging: Don't put ptest files into the sysroot
[+] 992d17c8e8 glibc: Separate locale files to their own sstate task
[+] 9f12295626 bitbake: bitbake: Update version to 1.33.1
[+] 8e61d6d8b7 bitbake: fetch2/npm: fix handling of os field
[+] eed25ff021 bitbake: fetch2/npm: handle items only in optionalDependencies
[+] d01b4bd15b bitbake: lib/bb/build: add tasksbetween() function
[+] 03b1180825 yocto-bsps: add 4.9 bbappend
[+] 348606bbd9 Revert "yocto-bsps: add 4.9 bbappend"
[+] c62908e6a3 gcc-6: Sync gcc stddef.h with musl stddef.h
[+] 297c168660 oeqa.buildperf: reword test descriptions
[+] 45cbf0f4f8 sdkext/cases oeqa/selftest: Updates decorators
[+] 0b040f9534 bash: use update-alternatives for the bash binary
[+] 07f32d7af8 wic: fix call of serial_console_form_kargs
[+] 675bb9ddb8 selftest: wic: stop using iso image type
[+] 23237b46dc selftest: wic: use wic-tools recipe to get STAGING_DIR
[+] f9b58d0d11 wic: isoimage-isoohybrid: use wic-tools to get syslinux path
[+] 791391e257 image_types_wic: remove dependency to do_bootimg
[+] faa2823801 image: rename image-wic -> image_types_wic
[+] 67ed7f76dd libpgp-error_1.25.bb: Enable nativesdk
[+] 621d782415 libgcrypt.inc: Add PACKAGECONFIG for 'capabilities'
[+] 71ce8d09e0 wic: flatten imager class hierarchy

```

```

[+] 3e052dd58c libgcrypt.inc: Enable nativesdk
[+] 08858ff213 oeqa/buildproject: Run gnu-configize by default
[+] 6840618f1a oeqa/runtime: Improve failure log output
[+] 51481fe9bb gstreamer: update to 1.10.3
[+] 497558512a openssl: Updgrade 1.0.2j -> 1.0.2k
[+] 937643eb0e gdb 7.12: fix armv8b build
[+] d4caf50fc2 glib-2.0: native package should not depend on DISTRO_FEATURES
[+] 82548f8e9c xserver-xorg: Fix X server 1.19 crash
[+] a94c226745 yocto-bsps: add 4.9 bbappend
[+] 3f404002b0 linux-yocto/4.9: yaffs2 fixes
[+] fcc40ac908 kernel-yocto: log the BSP definition file
[+] eda9d64cdd linux-yocto/4.9: update to -rt3
[+] 1bb90f849e kernel-yocto/meta: common-pc: add pci-siov to feature fragments
[+] c435d12c00 linux-yocto/4.9: update to v4.9.6
[+] 48ac84f953 ver_linux: Use /usr/bin/awk instead of /bin/awk
[+] 0476945e9c kernel-yocto: ecryptfs, NFC and CAN bus config updates
[+] 80a74318de kern-tools: re-enable scc merge command
[+] 69083a1a1e kernel-yocto/features: enable TPM
[+] 6e24a5a2c0 linux-yocto/4.9: update to 4.9.4
[+] b916f719b5 mesa: update to 13.0.4
[+] 8bf3f386f9 qemu: Upgrade to 2.8.0
[+] f27ce57b99 libtasn1: Upgrade 4.9 -> 4.10
[+] 34099fa18c ffmpeg: disable cpu autodetection
[+] 8243ebdbb7 python-3-manifest: split out typing
[+] 5776eea84d python-3-manifest: add ipaddress to python3-io
[+] db6977f72c python-3-manifest: add _compat_pickle to python3-pickle
[+] 64ab82509d python-3-manifest: add socketserver to netserver
[+] ce5661ddc1 python-3-manifest: add argparse to RDEPENDS for netclient
[+] 67127bec02 python3-manifest: move html.py to python3-html
[+] cf610aa69f python-3-manifest: fix adding imp to importlib
[+] 824264d162 libbsd: libbsd-overlay.pc: Set Cflags to use -I instead of -isystem
[+] e3b90b7d36 libsolov: split libsolovext into it's own pkg-config
[+] 6254e28b31 xserver-xorg: fix 16bit modes
[+] b76161a9a8 pkgconfig: fix typo introduced during recent conversion to PACKAGECONFIG
[+] 1bebb5ea22 eudev: add RPROVIDES so eudev-hwdb provides udev-hwdb
[+] f431f766a0 uninative: Make patchelf modified files sparse
[+] 3571e3e77f wic: get rid of image_output_dir variable
[+] 14652a42d8 wic: direct: fix creation of work directory
[+] 81ef850314 wic: engine: create output dir
[+] f39943aa69 usbutils: add dependency on udev-hwdb, not libudev
[+] 6469647f48 scripts/runqemu: fix a typo
[+] 383fc7df31 selftest/runtime-tests: Modify positins test to reduce execution time
[+] 42eace0770 build-perf-test-wrapper.sh: implement locking
[+] f1957bf59e wic: remove syslinux.py
[+] 653aaea3cc wic: code cleanup
[+] 1f7ce90af6 wic: msger.py: remove unused APIs
[+] 9048f52f3a wic: removed code from __init__.py
[+] 614851fdb wic: move oe/misc.py one level up
[+] 2d6f96048e wic: move 2 APIs to wic.engine
[+] 759c24c404 wci: misc: removed build_name API
[+] 08217a4c80 wic: partition: simlify calling plugin methods
[+] d8a89baffb wic: removed test file
[+] 53bd29d65e wic: renamd direct_plugin.py -> direct.py
[+] 8fda677a08 wic: simplified code of direct_plugin
[+] 59496d9cdc wic: pylinted direct_plugin
[+] f36c70b067 wic: improve naming in direct_plugin classes
[+] 2db161f1c0 wic: get rid of __rootfs_dir_to_dict method
[+] ee10c2f1bb wic: moved content of direct.py to direct_plugin
[+] dba8cf377c wic: removed conf.py and empty config file.
[+] 0ff04e1e95 wic: direct_plugin: stop using config manager
[+] 65a99448a4 wic: creator: stop using config manager
[+] d3c6c10de4 selftest/bbtests: use write_config instead of local.conf file
[+] 3bc5724ec7 selftest: wic: stop using hddimg in FSTYPES
[+] 47be19240f wic-tools: Do not remove sysroot with rm_work, because wic needs it.
[+] 6b149b6dbd pkgconfig: use packageconfig
[+] 3aa0ae393c pkg-config: depend on pkgconfig-native for target builds
[+] 52bc144f70 cups: add missing pkgconfig inherit
[+] 226a508da9 build-appliance-image: Update to master head revision
[+] 8343ed93c4 meta-environment: Clean up the task structure to reduce manifest warnings
[+] 85e9af9d78 staging: Reduce the number of mkdirs calls
[+] 758f18167f sstate/staging: Batch log messages for performance
[+] ec3d83f9a9 xmlto: Don't hardcode the path to tail
[+] 9852db9d22 binutils-cross: Remove exec_prefix from the linker search path
[+] 3e2a47fdcf distro/defaultsetup: Enable removal of libtool .la files by default
[+] e9256edb33 relocatable: Make native .pc files relocatable

```

```

[+] 2bb0b1d9b5 utils: Avoid need to relocate wrapper scripts
[+] bfead495de oeqa/core/context.py: Add validation for run-tests option
[+] 90b4e075f4 oeqa/runtime/cases: Rename syslog module to oe_syslog
[+] 3eef8f7955 testimage.bbclass: Fixes about suites and dependencies
[+] 5582b67f6d runtime/cases: Fix case numbers, missing cases and unused classes
[+] cb3d884e0a libtasn1: depends on yacc
[+] d99b29838d verify-bashisms: support warnings with more than one line of source code
[+] a15895dac1 populate_sdk_ext: fix == bashism
[+] 0b95e47180 verify-bashisms: check scripts only once, include original file and line
[+] 3108bff175 verify-bashisms: revise update-rc.d whitelist entry
[+] 010f9fa86a verify-bashisms: fix problems with tinfoil2
[+] 48c65ddaa4 verify-bashisms: explicitly shut down server
[+] 83469f229d verify-bashisms: point out where to get checkbashisms.pl
[+] 15a97dea65 verify-bashisms: fix typo
[+] 5b64eda8a1 at-spi2-atk: depend on glib-2.0-native
[+] 7fc6390ffg wpa-supPLICANT: inherit pkgconfig
[+] 86310792d3 rpm: inherit pkgconfig
[+] e7ea95eaaa grep: add missing pkgconfig inherit
[+] 90ecdec944 python: add missing pkgconfig inherit
[+] 0df07f4144 grub-efi: Deploy grub named efi binaries
[+] 01997345a0 core-image-tiny-initramfs: Fix error message shown after a successful
initrd boot
[+] 5d847e6424 core-image-tiny-initramfs: Add and image creating image artifacts only
[+] d053ce3071 cryptodev: Fix changed mm interface in Kernel 4.9
[+] 710a6e6bdc ccache: update to 3.3.3
[+] 5707949f03 rootfs-postcommands.bbclass: drop insert_feed_uris function
[+] 3c89b61533 meta: remove remaining True option to getVarFlag calls
[+] e2280b9e12 meta: remove remaining True option to getVar calls
[+] 8b448ab012 runqemu: allow bypassing of network setup
[+] 1e88c8fce4 testimage.bbclass: Allow to run tests on autobuilder's images
[+] e8935e20d6 runtime/cases/smart.py: Check for IMAGE_PKGTYPE instead of PACKAGE_CLASSES
[+] 45ef4ef2c4 runtime/cases/connman.py: Stop using oeRuntimeTest
[+] 1f7c9094f7 kmod: Fix handling of quotes in kernel command line
[+] 50c885e165 gnutils: avoid accidentally using libseccomp
[+] 34fd5043b2 gnutils: account for ARM_EABI
[+] aca3afcb59 oeqa/sdk: Updates sanity tests for minimal eSDK
[+] 2e77eff6cc externalsrc: Hide created symlinks with .git/info/exclude
[+] 2313a77d84 sstate: Make SSTATE_SCAN_CMD vars configurable using weak defaults.
[+] 5302fb4620 toolchain-shar-extract: compare SDK and host gcc versions
[+] b7d212dc2f bluez5: make readline support conditional.
[+] 49f6a9e794 libtiff: Security Advisory - libtiff - CVE-2017-5225
[+] 837fd05511 xserver-xorg: Enable glamor by default
[+] 1e8fff77fb xserver-xf86-config: add glamoregl
[+] 72f3e90837 acl: drop in instead of patching configure.ac
[+] 5ffd69e257 acl: merge pointless .inc
[+] 88825076d2 attr: move attr-specific patches into attr/
[+] 929787c271 gptfdisk: fix support for 'large' drives
[+] 9b63862911 util-linux: create own package for lsblk
[+] 6476182c33 oe-publish-sdk: add pyshtables.py to .gitignore
[+] c13a94660f default-distrovars: add acl to DISTRO_FEATURES
[+] e286829fcc package_deb: handle allarch when mapping tune to dpkg architectures
[+] 9533e14e6f distrodata: add DATETIME to vardepsexclude for do_distro_check.
[+] d5b2539213 isoimage-isoohybrid: renamed variable hdd_dir
[+] 1239f625b1 wic-tools: add dependency to systemd-boot
[+] 75df73526a grub-efi.bbclass: use 'grub-efi-' prefix
[+] 3e833c681a selftest: wic: fix test_iso_image test case
[+] 18c0af5214 selftest: stop using hddimg in the wic test suite
[+] 6740b8fdbb isoimage-isoohybrid: use TRANSLATED_TARGET_ARCH instead of MACHINE_ARCH
[+] 66d08e0fda wic: Look for image artifacts in a common location
[+] 62310b3726 image-wic: remove HDDDIR from WICVARS
[+] 8a04795db6 wic: isoimage-isoohybrid: stop using HDDDIR
[+] a508cb384c wic: use INITRD_LIVE in isoimage-isoohybrid
[+] 02dafba6ed image-wic: move wic code to image-wic.bbclass
[+] de23b7bb2f selftest: check results in test_image_vars_dir*
[+] 8c51ca5cd6 selftest: split wic tests cases
[+] cebf67086f wic: partitionedfs: set partition name for gpt partitions
[+] c01cc6ff24 wic: change location of .env files
[+] 3d585a518c selftest: wic: test default output directory
[+] 3f21101e72 selftest: wic: explicitly specify output directory
[+] 6d78ff1144 image_types: use correct output directory
[+] 3407f25216 wic: direct.py: get rid of names with two underscores
[+] d59196c3a8 wic: remove unused API DirectImageCreator.get_disk_names
[+] e9bd1ed673 wic: make workdir a temporary directory
[+] 75318c7b0c wic: get rid of baseimager inheritance
[+] 88dce2cf41 wic: change default output directory

```

```

[+] d45d4a5a21 staging: Handle stale sysroot rebuild issue
[+] f66f1af4b1 staging: Fix missing nativesdk do_populate_sysroot depends on binutils
[+] e330cf4a38 selftest: wic: split test_debug test case
[+] aa8319c05d libxml2: Drop docs in native case
[+] 1d4c20ecc2 staging: Allow removal of stale sysroot objects
[+] a4274bcc37 staging: Drop common prefix WORKDIR from manifest files
[+] a90c8817a5 sstate: Allow sstate_clean_manifest to take a prefix
[+] ab0f46400c gzip/pigz/expat/image: Simplify gzip-native/pigz-native
[+] e6e0ac4fb8 allarch: Drop STAGING_DIR_HOST expansion
[+] 60662a2117 image/kernelsrc/packagegroups/recipes: Remove unneeded noexec tasks
[+] 48f79758ea scripts/buildstats-diff: simplify timestamp handling
[+] 46ed698f05 image_types.bbclass: rebuild .wks file when .wks.in changes
[+] deaef6c879 gcc-cross: Ensure do_gcc_stash_builddir happens before do_build
[+] 0150dddeaf sanity.conf: Update minimum bitbake version requirements to 1.33.0
[+] 6f14790163 bitbake: bitbake: Bump version to 1.33.0 (development version)
[+] 478644aedf bitbake: build.py: avoid exception when function is not defined
[+] 8147b84777 xserver-xorg: Upgrade 1.19.0 -> 1.19.1
[+] 6b0e8edf64 xf86-input-evdev: Upgrade 2.10.4 -> 2.10.5
[+] b1d9222e5e libxpm: Upgrade 3.5.11 -> 3.5.12
[+] b88fcfe230 libxkbcommon: Upgrade 0.7.0 -> 0.7.1
[+] b029787fac libxi: Upgrade 1.7.8 -> 1.7.9
[+] f9e5843d9d libinput: Upgrade 1.5.0 -> 1.6.0
[+] 1d20339710 libevdev: Upgrade 1.5.4 -> 1.5.6
[+] 77ab1d68e5 gtk+3: Upgrade 3.22.5 -> 3.22.7
[+] 505ea0b712 freetype: Upgrade 2.7.0 -> 2.7.1
[+] d742290d84 openssh: upgrade to 7.4p1
[+] 543d0b0d1b libpng12: Upgrade 1.2.56 -> 1.2.57
[+] 8f90c28397 libpng: Upgrade 1.6.26 -> 1.6.28
[+] f98baa62e5 socat: support native compilation
[+] fdd6d5daf1 expect: support native compilation
[+] 81507d8c2e linux-libc-headers: introduce 4.9 headers
[+] 6a315883b8 connman: Add workaround to build with musl & 4.9 headers
[+] a02f7f2a33 testimage.bbclass: Add systemd test automatically
[+] 06272333ac gstreamer1.0-plugins-base: disable ivorbis
[+] 70a30d9770 selftest: sstatetests: skip glibc-initial tests in case of non-glibc distro
[+] 6702c7b089 selftest/imagefeatures: skip weston test if required features are not
present
[+] 6805ae0f2a useradd_base: keep group if it still has users
[+] 95cdd91a80 runqemu: more verbose error message about missing qemuboot.conf
[+] fdaa2d181d useradd-staticids: Fix groupadd
[+] 0eafcc05d8 toolchain-scripts: remove CCACHE_PATH from environment script
[+] 53d29591b3 wipe-sysroot: remove
[+] d6fd8ff56e rsync: update SRC_URI
[+] 64a9d36faa ppp: update SRC_URI
[+] 4d04f4196c unfs3: Switch to using mirror tarball instead of subversion
[+] 27c106e087 autotools.bbclass: Change acpaths defaults to be a weak assignment
[+] dal14c7d7d staging: Handle overlapping files for build-sysroot
[+] 7fb3c6a40a image/packagegroup/populate_sdk: Drop do_populate_sysroot task properly
[+] 7c55daec93 gcc: Clean up unnecessary variable confusion
[+] 1d75635ac5 gcc/gcc-source: Move libcc1 manipulation into gcc-source
[+] 42ed1d8ac9 gcc: Split builddir saving into its own sstate task
[+] 1cec0f3bf4 cross: Update MULTIMACH_TARGET_SYS to reflect modern recipes
[+] bb5fe4c35d staging/allarch: Remove hardcoded PACKAGE_ARCHS from the class
[+] aa7e2717d3 ref-manual: remove core-image-directfb reference
[+] 76bff7e67a ref-manual: Removed package-depends.dot and pn-depends.dot
[+] 62d7d41302 build-appliance-image: Update to master head revision
[+] 6ab4c5033a classes/oeqa: Replace subprocess.check_call() with check_output()
[+] 0a30ae5e18 poky: Follow OE-Core recipe specific sysroot version bump
[+] a0cc88dc66 bitbake: bitbake-user-manual: Fixed small typo in "Events" section
[+] 000d2708b2 bitbake: bitbake-user-manual: Updated Event descriptions
[+] 3b4a36be50 sanity/abi-version: Force a clean TMPDIR after recipe specific sysroot
changes
[+] c433e9bc6d gobject-introspection: Fix sysroot postinst scripting error
[+] 986f44933e ed: use yoctoproject mirror for SRC_URI
[+] 16ab8fb9ee yocto-project-qs, poky.ent: Added "pexpect" to essential packages
[+] 8a3221e6e5 bitbake: lib/bb/main.py: Shutdown cooker when server isn't foreground
[+] 509d26f95b bitbake: bb/server/process.py: ProcessEventQueue add close of _writer pipe
[+] a5a51304d1 bitbake: bitbake-layers: show-appends: add optional argument to limit
package list
[+] ab7fef0ebc tremor: Use mirror tarball instead of svn url
[+] bc72e4dac2 busybox: Guard against interrupted compiles
[+] 4aa6644f92 kernel-fitimage: Use compressed ramdisks in FIT images if available
[+] d648400662 linux-yocto/4.9: merge 4.9.3 and ethernet config changes
[+] 97311f59c3 linux-yocto/4.8: update to -rt10
[+] 220d069629 linux-yocto/4.1: update to v4.1.37

```



```

[+] 318925957f linux-yocto/4.4: update to v4.4.41
[+] 8c6c15a678 linux-yocto/4.8: -stable update to v4.8.17
[+] d28e6d2087 linux-yocto/4.9: -stable update to v4.9.2
[+] 23e27711af kernel-yocto: firewire and audio configuration updates
[+] 12da4527ea linux-yocto/4.4/4.8/4.9: netfilter: iptables: enable NAT tables
[+] 5191d13abe kernel-yocto: tiny features aka Link Time Optimization
[+] d3c607aee8 linux-yocto-rt/4.9: add -rt specific patches
[+] da46595d90 kernel: introduce linux-yocto v4.9 recipes
[+] f9c758a2e7 qemu: Upgrade to 2.7.1
[+] 51b6df76f2 oeqa/selftest: Adds test case for sdk-update eSDK
[+] 44ac2995b8 selftest: automatically add the meta-selftest layer
[+] 45ae1e9684 linux-firmware: relocate ath9k_htc blobs to correct package
[+] dd83bdb2f7 create-pull-request: fix for OE cgkit URL change
[+] 61f206195d devtool: check locale and refuse to start if it isn't UTF-8
[+] be60ae52f2 qemuboot.bbclass: add blank lines in comments
[+] 9dd223bf18 runqemu: fixes for slirp, network device and hostfwd
[+] 5ea3627dbb runqemu: support multiple qemus running when nfs
[+] c32720422e u-boot: Update to 2017.01 release
[+] 2a64701acf package_manager: default to have scriptlet output captured in log
[+] 83ec24789f build-compare: derive PV from SRCPV
[+] 49fec741eb glibc: Upgrade to 2.25 snapshot
[+] f4c96ea829 oeqa.buildperf: store measurements as a dict (object) in the JSON report
[+] 7171710acd oeqa.buildperf: change sorting in json report
[+] 8e01802c9f oe-build-perf-test: remove unused imports and fix indent
[+] 0981bcb098 oe-build-perf-test: save test metadata in a separate file
[+] 0e2d84728b oeqa.buildperf: report results in chronological order
[+] fa4742f585 oeqa.buildperf: extend xml report format with test description
[+] 4a26ceaecf oeqa.buildperf: extend xml format to contain measurement data
[+] 07c245792e oe-build-perf-test: enable xml reporting
[+] 96fcb0f7b4 oeqa.buildperf: include error details in json report
[+] 184afbc6ce oeqa.buildperf: sync test status names with JUnit
[+] ef988b3d06 oeqa.buildperf: prevent a crash on unexpected success
[+] 6a4debb732 kern-tools: kconf_check: flag CONFIG options with invalid spaces
[+] e7e7e9df16 kern-tools: scc: Fix process_file error check
[+] dd501e3075 busybox: refresh the flock patch
[+] 12106c68cd alsa-tools: 1.1.0 -> 1.1.3
[+] 0af7715cbb alsa-utils(-scripts): fix compile on build machines with python-docutils
installed
[+] 1f663369ff alsa-utils-scripts: update 1.1.2 -> 1.1.3
[+] f58050d970 alsa-utils: update 1.1.2 -> 1.1.3
[+] 624ceb2961 flac: 1.3.1 -> 1.3.2
[+] a0336965aa python3: Add upstream random.c fixes for recent glibc
[+] 6cea270c54 selftest/runtime-test.py: Adapt test to use new runtime framework
[+] 46ce0b5ef3 testexport.bbclass: Migrate testexport to use new framework
[+] 1cc2bac7ec oeqa/runtime/context.py: Add defaults for runtime context
[+] 58789be270 testimage.bbclass: Add package install feature
[+] f8d7db1905 testimage.bbclass: Add support for package extraction
[+] 8970ed4b1f oeqa/core/utlils/test.py: Add functions to get module path
[+] 41e4db0eea runtime/cases/smart.py: Migrate smart tests
[+] b569aa0e00 oeqa/runtime/cases: Migrate runtime tests.
[+] 3857e5c91d testimage.bbclass: Migrate class to use new runtime framework
[+] 211c5be54c core/target/qemu.py Adds qemu target
[+] 71e456add8 oeqa/runtime/context.py: Add logger to getTarget
[+] 0e8d0a03f0 oeqa/runtime/context.py: Prepare for qemu
[+] 2d34b08533 oeqa/utlils/dump: Move get_host_dumper to OERuntimeTestContextExecutor class
[+] 1247118870 oeqa/runtime/context: Move helper functions for process args to executor
[+] 6c3ca00884 oeqa/runtime/context: Add runtime option group and options for target type
and server ip.
[+] 32a3f4d6ab oeqa/core/context: Add option to select tests to run
[+] 41b0b31a84 oeqa/core/decorator: Add skipIfNotDataVar and skipIfNotInDataVar
[+] c35b42cddb oeqa/runtime/utlils/targetbuildproject.py: Don't use more than 80 characters
per line
[+] 5f57fd0b08 oeqa/runtime/files: Move runtime files from old directory
[+] bfe20fd23c oeqa/core/decorator/data.py: Add skipIfNotFeature decorator
[+] 9ee0816ca9 oeqa/runtime: Add OEHASPackage decorator
[+] 4cd982566b oeqa/runtime: Add case, context and loader classes for runtime testing
[+] 6ad52a82ea oeqa/core/target Add OESSHTarget to sent commands to targets using SSH
[+] b61326efb1 oeqa/runtime: Move to runtime_cases
[+] balaec3407 oeqa: Fix files handling on runtime tests.
[+] e5f05409d0 oeqa/runtime: Fix TargetBuildProject instances
[+] 260741847a oeqa/sdkext/cases: Migrate test case to new OEQA framework
[+] 03d175f1fa classes/testsdk: Migrate to use the new OESDKExtTestContext
[+] 14eee4fdf8 oeqa/sdkext: Adds case and context modules.
[+] 55f05fab2b oeqa/sdkext: Move test cases inside cases directory
[+] 3fac2417dd classes/testsdk: Remove the need of TEST_LOG_DIR variable

```

```

[+] c9fe59d7c5 oeqa/sdk/cases: Migrate tests to the new OEQA framework
[+] 51be188063 oeqa/utils: {Target,SDK,}BuildProject remove dependency of bb
[+] 72e9ae377d oeqa/utils: Move targetbuild to buildproject module
[+] 92c57a5db7 classes/testsdk: Migrates testsdk.bbclass to use new OESDKTestContext
[+] 8a37763ae9 oeqa/sdk: Add case and context modules for the SDK component
[+] 9a23e0f703 oeqa/{runtime,sdk}/files: Move testsdkmakefile from runtime to sdk module
[+] 2726c26efe oeqa/sdk: Move test cases inside cases directory
[+] 8d3640b90d oeqa: Move common files to oeqa/files instead of runtime only
[+] bbb7366db3 oeqa/utils/__init__.py: Adds compatibility with bitbake logger
[+] ad2168365f classes/populate_sdk_base: Add write_sdk_test_data to postprocess
[+] 60e5310f56 classes/rootfs-postcommands: Add write_image_test_data
[+] 4054b25d5e oe/data: Add export2json function
[+] 388503c032 oeqa/core: Add README
[+] 9a5f285fe3 oeqa/core/cases: Add example test cases
[+] 94cb20f20d oeqa/core/context: Add support of OETestContextExecutor
[+] 90f4325dd5 scripts/oe-test: Add new oe-test script
[+] 7bf63b28f1 oeqa/core: Add tests for the OEQA framework
[+] 4da4091cee oeqa/core/decorator: Add support for OETestDataDepends and skipIfDataVar
[+] b685a7c1a8 oeqa/core/decorator: Add support for OETimeout decorator
[+] b8cebdb96c oeqa/core/decorator: Add support for OETestID and OETestTag
[+] 95a2ec6aab oeqa/core/decorator: Add support for OETestDepends
[+] 13c8c08b95 oeqa/core: Add loader, context and decorator modules
[+] abb55ab304 oeqa/core: Add utils module for OEQA framework
[+] 08714d3b7e oeqa/core: Add base OEQA framework
[+] 7998501f47 wic: bootimg-pcbios: use wic-tools target
[+] e0193182c5 wic: rebuild wic-tools if its sysroot doesn't exist
[+] 7d5f44b455 wic: misc.py: add parameter 'cache' to get_bitbake_vars
[+] 253b8d7d58 selftest: fixed 3 wic test cases
[+] 78d4d09cf2 selftest: wic: don't set WKS_FILE
[+] 657f1e44b1 wic: fixed test_iso_image test case
[+] 349dbad11d wic: fixed recipe name
[+] 4ab4e155f8 partition.py: use FAKEROOTCMD variable to get path to pseudo
[+] dc4a612e60 image.bbclass: put .env files to ${STAGING_DIR}/imgdata/
[+] d781747102 image_types: add RECIPE_SYSROOT_NATIVE to WICVARS
[+] 168f62e427 wic: fix getting path of native sysroot
[+] a79b32c75a selftest: build wic-tools in the Wic.setUp
[+] 06a4500004 image_types.bbclass: build wic-tools
[+] c13943dbf9 wic: add wic-tools recipe
[+] 8ba68cc1f7 bitbake.conf: Exclude extend_recipe_sysroot function from sstate checksums
[+] 209a21ed46 selftest/devtool: Update to account for recipe specific sysroot
[+] 9107d6ca14 Switch to Recipe Specific Sysroots
[+] 45df694a9f bitbake: data_smart: Fix unneeded variable manipulation
[+] 0ccdfeb116e package_rpm: Clean up pointless exception handling
[+] 2628a65ffe package_ipk: Clean up pointless exception handling
[+] 596c9eff21 package_ipk: Improve failure debug output
[+] fdb52ade90 package_deb: Clean up pointless exception handling
[+] 53a3c58774 package_deb: Improve failure debug output
[+] d6b3f722c7 populate_sdk_ext: Add wic-tools to BB_SETSCENE_ENFORCE_WHITELIST
[+] 60d8ca3e96 Revert "populate_sdk_ext: whitelist do_package tasks"
[+] 917c8a88e2 epiphany: Fix dependencies for recipe specific sysroot
[+] b523b2cc80 meta-environment: Ensure all multilib dependencies are accounted for
[+] a49ee524a9 utils: Factor out common multilib datastore creation function
[+] b47ecf2877 poky.ent: Added "pip3" as an essential host installation package
[+] ba4552ab89 poky.ent: Updated the Ubuntu/Debian Essential package list
[+] e4512cda0e poky.ent: Added Essential packages to Fedora and openSUSE
[+] faee9d8c37 dev-manual: Updated the "How to Submit a Change" section.
[+] f4b667cfbc ref-manual: Updated LIC_FILES_CHKSUM example
[+] 70b9668b26 yocto-project-qs: Updated Manual Note information on title page
[+] b1b59b8a4b oe-selftest: devtool: remove use of git -C
[+] fc7394fe2d kernel.bbclass: Add PACKAGE_WRITE_DEPS for postinst
[+] 8a17181e24 cantarell-fonts: inherit pkgconfig
[+] b7d5e29dd7 fontcache.bbclass: Add PACKAGE_WRITE_DEPS for postinst
[+] c8a488768b gconf.bbclass: Add PACKAGE_WRITE_DEPS for postinst
[+] 136e4781b3 gio-module-cache: Add PACKAGE_WRITE_DEPS for postinst
[+] 1ceb9934b3 gsettings: Add PACKAGE_WRITE_DEPS for postinst
[+] ef05d22456 gtk-immodules-cache: Add PACKAGE_WRITE_DEPS for postinst
[+] c197a98cee mime.bbclass: Add PACKAGE_WRITE_DEPS for postinst
[+] 777ed33f44 update-alternatives.bbclass: Add PACKAGE_WRITE_DEPS for postinst
[+] b699afaeb8 update-rc.d: Add PACKAGE_WRITE_DEPS for postinst
[+] f7e642da23 dbus: Add PACKAGE_WRITE_DEPS for postinst
[+] 0c37833e62 systemd: Add PACKAGE_WRITE_DEPS for postinst
[+] b22c6e0b09 eudev: Add PACKAGE_WRITE_DEPS for postinstall
[+] e2ea1cdce9 shadow: Add PACKAGE_WRITE_DEPS for postinst
[+] 5d01111eb8 xorg-font-common: Add PACKAGE_WRITE_DEPS for postinst
[+] 31943a7ecf linux-dtb: Add PACKAGE_WRITE_DEP for postinstall

```

```

[+] 8259bf1ecb nss: Add PACKAGE_WRITE_DEPS
[+] b5a8679574 useradd: Add PACKAGE_WRITE_DEPS for postinst
[+] c7591ae0bb ca-certificates: Add PACKAGE_WRITE_DEPS for postinst
[+] 06b130fc10 matchbox-session-sato: Add PACKAGE_WRITE_DEPS for postinst
[+] d623c58711 modutils-initscripts: Add PACKAGE_WRITE_DEPS for postinst
[+] 5c967d072c systemd-compat-units: Add PACKAGE_WRITE_DEPS for postinst
[+] 2ef9c181ab psplash: Add PACKAGE_WRITE_DEPS for postinst
[+] d4f69f40ac initscripts: Add PACKAGE_WRITE_DEPS for postinst
[+] 7ba7380d77 v86d: Add PACKAGE_WRITE_DEPS for postinst
[+] 1d564fa2ef keymaps: Add PACKAGE_WRITE_DEPS for postinst
[+] 94a648f9f5 systemd: Add PACKAGE_WRITE_DEPS for postinst
[+] f4fb2ed60a pixbufcache: Add PACKAGE_WRITE_DEPS for postinst
[+] 70f4ad49a7 kernel-module-split: Add PACKAGE_WRITE_DEPS for postinst
[+] eae2dcd574 gtk-icon-cache: Add PACKAGE_WRITE_DEPS for postinst
[+] efd120e714 sstate: Drop the depchain isPostDep() checks
[+] bc7162a46c classes/package*: Add support for PACKAGE_WRITE_DEPS
[+] eeb30764e9 lib/oe/utils: Add build_depends_string function
[+] 7085148116 Revert "kernel: Modify kernel modules installation path."
[+] 78f4011210 Revert "linux-firmware: Modify firmware installation path"
[+] e9d3b7dc75 Revert "classes/sstate: add a mode to error if sstate package unavailable"
[+] 785bec81ef classes/populate_sdk_ext: force a known value for TMPDIR
[+] 620f5880d8 core-image-sato: SDK should contain intltool and glib-2.0 tools for NLS
[+] b0f70c5f9e staging: Add dependency on virtual/binutils for strip binary
[+] 41fb482ee1 oe-selftest: Error if the user has buildhistory enabled
[+] d80c95d53f multilib_global: Drop pointless event mask/code filtering
[+] 9b3e808624 devtool: fix source extraction to work with recipe specific sysroots
[+] 38bcf14abc sstate: Fix EXTRA_STAGING_FIXMES handling
[+] f7e18547c1 sysprof/gst-player/pcmanfm: Add missing glib-2.0-native DEPENDS
[+] 8ac0ba06a4 sysprof: Add missing libxml2-native DEPENDS
[+] f681ebb7ea vte: Add missing libxml2-native DEPENDS
[+] 292463aa26 systemd-boot: Add missing gperf-native DEPENDS
[+] 9a93c8e725 intltool: Allow nativesdk variant to build
[+] 13f256fb11 libxml-parser-perl: Allow nativesdk variant to build
[+] 90f1ef88d6 rm_work.bbclass: clean up sooner
[+] ce84432d98 rm_work_and_downloads.bbclass: more aggressively minimize disk usage
[+] 3ba8917c4d rm_work.bbclass: allow preserving additional content
[+] bf0ea57e4a bitbake: runqueue.py: revised completion scheduler
[+] 633697cce6 bitbake: build.py: add preceedtask() API
[+] 3f8d56d113 bitbake: fetch2: Avoid recursive errors
[+] 51abd41ff6 bitbake: cooker: Add BB_LIMITEDDEPS support
[+] 631229df72 bitbake: event/ast: Add RecipeTaskPreProcess event before task finalisation
[+] d8b2257f57 bitbake: runqueue: Fix traceback when using -b
[+] 918736d6c9 bitbake: cooker: Only add universe targets where the task exists
[+] a304b94eae oeqa/selftest/devtool: rewrite modify testcase
[+] 81c3d4824a oeqa/utils/qemurunner.py: Be sure to stop qemu-system
[+] de17891185 oeqa/utils/qemurunner.py: Add missing sys module
[+] e530a95c5a oeqa.utils.metadata: include BB_NUMBER_THREADS and PARALLEL_MAKE
[+] 56a7f41711 oeqa.utils.metadata: allow storing any bitbake config variables
[+] c74af56d4b oeqa.utils.metadata: add bitbake revision information
[+] 47aac40869 oeqa.utils.metadata: have layer name as an attribute in xml
[+] 28858af49f oeqa.utils.metadata: add commit count information
[+] ceed2c7eb5 oeqa.utils.metadata: rename 'revision' to 'commit'
[+] 927e759bb2 oeqa.utils.metadata: fix retrieval of git branch and revision
[+] 4e67232f34 oeqa.utils.metadata: drop 'unknown' git data elements
[+] df8c0540e4 oeqa.utils.metadata: re-organise distro information
[+] 8d51f62cd4 oeqa.utils.metadata: re-organise host distro information
[+] 2cd7613582 oeqa/selftest/tinfoil: add test IDs to tinfoil test cases
[+] 51d5d7f843 time: BBCLASSEXTEND to native and nativesdk
[+] 1e2085a538 python3-pyobject: enable cairo only when a display is available
[+] 007b89204e babeltrace: upgrade to 1.5.1
[+] 9ba3f6d20f lttng-tools: upgrade to 2.9.3
[+] 493af5a84c lttng-modules: upgrade to 2.9.0
[+] 2a6224f4fd lttng-ust: upgrade to 2.9.0
[+] 2acc2f708b lttng-ust: don't exclude manual pages from build
[+] f8c8be4f72 python3-docutils: upgrade to 0.13.1
[+] 742e766876 python3-pip: fixed dependency with python3-enum
[+] 5fbb1228fb openssl: Use linux-aarch64 target for aarch64
[+] a04bb6803b gstreamer1.0: make libunwind detection deterministic
[+] bc14d82c0e perf: add PACKAGECONFIG for systemtap
[+] 73adcf1b66 perf: use PACKAGECONFIG instead of hand-rolled logic
[+] 3b262f458c harfbuzz: upgrade to 1.4.1
[+] 43ef96a4d2 netbase: upgrade to version 5.4
[+] 17a92e1fb0 mdadm: upgrade to version 4.0
[+] 2068a1e37a libproxy: update to version 0.4.14
[+] d76af0e88a gstreamer1.0-plugins-good: fix qtdemux_parse_svq3_std_data() memory leak

```

```

[+] da76cda28f python3-setuptools: upgrade to 31.1.1
[+] b0fc05ea49 swig: upgrade to 3.0.11
[+] cf670c4629 byacc: upgrade to 20161202
[+] 72ee691056 gstreamer1.0-plugins-bad: Backport patches for improving live playback
[+] fdf4a0d3cf gcc-source.inc: cleanly disable do_rm_work
[+] dcaef2df1 runqemu-export-rootfs: fix inconsistent var names
[+] 65a8d4d185 scripts/runqemu: fix checking for <file>.cpio.gz
[+] 55aa669750 lib/oe/package_manager.py: Fix extract for ipk and deb
[+] f4fedefe49 extrausers: Use static ids when available
[+] cb10cfd64f wic: partitionedfs: account for non-table partitions when checking if
logical parititon is needed
[+] 47400e3648 kernel-module-split: Append KERNEL_VERSION string to kernel module name
[+] eb6bd89014 waf.bbclass: handle PACKAGECONFIG
[+] ff14510cdf kernel-fitimage.bbclass: Check value of UBOOT_SIGN_ENABLE
[+] 4c88512843 kernel-fitimage.bbclass: Don't assume KERNEL_IMAGETYPE == fitImage
[+] 492ee05c65 kernel-fitimage.bbclass: Allow unset load/entry addresses for ramdisks
[+] 28ef841440 qemuuboot.bbclass: use IMGDEPLOYDIR
[+] 5c2c17d076 poky: add fedora-25 to the SANITY_TESTED_DISTROS
[+] 54eb3902f7 poky: Switch to post release name/version
[+] 7b3ddd8b64 poky: Add Ubuntu 16.10 as supported distro
[+] 7d18d05d45 bitbake: cooker.py: new multiconfig '*' syntax support
[+] 63f899a950 bitbake: toaster: bin/toaster whitelist TOASTER_DIR
[+] fe84f7b33e sanity.bbclass: Improved error message
[+] 7fbd940e89 bitbake.conf: require conf/multiconfig/${BB_CURRENT_MC}.conf
[+] bad00064ef gummiboot: Remove gummiboot tests
[+] d937b5f5e7 bitbake: git-sm.py: Add force flag to git checkout command in
update_submodules
[+] 7eb02e837e bitbake: use multiple processes to dump signatures.
[+] 62591d9722 mpc8315e-rdb: move wks file to wic/ directory
[+] ca4901d834 README.hardware: update MPC8315E-RDB section
[+] 90f5f60992 edgerouter: add edgerouter.wks
[+] acfb6bf018 genericx86: add genericx86.wks
[+] f689def6d mpc8315e-rdb.conf: produce wic images for MPC8315
[+] 40a11d4f03 beaglebone: add beaglebone.wks
[+] 928a93d516 systemd-boot.bbclass: Fix SYSTEMD_BOOT_CFG creation
[+] 1cae998af9 scripts: python3 fixes and new tool ksum
[+] 9d0b36d9ff opkg-utils: use D instead of OPKG_OFFLINE_ROOT in postrm
[+] 08fd7c4fc2 lib/oe/rootfs: reliably handle alternative symlinks
[+] 6bb64c8fa4 scripts/oe-selftest: fix typo
[+] 0bb40f0bb9 selftest: runtime-test: skip image-install test for poky-tiny
[+] 5c5db3a477 selftest: devtool: use distro agnostic recipes for devtool checks
[+] 55228a1ca4 selftest/base: don't fetch DISTRO variable in constructor
[+] 2abc37dbe8 selftest/bblayers: don't fetch a variable that is never used
[+] 1f6e6455fe insane.bbclass: print license text as part of QA message
[+] 7f013f2a54 runqemu: Allow the user to specify no kernel or rootFS
[+] 4cac4f194e grub_git: remove redundant inherits
[+] afeefb30c4 grub-git: Upgrade to tip of master and fix with glibc 2.25
[+] cf8fcb8a8e7 selftest/archiver: don't build an image for a basic test
[+] 5659aa92b5 wayland: minor recipe cleanup
[+] fae29ac083 wic: _exec_cmd: produce error if exit code is not 0
[+] c1bb8c9b14 direct.py: fix getting image name
[+] c52432498b recipes-test: exclude recipes from world target
[+] 2a12b59172 libdrm: enable etnaviv experimental support
[+] 47608e0a9b python3-pyobject: add PACKAGECONFIG for cairo - enabled by default
[+] 6c4e5e0ffb sqlite3: upgrade to 3.16.2
[+] 988f2efd65 selftest/buildoptions.py: fix path assumption for DEPLOY_DIR_SRC
[+] 0967a78689 selftest/bbtests.py: fix path assumption for LICENSE_DIRECTORY
[+] 0c943538e4 iproute2 4.7->4.9
[+] e652fa4420 canned-wks: remove mpc8315e-rdb.wks
[+] 1800b1ba7a rootfs: don't put /usr/lib/ssl and /etc into debugfs
[+] b894376415 opkg: fix conffile errors in 'opkg status' calls
[+] 3f6504dc65 apt-package: Include maintenance scripts
[+] e97422f400 oe-selftest: devtool: Add test for externalsrc buildclean
[+] 8a85d44ced externalsrc.bbclass: Add task buildclean
[+] 9a1e8b9cf5 selftest/eSDK.py: fix sstate dir not found error
[+] 436df4de37 wic/isoimage-isoybrid: remove do_stage_partition()
[+] c04a5673b6 linux-firmware: Modify firmware installation path
[+] 9c2158c073 kernel: Modify kernel modules installation path.
[+] 970b76a728 runtime: Add cleanup for logrotate tests
[+] 6e2b26eb22 kexec: ARM: fix align issue of add_buffer_phys_virt() for LPAE kernel
[+] 753471db45 rootfs-postcommands.bbclass: sort passwd entries
[+] 413e11ba98 python-3.5-manifest: Add http module to the netclient package
[+] 2bc83c8a3b flex: upgrade to 2.6.2
[+] 171a070918 opkg-utils: set CLEANBROKEN as upstream Makefile doesn't have clean target
[+] 5651e8da60 wic: fix parsing of 'bitbake -e' output

```

```

[+] e30f00bca5 syslogd: do more to properly work with systemd
[+] 5ff8fdd3d6 nfs-utils: remove -f exports from nfsserver
[+] b774c4a808 opkg-utils: bump SRCREV to 0.3.4 tag
[+] 4028407326 build-appliance-image: support for Toaster
[+] b138a8bba5 image_types.bbclass: IMAGE_TYPEDEP_ now adds deps for conversion types
[+] f64e321baf image_typedep.py: Add a test that ensures conversion type deps get added
[+] f7cf740fc4 opkg: upgrade to v0.3.4
[+] 2f689ed92a coreutils: upgrade to 8.26
[+] 40cca1d048 grep: upgrade to 2.27
[+] 382975e7b0 sysstat: upgrade to 11.5.3
[+] 9f77790b2b dbus/dbus-test: upgrade to 1.10.14
[+] 5c9aaf36d6 systemd-bootchart: upgrade to 231
[+] 4e2421419b musl: Upgrade to 1.1.16+ on master
[+] 8f38e76861 image_types.bbclass: look for wks files in <layer>/wic
[+] c6e41018df linux-firmware: remove alternatives for brcmfmac-stdio.bin
[+] a250452f56 gummiboot: Remove old gummiboot recipe, related class and wks file
[+] 81021bc0aa yocto-project-qs, ref-manual: Added note for "resources temporarily
unavailable" error
[+] 3ecc502b8d dev-manual: Added section on bmap-tool to flash images
[+] a8e9faac40 dev-manual: Added section on bmap-tool to flash images
[+] 50074dfafa dev-manual: Added cross-reference for tool-chain installation.
[+] 4460bed6c2 dev-manual: Updated "Building an Initial RAM Filesystem (initramfs) Image"
section
[+] 62f7812b93 ref-manual: New VOLATILE_LOG_DIR variable description
[+] 5d64b8e076 dev-manual: Fixed "recipetool create" example
[+] ecaab75be6 dev-manual, ref-manual: Created new section on initramfs
[+] d229fded3e ref-manual, dev-manual: Removed term "wic-partitioned"
[+] 27751642cd dev-manual: Updated to the "Creating Partitioned Images" section
[+] 617b5bd4f3 ref-manual: Added WKS_FILE description for new variable
[+] 840e221ea7 bitbake: event: Replace slightly elderly bbmake references!
[+] 6f6f51783a bitbake: prserv/persist_data/utils: Drop obsolete python2 imports
[+] 949c7062b7 selftest/devtool: update test to work with new mtd-utils
[+] 1a06778c09 hdparm: 9.48 -> 9.50
[+] 29c9e43e75 attr/ea-acl: pass --disable-gettext when USE-NLS=no
[+] 35dde34c89 webkitgtk: add missing python-native dep
[+] 09d4274a9d webkitgtk: patch & disable JIT for x32
[+] 904d06ffc9 gnome-desktop3: fix for x32
[+] 106a782693 libunwind: apply a patch to fix x32
[+] 0e74dff7e9 nss: fix for x32
[+] 602b185811 x264: for x32, disable asm and pass -mx32
[+] 8547e44a0e ffmpeg: disable asm for x32
[+] fb2b975326 gstreamer1.0-libav: disable asm for x32
[+] 550052f9d8 boost: drop flags bits, fix for x32
[+] 0bfe263816 ltp: fix build for x32
[+] 629b96f142 gnu-efi: ignore arch mismatch for x32
[+] c12cd31231 gnu-efi: build 64-bit for x32
[+] 00e354910b ltng-tools: fix for x32
[+] c148c3639d grub-efi: ignore arch mismatch for x32
[+] 411e4e8bbe packagegroup-core-tools-profile: exclude valgrind for x32
[+] 5704ff0be1 valgrind: skip for linux-gnux32
[+] 0fc45ce12d zlib: update SRC_URI to fix fetching
[+] 780033d5c4 mtd-utils: Upgrade to 2.0.0
[+] 1da4d59ec7 nettle: Modify configure script to get consistent build.
[+] c9e21f0266 nss: Fix postinstall script
[+] bfdc6f565d curl: upgrade to 7.52.1
[+] 81339d0113 ppp: Add patch to fix build with musl and 4.9 headers
[+] b235f4db20 ppp: Partly remove patch that doesn't make sense any more
[+] delalcf76e gcc6: Upgrade to 6.3.0
[+] cfa8bled6f cairo: set license for cairo-doc
[+] aaaa25022b opkg-utils: Do not use --ignore-fail-on-non-empty with rmdir
[+] a17171ad66 linux-dtb: strip DTB extension properly in postinst/postrm
[+] cfa6a7aa6f oe-selftest: devtool: Reverting a change should trigger rebuild
[+] c782cb40d7 lib/oe.sstatesig: make locked sig file consistent
[+] 32da05fa8f meta: use require instead of include when file should exist
[+] be3c48f607 useradd-example: exclude from world
[+] 0f315faff8 oe-selftest: fix behaviour if oe-selftest.log is a dangling symlink
[+] 3f990e1b17 wic: Remove gummiboot test
[+] 2dce2648e3 gummiboot: Remove/change gummiboot references with systemd-boot
[+] 41137c212c opkg-utils: warn if update-alternatives finds priority conflict
[+] 8db49696e4 toaster: prevent use of unset variable BUILDSTATS_BASE
[+] fc89a3f739 classes: Fix alternatives and rc.d ordering
[+] 02f89167a3 externalsrc: Add optional srcdir arg to srctree_hash_files
[+] 61b1e18608 externalsrc: Set STAMPCLEAN to match STAMP
[+] 63e6aade78 classes/buildstats: don't expand variable pointing to SystemStats
[+] 976373be12 classes/sstate: fix file conflict message

```

```

[+] 3d6c667e54 classes/sstate: handle filenames containing square brackets
[+] d008867e45 classes/package_rpm: handle square brackets in filenames
[+] fff7563799 lib/oe/path: add warning comment about oe.path.remove() with wildcarded
filenames
[+] 022a8b58c8 meta/scripts: Various getVar/getVarFlag expansion parameter fixes
[+] e016eb10b0 bitbake: bb/cooker: BBCooker stops notifier at shutdown
[+] 9f6a1043f6 bitbake: prserv/serv: Tweak stdout manipulation to be stream safe
[+] 3c9b1feb4 packagegroup-core-lsb: add opengl to REQUIRED_DISTRO_FEATURES
[+] d45d1b81ff packagegroup-self-hosted: add opengl to REQUIRED_DISTRO_FEATURES
[+] f11d86d0c6 eglinfo-x11: add opengl to REQUIRED_DISTRO_FEATURES
[+] 304eb396c2 libglu: add opengl to REQUIRED_DISTRO_FEATURES
[+] 9843d2227c piglit: add opengl to REQUIRED_DISTRO_FEATURES
[+] 99ae8c0919 waffle: add opengl to REQUIRED_DISTRO_FEATURES
[+] e30f5002c4 populate_sdk_ext: whitelist do_package tasks
[+] 556725188f populate_sdk_ext: fix working with uninative sstate
[+] f2b847a290 oe-selftest: Improve BUILDDIR environment handling
[+] b359e926e2 runqemu: let command line parameters override defaults
[+] 8f12a03dda module.bbclass: allow to override location of Module.symvers
[+] bb7aecb2f9 ifupdown: upgrade to 0.8.16
[+] cb8bf9a017 sqlite3: upgrade to 3.15.2
[+] 0559ad29fb file: 5.28 -> 5.29
[+] df48c4b483 kexec-tools: Update to 2.0.14
[+] b4a795aa0c gstreamer: Upgrade to 1.10.2
[+] e8852827fc guile: 2.0.12 -> 2.0.13
[+] aa31fe37e2 quilt: 0.64 -> 0.65
[+] fde38fe8db debianutils: 4.8 -> 4.8.1
[+] 6dbfeb5ef3 qemu: Fix pci-assign
[+] 1349320ee0 populate_sdk: don't force target debug packages into SDK
[+] dbb247cac5 bitbake: cookerdata: Convert multiconfig to use BB_CURRENT_MC
[+] 4fc02c5eaa bitbake: runqueue: Only start fakeroot workers when needed
[+] fel1d18ffd bitbake: runqueue: Ensure setscene tasks with overlapping stamps don't
parallel execute
[+] f048db1c64 bitbake: runqueue: Fix setscene issues with multiconfig
[+] d6799e655e bitbake: siggen: Fix clean_basepath to work with multiconfig
[+] d156f2ce33 bitbake: build/uihelper: Show better information about multiconfig tasks on
UI
[+] 5d620b7f90 bitbake: runqueue: Ensure pseudo executes from the correct place (use the
right datastore with multiconfig)
[+] d77a135e18 lib/oe/utlils: Drop python2 compatibility code
[+] 554a16fd10 libgcc-common: Don't apply symlinks for nativesdk
[+] d8d2f421d6 bitbake.conf: Add inclusion of BB_CURRENT_MC.conf after local.conf
[+] 04db2f5238 uninative: Parameterise the use of STAGING_DIR
[+] 9d4a69fd0d example-recipe: Fix LDFLAGS compilation issue on newly created recipes
[+] d09de75601 ncurses.inc: add v6 binconfig-disabled entries
[+] abe29fec2a packagegroup-core-standalone-sdk-target: add libssp
[+] d8c62f19da initscripts: populate-volatile: suppress read-only-rootfs warnings
[+] 4f89e47d35 glew: build for EGL in non-X11 distros
[+] dd37336b4d selftest/wic: extending test coverage for WIC script options
[+] f8745bb519 selftest/wic: reorganizing test methods by functionality
[+] 285c2ed90e selftest/wic: code cleanup
[+] c48c0f38b1 selftest/wic: adding Testopia ID numbers to test cases missing it
[+] de807c7820 kernel: Fix symlinks
[+] 01fe67b1b3 gstreamer1.0-libav: Fix build on mips64
[+] 77f008c4bc shared-mime-info 1.6 -> 1.8
[+] b05b1add7a wic: add kickstart file for MPC8315
[+] 1fac14dd8f initscripts: populate-volatile: don't run commands in background
[+] 1988bae5bf wic: add --fixed-size wks option
[+] 5903182484 oeqa/utlils/commands.py: allow use of binaries from native sysroot
[+] ba4aeb33a2 gnutils: Do not use libunistring prefix
[+] 193aa1a0a8 x264: Fix build on mips architectures
[+] 6eb35af19a arch-mips: Add MIPS 64r6 N32 tune
[+] 39f83be8bd openssl: Add support for many MIPS configurations
[+] 358befb76e devtool: modify: fix usage on the kernel
[+] 28c79d8aeb wic: look for wks files in <layer>/wic
[+] 45be34c8e0 apr: fix off_t size can't match when configure and in target glibc
[+] 971fc29713 Revert "subversion: fix "svnadmin create" fail on x86"
[+] 669edd0443 systemd: point to correct resolv.conf when resolved is enabled
[+] 0dd8aeb884 ruby: upgrade to 2.3.3
[+] d41d2fdd56 bitbake: fetch2/wget: fixup case with no useful netrc data
[+] 8ccf396c72 Revert "selftest/wic: extending test coverage for WIC script options"
[+] 13d140450d maintainers.inc: re-assign pcmanfm, so it has same owner as libfm
[+] aa15ff631c bitbake: fetch2/wget: add Basic Auth from netrc to checkstatus()
[+] fe7e75075e bitbake: runqueue: dry-run real tasks when BB_SETSCENE_ENFORCE is set
[+] 764a780136 binutils-2.27.inc: Fix alignment frags for aarch64
[+] 2f4008d694 oe-selftest: import git module only when needed

```

```

[+] 041ac0f9c1 mirrors.bbclass: Fix gnutls mirror directory
[+] 1f129c1598 cogl-1.0: Upgrade 1.22.0 -> 1.22.2
[+] 018c695b43 clutter-gst-3.0: Upgrade 3.0.20 -> 3.0.22
[+] 740ad9db29 cairo: Upgrade 1.14.6 -> 1.14.8
[+] f2dc9a85f0 gdk-pixbuf: Upgrade 2.36.0 -> 2.36.1
[+] 6f34daab7e glib-2.0: Upgrade 2.50.1 -> 2.50.2
[+] f72b79f01e gsettings-desktop-schemas: Upgrade 3.20.0 -> 3.22.0
[+] a40fdca742 gtk+3: Upgrade 3.22.1 -> 3.22.5
[+] 4cdea2cddd openssl-native: Compile with -fPIC
[+] c9786e1e12 autoconf: Fix AC_HEADER_MAJOR with glibc 2.25
[+] f87751165d pax: Fix build with glibc 2.25
[+] 0cc22efe40 mdadm: Fix build with glibc 2.25
[+] a6a49f763f grub: Fix build with glibc 2.25
[+] 118bfb82ff webkitgtk: Fix atomic detection on arm architecture
[+] 133aa828f5 gdb: Upgrade to 7.12
[+] aalc50a32b selftest/wic: extending test coverage for WIC script options
[+] d0d260b0b8 u-boot/beaglebone: Select Beaglebone Black target specifically.
[+] 7379035e26 package: don't count every hardlink for PKGSIZE
[+] 676add9a9b python3-setuptools: upgrade to 31.0.0
[+] 411036b747 python*-git: Upgrade to version 2.1.1
[+] db08ffee0a wic: obey the rootfs size from the metadata
[+] 86ceb8bd51 dbus-glib 0.106 -> 0.108
[+] a504cf9a00 pcmanfm: upgrading to 1.2.5
[+] f032e229a3 libfm: fix configure error if native vala is absent
[+] de43650c29 lib/oe/package_manager: bail if createrepo can't be found
[+] 94c469c0d8 tzdata: update to 2016j
[+] 61983b7d27 tzcode-native: update to 2016j
[+] b01f027d82 gstreamer1.0-plugins-bad: default to using egl
[+] b4cbb462fb linux-firmware: Split out Realtek chipsets rtl8188 rtl8723 rtl8821
[+] b76530c96e xf86-video-intel: fix upstream version check
[+] 30fea7abda upstream-version-is-even.bbclass: exclude various alphas, betas, pre-releases etc.
[+] 4dcf0fed51 ghostscript: fix upstream version check
[+] 9c2378b369 vala: update to 0.34.4
[+] c26b8158a2 sysprof: update to 3.22.3
[+] 818ca14d64 iso-codes: update to 3.72
[+] 2b3880a9b7 icu: update to 58.2
[+] 77e2af234e gnutls: update to 3.5.7
[+] a1975bcdef ffmpeg: update to 3.2.2
[+] c9a512b640 cmake: update to 3.7.1
[+] b2a7f83ab8 ca-certificates: update to 20161130
[+] a425c8c7bc btrfs-tools: update to 4.8.5
[+] b9e626cff7 babeltrace: update to 1.5.0
[+] 0f7b6c278c liburcu: update to 0.9.3
[+] ac3adfb91c libfm: update to 1.2.5
[+] ffda25aa96 pigz: fix upstream version check
[+] 0c263ea07f fontconfig: Fix namespace conflicts with glibc
[+] 76eb1c715e sudo: 1.8.17p1 -> 1.8.18p1
[+] 8175e7acc0 e2fsprogs 1.43 -> 1.43.3
[+] 6068397ae2 nspr: set correct version in pkg-config file
[+] 63663b13f3 busybox: add comments to separate Runit from SELinux content in defconfig
[+] bd06c3641a ghostscript 9.19 -> 9.20
[+] 4ab468b0ab libxkbcommon: 0.6.1 -> 0.7.0
[+] 2c72c4c2de libxi: 1.7.7 -> 1.7.8
[+] b5189f4d7f wpa-supPLICANT: 2.5 -> 2.6
[+] 9d1403e23c util-linux: 2.28.1 -> 2.29
[+] 30390b9aa6 harfbuzz: upgrade to 1.3.4
[+] 3719d5df6d libunistring: Update version 0.9.6 -> 0.9.7
[+] 834ee12668 ltp/posix: replace CWD with PWD
[+] 54445dec1c ltp: avoid segmentation fault in netns tests
[+] 0fe7a940e2 subversion: Upgrade 1.9.4 -> 1.9.5
[+] 573c646d4c bitbake: BBHandler: use with instead of open/close
[+] 2c4e366721 bitbake: cooker/command: Drop expanded_data
[+] 97f83e911e bitbake: bitbake: remove True option to getVar calls (take 2)
[+] 1969854ec3 utils: Always use datastore's PATH for host_gcc_version
[+] 1e8c6434c9 selftest: wic: qemu86: use weak assignment for WKS_FILE
[+] 6bba41832b scripts: remove True option to getVarFlag calls
[+] 3c59b1bf93 meta: remove True option to getVarFlag calls
[+] c0f2890c01 scripts: remove True option to getVar calls
[+] c4e2c59088 meta: remove True option to getVar calls
[+] d5e67725ac valgrind: make ld-XXX.so strlen intercept optional
[+] 46e787b248 buildhistory-diff: report directory renames
[+] c21cec8488 uninative: rebuild uninative for gcc 4.8 and 4.9
[+] 76ba70fcaa systemd: disable 'libdir' QA check
[+] 1ffb967de6 libxml2: Fix more NULL pointer derefs

```

```

[+] aa346581fd libxml2: fix CVE-2016-4658 Disallow namespace nodes in XPointer points and
ranges
[+] c7f9007132 libxml2: Necessary changes before fixing CVE-2016-5131
[+] 333890953d postinst: Add a test case to verify postinst scripts behavior
[+] 23d1c4ffb7 selftest: Test needed to verify postinst order
[+] 3f6e6f4e69 scripts/runqemu: Allow to use qemu from host.
[+] 2f0eb8e1b6 sysvinit-inittab: fix getty device removal
[+] 7db7950367 sqlite: build position-independent code
[+] b010c327c7 busybox: allow libiproute to handle table ids larger than 255
[+] d535aba974 oeqa: move lib/oe tests to oe-selftest
[+] 94c29c1008 libSDL2: fix build on wayland(-dev)less hosts
[+] 00c691465c libSDL2: add wayland-protocols and -native to to depends of
PACKAGECONFIG[wayland]
[+] ef8fd68b7f libSDL2: add EXTRA_OECONF[vardepsexclude] = "MACHINE"
[+] 280c83335a extrausers.bbclass: Use PACKAGE_INSTALL instead of IMAGE_INSTALL
[+] 030f62e9c8 selftest: buildoptions: skip read-only-image test depending on distro
[+] e2ea2597c9 selftest: bblayers: remove linux kernel checks for show-recipes check
[+] 279c8ce310 selftest: bbttests: use minimal image so all distros can execute it
[+] 009adf73fa selftest: base: new object member to store the DISTRO value
[+] a92d27acd8 oeqa/utls/commands.py: Fix get_bb_vars() when called without arguments
[+] 66adb6bdf7 oe-selftest: add basic tinfoil tests
[+] 0cba3c3cb4 oe-selftest: devtool: improve test_devtool_modify slightly
[+] 229091babb devtool: prevent BBHandledException from showing traceback
[+] 4448b2a122 devtool: extract: disable basehash mismatch errors
[+] 078ef4361d lib/oe/recipeutils: drop parse_recipe_simple()
[+] 85de43fccd devtool: fix extraction of source to work in memres mode
[+] 86b55e6026 recipetool: add OE lib path
[+] 275b3fe5f4 classes/patch: move several functions to oe.patch
[+] 45adbe3709 classes/patch: move in logic to commit for additional tasks
[+] 5942a8dc7c classes/base: fix license file checksumming when source not under TMPDIR
[+] 70ce595237 devtool / recipetool: use tinfoil parsing API
[+] 1f8cf63f8a oe-selftest: use tinfoil.parse_recipe()
[+] 93d675304d oe-selftest: make tinfoil quiet when using to start QEMU
[+] 557382ab42 lib/oe/recipeutils: use cooker function instead of bb.providers
[+] 1e29b57e92 devtool: package: don't try to initialise tinfoil twice
[+] af867199a5 classes/image: suppress log_check mechanism for warnings/errors logged
through BitBake
[+] 13916a4fab lib/oe/rootfs: fix log_check warnings being printed twice with RPM
packaging
[+] d65886bb69 oe-pkgdata-util: Make read-value handle override variables
[+] c61b525e91 bitbake: lib/bb/build: enable access to logger within tasks
[+] 6688f6a115 bitbake: server/process: don't change UI process signal handler on
terminate
[+] d856bce542 bitbake: siggen: add means of ignoring basehash mismatch
[+] 8d315820aa bitbake: runqueue: enable setVariable command to affect task execution
[+] 7229250411 bitbake: data_smart: support serialisation
[+] 797a8ee040 bitbake: cooker: allow buildFile warning to be hidden programmatically
[+] 8f8a9ef669 bitbake: tinfoil: pass datastore to server when expanding python references
[+] f1f3a112a0 bitbake: tinfoil: implement server-side recipe parsing
[+] 8c33063a1d bitbake: remotedata: enable transporting datastore from the client to the
server
[+] 7d5c9860de bitbake: tinfoil: rewrite as a wrapper around the UI
[+] e271d7dc60 bitbake: command: provide a means to shut down from the client in memres
mode
[+] d325d94f3f bitbake: data_smart: implement remote datastore functionality
[+] 727f332829 bitbake: server/xmlrpc: send back 503 response with correct encoding
[+] 7ebca83926 bitbake: knotty: fix --observe-only option
[+] 568409faa1 bitbake: knotty: make quiet option a level option
[+] 3fa98e19d5 bitbake: data_smart: fix resetting of reference on variablehistory
[+] 209a19ce16 edgerouter.conf: enable generation of wic.bmap
[+] 064f3dbcce beaglebone.conf: enable generation of wic.bmap
[+] f437ec5c6e genericx86 & x86-base: Update PREFERRED_VERSION for 4.8 kernel
[+] 84faecbcd9 meta-yocto-bsp: bump to the latest linux stable kernel for the non-x86 BSPs
[+] bb650798ab genericx86-common: enable generation of wic.bmap
[+] 252898f56e libpcap: Disable exposed bits of WinPCAP remote capture support
[+] 5647a73fb1 xf86-input-libinput: Upgrade 0.22 -> 0.23
[+] f647549500 xf86-video-vmware: Upgrade 13.1.0 -> 13.2.1
[+] 8ddb6b4164 xf86-video-omap: Upgrade 0.4.4 -> 0.4.5
[+] b21d15a1e8 xf86-input-synaptics: Remove git recipe
[+] 05832f0927 xf86-input-synaptics: Upgrade 1.8.3 -> 1.9.0
[+] d185fcdaf6 xf86-input-mouse: Remove git recipe
[+] 9dee6398ab xf86-input-mouse: Upgrade 1.9.1 -> 1.9.2
[+] 8778348a18 xf86-input-keyboard: Remove git recipe
[+] dba5cafb82 xf86-input-keyboard: Upgrade 1.8.1 -> 1.9.0
[+] 859677893f xf86-input-evdev: Upgrade 2.10.3 -> 2.10.4

```



```

[+] 1207d6d32e xserver-xorg: Upgrade 1.18.4 -> 1.19.0
[+] 14d5f46095 libxfont2: Add recipe
[+] 72f365b093 gcr: add missing dependencies for vapi
[+] a63b53841b libtiff: Update to 4.0.7
[+] 840ea755f2 parselogs.py: Don't clog QA with Joule errors
[+] e3d51adafd kernel-yocto: explicitly trap subcommand errors
[+] 89d515b2ce linux-yocto/4.8: update to -rt7
[+] f4607ald6b glibc: Enable backtrace from abort on ARM
[+] a5438f8f74 oe-buildenv-internal: show usage output
[+] 651713adb4 systemd: Backport cgroup fix from 233 to 232
[+] 556bdb6642 oe-find-native-sysroot: create usage output
[+] 0ebe2e64ba oe-git-proxy: create usage output
[+] ca916f279f oepdevshell-internal.py: standardize usage output
[+] 8351dc41a4 oe-setup-builddir: create usage output
[+] 78087eba73 oe-setup-rpmrepo: standardize usage output
[+] eb78c9cd2c gstreamer-vaapi-1.0: check for "opengl" feature
[+] 2f945fd8b3 puzzles: Upgrade and fix with clang
[+] 46f66b5e5d gstreamer1.0-vaapi: Import from meta-intel
[+] 3db2a581f2 gstreamer1.0-rtsp-server: Add libcheck to deps
[+] 71896b9533 gstreamer1.0-plugins-bad: Define and use WAYLAND_PROTOCOLS_SYSROOT_DIR for
output of pkg-config
[+] 2411811628 systemd-boot: Use PV in recipe name
[+] 08d092e16d gstreamer1.0: Upgrade to 1.10.1
[+] 7966afa64a rm_work: add do_write_gemuboot_conf to task list
[+] 9eb89487ff buildstats.py: skip collecting unavailable /proc data
[+] a316b0b197 libva: check for "opengl" feature
[+] 934afbbf90 Use weak assignment for SERIAL_CONSOLES in qemu configuration files
[+] 113828ff86 archiver: don't change directory when generating tarball
[+] 3c3f5c5160 oe-trim-schemas: create usage output
[+] e8fbd7158b oe-run-native: standardize usage output
[+] 8dfc417780 recipetool: Load plugins in a well defined order
[+] 14abe7982c devtool: Load plugins in a well defined order
[+] 2765231499 recipetool: selftest: Add test for recipetool plugin loading
[+] 9170a88cbd devtool: selftest: add test for devtool plugin loading
[+] 2b7abbb383 cups: 2.1.4 -> 2.2.1
[+] 08c5de41da grub2: fix some quirks and div by zero
[+] 07dcfef1ea wic: rename command line option -p -> -s
[+] 1417adcf53 matchbox-wm: Upgrade 1.2.1 -> 1.2.2
[+] 8c1c43b790 wic: Create a logical partition only when it is really mandatory
[+] 839d9aaafd slang: 2.3.0 -> 2.3.1
[+] b27cda8bbe mpfr: 3.1.4 -> 3.1.5
[+] 9a4c919d5d libnotify : 0.7.6 -> 0.7.7
[+] c1072afa0a xkeyboard-config: 2.18 -> 2.19
[+] 37e0df6822 Revert "webkitgtk: drop patch 0001-WebKitMacros-Append-to-I-and-not-to-
isystem.patch"
[+] b155c2bb25 libarchive: fix ALTERNATIVE_PRIORITY to avoid conflict
[+] 438d123051 initscripts: populate-volatile: improve config file parsing
[+] 494012830f mesa: update to 13.0.2
[+] dc721f7590 oe-selftest: Add option to submit test result to a git repository.
[+] 904b915369 oeqa/utils/metadata.py: Add metadata library
[+] 9d55e9d489 oeqa/utils/commands.py: Make a copy of variables in get_bb_vars
[+] 058891183e cve-check: allow recipes to override the product name
[+] 2b0fc91f40 curl: set CVE_PRODUCT
[+] d54fb89bed tiff: set CVE_PRODUCT
[+] 1453920365 bitbake: toaster: views Remove old code that converts template context to
JSON
[+] 92a9141208 bitbake: toaster: js test Update js tests to use correct url for layer REST
[+] 6f3d33c293 bitbake: toaster: Switch front end to use Layer get REST API
[+] ccb36cc549 bitbake: toaster: typeaheads Layers add url to layer REST API to the layer
[+] de0295e5bb bitbake: toaster: api Add GET REST API for Layer information
[+] 23ad2a8ca0 bitbake: toaster: importlayer Add git revision typeahead to that input
field
[+] 97ff2c0091 bitbake: toaster: typeaheads Add a git revisions suggestions
[+] 4ecd040f3b bitbake: toaster: typeaheads widgets Fix flake8 issues and remove redundant
code
[+] 8eed264163 bitbake: toaster: tests Update import layer test to use new Layer add api
[+] f2b0d43c2f bitbake: toaster: importlayer Use new layer add API
[+] 7e80e501fb bitbake: toaster: api Add layer Add api
[+] 90d995c637 bitbake: toaster: models Layer_Version get_detailspage_url optional
project_id
[+] 9dbcc0fbb3 bitbake: toaster: models Layer fix whitespace
[+] bb9cf5f0f7 bitbake: toaster: tablejs Add visual indicator for table data loading
[+] a0374e92a8 edgerouter.py: avoid python3 exception
[+] 90404e1f24 targetloader.py: drop test for ClassType
[+] 36e178a62f linux-yocto: Update genericx86* SRCREVs for linux-yocto 4.8

```

```

[+] 05e2b24559 linux-yocto: Update genericx86* SRCREVs for linux-yocto 4.4
[+] 5e6fb2ef7c linux-yocto: Update genericx86* SRCREVs for linux-yocto 4.1
[+] 96bc6451c7 linux-yocto/4.x: CVE-2016-8655
[+] abeddfb566 linux-yocto-rt/4.4: update to -rt43
[+] 327ebdf277 kern-tools: ensure that no shared directories are used
[+] d154173d48 linux-yocto/4.8: update to v4.8.12
[+] 7b435c62b4 linux-yocto/4.4: update to v4.4.36
[+] 1ea9f94c40 linux-yoct/4.1: update to v4.1.36
[+] 9d3eef24a8 linux-yocto/4.4/4.8: Fix remaining kernel_configcheck warnings in Intel
BSPs
[+] 1bf859cb39 linux-yocto/4.8: aufs warning and ixgbe calltrace
[+] dae00fbb91 sdk-manual: Added note about nullpointer error for launch eclipse
[+] 4775af4650 ref-manual: Added KERNEL_IMAGE_BASE_NAME change to 2.2 migration
[+] 8433efbd99 ref-manual: Updated KERNEL_IMAGE_BASE_NAME glossary description
[+] 88ccf25e37 bitbake: bitbake-user-manual: Added new "Line Joining" section.
[+] 9403e82f67 bitbake: bitbake-user-manual: Refreshed the 'bitbake --help' output.
[+] 931ce04b08 bitbake: toaster: Reference pip3 not pip
[+] 18e4688bd5 libc-package.bbclass: split binary localedata even more if asked to
[+] 13901d22a7 conf: Remove redundant toasterconf.json file
[+] 748b1c2681 meta-yocto-bsp: bump to the latest stable linux kernel for the non-x86 BSPs
[+] e10da7d9df bitbake: cooker: Handle inofity queue overflows more gracefully
[+] 9977576fe9 bitbake: cooker: Fix world taskgraph generation issue
[+] 9d1d35068e bitbake: utils: Avoid traceback errors
[+] ad11076737 bitbake: runqueue: Send BB_TASKDEPDATA for setscene tasks
[+] c77e7021d7 bitbake: runqueue: Add the taskhash to BB_TASKDEPDATA
[+] 24b668efa0 bitbake: bitbake-worker: Further IO performance tweaks
[+] eb937ee0a1 gdb-cross-canadian: Depend on nativesdk-python3-importlib
[+] afd9de380d python-3.5-manifest: Add imp to importlib
[+] d8fbaebc48 package_manager: remove strings and migrate to direct arrays
[+] 56b4aa820c insane: Add SH4 musl mapping to the QA arch tests
[+] ac2913d7ed liburi-perl: update to 1.71
[+] 97b1bab2f7 libdrm: update to 2.4.74
[+] e3537163a6 run-postinsts: Print message before running deferred postinst scripts
[+] 595f36bea8 u-boot: Update to v2016.11 release
[+] a4d976cb20 u-boot: mkimage: Fix build of u-boot-mkimage
[+] 49ec5bae8a u-boot: Update to 2016.09.01 release
[+] f46e54c7c9 nfs-utils: sync systemd unit files with nfs-utils.git
[+] a6ae43003a nfs-utils: don't try to load kernel module
[+] 3bbaabfaeb nfs-utils: create package nfs-utils-mount
[+] 44ed428c10 nfs-utils: systemd fixes
[+] b4da2b0040 update-rc.d: ignore initscript in prerm and preinst when systemd is active
[+] 0dff09058 libc-package.bbclass: split binary localedata even more if asked to
[+] f7b318ba36 ffmpeg: disable unsupported extensions on mips32r1
[+] 05cf540d81 lighttpd: access and accesslog are optional modules
[+] 5be84f940b lighttpd: Add many packageconfig options
[+] 1bf8d703f4 image.bbclass: inherit image_types_uboot when needed
[+] 4ee082f60c diffutils: do_configure: fix "Argument list too long"
[+] c03d02f918 kernel.bbclass: fix kernel_do_compile for KERNEL_IMAGETYPE = "vmlinux.gz"
on mips
[+] fffc641a10 kernel.bbclass: do not copy bundled initramfs to /boot
[+] e02affce3c kernel.bbclass: Avoid wildcards for kernel images
[+] 4cf1310051 kernel.bbclass: Use real filenames in kernel packages
[+] 68b2a6320a kernel.bbclass: allow uncompressed initramfs archives
[+] 8fel1f25ea0 recipetool: fix encoding-related errors creating python recipes
[+] 674c216c69 texinfo: upgrade from 6.0 to 6.3
[+] bc209d9b8d grub2: enforce -no-pie if supported by compiler
[+] f9c12adaf8 systemd: Upgrade to 232
[+] b71f78ed6d sqlite3: 3.14.1 -> 3.15.1
[+] 83ded7e2c2 libva: Import from meta-intel and update to 1.7.3
[+] 49cbc76aab less: 481 -> 487
[+] 2774636c9e pciutils: 3.5.1 -> 3.5.2
[+] 79491ac744 dhcp: 4.3.4 -> 4.3.5
[+] 416e4d33fa tiff: Fix several CVE issues
[+] b229874a88 tiff: Security fix CVE-2016-9538
[+] 799e8b124f tiff: Security fix CVE-2016-9535
[+] 8f706df62d tiff: set CVE NAME
[+] 862d6db9d3 subversion: Fix issues in LDFLAGS sed manipulation
[+] ace9e1d371 attr: Convert SSTATEPOSTINSTFUNCS to a do_install_append
[+] 53c9723ea8 staging: Drop unused SYSROOT_LOCK
[+] e38775a1d8 kernel-yocto: exit on non-zero return code
[+] 80683aa4f8 kern-tools: fix processing for no branch meta-data
[+] 9eb0fb48ce linux-yocto-dev: update to 4.9-rcX
[+] 32239e357a linux-yocto/4.8: update to v4.8.10
[+] 5c1ad6852e bitbake: lib/bs4: Fix imports from html5lib >= 0.999999/1.0b8
[+] 1b4fa3f095 bitbake: cooker: convert type which needs to be marshalled

```

```

[+] da22be9904 bitbake: toaster: browser tests - add Selenium Docker container as driver
[+] e74831eba7 bitbake: depexp: fix string formatting.
[+] 268bf22263 bitbake: monitordisk: add event
[+] 091ebb8665 bitbake: monitordisk.py: minor code and comment cleanup
[+] ad20ee9feb bitbake: runqueue.py: monitor disk space at regular time intervals
[+] 083365143e bitbake: cooker process: fire heartbeat event at regular time intervals
[+] 1b32c6ed02 selftest: wic: fix test_qemu
[+] f0c44d24ed diffutils: 3.4 -> 3.5
[+] 9c9b303463 git: upgrade to 2.11.0
[+] 8d1c7b5e32 python3-native: Add python3-modules to RPROVIDES list
[+] e61b6e96b0 kernel.bbclass: let do_deploy depend on do_packagedata
[+] a46cebeaf9 arch-mips: sort new MACHINEOVERRIDES by priority
[+] 2b9b684ad9 libarchive: enable non-recursive extract/list
[+] 1b9b617b7d ffmpeg: Add packageconfig for vdpau acceleration
[+] 729593b79a python3-setuptools: upgrade to 29.0.1
[+] 17ad91acd5 run-postinsts: Use opkg/dpkg to configure when possible
[+] 9d61524695 tune-cortexa*.inc: squash whitespace within TUNE_FEATURES strings
[+] bbdfb17808 man-pages: 4.07 -> 4.08
[+] 8d9106f50b strace: 4.13 -> 4.14
[+] b8a4eb5265 pybootchartgui: support reading reduced /proc logs
[+] f1a527c5f6 buildstats: reduce amount of data stored for system utilization
[+] 820c042b36 pybootchartgui: simplify drawing of memory usage
[+] 6b5037bf2c pybootchartgui: render disk space usage
[+] 0cd48fcef4 pybootchartgui/parsing.py: fix error handling in meminfo parser
[+] 25a5536a6e buildstats: record disk space usage
[+] 1416bb3244 pybootchartgui/draw.py: skip empty CPU and disk usage charts
[+] 521887ea61 pybootchartgui: show system utilization
[+] a2c2092195 pybootchartgui/draw.py: fix drawing of samples not starting at zero
[+] 7b8ffa18fd pybootchartgui/draw.py: allow moving process chart up and down
[+] 8f475b78c9 buildstats: add system state sampling
[+] 5956492c20 parselogs: Whitelist GPT warnings as the device is fully functional
[+] 23d2a7d156 parselogs.py: Whitelist iwlfwifi firmware load error messages
[+] 6d373fdf7b scripts/send-pull-request: Avoid multiple chain headers
[+] 9e63f81c78 bitbake: ast: remove BBVERSIONS support
[+] ca1a69577 bitbake: codeparser.py: support deeply nested tokens
[+] 38438b6cf4 bitbake: fetch2: obey BB_ALLOWED_NETWORKS when checking network access
[+] 4e48892b85 bitbake: toaster: buildinfohelper Clarify log message for build history
[+] 6dba0281e1 bitbake: toaster: buildinfohelper fix _get_layer_version_for_dependency
[+] 439f3da1a1 bitbake: toaster: buildinfohelper Simplify layer event to toaster layer
function
[+] 5de7f159a1 bitbake: toaster: bldcontrol Move CustomImageRecipe file creation into own
function
[+] 6f8df05e6e bitbake: toaster: orm models Handle CustomImageRecipe BRLayer here
[+] b58b982eaf bitbake: toaster: orm models Project class Fix pyflake errors
[+] 30a9f65dcc bitbake: toaster: buildinfohelper toaster-custom-images layer
[+] fa5ea98d3b bitbake: toaster: localhostbecontroller write toaster layers for project to
toaster-bblayers.conf
[+] 5f0405abed bitbake: toaster: localhostbecontroller accept custom init script for build
[+] c57533b83b bitbake: toaster: tablejs Fix missing close square bracket
[+] 13c0ffc81c bitbake: toaster: orm gen_layerdeps Protect against circular Layer
dependencies
[+] e336017e87 bitbake: toaster: customrecipejs Consume click event on 'a' link if
disabled
[+] 6191f71f81 bitbake: toaster: Add an example production settings file
[+] 4477a762bd bitbake: toaster: tests Add management command tests
[+] 310a9e5d35 bitbake: toaster: runbuilds Write the pidfile in python rather than shell
script
[+] ddaac5e4e3 bitbake: bitbake: remove True option to getVarFlag calls
[+] 1fce7ecbbb bitbake: bitbake: remove True option to getVar calls
[+] 1d0c124cdf ruby: upgrade to 2.3.1
[+] 7684c803af epiphany: update to 3.22.3
[+] a9903468e4 ffmpeg: update to 3.2.1
[+] 5fcb74f7d9 rng-tools: use SOURCEFORGE_MIRROR in SRC_URI
[+] aa7c64038b vala: update to 0.34.3
[+] f423284174 npth: update to 1.3
[+] 8ad6506dd9 msmtplib: update to 1.6.6
[+] e6812361af iso-codes: update to 3.71
[+] 1e988187a1 gobject-introspection: update to 1.50.0
[+] 3ed6dc866a gnutls: update to 3.5.6
[+] c6bd22aee5 upstream-version-is-even.bbclass: ensure that the full version is matched.
[+] 2d7b93a503 gnome-desktop3: update to 3.22.2
[+] 4480ee5334 cmake: update to 3.7.0
[+] 9e5a55bf76 lighttpd: upgrade to 1.4.43
[+] 97afb82e12 ca-certificates: upgrade to 20161102
[+] 67639d9b2b btrfs-tools: update to 4.8.4

```

```

[+] 0724f40962 sysprof: update to 3.22.2
[+] 3c01e48bb4 icu: update to 58.1
[+] 685ef239df libxml2: Security fix CVE-2016-5131
[+] b7deb1f046 terminal.py: Pass string instead of bytes to ExecutionError to avoid
exception
[+] 2c4116d3cb tiff: Security fix CVE-2016-9539
[+] 8a1dfae55b tiff: Security fix CVE-2016-9540
[+] 066ac716e3 perl: Upgrade to 5.24.0
[+] 50f5c4e911 perl: Fix ptest update hash of ExtUtils/Liblist/Kid.pm in customized.dat
[+] 2965ccfcdb systemd.bbclass: don't block on service restart
[+] b81477d329 runtime: Update test cases numbers for runtime tests
[+] 8a00c404ab qemux86*.conf: set wic-related parameters
[+] 80f9d33761 pseudo: include fix for xattr corruption
[+] fd1b82e0bd qemuboot.bbclass: do not hook into do_rootfs
[+] f21d147659 slang: Disable parallel make install
[+] cfa542e5e6 webkitgtk: update to 2.14.2
[+] 93947f60e9 nfs-utils: 1.3.3 -> 1.3.4
[+] 8be26d5833 mesa: make sure GLES3 headers are installed
[+] bfcf8770d0 insane: rewrite the expanded-d test as a QAPKGTEST
[+] b8f0acf70d insane: add QAPKGTEST, a package-wide equivalent to QAPATHTEST
[+] 4a7a2b4777 insane: factor out the test matrix processing
[+] 56d3c77ebe insane: fix expanded-d test
[+] 76b0belf6a ghostscript: Use MIPS MACHINE_OVERRIDES for objarch.h
[+] 902f162234 perf: Add EXTRA_LDFLAGS for MIPS N32
[+] 6dc16c8907 gmp: Disable assembly for MIPS R6
[+] 3680c265a4 python-numpy: Use MIPS MACHINE_OVERRIDES to reduce duplication
[+] 61ad3d8da0 valgrind: Use MIPS MACHINE_OVERRIDES
[+] 3c567e01c8 qemu: Disable qemu on target for MIPS
[+] 3321a9805f webkitgtk: Use MIPS MACHINE_OVERRIDES
[+] 20020cb1d5 insane: Add aarch64 baremetal mappings to the QA arch test
[+] cfdc5b853e oe-selftest: toaster Remove redundant Toaster test
[+] 0e503bc5b2 conf: Remove redundant toasterconf.json file
[+] 7af36a74d7 arch-arm64.inc: Include arch-armv7ve.inc
[+] 5973ff2a0a gdb-cross: depends on flex-native and bison-native
[+] ed367049e7 gnomebase: remove gnome-common-native DEPENDS
[+] 3956168d6e meta: add explicit gnome-common dependencies
[+] 8c71439686 matchbox-panel: move to revision which doesn't use gnome-common/glib-
gettext
[+] 8ee8f19122 nfs-utils: remove non-existent variable INHIBIT_AUTO_STAGE
[+] 91514760a9 libsolv: upgrade to 0.6.24
[+] 9adae45005 iw: upgrade to 4.9
[+] 12ab1a283a harfbuzz: upgrade to 1.3.3
[+] 583c8f77f6 bluez5: upgrade to 5.43
[+] f8ed138c99 libpgp-error: Update to version 1.25
[+] bbdedb4654 nettle: Update to version 3.3
[+] 427864afd7 pigz: Update to version 2.3.4
[+] 948d50d87a libxml-parser-perl: add expat/Makefile dependency
[+] c47952ea67 xinput-calibrator: use up-to-date git version
[+] d83fcc6ab5 ofono: update 1.18 -> 1.19
[+] 43ae3315af python3-setuptools: upgrade to 28.8.0
[+] f8aca15f75 busybox: enable fractional sleep arguments
[+] a08c78ddd4 kern-tools: error checking and tree generation fixes
[+] b47ee25357 linux-yocto/4.4: update to v4.4.32
[+] 7f47306b68 linux-yocto/4.8: update from v4.8.6 -> v4.8.8
[+] 2f756fa239 linux-yocto/4.8: update to v4.8.6-rt5
[+] 1399da42d9 linux-yocto/4.8: fix cryptodev compilation error
[+] 70f99b427b bb-perf: plot histograms base on buildstats data
[+] dc7f4a5bf8 x11-common: Merge into xserver-nodm-init
[+] c63811fa5b xserver-nodm-init: Bump PV to ensure upgrade from 2.0
[+] 8a81facc23 binutils: Fix build for c293pcie PPC machine
[+] 3f2ab3f7cc python3: Build and package precompiled modules
[+] bef4e00bda taglib: Update to 1.11.1
[+] 3d34ae6c11 bitbake: bitbake-worker: Handle cooker/worker IO deadlocking
[+] 71b7c3a88e Revert "classes/populate_sdk_ext: require uninitative"
[+] 5fd4cada2e conf: add C++ flags for uninitative interoperability
[+] d351c87452 maintainers: Change maintainers for python(3) modules
[+] 12a0ee049e dev-manual: Added note about RPM not dealing with post-install
[+] 479fbee840 ref-manual, dev-manual: Added references to SYSROOT_DIRS
[+] 8028d253a0 sdk-manual: Updated the section on adding docs to standard SDK
[+] aa45fe52e9 libpcap: Fix build when PACKAGECONFIG ipv6 is not enable
[+] 354d0bc4a3 mesa: Upgrade 12.0.3 -> 13.0.1
[+] bfd8c35c3f devtool: fix handling of unicode characters from subprocess stdout
[+] 8c84830fa1 libdrm: Upgrade 2.4.71 -> 2.4.73
[+] 075b333e3d tiff: Security fix CVE-2016-3632
[+] bd74e15c1c grub_git: set COMPATIBLE_HOST_armv7ve to null

```

```

[+] 8670100bae python-scons*: upgrade to 2.5.1
[+] 0bfefc3ba5 python-pexpect: upgrade to 4.2.1
[+] fb2c526f09 python*-mako: upgrade to 1.0.6
[+] 1b1c4870c8 python*-git: upgrade to 2.1.0
[+] ef18ccbffc python3-numpy: upgrade to 1.11.2
[+] 914209a781 python3-pip: upgrade to 9.0.1
[+] 2195acaa61 python3-pyobject: upgrade to 3.22.0
[+] 0a636674dd python3-numpy: upgrade to 1.11.2
[+] eb43e94723 python3-native: Extend RPROVIDES list
[+] f9637dc7ad musl: Update to latest on master
[+] bc11d045ed perl: remove plan9 related stuff in perl-ptest package
[+] 19b5218696 nfs-utils: fix protocol minor version fall-back
[+] 25078834f7 openssl: Security fix CVE-2016-7055
[+] f3c9e66e8d parselogs: Whitelist NUC6 firmware load error message on genericx86-64
[+] 3a769fce06 OpenSSL: CVE-2004-2761 replace MD5 hash algorithm
[+] 333d300fba lib/oe/lsb: better handle missing fields
[+] 4bc5353c92 scripts: Specify the stats to take into account
[+] eab4aaa074 buildstats: Place 'Elapsed Time' stat into a single line
[+] 6e182aaa76 devtool: modify: support recipes with only local files as source
[+] f001c66086 licenses.conf: Fix variable name in comments (FOSS_NO_COPYRIGHT)
[+] 595a84f0c1 webkitgtk: move recommends on ca-certificates from epiphany to webkitgtk.
[+] 8b686f281c recipetool: add postinst to .deb import
[+] 43a135b0c8 rpm: fix multilib macro installation
[+] 40c07e1041 oe-selftest: enforce en_US.UTF-8 locale
[+] 93e8db2224 devshell: list commands when throwing NoSupportedTerminals
[+] 52f42d7677 systemd: systemd should not depend on systemd-container
[+] 67e8ffcfa6 sanity.bbclass: fix check_connectivity() for BB_NO_NETWORK = ""
[+] d755f0721a sanity.bbclass:check_connectivity(): print more error messages
[+] ddfc3afced testsdk.bbclass: print which file is not found
[+] 37da91e4fc populate_sdk_ext.bbclass: use weak assignment for TOOLCHAINEXT_OUTPUTNAME
[+] edb608ff45 glib: remove obsolete gi-exclude patch
[+] 993fbcfb85 sysvinit-inittab: make TERM=vt102 on serial consoles
[+] 5deddc8767 opkg-utils: clear update-alternatives database on uninstall
[+] 39fba4d70f oe-selftest: devtool: test that updating a file with subdir= works
[+] e3193b76e0 lib/oe/recipeutils: ignore archives by default in get_recipe_local_files()
[+] 13c3a4bfa2 devtool: update-recipe: support replacing remote patches
[+] 55a157f4e6 devtool: update-recipe: fix handling of compressed local patches
[+] d316363b7b lib/oe/patch: fix handling of patches with no header
[+] e5a391795a oe-selftest: devtool: test update-recipe with only local files
[+] 0ff92707b devtool: update-recipe: check output before treating it as a string
[+] 47594d59ec cmake.bbclass: Set CXXFLAGS and CFLAGS
[+] bfbed355df tiff: Security fix CVE-2016-3658
[+] 69a8784b79 systemd: Reload configuration on package install
[+] 775e7a4904 qemu: update run-ptest script
[+] 5acde3db0e qemu: fix CVE-2016-7909
[+] 40ae3ae8d1 glibc: fix CVE-2016-6323
[+] dae2cfc2c4 openssl: fix CVE-2016-8858
[+] 39ebe8975e openssl: fix bashism in c_rehash shell script
[+] 96ca13a03f webkitgtk: Add an option to disable openssl support
[+] 274d7e5147 swig: 3.0.8 -> 3.0.10
[+] 7d039b4dd2 ltp: Reduce duplication in MIPS variants.
[+] 56a3f8df40 glib-networking: remove intltool dependency
[+] d2ee6cd63c readline: Update to version 7.0
[+] b91e47fccb lib/oe/package_manager: .deb pre/postinst args
[+] cd381cd714 bitbake: COW.py: fix sample codes
[+] dbf3a9fa8e bitbake: toaster: layerindex updater Take into account layers being
predefined
[+] f59ac87b46 bitbake: toaster: orm/fixtures Add the master release and correct morty
release
[+] 50cb0f596f bitbake: toaster: settings fixture Set default release to master
[+] 7bb38a3358 bitbake: taskdata.py: improve handling of depends/rdepends
[+] d7f76363fb bitbake: data_smart.py: don't reorder internal bitbake variables when
calculating hash
[+] 2631c375b8 bitbake: data_smart: Default to expansion for getVar/getVarFlags
[+] 30205c7148 bitbake: data: Drop deprecated old style bitbake API
[+] 8de811ae76 bitbake: lib/bb: Don't use deprecated bb.data.getVar/setVar API
[+] 4d8ee55164 bitbake: fetch2: npm: conditionally hide NPM_LOCKDOWN / NPM_SHRINKWRAP
warnings
[+] 3ef7cf5297 binconfig: Use d.getVar
[+] 7c3a47ed89 bitbake: toaster: settings set ALLOWED_HOSTS to * in debug mode
[+] 6ce2cdcc93 documentation: Updates to support developing 2.3 YP docs
[+] d2523d535f documentation: Added new appendix for customizing standard SDK
[+] 78aa906c2e ref-manual: Added api-documentation to distro features
[+] a68b471de3 dev-manual: Fixed typo for "${INC_PR}.0"
[+] 2759976f48 ref-manual: Fixed presentation of "openSUSE" in supported distros

```

```

[+] 0f86c1d899 dev-manual: Updated "Exporting Tests" section
[+] 9ca2c30cb4 ref-manual: Updated the supported distro list for Morty.
[+] 0c165fa2e9 yocto-project-qs: Fixed typo
[+] b70c6c590e ref-manual: Fixed tense issue for migration 2.2 section
[+] 1d193e47cd yocto-project-qs: Fixed the minnowboard example to use .wic and base
[+] 9b1bd29ea9 maintainers.inc: remove libwnck3 recipe
[+] 0cdbd2ad94 conf: Remove legacy X input drivers
[+] de5621631f poky: update SANITY_TEST_DISTROS for new format
[+] 62b521722a sanity.bbclass: fix logging of an error
[+] 59c8ae1742 oe-selftest: fix handling of test cases without ID in --list-tests-by
[+] 2eed4838b wic: fix function comment typos
[+] 294410cce3 wic: check that filesystem is specified for a rootfs partition
[+] b92de9a6db wic: use partition size when creating empty partition files
[+] f0181e79ed wic: make sure that partition size is always an integer in internal
processing
[+] 81afedc905 lib/oe/lsb: attempt to ensure consistent distro id regardless of source
[+] 42441ea481 lib/oe/lsb: prefer /etc/os-release for distribution data
[+] 545f5f96d9 lib/oe/lsb: make the release dict keys consistent regardless of source
[+] b4070cf6c9 webkitgtk: drop patch 0001-WebKitMacros-Append-to-I-and-not-to-
isystem.patch
[+] f970936204 systemtap: fix native linking on recent Ubuntu
[+] ebabbfd430 systemtap: remove explicit msgfmt check
[+] e6b59a1ac4 x264: Update to latest on stable branch
[+] dd24fbfb47 libpcap: Update to version 1.8.1
[+] ac0d917b67 wayland: upgrade from 1.11.1 to 1.12.0
[+] 2ef30ef624 systemd-bootdisk.wks: use PARTUUID
[+] 16011c5d4f populate_sdk_ext.bbclass: check unfsd before create it
[+] lba4a47ad glibc-2.0: Detect pthread_getname_np() before use
[+] 9bf3f80e88 libbsd: Fix build with musl
[+] cbc5914180 db: disable the ARM assembler mutex code
[+] a60304d4c8 gawk: Update to version 4.1.4
[+] fe5c48dddf cve-check.bbclass: CVE-2014-2524 / readline v5.2
[+] 85c9b9f9c6 initrdscripts: add support for NVME target install
[+] 0bb2d92e1c curl: Update to version 7.51.0
[+] 4229555e04 grep: Update to version 2.26
[+] 81ad25895d serf: Update to version 1.3.9
[+] 21a5e74eb5 chrpath: Remove standard search paths from RPATHS
[+] 025f917cec lib/oe/qa: handle binaries with segments outside the first 4kb
[+] efl1d874c63 libbsd 0.8.3: BBCLASSEXTEND to native and nativesdk
[+] 86d2888789 qemuarm64.conf: make runqemu's graphics work
[+] 1cb4fdef89 runqemu: Split out the base name of QB_DEFAULT_KERNEL
[+] 7a932424ca libyaml: Enable nativesdk bake
[+] 5193dfdb1f lib/oe/path: remove duplicate import
[+] 714ee41cb5 tzdata: update to 2016i
[+] aec47a0dc1 tzcode: update to 2016i
[+] ba011f588b image-buildinfo: treat staged changes as modified branch, too
[+] 4e6c5d8769 distro_check: MeeGo is long dead, compare against Clear Linux instead
[+] 56037c731d webkit: Reduce duplication in MIPS variants.
[+] 9cb7c12f9d mdadm: Reduce duplication in MIPS variants.
[+] adccc6507a ghostscript: Reduce duplication in MIPS variants.
[+] fb921fc3e8 valgrind: Reduce duplication in MIPS variants.
[+] 8d967de374 mmc-utils: Reduce duplication in MIPS variants.
[+] 9911e1e1d9 gdb: Reduce duplication in MIPS variants.
[+] b1d8d057f4 gcc-runtime: Reduce duplication in MIPS variants.
[+] 15b361fd60 packagegroup: Reduce duplication in MIPS variants.
[+] 2ce5582b03 glibc: Reduce duplication in MIPS variants
[+] dac7d6e810 fts: Reduce duplication in MIPS variants.
[+] 10354821a4 bitbake.conf: Reduce duplication in MIPS variants
[+] 3f1ec19b86 arch-mips: Add MACHINEOVERRIDES variables to reduce duplication
[+] 4caa6168b8 arch-mips: Add o32 in TUNE_FEATURES for MIPS32R6
[+] b654f5175d Revert "oeqa/selftest/kernel.py: Add new file destined for kernel related
tests"
[+] 09278be8c2 conf/distro/include/maintainers: move toolchain to Khem Raj
[+] 43e652f3d1 devtool: add "rename" subcommand
[+] 7aebaa4204 oe-selftest: devtool: fix error message in _test_recipe_contents()
[+] e0b62c38ac recipetool: create: separate LICENSE items with & by default
[+] e0944011e6 devtool: finish: warn if moving recipe to unconfigured destination layer
[+] 09754b4119 devtool: finish: fix error if destination layer is not in bblayers.conf
[+] 452a1133dd devtool: add: show recipetool create output
[+] 1655d55764 distro_check: partial rewrite to make it work again
[+] 2295d3932c gdb: update 7.11+git1a982b689c -> 7.11.1
[+] c8669749e3 wic: call os.ftuncate instead of running truncate
[+] eb345ca720 populate_sdk_base.bbclass: add documentation packages to SDKs if api-
documentation is in DISTRO_FEATURES
[+] 385f108377 lib/oe/recipeutils: print just filename in bbappend_recipe() if in temp dir

```

```

[+] 98417f1805 db: remove pointless documentation
[+] 681d811776 libsamplerate0: clean up dependencies
[+] 1a2ebec99a libsamplerate0: 0.1.8 -> 0.1.9
[+] 4d2658eeee task-time: Add simple buildstats analysis script
[+] e35775c598 classes/license: copy licenses even if there are no checksummed files
[+] d02416e293 guilt: remove
[+] cfe6f3e251 subversion: fix "svnadmin create" fail on x86
[+] c56cd49a12 classes/populate_sdk_ext: require uninative
[+] b95bd4ebe3 classes/populate_sdk_ext: prevent invalid TEMPLATECONF entering eSDK
[+] 46aae1066e oe-setup-builddir: fix TEMPLATECONF error message
[+] 3f156dbe92 libxrandr: Update to version 1.5.1
[+] ddc7b47a18 clutter-gst-3.0: Update to version 3.0.20
[+] fc62a168e6 clutter-gtk-1.0: Update to version 1.8.2
[+] 92c3461d6f autogen-native: Update to version 5.18.12
[+] 46af847aed texinfo.bbclass: use dummy dep for libtool-cross
[+] 33ceab7979 runqemu: add user mode (SLIRP) support to x86 QEMU targets
[+] 81386beaf0 bash_3.2.x: update recipe version to match what we're shipping
[+] 8ce19e9e0b qemu: fix CVE-2016-7423 and CVE-2016-7908
[+] 19be0e3f43 qemu: supplementary fix of CVE-2016-5403
[+] 3d00fa90b7 oe-pkgdata-util: Use standard verb form in help info.
[+] 72ecba89de tzdata: Update to 2016h
[+] 9eebb45ee4 tzcode-native: update to 2016h
[+] 4f60616b14 libpng: Upgrade 1.6.24 -> 1.6.25
[+] 9a18102560 libjpeg-turbo: Upgrade 1.5.0 -> 1.5.1
[+] e7db31e5c4 ethtool: Upgrade 4.6 -> 4.8
[+] 9d60b5de84 harfbuzz: Upgrade 1.3.0 -> 1.3.2
[+] ddb398e908 bluez5: Upgrade 5.41 -> 5.42
[+] a57e600612 acpid: Upgrade 2.0.27 -> 2.0.28
[+] 3c17e96cc5 orc: Upgrade 0.4.25 -> 0.4.26
[+] 659aeb76eb mmc-utils: Upgrade to latest git version
[+] 2d3b484cce neon: Upgrade 0.30.1 -> 0.30.2
[+] 39a3763103 mc: Upgrade 4.8.17 -> 4.8.18
[+] 12809c8283 testsdk.bbclass: Clean up comments, clarify image choices.
[+] 7253860e21 texi2html: Allow compiling out-of-source
[+] 6c1a245804 boost: fix upstream version check
[+] ed1e36353a rt-tests: fix the recipe version to match upstream
[+] 6c6b6753c0 valgrind: update to 3.12.0
[+] 0340573629 libarchive: update to 3.2.2
[+] 7e3b7e0523 libwnck3: remove the recipe
[+] 4528546c4b epiphany: remove unnecessary libwnck3 dependency
[+] 5e153ff32a webkitgtk: remove lib_package inherit as executables are now installed in
libexecdir
[+] 0082a9c9b1 vala: update to 0.34.2
[+] d1f29ff277 nspr: update to 4.13.1
[+] 3cb55c1c39 gnome-desktop3: fix dependencies
[+] 1f426410f2 ffmpeg: update to 3.2
[+] 3e75c62cc3 btrfs-tools: update to 4.8.2
[+] 9bb4d21aa7 lttng-tools: do not install shared libraries in ptest package
[+] 5a4b71effa shadow: add nologin.8 to alternatives
[+] 3590296db7 util-linux: add su.1 to update-alternatives
[+] c31fde649f busybox/mdev.conf: Ignore eMMC RPMB and boot block devices
[+] b18901d9bc package_manager.py: correctly remove all dependent packages
[+] 970436f546 insane.bbclass:buildpaths: open() file with 'rb'
[+] 2b1cbb43ae classes/nativesdk: set SDK_OLDEST_KERNEL appropriately
[+] 8381bb0b5f classes/populate_sdk_base: fix usage of & character in SDK_TITLE
[+] 6d776f5c0b wayland: upgrade from 1.11.0 to 1.11.1
[+] cd08dce163 weston: upgrade from 1.11.0 to 1.11.1
[+] 3a6612a811 tiff: Security fix CVE-2016-3622
[+] 28c8e12e30 tiff: Security fix CVE-2016-3623
[+] 799dbe5c08 tiff: Security fix CVE-2016-3991
[+] 8a73e838ef tiff: Security fix CVE-2016-3990
[+] 4db0424120 tiff: Security fix CVE-2016-3945
[+] 92d604ca28 systemd: CVE-2016-7795
[+] d31d1ad4e5 oe/copy_buildsystem.py: dereference symlink
[+] ef1fa14260 openssl: rehash actual mozilla certificates inside rootfs
[+] 3d4c896b2a uboot-sign: fix do_concat_dtb for .img, .rom
[+] 4c0d288642 rpm: fix file location of rpm2cpio.real
[+] 0884cb44f5 boost: disable 'wave' in MIPS16e mode
[+] 503682d6b9 slang: clean up options and dependencies
[+] 84387927c2 slang: add PREMIRRORS to handle upstream moving tarballs
[+] 2d4778b1c8 mkefidisk.sh: add deprecation warning to the output
[+] 9a583e833c gstreamer-plugins: Move introspection to individual recipes
[+] 25f9530f78 qemuboot.bbclass: Setup the vardeps for write_qemuboot_conf
[+] ebe531b38b classes/npm: use npm install to do installation
[+] 6879d524c1 classes/license: fix handling of symlinks pointed to in LIC_FILES_CHKSUM

```

```

[+] 19e075ddde connman: fix bad file descriptor initialisation
[+] 4ade824280 build-appliance-image: Fix incorrect PATH
[+] 86973c0843 binutils-2.27: Fix linker segfaults when linking binary files
[+] 40656601d8 python: fix python-tests rdepends
[+] edb5b524b3 bitbake: lib/bb/cooker.py: fix for BBFILE_PATTERN = ""
[+] 0038120f05 bitbake: toasterui.py: warn if buildstats is missing
[+] b8cab7ed3 bitbake: toaster: add tests/eventreplay/README
[+] 934c9efa66 bitbake: toaster: add eventreplay test case for zlib
[+] 3503c5426e bitbake: toaster: add eventreplay test case for core-image-minimal
[+] 98ac0b0a5b bitbake: toaster: use current directory if BUILDDIR is not set
[+] 637c93edfa bitbake: toaster: buildinfohelper Handle regex paths
[+] 754fa212bc bitbake: toaster: tests builds test_core_image_min Clean ups
[+] 83ebb89877 bitbake: toaster: tests builds Update buildtest
[+] 8e70fa1d79 bitbake: toaster: orm models Handle run builds process not yet running
[+] 0c91a400e7 bitbake: toaster: test browser test_layerdetails_page add
wait_until_visible
[+] 5bc6fa01e0 bitbake: toaster: Remove contrib tts
[+] 953b2f50f0 bitbake: toaster: Delete useless bldcontrol/test
[+] effbf9e09e bitbake: toaster: Move views tests to main testing module
[+] d350276a86 bitbake: toaster: views Tests fix all pyflake identified issues
[+] 7abab61cf4 bitbake: bitbake-worker: print full traceback instead of message only
[+] c5f609edbf bitbake: data: fix exception handling in exported_vars()
[+] 589f08aa85 bitbake: siggen: Ensure taskhash mismatches don't override existing data
[+] 0a4a6d6956 bitbake: siggen: Pass basehash to worker processes and sanity check
reparing result
[+] 157947efc7 bitbake: build: Ensure we preserve sigbasedata files as well as sigdata
ones
[+] 71c8376116 rm_work: Ensure we don't remove sigbasedata files
[+] f6b0c60664 sstate: Ensure we don't remove sigbasedata files
[+] 9bd399c1a6 linux-yocto/4.1: update to v4.1.35
[+] 15b68f927c linux-yocto/4.8: update to 4.8.6
[+] c64b12d792 linux-yocto/4.4: update to v4.4.30
[+] 5354a4a315 distcc: Don't remove users/groups in postrm
[+] b1e1c12a3f avahi: Don't remove users/groups in postrm
[+] 5d11f02fb7 e2fsprogs: Depend on attr
[+] c3d2df883a oeqa/selftest/kernel.py: Add new file destined for kernel related tests
[+] 60a9930989 lttng: enable optional building of manpages
[+] ac70747516 gtk+3: Upgrade 3.20.9 -> 3.22.1
[+] 2b1cfd438e gtk+: Upgrade 2.24.30 -> 2.24.31
[+] 1955a6d4f7 gtk-icon-utils-native: Upgrade 3.20.9 -> 3.22.1
[+] cafb0a9c68 gdk-pixbuf: 2.34.0 -> 2.36.0
[+] f5d1be7950 glib-networking: Upgrade 2.48.2 -> 2.50.0
[+] eb76952ee6 freetype: Upgrade 2.6.5 -> 2.7
[+] 540e1a5a5f at-spi2-atk: Upgrade 2.20.1 -> 2.22.0
[+] 17317ef506 at-spi2-core: Upgrade 2.20.2 -> 2.22.0
[+] 30325533f3 atk: Upgrade 2.20.0 -> 2.22.0
[+] fcddfa4290 libsoup-2.4: Upgrade 2.54.1 -> 2.56.0
[+] b41a2e62b8 glib-2.0: Upgrade 2.48.2 -> 2.50.1
[+] fffe8fed85 gnome-themes-standard: Upgrade 3.20.2 -> 3.22.2
[+] 26b1e3872b adwaita-icon-theme: Upgrade 3.20 -> 3.22.0
[+] 05e49977b5 pango: Upgrade 1.40.1 -> 1.40.3
[+] 85d1d26858 xserver-xf86-config: Remove legacy drivers from xorg.conf
[+] a1668c8721 conf: Use xf86-input-libinput by default
[+] 95502c3a58 taglib: update to 1.11
[+] 470e6225e3 libsdl2: update to 2.0.5
[+] 003b053498 boost: fix the SRC_URI to point to an actual release, and not a master
snapshot
[+] 927ed6cbef maintainers.inc: remove SGML recipes
[+] 6caf67bc0d maintainers.inc: add missing recipes
[+] 9ba7226744 README.hardware: minor update to edgerouter section
[+] 12cdada1e3 poky-tiny.conf: remove core-image-directfb reference
[+] 19d42e599d maintainers.inc: remove core-image-directfb reference
[+] 3ef021ede1 poky.conf: Update QEMU_TARGETS and add mips64el
[+] 6e36cc9c40 Remove LIC_FILES_CHKSUM from recipes without SRC_URI
[+] 9af59d07a3 combo-layer: handle file_exclude matching dirs
[+] b48ed35fd5 libx11-diet: Upgrade 1.6.3 -> 1.6.4
[+] 19a2a59bc7 libx11: Upgrade 1.6.3 -> 1.6.4
[+] 00a4f5f2b1 libxfixes: Upgrade 5.0.2 -> 5.0.3
[+] dea45536a0 libxfont: Upgrade 1.5.1 -> 1.5.2
[+] f0dc97285d libxi: Upgrade 1.7.6 -> 1.7.7
[+] b144d266aa libxrender: Upgrade 0.9.9 -> 0.9.10
[+] c192a1d0e2 libxtst: Upgrade 1.2.2 -> 1.2.3
[+] 47fff1c3bc libxv: Upgrade 1.0.10 -> 1.0.11
[+] 7b63127e19 libxvmc: Upgrade 1.0.9 -> 1.0.10
[+] e104197154 xproto: Upgrade 7.0.29 -> 7.0.31

```



```

[+] 2f222d7f78 xf86-input-libinput: Upgrade 0.19.0 -> 0.22.0
[+] d31eefe17e libdrm: Upgrade 2.4.70 -> 2.4.71
[+] fce415b07f libevdev: Upgrade 1.5.2 -> 1.5.4
[+] 8ea943bc32 libinput: Upgrade 1.4.1 -> 1.5.0
[+] 661c855fd2 useradd-staticids.bbclass: catch missing uid/gid exceptions
[+] f248db1972 binutils: enable warn system directories in cross-canadian ld
[+] ffbe37d5eb btrfs-tools: enable optional building of manpages
[+] 98d3de8b49 pulseaudio: enable optional building of manpages
[+] f46fa07bb5 alsa-utils: enable optional building of manpages
[+] 8342a25aa5 kmod: enable optional building of manpages
[+] 1648722753 libdrm: enable optional building of manpages
[+] c11d6793ad libsecret: enable optional building of manpages
[+] 0f69504d7e json-glib: enable optional building of manpages
[+] 6ff457ae91 gtk+: enable optional building of manpages
[+] b9f3aa004f pixz: enable optional building of manpages
[+] 90924718dd systemd: enable building of manpages if api-documentation feature is in
distro features
[+] cd567ae64b glib: enable optional building of manpages
[+] cb72e3d2f3 avahi: enable manpages
[+] 5d9400dde0 systemd-boot: add a comment about manpages being disabled
[+] 7b582b5f7a pm-utils: enable optional building of manpages
[+] cd4e56b367 gummiboot: enable optional building of manpages
[+] 1ae7b2e8ab manpages.bbclass: add a class
[+] 671780de49 Remove the SGML stack
[+] d95ef2a0aa systemd: do not depend on SGML stack
[+] 839b7a5404 libuser: do not depend on SGML stack
[+] 6530cf7b21 iputils: do not build or install manpages
[+] 8bf4f5fb46 gtk+3: remove SGML stack dependency
[+] 07debd1169 gtk+: remove dependency on SGML stack
[+] a2e1133b9d mesa: update to 12.0.3
[+] 98e9845e31 sstate-sysroot-cruft: Add /etc/ld.so.conf to whitelist
[+] d7affc5dfa test-dependencies.sh: Strip also '\.bb: .*' before adding failed recipe to
list of failed
[+] a40f5d3406 u-boot: Factor out common bits
[+] 2031738d28 musl: Security fix CVE-2016-8859
[+] 95970f1941 epiphany: update to 3.22.1
[+] 8f9c46a764 webkitgtk: update to 2.14.1
[+] ccffdd32ae vala: update to 0.34.1
[+] 01022c9bb9 nss: update to 3.27.1
[+] 81e7fd2282 nspr: update to 4.13
[+] 0314b12111 mpg123: update to 1.23.8
[+] c6ecb08c29 lighttpd: update to 1.4.42
[+] dfde99b360 libksba: update to 1.3.5
[+] ff30ef9d54 gnutls: update to 3.5.5
[+] 6e0980decb gnome-desktop3: update to 3.22.1
[+] 5ec8bd286d ffmpeg: update to 3.1.4
[+] 8e5cbe7529 dtc: update to 1.4.2
[+] 2ac96069db cmake: update to 3.6.2
[+] 49d2d47586 btrfs-tools: update to 4.8.1
[+] 63b5ba4e55 boost: update to 1.62.0
[+] 12119cc1f9 pigz: fix upstream version check
[+] 2fda4c9b2e cve-check-tool: fix upstream version check
[+] c90eea1543 mklibs-native: fix upstream version check
[+] c69055a2ed musl: enable gobject introspection
[+] 28832af7bb image_types: Add support for lzo compressed initial ramdisk
[+] 9664e41ff9 image_types: Add support to compress initramfs with lz4
[+] d0b0cf6cff buildhistory: fix latest_srcrev in the common case
[+] 5bfc112449 cmake: avoid configure failures if CFLAGS contains -Wstrict-prototypes
[+] e66f5eabed terminal.py: Add compatibility for konsole 16.08.1
[+] e02f0f1cb1 combo-layer: handle ambiguous git arguments
[+] 050b8969ab combo-layer: fix crashes on wrong tempfile usage
[+] 7e5b59d7af Remove $COREBASE/LICENSE from LIC_FILES_CHKSUM
[+] 61e7ad5141 buildhistory-collect-srcrevs: Fix multiple SRCREV definitions
[+] e5815d0b60 build-appliance-image: Update to master head revision
[+] ee6ee913aa meta-yocto-bsp: linux-yocto: bump to the latest stable version for non-x86
BSPs
[+] 12e1ca33c4 linux-yocto: Update genericx86* SRCREVs for linux-yocto 4.4
[+] 2eaa03da8 linux-yocto: Update genericx86* SRCREVs for linux-yocto 4.1
[+] 4fe217d7a9 linux-yocto: Update genericx86* SRCREVs for linux-yocto 4.8
[+] e0644d6bd3 linux-yocto/4.8: sync preempt-rt with upstream project
[+] a8169807e8 devtool: runqemu: work around runqemu script path assumption
[+] 30dlaf89ce image_types: Use softer setting of WKS_FILE
[+] 69e8c1a888 ref-manual: Removed host package requirements for SDK
[+] e0ed9253c1 ref-manual: Applied minor corrections to 2.2 migration section.
[+] d89a35f0a0 yocto-project-qs: Created two sub-sections for the "Build" section.

```

- [+] 13f3779648 yocto-project-qs: Fixed the example to use 'dd' instead of 'mkefidisk.sh'
- [+] 2b782a2c21 ref-manual: Added BBMULTICONFIG glossary description.
- [+] 0df906b779 dev-manual: Added section for multi-configuration support
- [+] 5f4b202078 ref-manual: Updated the RDEPENDS variable description.
- [+] 3769f7ba06 ref-manual: Updated 2.2 migration for runqemu porting to python